



Ambulante pulmonale Rehabilitation - Übersicht Patientin/Patient

Name:Diagnose(n):Vorname:Pneumolog/in:Geb.datum:Kurs vom

| | | VOR | NACH | DIFFERENZ |
|------------------------|----------------------------|--------|------|-----------|
| Allgemeine Daten | | | | |
| Grösse | (m) | | | |
| Gewicht | (kg) | | | |
| BMI | (kg/m²) | | | |
| Spirometrie | | | | |
| FEV1 | (I) / (%SoII) | / | / | / |
| FVC | (I) / (%SoII) | / | / | |
| FEV1/FVC | (%) | | | |
| RV/TLC | (%) | | | |
| Arterielle Blutgase | | | | |
| O ₂ -Dosis | (I/min) | | | |
| SaO ₂ | (%) | | | |
| pH | | | | |
| pO ₂ | (mmHg) | | | |
| pCO ₂ | (mmHg) | | | |
| Bicarbonat | (mmol/l) | | | |
| Belastungstest | | | | |
| Max. Leistung | (W) / (%SoII) | / | / | / |
| VO₂max | (I/min/kg) | | | |
| 6-Minuten-Gehtest | | | | |
| Distanz Meter | (m) / (%SoII) | / | / | / |
| SaO₂min | (%) | | | |
| Zuwachs > 35m=signifi | kant | | | |
| Dyspnoe - MMRC-Se | core [0-4] | | | |
| CRQ-Fragebogen | | | | |
| Dyspnoe | | | | |
| Müdigkeit | | | | |
| Gefühlslage | | | | |
| Bewältigung | | | | |
| (1=schlecht, 7=gut; Δ0 | .5=signifikant) | | | |
| CAT-Fragebogen | | | | |
| 0 (keine Symptome) < 1 | Punktzahl > 40 (starke Sym | ptome) | | |
| BODE-Score | | | | |
| | | | | |