

APOne Limited

Notations :

- 1.Options shown in green color and with ✓ icon are correct.
- 2.Options shown in red color and with ✗ icon are incorrect.

Question Paper Name :	PaperIIIGeneralForestryI 10th Nov 2022 S2
Subject Name :	Paper III General Forestry I
Creation Date :	2022-11-10 18:13:54
Duration :	150
Total Marks :	150
Display Marks:	Yes
Share Answer Key With Delivery Engine :	No
Actual Answer Key :	Yes
Calculator :	None
Magnifying Glass Required? :	No
Ruler Required? :	No
Eraser Required? :	No
Scratch Pad Required? :	No
Rough Sketch/Notepad Required? :	No
Protractor Required? :	No
Show Watermark on Console? :	Yes
Highlighter :	No
Auto Save on Console?	Yes
Change Font Color :	No
Change Background Color :	No
Change Theme :	No
Help Button :	No

Show Reports : No

Show Progress Bar : No

Paper III General Forestry I

Group Number : 1

Group Id : 1456344

Is this Group for Examiner? : No

Examiner permission : Cant View

Show Progress Bar? : No

General Forestry I

Section Id : 1456345

Section Number : 1

Section type : Online

Enable Mark as Answered Mark for Review and Clear Response : Yes

Maximum Instruction Time : 0

Sub-Section Number : 1

Sub-Section Id : 1456346

Question Shuffling Allowed : Yes

Is Section Default? : null

Question Number : 1 Question Id : 145634402 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following states shows the maximum loss in forest cover as per ISFR 2021?

Options :

1. ✖ Tripura
2. ✔ Arunachal Pradesh
3. ✖ Himachal Pradesh
4. ✖ Manipur

Question Number : 2 Question Id : 145634403 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Tree cover is defined as:

Options :

1. ✖ isolated trees and small patches of trees, which are less than 1 ha in area and occurring inside the recorded forest areas.
2. ✖ isolated trees and small patches of trees, which are less than 2 ha in area and occurring outside the recorded forest areas.
3. ✔ isolated trees and small patches of trees, which are less than 1 ha in area and occurring outside the recorded forest areas.
4. ✖ isolated trees and small patches of trees, which are less than 1.5 ha in area and occurring inside the recorded forest areas.

Question Number : 3 Question Id : 145634404 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

_____ is defined as the 'water that is retained around soil particles and the capillary pores in the soil at forces approx. between values of pF2.7 and 4.5'.

Options :

1. ✔ Capillary water
2. ✖ Hygroscopic water
3. ✖ Gravitational water
4. ✖ Hydrophobic water

Question Number : 4 Question Id : 145634405 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

According to WHO (1984), what is the permissible limit of fluoride levels in groundwater?

Options :

- 1. ✖ 2.5 mg/L
- 2. ✔ 1.5 mg/L
- 3. ✖ 3.0 mg/L
- 4. ✖ 2.0 mg/L

Question Number : 5 Question Id : 145634406 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The Planning Commission of India has recommended which of the following species for biodiesel production?

Options :

- 1. ✔ *Jatropha curcas*
- 2. ✖ *Garcinia indica*
- 3. ✖ *Sapium sebiferum*
- 4. ✖ *Madhuca indica*

Question Number : 6 Question Id : 145634407 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

As per the ISFR 2021, the forest cover of Andhra Pradesh is ____ of the total geographical area of the country.

Note: For this question, discrepancy is found in question/answer. So, this question is ignored for all candidates.

Options :

1. 0.1828
2. 0.1645
3. 0.195
4. 0.172

Question Number : 7 Question Id : 145634408 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The Mahadayi Water Dispute is associated with an inter-state river water dispute between:

Options :

1. ✖ Maharashtra, Madhya Pradesh and Goa
2. ✖ Karnataka, Andhra Pradesh and Tamil Nadu
3. ✔ Goa, Karnataka and Maharashtra
4. ✖ Maharashtra, Karnataka and Andhra Pradesh

Question Number : 8 Question Id : 145634409 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

According to IMD, drought refers to any area when the rainfall deficiency in that area is _____ of its long term normal.

Options :

1. ✖ $\geq 30\%$

2. ✓ ≥26%

3. ✗ ≤24%

4. ✗ ≤20%

Question Number : 9 Question Id : 145634410 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

According to the Desertification and Land Degradation Atlas of India 2021, how much area of the country has undergone land degradation during the year 2018-19?

Options :

1. ✗ 85.26 million ha

2. ✗ 92.81 million ha

3. ✓ 97.85 million ha

4. ✗ 90.65 million ha

Question Number : 10 Question Id : 145634411 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

_____ is a total stem-parasite.

Options :

1. ✗ Viscum

2. ✓ Cuscuta

3. ✗ Loranthus

4. ✗ Arceuthobium

Question Number : 11 Question Id : 145634412 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following is **NOT** an element of xylem?

Options :

1. ✖ Tracheids
2. ✖ Wood fibres
3. ✖ Vessels
4. ✔ Companion cells

Question Number : 12 Question Id : 145634413 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Inarching grafting is also known as:

Options :

1. ✖ cleft grafting
2. ✖ wedge grafting
3. ✔ approach grafting
4. ✖ bud grafting

Question Number : 13 Question Id : 145634414 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following is a modified stem?

Options :

1. ✔ Rhizome
2. ✖ Root
3. ✔ Tendrils
4. ✔ Thorns

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks

for this question if any of the correct options are chosen.

Question Number : 14 Question Id : 145634415 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The type of germination where the seed germinates inside the fruit while still attached to the parent tree is called:

Options :

1. ✖ hypogeal
2. ✖ epigeal
3. ✔ vivipary
4. ✖ advance

Question Number : 15 Question Id : 145634416 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The wood in which the vessels have equal diameters and are uniformly distributed throughout the growth ring is called _____ wood.

Options :

1. ✖ uniformly porous
2. ✔ diffuse-porous
3. ✖ ring-porous
4. ✖ active porous

Question Number : 16 Question Id : 145634417 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The concentration of the essential element below which plant growth is retarded is called:

Options :

1. ✓ critical concentration
2. ✗ crucial concentration
3. ✗ extremely low concentration
4. ✗ low concentration

Question Number : 17 Question Id : 145634418 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The development of an embryo from any cell of the gametophyte other than the egg-cell, without the intervention of gametes is known as:

Options :

1. ✗ parthenogenesis
2. ✗ conjugation
3. ✗ apospory
4. ✓ apogamy

Question Number : 18 Question Id : 145634419 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ refers to the mechanism promoting self-pollination where flowers open but only after the pollination has taken place.

Options :

1. ✗ Cleistogamy
2. ✗ Dichogamy
3. ✓ Chasmogamy
4. ✗ Herkogamy

Question Number : 19 Question Id : 145634420 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Damping off disease in nursery seedlings is caused by:

Options :

1. ✖ bacteria
2. ✖ virus
3. ✖ actinomyces
4. ✔ fungi

Question Number : 20 Question Id : 145634421 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Tracheids are found in which of the following species?

Options :

1. ✔ Eucalyptus hybrid
2. ✔ Abies pindrow
3. ✖ Albizia chinensis
4. ✖ Alnus nepalensis

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

Question Number : 21 Question Id : 145634422 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The 'Pulsation Theory' by Sir JC Bose is associated with which of the following?

Options :

1. ✔ Ascent of sap

2. ✖ Transpiration
3. ✖ Translocation
4. ✖ Respiration

Question Number : 22 Question Id : 145634423 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

_____ is the naturally occurring auxin in plants.

Options :

1. ✖ Indole butyric acid
2. ✖ Naphthalene acetic acid
3. ✔ Indole acetic acid
4. ✖ Absciscic acid

Question Number : 23 Question Id : 145634424 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following statements is **NOT** correct with regard to gymnosperms?

Options :

1. ✖ The ovules are borne freely exposed on the megasporophyll.
2. ✖ They have no calyx or corolla and are always unisexual, consisting of either microsporophylls or megasporophylls.
3. ✖ The only agency of pollination in gymnosperms is wind.
4. ✔ The xylem is composed mainly of vessels and the phloem.

Question Number : 24 Question Id : 145634425 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Hiptage is present in which of the following types of indehiscent or achenial fruits?

Options :

1. ✖ Nut
2. ✔ Samara
3. ✖ Caryopsis
4. ✖ Achene

Question Number : 25 Question Id : 145634426 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The progeny of breeder's seed is handled by recognised seed producing agencies in the public and private sectors, under the supervision of the Seed Certification Agency in such a way that its quality is maintained according to the prescribed standard. This class of seed is termed as:

Options :

1. ✖ nucleus seed
2. ✖ certified seed
3. ✔ foundation seed
4. ✖ registered Seed

Question Number : 26 Question Id : 145634427 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Cytoplasmic inheritance in plants is due to the gene presence in which of the following organelles?

Options :

1. ✔ Chloroplast and mitochondria
2. ✖ Golgi apparatus
3. ✖ Ribosomes
4. ✖ Smooth endoplasmic reticulum

Question Number : 27 Question Id : 145634428 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The term 'biodiversity' was coined by:

Options :

1. ✓ Walter G Rosen
2. ✗ Ernst Haeckel
3. ✗ Roswell Hill Johnson
4. ✗ Anton De Bary

Question Number : 28 Question Id : 145634429 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

According to IUCN, *Pterocarpus santalinus* is considered under which of the following categories?

Options :

1. ✓ Endangered
2. ✗ Vulnerable
3. ✗ Near threatened
4. ✗ Least concern

Question Number : 29 Question Id : 145634430 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following criteria is correct with regard to any region to qualify as a biodiversity hotspot?

Options :

1. ✗ Must have at least 1500 vascular plants as endemic and must have 70% or less of its primary

vegetation.

2. ✖ Must have at least 150 vascular plants as endemic and must have 70% or less of its primary vegetation.

3. ✔ Must have at least 1500 vascular plants as endemic and must have 30% or less of its primary vegetation.

4. ✖ Must have at least 150 vascular plants as endemic and must have 30% or less of its primary vegetation.

Question Number : 30 Question Id : 145634431 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The State Government in consultation with the local bodies can declare any area of biodiversity importance as a Biodiversity Heritage Site under which Section of the Biological Diversity Act, 2002?

Options :

1. ✖ Section 36

2. ✔ Section 37

3. ✖ Section 38

4. ✖ Section 39

Question Number : 31 Question Id : 145634432 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

As per the ISFR 2021, which of the following forest types has the maximum area in Andhra Pradesh?

Options :

1. ✖ Dry deciduous scrub forests

2. ✖ Southern thorn forests

3. ✖ Southern moist mixed deciduous forests

4. ✓ Southern dry mixed deciduous forests

Question Number : 32 Question Id : 145634433 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The Sanjay-Dubri Tiger Reserve is situated in:

Options :

1. ✓ Madhya Pradesh
2. ✗ Maharashtra
3. ✗ Chhattisgarh
4. ✗ Jharkhand

Question Number : 33 Question Id : 145634434 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

In India, under Section 35 of the Wildlife (Protection) Act, 1972, the State Government can declare any area to be a _____ because of its ecological, faunal or floral significance.

Options :

1. ✗ Wildlife Sanctuary
2. ✗ Biosphere Reserve
3. ✓ National Park
4. ✗ Conservation Reserve

Question Number : 34 Question Id : 145634435 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The pygmy hog is endemic to which of the following states?

Options :

1. ✖ Odisha
2. ✔ Assam
3. ✖ Jharkhand
4. ✖ Chhattisgarh

Question Number : 35 Question Id : 145634436 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

According to the CIFOR-ICRAF Annual Report - 2020, on an average _____ species are driven to extinction in the world's tropical rainforests every day.

Options :

1. ✖ 150
2. ✔ 137
3. ✖ 146
4. ✖ 127

Question Number : 36 Question Id : 145634437 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Dhadabgao and Sankarnarayan (1973) classified the grasslands of India broadly into:

Options :

1. ✖ 4 types
2. ✔ 5 types
3. ✖ 6 types
4. ✖ 7 types

Question Number : 37 Question Id : 145634438 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The Walkley-Black method is used for the estimation of _____ in soil.

Options :

1. ✖ available phosphorus
2. ✖ available potassium
3. ✖ bulk density
4. ✔ organic carbon

Question Number : 38 Question Id : 145634439 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

How many Land Capability Classes are there?

Options :

1. ✖ Six
2. ✖ Four
3. ✖ Five
4. ✔ Eight

Question Number : 39 Question Id : 145634440 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The size of clay particles is:

Options :

1. ✔ <0.002 millimetres
2. ✖ 0.002 to 0.003 millimetres
3. ✖ >0.002 millimetres

4. ✖ 0.002 to 0.004 millimetres

Question Number : 40 Question Id : 145634441 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following is the most dominant soil order in India?

Options :

1. ✖ Vertisols

2. ✖ Entisols

3. ✔ Inceptisols

4. ✖ Alfisols

Question Number : 41 Question Id : 145634442 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Latosols are soils rich in Fe and Al oxides and are commonly found under:

Options :

1. ✖ hot and dry tropics

2. ✔ hot and wet tropics

3. ✖ humid temperate

4. ✖ dry temperate

Question Number : 42 Question Id : 145634443 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following species is the most suitable for the reclamation of saline and alkaline soils?

Options :

1. ✖ Tamarindus indica
2. ✖ Dalbergia sissoo
3. ✖ Populus deltoides
4. ✔ Prosopis juliflora

Question Number : 43 Question Id : 145634444 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

'The smallest three-dimensional volume of a soil needed to give full representation of horizontal variability of soil' is termed as:

Options :

1. ✖ soil horizon
2. ✔ pedon
3. ✖ soil profile
4. ✖ regolith

Question Number : 44 Question Id : 145634445 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The Van Bemmelen factor used for the conversion of organic carbon to organic matter is:

Options :

1. ✔ 1.724
2. ✖ 1.624
3. ✖ 1.524
4. ✖ 1.424

Question Number : 45 Question Id : 145634446 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The headquarters of the Indian Institute of Soil and Water Conservation is located at which of the following places?

Options :

1. ✖ New Delhi
2. ✖ Ooty
3. ✔ Dehradun
4. ✖ Kota

Question Number : 46 Question Id : 145634447 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ is defined as 'pumping of excess soil water by deep-rooted vegetations through evapotranspiration using their bio-energy'.

Options :

1. ✖ Biopumping
2. ✖ Geopumping
3. ✖ Biosewage
4. ✔ Biodrainage

Question Number : 47 Question Id : 145634448 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ is a watershed development project sponsored by the Central Government that aims at enabling the rural population to conserve water for drinking, irrigation, fisheries and afforestation.

Options :

1. ✖ Atal Bhujal Yojana
2. ✖ Arvary Pani Sansad

3. ✓ Haryali

4. ✗ Neeru-Meeru

Question Number : 48 Question Id : 145634449 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The Central Ground Water Authority was constituted under Section _____ of the Environment (Protection) Act, 1986.

Options :

1. ✓ 3 (3)

2. ✗ 5 (3)

3. ✗ 2 (1)

4. ✗ 6 (2)

Question Number : 49 Question Id : 145634450 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Lignotubers are modified stems developed from double accessory buds in the axils of cotyledons found in:

Options :

1. ✗ *Dalbergia sissoo*

2. ✗ *Acacia arabica*

3. ✗ *Albizia chinensis*

4. ✓ *Eucalyptus tereticornis*

Question Number : 50 Question Id : 145634451 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The seed of oaks is dispersed by:

Options :

1. ✓ birds
2. ✗ water
3. ✓ gravity
4. ✓ animals

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

Question Number : 51 Question Id : 145634452 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

In moister areas, nursery beds are usually raised _____ above the ground level.

Options :

1. ✗ 5 to 10 cm
2. ✗ 20 to 25 cm
3. ✓ 10 to 15 cm
4. ✗ 15 to 20 cm

Question Number : 52 Question Id : 145634453 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

_____ is a light demander species of tropical moist deciduous forests.

Options :

1. ✗ Toona ciliate
2. ✓ Dalbergia sissoo
3. ✗ Pterocarpus marsupium
4. ✗ Artocarpus chama

Question Number : 53 Question Id : 145634454 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

_____ is the scientific name of the teak defoliator.

Options :

1. ✖ *Lymantria*
2. ✔ *Hyblaea puera*
3. ✖ *Eutectona machaeralis*
4. ✖ *Trabala vishnou*

Question Number : 54 Question Id : 145634455 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

What type of pan is formed in alluvial soils of Uttar Pradesh and black cotton soils of the Deccan region?

Options :

1. ✖ Silican
2. ✔ Kankar
3. ✖ Podsollic
4. ✖ Lateritic iron

Question Number : 55 Question Id : 145634456 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Ring pit is a type of pit dug out for planting, which is suitable for:

Options :

1. ✔ sandy soils

2. ✖ loamy soils
3. ✖ clay soils
4. ✖ saline alkaline soils

Question Number : 56 Question Id : 145634457 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which type of grafting is more useful for genetic improvement work in forestry?

Options :

1. ✔ Cleft grafting
2. ✖ Whip grafting
3. ✖ Veneer grafting
4. ✖ Saddle grafting

Question Number : 57 Question Id : 145634458 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following species is pollarded to produce shoots suitable for fibre extraction in Andhra Pradesh?

Options :

1. ✖ Xylia xylocarpa
2. ✖ Butea monosperma
3. ✖ Anogeissus latifolia
4. ✔ Hardwickia binata

Question Number : 58 Question Id : 145634459 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ are the good seed years of *Shorea robusta*.

Options :

1. ✖ 1-2 years
2. ✖ 6-7 years
3. ✖ 8-10 years
4. ✔ 3-5 years

Question Number : 59 Question Id : 145634460 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

In the regeneration category, woody shoot which has been browsed is represented by which of the following symbols?

Options :

1. ✔ w^+
2. ✖ w^-
3. ✖ u
4. ✖ w

Question Number : 60 Question Id : 145634461 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The patches of pure *Anogeissus latifolia* in sal forests is an example of:

Options :

1. ✖ sub climax
2. ✔ preclimax
3. ✖ edaphic climax
4. ✖ post climax

Question Number : 61 Question Id : 145634462 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

In Central India, *Soymida febrifuga*, *Acacia leucophloea* and *Chloroxylon swietenia* are indicator plants of:

Options :

1. ✖ clayey soil
2. ✖ lime rich soil
3. ✔ stiff kankar clay
4. ✖ alluvial soil

Question Number : 62 Question Id : 145634463 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following pests feeds on the bark of *Gmelina arborea* and forms tunnels in the wood?

Options :

1. ✖ *Alcidodes ludificator*
2. ✔ *Indarbela quadrinotata*
3. ✖ *Tingis beesomi*
4. ✖ *Calopepla leayana*

Question Number : 63 Question Id : 145634464 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Eucalyptus tereticornis is a:

Options :

1. ✖ moderately refractory timber species

2. ✓ highly refractory timber species
3. ✗ non-refractory timber species
4. ✗ low refractory timber species

Question Number : 64 Question Id : 145634465 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

World Agroforestry Centre is located in:

Options :

1. ✓ Kenya
2. ✗ South Africa
3. ✗ Ethiopia
4. ✗ Zimbabwe

Question Number : 65 Question Id : 145634466 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The term 'social forestry' was coined by:

Options :

1. ✗ BT Kang
2. ✓ JC Westoby
3. ✗ Dietrich Brandis
4. ✗ JB Raintree

Question Number : 66 Question Id : 145634467 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following are the basic attributes of all agroforestry systems that form the basis for evaluation of various agroforestry systems?

Options :

1. ✖ Potentiality, Productivity and Adoptability
2. ✖ Sustainability, Profitability and Productivity
3. ✔ Productivity, Sustainability and Adoptability
4. ✖ Productivity, Suitability and Adoptability

Question Number : 67 Question Id : 145634468 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Joint Forest Management in Andhra Pradesh was initiated in the year:

Options :

1. ✔ 1992
2. ✖ 1990
3. ✖ 1986
4. ✖ 1996

Question Number : 68 Question Id : 145634469 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

‘Seasonal grazing of cattle in pastures under trees’ is what type of temporal arrangement in agroforestry systems?

Options :

1. ✖ Interpolated
2. ✖ Concomitant
3. ✖ Coincident
4. ✔ Intermittent

Question Number : 69 Question Id : 145634470 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Shifting cultivation is locally called _____ in Malaysia.

Options :

1. ✘ Hanumo
2. ✔ Ladang
3. ✘ Karen
4. ✘ Milpa

Question Number : 70 Question Id : 145634471 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which secondary metabolite present in *Leucaena* spp. is responsible for its allelopathic effect?

Options :

1. ✔ Mimosine
2. ✘ Cyanogenic glycoside
3. ✘ Anthraquinone
4. ✘ Coumarin

Question Number : 71 Question Id : 145634472 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

_____ is a multipurpose tree species which is native to Australia.

Options :

1. ✘ *Robinia pseudoacacia*
2. ✘ *Prosopis juliflora*
3. ✘ *Leucaena leucocephala*

4. ✓ Casuarina equisetifolia

Question Number : 72 Question Id : 145634473 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following is **NOT** true with regard to the selection criteria for good alley cropping trees?

Options :

1. ✗ It should be nitrogen fixing in nature.
2. ✗ It should be able to resprout quickly after pruning, coppicing or pollarding.
3. ✓ It should have shallow tap root system.
4. ✗ It should have light, open crown that allows sunlight to pass through.

Question Number : 73 Question Id : 145634474 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The Zabo farming system is practiced by tribal farmers of which state in India?

Options :

1. ✗ Arunachal Pradesh
2. ✓ Nagaland
3. ✗ Sikkim
4. ✗ Orissa

Question Number : 74 Question Id : 145634475 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following factors is multiplied with total nitrogen content to determine the crude protein in fodder?

Options :

1. ✖ 2.5
2. ✖ 4.2
3. ✔ 6.25
4. ✖ 8.15

Question Number : 75 Question Id : 145634476 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

According to the Global Forest Goals Report 2021, which country has converted nearly 35% of its total forest area to community forests, due to which the forest area has increased and rate of deforestation has decreased?

Options :

1. ✔ Nepal
2. ✖ Bhutan
3. ✖ Indonesia
4. ✖ Philippines

Question Number : 76 Question Id : 145634477 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ is the major cash crop of Chagga home gardens.

Options :

1. ✖ Tobacco
2. ✖ Cashew nuts
3. ✔ Coffee arabica
4. ✖ Cloves

Question Number : 77 Question Id : 145634478 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

According to India State of Forest Report (ISFR) 2021 given by Forest Survey of India, the recorded forest area of Andhra Pradesh is _____.

Options :

1. ✓ 37,258 km²
2. ✗ 36,258 km²
3. ✗ 35,258 km²
4. ✗ 38,258 km²

Question Number : 78 Question Id : 145634479 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following is **NOT** a non-renewable energy source?

Options :

1. ✓ Solar
2. ✓ Geothermal
3. ✗ Coal
4. ✓ Forest

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

Question Number : 79 Question Id : 145634480 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The process by which pollutants (metals, residual insecticides and pesticides, etc.) enter the food chain is called _____.

Options :

1. ✖ bio-magnification
2. ✔ bio-accumulation
3. ✖ bio-stabilisation
4. ✖ bio-degradation

Question Number : 80 Question Id : 145634481 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

A renewable energy source has _____.

Options :

1. ✖ low heat emissions
2. ✖ low power generation
3. ✖ very high carbon emissions
4. ✔ low carbon emissions

Question Number : 81 Question Id : 145634482 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

As per ISFR 2021, the total forest and tree cover in India is _____ of the geographical area of the country.

Options :

1. ✔ 24.62%
2. ✖ 28.62%
3. ✖ 21.50%
4. ✖ 23.50%

Question Number : 82 Question Id : 145634483 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

According to Global Forest Resource Assessment (GFRA) report 2020, considering the forest area, at which position is India ranked among different countries of the world?

Options :

- 1. ✖ 5th
- 2. ✔ 10th
- 3. ✖ 3rd
- 4. ✖ 8th

Question Number : 83 Question Id : 145634484 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following is the regulative function of forest resources?

Options :

- 1. ✔ Storage and release of gases
- 2. ✖ Production of timber
- 3. ✖ Provision of minor forest products
- 4. ✔ Conservation of soil and water

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

Question Number : 84 Question Id : 145634485 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The Government of India started National Wetland Conservation Programme (NWCP) in close collaboration with concerned State/UT Governments during the year _____.

Options :

1. ✖ 2003–04
2. ✖ 1995–96
3. ✔ 1985–86
4. ✖ 1975–76

Question Number : 85 Question Id : 145634486 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following is from the Fabaceae family?

Options :

1. ✔ *Desmodium gangeticum*
2. ✖ *Bromus innermis*
3. ✖ *Desmostachya bipinnata*
4. ✖ *Apluda mutica*

Question Number : 86 Question Id : 145634487 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The plants in deserts are deep rooted. They obtain a significant portion of the water that they need from the zone of saturation. These plants are called _____.

Options :

1. ✖ spermatophytes
2. ✖ phaeophytes
3. ✔ phreatophytes
4. ✖ phragmatophytes

Question Number : 87 Question Id : 145634488 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Cluster branching in a plant from dormant or adventitious buds on the bole of a tree or an older branch in adverse climatic conditions is known as _____.

Options :

1. ✖ pseudobranches
2. ✖ knots
3. ✔ epicormic branches
4. ✖ tertiary branches

Question Number : 88 Question Id : 145634489 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following is a monoecious plant species?

Options :

1. ✖ Salix alba
2. ✔ Abies pindrow
3. ✖ Taxus baccata
4. ✖ Diospyros melanoxylon

Question Number : 89 Question Id : 145634490 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The study of intra-specific variation in plants in relation to the environment is called _____.

Options :

1. ✔ autoecology
2. ✖ synecology
3. ✖ community ecology

4. ✖ oecology

Question Number : 90 Question Id : 145634491 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Tendrils in a plant are the modification of _____.

Options :

1. ✔ leaves

2. ✖ branches

3. ✖ the leaf axis

4. ✔ the stem

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

Question Number : 91 Question Id : 145634492 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

An embryo may sometimes develop from a cell of an embryo sac other than the egg. This is called _____.

Options :

1. ✔ apogamy

2. ✖ apospory

3. ✖ parthenogenesis

4. ✖ parthenocarpy

Question Number : 92 Question Id : 145634493 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The vascular bundle in which phloem lies in the centre and is surrounded by xylem is called ____.

Options :

1. ✖ amphicribal
2. ✔ amphivasal
3. ✖ radial
4. ✖ conjoint collateral

Question Number : 93 Question Id : 145634494 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following plant families is characterised by cyathium inflorescence?

Options :

1. ✖ Compositae
2. ✖ Lamiaceae
3. ✔ Euphorbiaceae
4. ✖ Malvaceae

Question Number : 94 Question Id : 145634495 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

What happens during S-phase of interphase during mitosis?

Options :

1. ✔ DNA synthesis
2. ✖ RNA synthesis
3. ✖ Protein synthesis
4. ✖ Glucose synthesis

Question Number : 95 Question Id : 145634496 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Photorespiration occurs at a high rate in the presence of light. The substrate converted in this physiological process is _____.

Options :

1. ✖ glucose
2. ✖ pyruvic acid
3. ✖ acetyl CO-A
4. ✔ glycolate

Question Number : 96 Question Id : 145634497 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The phenotypic ratio of the F2 generation in complementary gene interaction is _____.

Options :

1. ✖ 9 : 3 : 3 : 1
2. ✖ 9 : 3
3. ✔ 9 : 7
4. ✖ 8 : 7

Question Number : 97 Question Id : 145634498 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

As compared to C3 plants, in C4 plants, what is the extra number of ATP molecules that are needed to produce one molecule of hexose sugar?

Options :

1. ✖ Fifteen
2. ✔ Twelve

3. ✖ Fourteen

4. ✖ Thirteen

Question Number : 98 Question Id : 145634499 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Identify the causal agent of the disease 'red rot of sugarcane'.

Options :

1. ✔ Colletotrichum

2. ✖ Phytophthora

3. ✖ Venturia

4. ✖ Xanthomonas

Question Number : 99 Question Id : 145634500 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The seeds of most of the cotton varieties are covered by short fibres, which are known as _____.

Options :

1. ✖ lint

2. ✖ cilia

3. ✔ fuzz

4. ✖ barbs

Question Number : 100 Question Id : 145634501 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

In which physiological process in plants is pyruvic acid produced from glucose?

Options :

1. ✖ Hatch–Slack cycle
2. ✖ Calvin cycle
3. ✖ Terminal oxidation
4. ✔ Glycolysis

Question Number : 101 Question Id : 145634502 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Who is known as 'the father of biodiversity'?

Options :

1. ✖ Edward Johnson
2. ✔ Edward O Wilson
3. ✖ Wilson Knight
4. ✖ Peter Johnson

Question Number : 102 Question Id : 145634503 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

In the IUCN 'Red List of Threatened Species', which is the world's most comprehensive information source on the global extinction risk status of animal, fungus and plant species, the number of species 'Threatened with extinction' is around _____.

Options :

1. ✖ 100000
2. ✖ 20000
3. ✖ 30000
4. ✔ 40000

Question Number : 103 Question Id : 145634504 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following is **NOT** a part of 'Red list categories' given in the IUCN 'Red Data Book' or 'Red List of Threatened Species'?

Options :

1. ✖ Extinct species
2. ✖ Critically endangered species
3. ✔ High dense species
4. ✖ Least-concern species

Question Number : 104 Question Id : 145634505 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The International Day for Biological Diversity or World Biodiversity Day is a result of the United Nations General Assembly recognising a set of programmes to protect biodiversity. It is celebrated every year on _____.

Options :

1. ✖ 24 April
2. ✖ 24 May
3. ✖ 22 April
4. ✔ 22 May

Question Number : 105 Question Id : 145634506 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Who coined the term 'Biodiversity'?

Options :

1. ✖ Lovejoy
2. ✖ Rose Alter
3. ✔ Walter G Rosen
4. ✖ James Wangler

Question Number : 106 Question Id : 145634507 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following is **NOT** a biodiversity hotspot of India?

Options :

1. ✖ Western India
2. ✔ Deccan plateau
3. ✖ Himalayas
4. ✖ Indo-Burma region

Question Number : 107 Question Id : 145634508 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

All of the following sites are enlisted in the UNESCO World Heritage Sites, EXCEPT _____.

Options :

1. ✔ Jim Corbett National Park
2. ✖ Nanda Devi and Valley of Flowers National Park
3. ✖ Qutb Minar
4. ✖ Kaziranga National Park

Question Number : 108 Question Id : 145634509 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

According to the International Society of Soil Science classification, the size of silt particles is _____.

Options :

1. ✘ 0.02 mm
2. ✔ 0.002–0.02 mm
3. ✘ 0.002 mm
4. ✘ 0.002–0.02 cm

Question Number : 109 Question Id : 145634510 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

If the soil has porosity of 60%, its void ratio is _____.

Options :

1. ✘ 0.40
2. ✘ 0.67
3. ✔ 1.50
4. ✘ 0.60

Question Number : 110 Question Id : 145634511 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The drought tolerance in plants is due to:

Options :

1. ✔ potassium
2. ✘ manganese
3. ✘ nitrogen
4. ✘ boron

Question Number : 111 Question Id : 145634512 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The line joining the places having equal rainfall is called _____.

Options :

1. ✖ isobath
2. ✖ isotherm
3. ✖ contour line
4. ✔ isohyet

Question Number : 112 Question Id : 145634513 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following minerals has the highest specific gravity?

Options :

1. ✖ Pyrite
2. ✖ Magnetite
3. ✖ Haematite
4. ✔ Wolframite

Question Number : 113 Question Id : 145634514 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Different layers of the Earth along its depth are in the order _____.

Options :

1. ✖ Outer core → Inner core → Crust → Mantle
2. ✖ Crust → Outer core → Mantle → Inner core
3. ✔ Crust → Mantle → Outer core → Inner core

4. ✖ Outer core → Mantle → Crust → Inner core

Question Number : 114 Question Id : 145634515 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ is the most abundant element in the Earth's crust.

Options :

1. ✔ Oxygen

2. ✖ Silicon

3. ✖ Aluminium

4. ✖ Iron

Question Number : 115 Question Id : 145634516 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which microbe is capable of transforming sulphur into sulphates in the soil?

Options :

1. ✖ Rhodospirillum rubrum

2. ✖ Rhodococcus ruber

3. ✖ Desulfotomaculum ruminis

4. ✔ Thiobacillus thiooxidans

Question Number : 116 Question Id : 145634517 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Watershed management aims at _____.

Options :

1. ✓ conservation of water and control of soil erosion, stream flow and floods in an area
2. ✗ only conservation of water in an area
3. ✗ only control of soil erosion in an area
4. ✗ only increase in the vegetation component of an area

Question Number : 117 Question Id : 145634518 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following is the biggest source of fresh water on Earth?

Options :

1. ✗ Groundwater
2. ✗ Lakes and rivers
3. ✗ Soil moisture and atmospheric vapours
4. ✓ Polar ice and glaciers

Question Number : 118 Question Id : 145634519 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

A micro-watershed has an area between _____.

Options :

1. ✗ 1000 ha and 10000 ha
2. ✓ 100 ha and 1000 ha
3. ✗ 10 ha and 100 ha
4. ✗ 1000 ha and 5000 ha

Question Number : 119 Question Id : 145634520 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

How many major river basins (those with catchment area $> 20,000 \text{ km}^2$) are there in India?

Options :

1. ✖ 8
2. ✖ 9
3. ✔ 12
4. ✖ 16

Question Number : 120 Question Id : 145634521 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

When a cross-sectional area at the midway point from the ends of a log is multiplied with log length to find out its volume, it is done by using _____.

Options :

1. ✖ Smalian's formula
2. ✔ Huber's formula
3. ✖ Prismoidal formula
4. ✖ Newton's formula

Question Number : 121 Question Id : 145634522 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The term 'Stumpage value' refers to _____.

Options :

1. ✖ the total DBH of trees in a woodlot
2. ✖ the number of stumps left out after harvesting a forest
3. ✖ the total biomass of stumps in a forest
4. ✔ the value obtained by multiplying estimated volume of standing timber by its prevailing price in the market

Question Number : 122 Question Id : 145634523 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The relative productive capacity of an area for a particular plant species is called _____.

Options :

1. ✓ site quality
2. ✗ site index
3. ✗ site productivity
4. ✗ site production

Question Number : 123 Question Id : 145634524 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

_____ is the silviculture practice generally applied to manage/maintain *Dendrocalamus strictus*.

Options :

1. ✗ Uniform shelterwood system
2. ✓ Culm selection system
3. ✗ Group shelterwood system
4. ✗ Coppice system

Question Number : 124 Question Id : 145634525 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

In which of the following tree species is the pollination of flowers done by insects?

Options :

1. ✗ *Juglans regia*
2. ✗ *Bombax ceiba*

3. ✓ Tectona grandis

4. ✗ Cedrus deodara

Question Number : 125 Question Id : 145634526 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

In moist teak forests, adverse effect on natural regeneration of teak is due to _____.

Options :

1. ✗ indiscriminate use of weedicides

2. ✗ poor management of trees

3. ✗ indiscriminate tree felling

4. ✓ indiscriminate fire protection

Question Number : 126 Question Id : 145634527 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Sowing of seeds in shallow holes made with suitable instruments at definite intervals is called _____.

Options :

1. ✗ patch sowing

2. ✗ pit sowing

3. ✗ ridge sowing

4. ✓ dibbling

Question Number : 127 Question Id : 145634528 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Root trainers used in nurseries are used _____.

Options :

1. ✖ to reduce the aboveground height of transplanting stock
2. ✔ to allow air pruning of roots and promote an extensive and stronger root system
3. ✖ to produce adventitious roots in plants
4. ✖ to encourage lignotuber formation in plants

Question Number : 128 Question Id : 145634529 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The tallest tree in the world is _____.

Options :

1. ✔ Sequoia sempervirens of California, USA
2. ✖ Pseudotsuga menziesii of Oregon, USA
3. ✖ Eucalyptus vernicosa of Tasmania, Australia
4. ✖ Cedrus deodara of Himachal Pradesh, India

Question Number : 129 Question Id : 145634530 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Response in the development of an organism to relative duration of day and night is termed as _____.

Options :

1. ✖ photosynthesis
2. ✖ photocycle
3. ✔ photoperiodism
4. ✖ photosensitivity

Question Number : 130 Question Id : 145634531 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following trees species has strong coppicing ability?

Options :

1. ✓ *Emblica officinalis*
2. ✗ *Abies pindrow*
3. ✗ *Populus ciliata*
4. ✗ *Madhuca latifolia*

Question Number : 131 Question Id : 145634532 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The number of plants required for 10 hectares of plantation in which the plants are planted at 2.5 × 2.5 m will be _____.

Options :

1. ✗ 32000
2. ✗ 20000
3. ✓ 16000
4. ✗ 12000

Question Number : 132 Question Id : 145634533 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The practice of forestry in all its aspects on farm and village lands, generally more or less integrated with other farm operations, is called _____.

Options :

1. ✗ village forestry

2. ✖ community forestry
3. ✔ farm forestry
4. ✖ social forestry

Question Number : 133 Question Id : 145634534 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following statements is INCORRECT regarding selection of a site for nursery?

Options :

1. ✖ The site should be situated near a source of adequate water supply.
2. ✖ The site should be near a road for easy transportation of nursery plants.
3. ✖ The soil should be well-drained sandy loam.
4. ✔ In the Western Himalayas, southern aspect should be preferred, but towards higher limits of the altitudinal zone of the species, northern aspects are suitable.

Question Number : 134 Question Id : 145634535 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following tree species is classified into four broad types, namely, Hawaiian, Salvador, Peru and Cunningham?

Options :

1. ✖ *Populus deltoides*
2. ✔ *Leucaena leucocephala*
3. ✖ *Dalbergia sisoo*
4. ✖ *Eucalyptus globulus*

Question Number : 135 Question Id : 145634536 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Taungya is a _____ word.

Options :

1. ✓ Burmese
2. ✗ Latin
3. ✗ Greek
4. ✗ French

Question Number : 136 Question Id : 145634537 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Spike disease of sandalwood (*Santalum album*) is caused by _____.

Options :

1. ✗ *Fusarium moniliformae*
2. ✗ *Fusarium oxysporum*
3. ✗ *Rhizoctonia solani*
4. ✓ phytoplasma

Question Number : 137 Question Id : 145634538 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Regeneration interval is defined as an.

Options :

1. ✗ interval between two secondary fellings.
2. ✓ interval between seeding felling and final felling.
3. ✗ interval between seeding felling and the subsequent secondary felling.
4. ✗ interval between a secondary felling and seeding felling.

Question Number : 138 Question Id : 145634539 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Who among the following directed the development of diagnosis and design (D&D) survey in agroforestry at ICRAF for the first time?

Options :

1. ✘ GHS Nair
2. ✔ JB Raintree
3. ✘ PKR Nair
4. ✘ JJ Tulman

Question Number : 139 Question Id : 145634540 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Fan design and parallel row layouts, which are experimental designs in agroforestry, are examples of _____.

Options :

1. ✘ Y-designs
2. ✘ incomplete block designs
3. ✔ systematic designs
4. ✘ randomised complete block designs

Question Number : 140 Question Id : 145634541 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following species is **NOT** recommended to create shelterbelts?

Options :

1. ✔ Quercus leucotrichophora

2. ✖ Azadirachta indica
3. ✖ Lannea coromandelica
4. ✖ Prosopis juliflora

Question Number : 141 Question Id : 145634542 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following statements about social forestry is INCORRECT?

Options :

1. ✖ Social forestry is the practice of forestry on lands outside the conventional forest area for the benefit of the rural and urban communities.
2. ✖ Social forestry includes in it farm forestry, extension forestry, community woodlots, rehabilitation of degraded forests and recreation forestry.
3. ✖ It was first recognised as an important component of forestry for meeting rural needs in the interim report of the National Commission on Agriculture in 1976.
4. ✔ The term 'Social forestry' was coined by Indian National Congress in 1976.

Question Number : 142 Question Id : 145634543 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following statements about selection of good agroforestry trees is INCORRECT?

Options :

1. ✖ The trees should have light open crown that allows enough light penetration.
2. ✖ The trees should have good re-sprouting ability after pruning or pollarding.
3. ✔ The trees should have thick shallow roots.
4. ✖ The trees should have good productive capacity for food, fibre, wood, etc.

Question Number : 143 Question Id : 145634544 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following statements about home gardens is FALSE?

Options :

1. ✖ They consist of an assemblage of plants, which may include trees, shrubs, vines and herbaceous plants, growing in or adjacent to a home compound.
2. ✔ They have low species diversity.
3. ✖ They exhibit diverse practices from growing vegetables behind houses to complex multi-storeyed systems.
4. ✖ The entire crop-tree-animal unit is managed by family labour.

Question Number : 144 Question Id : 145634545 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

In which Five-Year Plan period was National Research Centre for Agroforestry (NRCAF) established in Jhansi?

Options :

1. ✔ Seventh
2. ✖ Sixth
3. ✖ Fifth
4. ✖ Eighth

Question Number : 145 Question Id : 145634546 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

When two components— woody or non-woody— stay together for some part of life in an agroforestry system, the temporal arrangement of components is called _____.

Options :

1. ✖ intermittent

2. ✖ interpolated
3. ✖ coincident
4. ✔ concomitant

Question Number : 146 Question Id : 145634547 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

As per the FAO classification of agroforestry systems, when all the three components, namely trees, animals and crops, are integrated into a system, then it represents _____ system.

Options :

1. ✖ agrisilviculture
2. ✔ agrosylvopastoral
3. ✖ silvopastoral
4. ✖ hortipastoral

Question Number : 147 Question Id : 145634548 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Hedge row inter-cropping and improved fallow are examples of _____.

Options :

1. ✖ hortipasture
2. ✖ silvipasture
3. ✔ agrisilviculture
4. ✖ agrihorticulture

Question Number : 148 Question Id : 145634549 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

In northern states of India like Haryana, Punjab and Uttar Pradesh, which tree crop combination does the most common agroforestry system have?

Options :

1. ✖ Poplar and rice
2. ✖ Teak and rice
3. ✖ Grewia and wheat
4. ✔ Poplar and wheat

Question Number : 149 Question Id : 145634550 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

International Council for Research in Agroforestry (ICRAF) or 'World Agroforestry' is located in _____.

Options :

1. ✖ Gland, Switzerland
2. ✔ Nairobi, Kenya
3. ✖ Rome, Italy
4. ✖ Vienna, Austria

Question Number : 150 Question Id : 145634551 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The arrangement of components in an agroforestry system is done on a functional basis. Which of the following is the 'production function' role of an agroforestry system?

Options :

1. ✔ Food
2. ✖ Soil improvement
3. ✖ Moisture conservation

4. ✖ Shade