

APOne Limited

Notations :

- 1.Options shown in green color and with ✓ icon are correct.
- 2.Options shown in red color and with ✗ icon are incorrect.

Question Paper Name :	PaperIVGeneralForestryII 11th Nov 2022 Shift 1
Subject Name :	Paper IV General Forestry II
Creation Date :	2022-11-11 16:17:51
Duration :	150
Total Marks :	150
Display Marks:	Yes
Share Answer Key With Delivery Engine :	No
Actual Answer Key :	Yes
Calculator :	None
Magnifying Glass Required? :	No
Ruler Required? :	No
Eraser Required? :	No
Scratch Pad Required? :	No
Rough Sketch/Notepad Required? :	No
Protractor Required? :	No
Show Watermark on Console? :	Yes
Highlighter :	No
Auto Save on Console?	Yes
Change Font Color :	No
Change Background Color :	No
Change Theme :	No

Help Button :	No
Show Reports :	No
Show Progress Bar :	No

Paper IV General Forestry II

Group Number :	1
Group Id :	1456345
Is this Group for Examiner? :	No
Examiner permission :	Cant View
Show Progress Bar? :	No

General Forestry II

Section Id :	1456346
Section Number :	1
Section type :	Online
Enable Mark as Answered Mark for Review and Clear Response :	Yes
Maximum Instruction Time :	0
Sub-Section Number :	1
Sub-Section Id :	1456347
Question Shuffling Allowed :	Yes
Is Section Default? :	null

Question Number : 1 Question Id : 145634552 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Silvicultural biomass or high-density plantation forestry is a concept known as:

Options :

1. ✖ agroforestry
2. ✖ farm forestry
3. ✔ energy plantations
4. ✖ social forestry

Question Number : 2 Question Id : 145634553 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The various species which form a forest crop and their proportion in it is called:

Options :

1. ✔ composition
2. ✖ selection
3. ✖ yield
4. ✖ development

Question Number : 3 Question Id : 145634554 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Nitrogen constitutes 25% of dry weight of plants. The source of nitrogen in soil is:

Options :

1. ✖ atmosphere only
2. ✔ atmosphere and organic matter
3. ✖ bacteria only
4. ✖ fungal association of plants

Question Number : 4 Question Id : 145634555 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

A virgin forest is a _____ forest.

Options :

1. ✖ man-made
2. ✖ social
3. ✔ natural
4. ✖ recreational

Question Number : 5 Question Id : 145634556 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Total organic matter in soil comes from:

Options :

1. ✔ plant and animal residues, cells and tissues of soil organisms and substances synthesised by the soil population
2. ✖ farmyard manure and atmospheric carbon
3. ✖ humus, human waste and carbon dioxide
4. ✖ leaf litter, animal dung and bacteria

Question Number : 6 Question Id : 145634557 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Champion and Seth classified Indian forests on the basis of climatic data and vegetation. Into how many groups did they make this classification?

Options :

1. ✖ 20
2. ✔ 16
3. ✖ 7

4. ✖ 25

Question Number : 7 Question Id : 145634558 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Reciprocal relationship between living and non-living components is the study of:

Options :

1. ✖ ecosystem
2. ✖ living and non-living components
3. ✔ ecology
4. ✖ environment

Question Number : 8 Question Id : 145634559 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Ecology of species is known as:

Options :

1. ✔ autecology
2. ✖ ecology of many species
3. ✖ ecology of community
4. ✖ ecology of birds

Question Number : 9 Question Id : 145634560 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Ecology of many species is known as:

Options :

1. ✓ synecology
2. ✗ ecology of many populations
3. ✗ ecology of communities
4. ✗ herpetology

Question Number : 10 Question Id : 145634561 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

In any ecosystem, the shape of the pyramid of energy is:

Options :

1. ✓ is always upright
2. ✗ may be upright or inverted
3. ✗ always inverted
4. ✗ circular

Question Number : 11 Question Id : 145634562 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Alternation and destruction of natural habitats is the key human activity that leads to:

Options :

1. ✗ pollution of the environment
2. ✗ hunting of valuable wildlife products
3. ✗ introduction of alien species
4. ✓ the extinction of wildlife

Question Number : 12 Question Id : 145634563 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The first week of October is annually celebrated as:

Options :

1. ✖ World Environmental Week
2. ✖ Biodiversity Week
3. ✔ World Wildlife Week
4. ✖ World Heritage Week

Question Number : 13 Question Id : 145634564 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The list of endangered plants and animals is given in a book known as:

Options :

1. ✖ Green data book
2. ✖ Endangered data book
3. ✖ Kiw data book
4. ✔ Red data book

Question Number : 14 Question Id : 145634565 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Mammal is the group of vertebrates that comprises the highest number of endangered:

Options :

1. ✔ species
2. ✖ races of people
3. ✖ birds
4. ✖ reptiles

Question Number : 15 Question Id : 145634566 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Identify the forests in which teak is the dominant species.

Options :

1. ✖ Tropical evergreen forests
2. ✖ Tropical thorn forests and scrubs
3. ✔ Tropical deciduous forests
4. ✖ Mangrove forests

Question Number : 16 Question Id : 145634567 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

'Rasaunt' is extracted from the root of:

Options :

1. ✖ picrorhizakurrooa
2. ✖ datura stramonium
3. ✖ cannabis sativa
4. ✔ berberisaristata

Question Number : 17 Question Id : 145634568 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Saws consist of a thin comparatively broad blade or plate of steel, one edge of which is toothed.

The pitch of the saw is described as:

Options :

1. ✖ the distance from tooth to tooth
2. ✖ the entire opening between two adjacent teeth

3. ✓ the angle between the face of a tooth and the line passing through the points of the teeth
4. ✗ the width of the saw cut

Question Number : 18 Question Id : 145634569 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Cant-Hook is a logging tool which is used for:

Options :

1. ✓ rolling, stooping and turning logs
2. ✗ felling bamboos and small poles, and for clearing and chopping of brush wood
3. ✗ felling trees and preventing the jamming of the saw
4. ✗ drawing or pulling of small logs

Question Number : 19 Question Id : 145634570 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Logs can be sawn into usable forms such as beams, scantlings, blocks and planks. In this context, which of the following statements is correct?

Options :

1. ✗ A beam is completely squared or rectangular.
2. ✗ A block is a rounded product of various lengths.
3. ✓ Scantlings are square or rectangular shaped and each section is generally under 15 cm.
4. ✗ Planks are rounded logs split with an axe.

Question Number : 20 Question Id : 145634571 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The most important part of a saw is the tooth shape. It is of two types:

Options :

1. ✓ peg toothing and racker toothing
2. ✗ pointed tooth and curved tooth
3. ✗ fine toothing and rough toothing
4. ✗ straight tooth and inward tooth

Question Number : 21 Question Id : 145634572 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The durability of wood can be increased 5-10 times their normal life by:

Options :

1. ✗ drying the wood
2. ✓ impregnating the wood with preservative chemicals
3. ✗ removing the nutritive elements of wood
4. ✗ painting the wood

Question Number : 22 Question Id : 145634573 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Boucherie's process of wood preservation is applicable for:

Options :

1. ✓ poles and posts
2. ✗ sawn timbre of any dimension
3. ✗ sawn timbre of small dimension
4. ✗ live trees

Question Number : 23 Question Id : 145634574 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The full cell process or Bethel process of wood preservation needs an instrument which controls:

Options :

1. ✓ air pressure
2. ✗ air pressure and temperature
3. ✗ temperature and humidity
4. ✗ humidity and air pressure

Question Number : 24 Question Id : 145634575 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

$(C_6H_{10}O_5)_n$ is the molecular formula of:

Options :

1. ✓ cellulose
2. ✗ hemicellulose
3. ✗ lignin
4. ✗ polysaccharides

Question Number : 25 Question Id : 145634576 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Coniferous trees yield timbre, which is known as 'soft wood'. The characteristic feature of these timbres is:

Options :

1. ✗ porous wood
2. ✓ non-porous wood
3. ✗ light and soft wood

4. ✖ xylem wood

Question Number : 26 Question Id : 145634577 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Deodar wood is obtained from Cedrusdeodara. The characteristic features of this wood are:

Options :

1. ✖ wood is light and soft
2. ✖ wood is heavy and hard
3. ✖ wood is porous and floats on water
4. ✔ wood is non-porous and has resin smell

Question Number : 27 Question Id : 145634578 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Broad-leaved timbres are:

Options :

1. ✖ hard and heavy
2. ✖ soft and light
3. ✖ non porous and resinous
4. ✔ porous woods

Question Number : 28 Question Id : 145634579 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Wood is biodegradable because it can be reduced to components such as _____.

Options :

1. ✖ fibres and simple cells
2. ✔ simple sugars and lignin elements
3. ✖ cellulose and carbohydrates
4. ✖ cellulose and hemicellulose

Question Number : 29 Question Id : 145634580 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Ingrowths in pores, which sometimes entirely occludes it, are known as _____.

Options :

1. ✔ tyloses
2. ✖ deposits
3. ✖ flames material in wood
4. ✖ dots

Question Number : 30 Question Id : 145634581 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following is **NOT** a part of 'Myroblan'?

Options :

1. ✖ Emblicaofficinalis
2. ✖ Terminalia chebula
3. ✔ Pongamiapinnata
4. ✖ Terminalia belerica

Question Number : 31 Question Id : 145634582 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

A forest growing at or near seashores, beach forests and tidal forests are a type of:

Options :

1. ✖ tropical moist forest
2. ✖ tropical wet evergreen forest
3. ✔ littoral and swamp forest
4. ✖ dry evergreen forest

Question Number : 32 Question Id : 145634583 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The field of science that deals with the associations between plants and humans is:

Options :

1. ✖ field botany
2. ✔ ethnobotany
3. ✖ economic botany
4. ✖ biodiversity

Question Number : 33 Question Id : 145634584 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following is a list of medicinal plants used for the treatment of snakebite in India?

Options :

1. ✖ Cedrus deodara, Pinus wallichiana, Abies pindrow
2. ✖ Juniperous communis, Aesculus indica, Celtis australis, Diospyros etc
3. ✖ Alnus, Betula, Prunus, Acacia catachuetc
4. ✔ Abrusprecatorius, Acalypa indica, Butea monosperma, Cassia fistula

Question Number : 34 Question Id : 145634585 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

By the term 'seasoning' of wood we mean:

Options :

1. ✘ making wood soft for carpentry
2. ✔ removal of moisture that is present in timbre in its green state
3. ✘ grading of timbre on the basis of knots
4. ✘ using wood in different seasons of the year

Question Number : 35 Question Id : 145634586 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

In kiln seasoning of wood, three factors have to be kept under control, which are:

Options :

1. ✘ temperature, air pressure and weight
2. ✘ air pressure, heat and light
3. ✘ sunlight, direction of wind and temperature
4. ✔ temperature of circulating air, humidity and rate of circulation

Question Number : 36 Question Id : 145634587 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Calculate the spacing of rows in which plants are 2.5 m apart if the plantation has 1000 plants per hectare.

Options :

1. ✔ 4 m
2. ✘ 5 m

3. ✖ 3.5 m

4. ✖ 6 m

Question Number : 37 Question Id : 145634588 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Forest inventory is the tabulated, reliable and satisfactory tree information related to:

Options :

1. ✖ land, area and topography
2. ✔ required unit and respective units of assessment in hierarchic order
3. ✖ trees, herbs and shrubs
4. ✖ coup, division and beat

Question Number : 38 Question Id : 145634589 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The number of sampling units that must be observed or measured in a given sampling survey depend on two factors, which are:

Options :

1. ✖ the volume of the data and the area from which it is collected
2. ✖ the normal distribution of character and the volume of data
3. ✔ the variability of the character to be measured and the precision required of the estimate
4. ✖ correlation and regression of characters sampled.

Question Number : 39 Question Id : 145634590 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Systematic sampling is that method of non-random sampling in which sampling units are selected according to:

Options :

1. ✖ number of observations in a sample is not determined
2. ✖ list of sampling units along with their measure of size in any order
3. ✖ chance of selection of all sampling units are the same at all times
4. ✔ predetermined pattern without recourse to random selection

Question Number : 40 Question Id : 145634591 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Sampling intensity refers to:

Options :

1. ✔ the percentage of the area of the population to be included in the sample
2. ✖ the number of samples taken from an area
3. ✖ the intensity of survey done in an area
4. ✖ the sampling of highest intensity

Question Number : 41 Question Id : 145634592 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Sampling design must be statistically sound to have correct assessment of the population. To have right sampling design one should have the knowledge of:

Options :

1. ✔ Relative accuracy and knowledge of error
2. ✖ Sample size and finance involved
3. ✖ Mean, mode and median
4. ✖ Population, frequency and variables

Question Number : 42 Question Id : 145634593 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

In a mixed forest, enumeration indicates that the percentage of trees of deodar, blue pine, cyprus and oak are 20%, 40%, 15% and 25%, respectively. The probability of Deodar growing in such a case will be:

Options :

1. ✖ 0.8
2. ✖ 0.5
3. ✔ 0.2
4. ✖ 1.2

Question Number : 43 Question Id : 145634594 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following is NOT a part of random sampling in forests?

Options :

1. ✖ Stratified random sampling
2. ✖ Multi-stage sampling
3. ✖ Multiphase sampling
4. ✔ Selective sampling

Question Number : 44 Question Id : 145634595 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Forest inventory of 500 ha of forest with 2.5% of sampling intensity will have how much sampling area?

Options :

1. ✖ 13.2 ha
2. ✖ 18 ha
3. ✖ 10.5 ha
4. ✔ 12.5 ha

Question Number : 45 Question Id : 145634596 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

There is a sampling unit of 0.1 ha and population area of 1000 ha. The population is divided into 10,000 sampling units and each of them is given a number from 0000 to 9999. Now for a 5% sampling, 500 different four-digit reference numbers are selected by using a table of random numbers. In this way, every possible set of 500 units has a chance of being chosen for the sample. This type of sampling is known as:

Options :

1. ✔ unrestricted or simple random sampling
2. ✖ stratified random sampling
3. ✖ multistage sampling
4. ✖ multiphase sampling

Question Number : 46 Question Id : 145634597 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

A forest population of 1000 ha is subdivided on the basis of site quality into 4 strata with area of 300 ha in I quality index, 350 ha in II quality, 200 ha in III quality and 150 ha in IV quality. Sampling units are of 0.1 ha. In such a case, for 0.5% sampling _____, _____, _____ and _____ sampling units will be selected, respectively, from quality I, II, III and IV, respectively.

Options :

1. ✖ 100, 150, 2000, 250
2. ✔ 150, 175, 100, 75

3. ✖ 150, 200, 250, 300

4. ✖ 75, 100, 125, 150

Question Number : 47 Question Id : 145634598 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The measure of dispersion in data is done by:

Options :

1. ✖ mean, mode and median

2. ✔ range, mean deviation and standard deviation

3. ✖ average, arithmetic means and weighted arithmetic mean

4. ✖ variance, standard error of mean and coefficient of variation

Question Number : 48 Question Id : 145634599 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Diameter measurements of one diameter each of a sample shows the distribution of trees as follows:

Diam. Class in cm	4-6	6-8	8-10	10-12	12-14
No. of trees	3	7	6	5	4

Calculate the arithmetic mean.

Options :

1. ✖ 10 cm

2. ✖ 8 cm

3. ✔ 9 cm

4. ✖ 7 cm

Question Number : 49 Question Id : 145634600 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The only practical method of reducing of experiential error in field trials of forest mensuration is:

Options :

1. ✓ replication of treatments
2. ✗ to be vigilant and note the readings correctly
3. ✗ to divide the field trial into smaller units
4. ✗ by using electronic gadgets

Question Number : 50 Question Id : 145634601 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

A felling area, usually one of an annual series, is called _____.

Options :

1. ✗ compartment
2. ✓ coupe
3. ✗ cutting section
4. ✗ periodic block

Question Number : 51 Question Id : 145634602 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The sum (by number or volume) of all the trees growing in a forest or a specified part of it is:

Options :

1. ✗ yield
2. ✓ growing stock
3. ✗ number of trees

4. ✖ crop volume

Question Number : 52 Question Id : 145634603 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following is **NOT** true about the relation between MAI and CAI?

Options :

1. ✖ MAI continues to rise towards a maximum even after the CAI has started falling.
2. ✖ At the point of culmination MAI is equal to CAI.
3. ✔ CAI can never touch zero.
4. ✖ The successive MAIs at the point of culmination are equal.

Question Number : 53 Question Id : 145634604 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The taper of trees is the characteristic feature of all trees and is described by the term:

Options :

1. ✖ basal area
2. ✔ form
3. ✖ pointed end
4. ✖ narrow stem

Question Number : 54 Question Id : 145634605 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

All trees which form the upper most leaf canopy and have their leading shoots free are:

Options :

1. ✖ dominated
2. ✖ leading
3. ✔ dominant
4. ✖ tall

Question Number : 55 Question Id : 145634606 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The minimum diameter at breast height at which trees are considered suitable for exploitation is:

Options :

1. ✖ felling diameter
2. ✖ tradable diameter
3. ✔ exploitable diameter
4. ✖ selective diameter

Question Number : 56 Question Id : 145634607 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The volume derived from Quarter Girth Formula is:

Options :

1. ✖ Greater than the true volume
2. ✔ Lesser than the true volume
3. ✖ Equal to the true volume
4. ✖ Can assume any value

Question Number : 57 Question Id : 145634608 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Yield from an even aged crop incorporates:

Options :

1. ✖ volume of stem timbre
2. ✖ volume of total small wood
3. ✔ volume of stem timbre and small wood
4. ✖ volume of even sized trees

Question Number : 58 Question Id : 145634609 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

A tabular statement which summarises, on an acre or other unit area basis, all the essential data relating to the development of a fully stocked and regularly thinned even aged crop at periodic intervals covering the greater part of its useful life is:

Options :

1. ✖ stand table
2. ✔ yield table
3. ✖ life table
4. ✖ life data

Question Number : 59 Question Id : 145634610 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Calculate the quantity of plants required for raising 10-hectare plantation at a spacing of 2.5 m × 2.5 m.

Options :

1. ✖ 20000
2. ✔ 16000
3. ✖ 15000

4. ✖ 25000

Question Number : 60 Question Id : 145634611 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Diameter at breast height of trees is measured by:

Options :

1. ✖ diameter tape only

2. ✔ diameter tape or caliper

3. ✖ Abney's level

4. ✖ Haga altimeter

Question Number : 61 Question Id : 145634612 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The thickness of bark in tress can be measured by:

Options :

1. ✖ Pressler borer

2. ✔ Swedish bark gauge

3. ✖ caliper

4. ✖ screwdriver

Question Number : 62 Question Id : 145634613 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

In an FCC (False Color Composite) of a satellite image, forests and agriculture can be interpreted by_____ and _____ tone.

Options :

1. ✖ yellow, red
2. ✖ red, cyan
3. ✖ orange, pink
4. ✔ red, pink

Question Number : 63 Question Id : 145634614 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which data structure in GIS uses line segments or points represented by their explicit X and Y coordinates to identify locations?

Options :

1. ✖ Raster
2. ✔ Vector
3. ✖ Pictorial
4. ✖ Graphical

Question Number : 64 Question Id : 145634615 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

A representative factor (RF) on a map showing 1/2500 means:

Options :

1. ✔ distance of 2500 ft., inches or cm will be represented by 1 ft., 1 in., or 1 cm, respectively
2. ✖ distance of 1 km = 2500 cm
3. ✖ distance of 1 cm of map = distance of 2500 km on ground
4. ✖ whole map is prepared on 2500 cm²

Question Number : 65 Question Id : 145634616 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The width of a river measured on ground is 50 m. How wide will it be indicated on a map of scale 1 : 50000?

Options :

1. ✖ 1.5 mm
2. ✖ 1.5 cm
3. ✖ 1 cm
4. ✔ 1 mm

Question Number : 66 Question Id : 145634617 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

An imaginary line on a map of constant elevation on the ground surface is a/an:

Options :

1. ✖ elevation line
2. ✖ sketch line
3. ✔ contour
4. ✖ fixed line

Question Number : 67 Question Id : 145634618 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Equipment required for chain surveying are:

Options :

1. ✖ compass, chain, survey table and pins
2. ✔ chain, arrows, tape, offset rod, cross staff, plumb bob and ranging rod
3. ✖ Abney level, dumpy level and hand level

4. ✖ ghat tracer, clinometer and telescopic level

Question Number : 68 Question Id : 145634619 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

On a map of 1/5000 RF, with a contour interval of 5 m, two adjacent contour lines are 2.5 cm part.

What is the slope of the ground?

Options :

1. ✔ 4%

2. ✖ 5%

3. ✖ 6%

4. ✖ 7%

Question Number : 69 Question Id : 145634620 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Plane-tabling is a method of surveying, the peculiar feature of which is that the field observations, measurements and plotting proceed simultaneously. It consists of which of the following essentials?

Options :

1. ✔ Drawing board mounted on a tripod stand, an alidade and a sheet of drawing paper

2. ✖ Compass, drawing board and drawing sheet

3. ✖ Mason's level, table and drawing sheet

4. ✖ Prismatic compass, drawing table and drawing sheet

Question Number : 70 Question Id : 145634621 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The instrument used for enlargement or reduction of a given plan based on the principal of similar triangles is called:

Options :

1. ✓ pantograph
2. ✗ compass
3. ✗ alidade
4. ✗ clinometer

Question Number : 71 Question Id : 145634622 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

What are benchmarks in leveling operations?

Options :

1. ✗ Benchmarks are the starting and end points of surveying.
2. ✓ Benchmarks are fixed points of reference whose elevation with respect to definite datum is known.
3. ✗ Benchmarks are the fixed points in the Dumpy level.
4. ✗ Benchmarks are starting points shown on a map.

Question Number : 72 Question Id : 145634623 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

There are various kinds of instruments which can be used in leveling. The essential requirement of each is that it can furnish a level line of sight. Which of the following sets of equipment is **NOT** leveling equipment?

Options :

1. ✗ Mason's Sprit level, water level, hand level and ghat tracer
2. ✗ Abney level (clinometer), topographic Abney level, De'lisle clinometer and tangent clinometer
3. ✗ Dumpy level, wye level, Cushing level and surveyor's level

4. ✓ Pressler borer, Swedish gauge, wedge prism and relaskop

Question Number : 73 Question Id : 145634624 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Study of relation of individual species to its environment is called as _____.

Options :

1. ✗ Community ecology

2. ✓ Autecology

3. ✗ Synecology

4. ✗ Population ecology

Question Number : 74 Question Id : 145634625 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Annual responses of animals to light conditions are known as:

Options :

1. ✓ Circannual rhythms

2. ✗ Circadian rhythms

3. ✗ Phototactic

4. ✗ Phototaxis

Question Number : 75 Question Id : 145634626 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ is an example for rooted hydrophytes with floating leaves.

Options :

1. ✖ Eichhornia
2. ✖ Vallisneria
3. ✔ Nymphaea
4. ✖ Azolla

Question Number : 76 Question Id : 145634627 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Calculate species richness for the following data. Flemingia chappar (29 individuals), Clerodendron infortunatum (29 individuals), Baliospermum montanum (29 individuals), Oplismenus compositia (98 individuals), Curculigo orchiodes (29 individuals).

Options :

1. ✖ 2.00
2. ✖ 3.00
3. ✖ 4.00
4. ✔ 5.00

Question Number : 77 Question Id : 145634628 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The minimum size of the quadrat for phytosociological studies is determined by _____.

Options :

1. ✔ Species area curve
2. ✖ Frequency class curve
3. ✖ Density class curve
4. ✖ Area class curve

Question Number : 78 Question Id : 145634629 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Pyramid of numbers is always inverted in the case of _____.

Options :

1. ✖ Grassland ecosystem
2. ✔ Parasitic food chain
3. ✖ Pond ecosystem
4. ✖ Forest ecosystem

Question Number : 79 Question Id : 145634630 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

In the Y-shaped energy flow model, one arm represents herbivore food chain and the other represents _____.

Options :

1. ✖ Carnivore food chain
2. ✖ Total assimilation
3. ✔ Detritus food chain
4. ✖ Total energy input

Question Number : 80 Question Id : 145634631 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The measure of the proximity of different habitat units is defined as _____.

Options :

1. ✖ Point habitats
2. ✔ Juxtaposition
3. ✖ Coverts

4. ✖ Interspersion

Question Number : 81 Question Id : 145634632 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Group of species having similar ecological features in a habitat are called as:

Options :

1. ✖ Keystone

2. ✔ Guilds

3. ✖ Flagship

4. ✖ Abundant

Question Number : 82 Question Id : 145634633 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

State bird of Andhra Pradesh is:

Options :

1. ✔ *Psittacula krameri*

2. ✖ *Coracias garrulus*

3. ✖ *Coracias benghalensis*

4. ✖ *Psittacula himalayana*

Question Number : 83 Question Id : 145634634 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Tel-inject, Dist-inject, palmer equipments are used for _____.

Options :

1. ✖ Vaccination of wildlife
2. ✖ Temperature monitoring of wildlife
3. ✔ Immobilization of wildlife
4. ✖ Monitor tissue perforation in wildlife

Question Number : 84 Question Id : 145634635 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Identify the mammal that is not included in the order Insectivora.

Options :

1. ✖ Hedgehog
2. ✖ Mole
3. ✔ Bats
4. ✖ shrew

Question Number : 85 Question Id : 145634636 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Identify the wild antelope.

Options :

1. ✖ Hangul
2. ✖ Sangai
3. ✖ Takin
4. ✔ Nilgai

Question Number : 86 Question Id : 145634637 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Grizzled Giant Squirrel is found in which of the following biogeographic zone?

Options :

1. ✓ Western Ghats
2. ✗ Deccan Plateau
3. ✗ Gangetic plain
4. ✗ Semi- arid region

Question Number : 87 Question Id : 145634638 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which among the following species of turtles are exotic?

Options :

1. ✓ Red Crowned Roofed Turtle
2. ✗ Brown Roofed Turtle
3. ✓ Red Eared Slider
4. ✗ South Asian Box turtle

Note: For this question, ambiguity is found in question/answer. Candidate will get full marks for this question if any of the correct options are chosen.

Question Number : 88 Question Id : 145634639 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Gonadotropin-releasing hormone (GnRH) vaccine is used for _____.

Options :

1. ✗ Calming wild animals in captivity
2. ✓ Population control of wild animals
3. ✗ Depolarizing agent used in wildlife

4. ✖ Peripherally acting drug used in wildlife

Question Number : 89 Question Id : 145634640 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The entire opening between two teeth of a saw is called as:

Options :

1. ✖ Kerf
2. ✖ Gauge
3. ✔ Gullet
4. ✖ Space

Question Number : 90 Question Id : 145634641 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

_____ acts as lever for stopping and turning logs.

Options :

1. ✖ Cable puller
2. ✖ Cable clamps
3. ✖ Cleaver
4. ✔ Cant-hooks

Question Number : 91 Question Id : 145634642 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Tool used for felling bamboos and small poles.

Options :

1. ✖ Grubbing axe
2. ✖ Pickaroon
3. ✔ Bill hook
4. ✖ Frame saw

Question Number : 92 Question Id : 145634643 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

_____ cut is made on the side towards which the tree is to fall.

Options :

1. ✖ Felling cut
2. ✖ Straight cut
3. ✔ Undercut
4. ✖ Wedge cut

Question Number : 93 Question Id : 145634644 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

_____ is trimming off the branches from felled tree.

Options :

1. ✖ Bucking
2. ✖ Conversion
3. ✔ Limbing
4. ✖ Logging

Question Number : 94 Question Id : 145634645 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Treatment of bamboo and timber with bark on, in green condition is called as _____.

Options :

1. ✖ Open tank process
2. ✖ Empty cell process
3. ✖ Bethel Process
4. ✔ Boucherie process

Question Number : 95 Question Id : 145634646 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

What is kyansing process in wood preservation?

Options :

1. ✔ Use of mercury (II) chloride
2. ✖ Use of arsenic copper chromate
3. ✖ Use of copper- chrome-boric
4. ✖ Use of chromated zinc chloride

Question Number : 96 Question Id : 145634647 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which among the following method is a special treatment for green timber?

Options :

1. ✖ Dipping process
2. ✖ Surface application process
3. ✔ Steaming cum vacuum process
4. ✖ Hot and cold process

Question Number : 97 Question Id : 145634648 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which among the following is a water-soluble fixed type of wood preservative?

Options :

1. ✖ Copper naphthenate
2. ✖ Sodium pentachlorophenate
3. ✖ Alkaline Copper Quaternary
4. ✔ Copper chrome arsenic

Question Number : 98 Question Id : 145634649 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Ripple marks are not found in which of the following species?

Options :

1. ✔ Pterygote alata
2. ✖ Holoptelea integrifolia
3. ✖ Chloroxylon swietenia
4. ✖ Pterocarpus marsupium

Question Number : 99 Question Id : 145634650 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The term applied to timber so sawn that the pith falls entirely within the four surfaces throughout the length is _____.

Options :

1. ✔ Boxed heart
2. ✖ Honey combed

3. ✖ Chipped grain
4. ✖ Imperfect grain

Question Number : 100 Question Id : 145634651 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

_____ is a typical example of bark beetle causing defect in timber.

Options :

1. ✖ lyctus
2. ✔ Xyleborus
3. ✖ sinoxylon
4. ✖ xylotrichus

Question Number : 101 Question Id : 145634652 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

_____ is an example of a species that yields bast fibre.

Options :

1. ✔ Bauhinia vahlii
2. ✖ Caryota urens
3. ✖ Cochlospermum religiosum
4. ✖ Musa textiles

Question Number : 102 Question Id : 145634653 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Botanical name of 'ringal' is:

Options :

1. ✖ Melocanna baccifera
2. ✖ Phyllostachys bambusoides
3. ✔ Arundinaria falcata
4. ✖ Calamus tenuis

Question Number : 103 Question Id : 145634654 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

anti-snake venom serum-Lyophilised, polyvalent, enzyme refined immunoglobulin (equine) is effective against_____.

Options :

1. ✖ Indian Cobra (Naja naja) venom
Common Krait (Bungarus caeruleus) venom
Malabar Pit Viper (Trimeresurus Malabaricus) venom
Saw scaled Viper (Echis carinatus) venom
2. ✖ King Cobra (Ophiophagus Hannah) venom
Common Krait (Bungarus caeruleus) venom
Russell's Viper (Vipera russelli) venom
Saw scaled Viper (Echis carinatus) venom
3. ✖ Indian Cobra (Naja naja) venom
Common Krait (Bungarus caeruleus) venom
Russell's Viper (Vipera russelli) venom
Malabar Pit Viper (Trimeresurus Malabaricus) venom
4. ✔ Indian Cobra (Naja naja) venom
Common Krait (Bungarus caeruleus) venom
Russell's Viper (Vipera russelli) venom
Saw scaled Viper (Echis carinatus) venom

Question Number : 104 Question Id : 145634655 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Identify the statement is not true with regards to acetylation of wood.

Options :

1. ✖ Reacting wood with acetic anhydride
2. ✔ Reacting wood with urea-methanal
3. ✖ Acetylation prevents wood from swells and shrinks
4. ✖ Acetylation effectively changes the free hydroxyls within the wood

Question Number : 105 Question Id : 145634656 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Identify the ecofriendly wood preservative.

Options :

1. ✖ copper
2. ✖ chromium boron
3. ✖ arsenic
4. ✔ ethanolamine

Question Number : 106 Question Id : 145634657 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Diameter corresponding to the mean basal area of a uniform, generally pure crop is called _____.

Options :

1. ✖ Basal diameter
2. ✖ Top diameter
3. ✖ Mean diameter

4. ✓ Crop diameter

Question Number : 107 Question Id : 145634658 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Lorey's formula is used to determine _____.

Options :

1. ✗ Mean height

2. ✓ Crop height

3. ✗ Top height

4. ✗ Basal height

Question Number : 108 Question Id : 145634659 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

The number of plants required for 1 ha of plantations in which plants are planted in square planting of spacing 2×2 m².

Options :

1. ✗ 12500

2. ✓ 2500

3. ✗ 1500

4. ✗ 3000

Question Number : 109 Question Id : 145634660 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

1 cu meter is equal to _____.

Options :

1. ✓ 35.3147 cu ft
2. ✗ 15.3147 cu ft
3. ✗ 45.3147 cu ft
4. ✗ 25.3147 cu ft

Question Number : 110 Question Id : 145634661 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

A yield table in which parameters have been given only for one grade of thinning is known as _____.

Options :

1. ✗ Money yield table
2. ✗ Multiple yield table
3. ✗ Volume yield table
4. ✓ Single yield table

Question Number : 111 Question Id : 145634662 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Estimate the population mean from the following data. 23 randomly selected trees had total volume of 1137.79 m³.

Options :

1. ✗ 17.4
2. ✗ 83.19
3. ✓ 49.47
4. ✗ 9.12

Question Number : 112 Question Id : 145634663 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Who proposed point sampling?

Options :

1. ✖ Dr. Graham Chapman
2. ✖ Dr Anthony Clare
3. ✖ Dr Simon Brodtkin
4. ✔ Dr. Walter Bitterlich

Question Number : 113 Question Id : 145634664 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The factor which defines for each tree the radius of the circle within which the tree is tallied with a fixed critical angle in point sampling is called as _____.

Options :

1. ✖ Calibration distance factor
2. ✖ Basal area factor
3. ✖ Diopter
4. ✔ Plot radius factor

Question Number : 114 Question Id : 145634665 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which of the following statement is **NOT** true with respect to point sampling using instruments?

Options :

1. ✖ An instrument with critical angle appropriate to the dimensions of the trees enumerated should be used

2. ✖ Brush cutting may be essential around sample points when there is dense undergrowth preventing clear vision
3. ✔ In hilly area, correction for slope is necessary, whenever the gradient is over 20 percent
4. ✖ The sample points should be located objectively within the forest area to be enumerated

Question Number : 115 Question Id : 145634666 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which among the following statement is true with respect to double sampling?

Options :

1. ✖ Each of the strata is homogenized
2. ✖ Double sampling is also called probability proportional to size
3. ✔ Double sampling is also called two phase sampling
4. ✖ Sample size is very small

Question Number : 116 Question Id : 145634667 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Ratio of number of units on the sample to the number of units in the population is called _____.

Options :

1. ✔ Sampling intensity
2. ✖ Sampling frame
3. ✖ Sampling unit
4. ✖ Sample variance

Question Number : 117 Question Id : 145634668 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Square root of sampling variance of an estimator is known as _____.

Options :

1. ✖ mean square error
2. ✖ sampling error of estimator
3. ✖ bias of an estimator
4. ✔ standard error of an estimator

Question Number : 118 Question Id : 145634669 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Ratio of the standard deviation to the value of the mean is called _____.

Options :

1. ✔ Coefficient of variation
2. ✖ Parameter estimator
3. ✖ Population parameter
4. ✖ Statistic

Question Number : 119 Question Id : 145634670 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following statement is not true with respect to selection of sampling units based on random number tables in simple random sampling?

Options :

1. ✖ Random tables were developed by Fisher and Yates
2. ✖ Random tables are used when population is very large
3. ✖ The table of random numbers have been developed in such a way that the digits 0 to 9 appear independent of each other and approximately equal number of times in the table.
4. ✔ Random table used when population is very small

Question Number : 120 Question Id : 145634671 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Identify a probability sampling method.

Options :

1. ✖ Snow balling
2. ✖ Quota sampling
3. ✖ Consecutive sampling
4. ✔ Cluster sampling

Question Number : 121 Question Id : 145634672 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

_____ method employs a simple rule of selecting every kth unit starting with a number chosen at random from 1 to k.

Options :

1. ✖ simple random sampling
2. ✖ Cluster sampling
3. ✔ Systematic sampling
4. ✖ Snowballing

Question Number : 122 Question Id : 145634673 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

200 Sahyadris forest rats were captured, tagged and released back to the forest. After a week 250 Sahyadris forest rats were captured and 50 of them were found to have tags. Estimate the population from the following data using capture-recapture method of sampling.

Options :

1. ✖ 1200
2. ✔ 1000
3. ✖ 800
4. ✖ 1400

Question Number : 123 Question Id : 145634674 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which statement is incorrect with respect to cluster sampling?

Options :

1. ✖ Population divided into clusters of homogeneous units, usually based on geographical contiguity
2. ✔ Sampling units are individuals rather than groups
3. ✖ All units from the selected clusters are studied.
4. ✖ sampling error is higher for a simple random sample of same size

Question Number : 124 Question Id : 145634675 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Calculate median for the following data:

3,4,4,5,6,8,8,8,10

Options :

1. ✖ 10
2. ✔ 6
3. ✖ 7
4. ✖ 5

Question Number : 125 Question Id : 145634676 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Degree of asymmetry is known as _____.

Options :

1. ✖ kurtosis
2. ✔ skewness
3. ✖ Deviation
4. ✖ Dispersion

Question Number : 126 Question Id : 145634677 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Assigning the treatments or factors to be treated to the experimental units according to laws of probability is called as _____.

Options :

1. ✔ Randomization
2. ✖ Local control
3. ✖ Replication
4. ✖ Experimental error

Question Number : 127 Question Id : 145634678 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Identify the false statement with respect to measuring tree diameter.

Options :

1. ✔ When the tree is forked above the breast height, it is counted as two trees
2. ✖ On sloping ground the diameter at breast height should be measured on the uphill side

3. ✖ Diameter should be recorded in centimeters and to the nearest multiple of two millimeters
4. ✖ Moss and lichens found on the tree must be removed before measuring the diameter over bark

Question Number : 128 Question Id : 145634679 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The height of the bole from the ground level upto the point where average diameter over bark is 20 cm is called _____.

Options :

1. ✖ Commercial bole height
2. ✔ Height of standard timber bole
3. ✖ Bole height
4. ✖ Crown height

Question Number : 129 Question Id : 145634680 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

In Christen's hypsometer when the distance between the inner edges is 33 cm what should be the length of the graduated staff?

Options :

1. ✖ 12.6 m
2. ✖ 8.6 m
3. ✔ 3.6 m
4. ✖ 5.6 m

Question Number : 130 Question Id : 145634681 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which of the following instrument is used to measure height is based on trigonometric principles?

Options :

1. ✖ Modified Smytheis hypsometer
2. ✖ Smytheis hypsometer
3. ✖ Improvised calipers
4. ✔ Brandis hypsometer

Question Number : 131 Question Id : 145634682 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which instrument is used to measure basal area of crop?

Options :

1. ✔ Spiegel relaskop
2. ✖ Haga altimeter
3. ✖ Abney's level
4. ✖ Topographic Abney's level

Question Number : 132 Question Id : 145634683 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

What is Form quotient?

Options :

1. ✖ Form factor X total height of tree
2. ✖ Volume/basal area X height
3. ✔ Mid diameter/dbh
4. ✖ Basal area/mid diameter

Question Number : 133 Question Id : 145634684 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Identify the false statement with respect to Formula of Glorious Simplicity.

Options :

1. ✖ It requires determination of growing stock and rotation only
2. ✖ It is used as a preliminary step in yield regulation specially in irregular forest
3. ✔ It regulates yield only in overstocked forest by prescribing heavy felling
4. ✖ It gives conservative yield and helps in enrichment of the growing stock

Question Number : 134 Question Id : 145634685 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The rotation under which a species yields the maximum material of a specified size or suitability for economic conversion or for special use is called as:

Options :

1. ✖ Rotation of maximum volume production
2. ✔ Technical rotation
3. ✖ Rotation of highest income
4. ✖ Economic rotation

Question Number : 135 Question Id : 145634686 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Identify the correct Hoppus rule.

Options :

1. ✖ $(g/3)^2 \cdot L$, where g is girth at the middle and L the length of the log
2. ✖ $(g/8)^2 \cdot L$, , where g is girth at the middle and L the length of the log

3. ✓ $(g/4)^2 * L$, where g is girth at the middle and L the length of the log

4. ✗ $(g/5)^2 * L$, where g is girth at the middle and L the length of the log

Question Number : 136 Question Id : 145634687 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

The increment of the tree or crop puts on in a single year is known as _____.

Options :

1. ✗ Periodic annual increment

2. ✗ Total increment

3. ✗ Mean annual increment

4. ✓ Current annual increment

Question Number : 137 Question Id : 145634688 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which statement is false with respect to Newton's Formula to estimate volume of logs?

Options :

1. ✗ Cumbersome to use as it necessitates the measurement of diameter and calculation of areas of three cross-sections

2. ✓ Gives volume of only frustum of neiloid correctly

3. ✗ All other formulae can be derived from it

4. ✗ It is only used to calculate the error in volume calculated by other formulae

Question Number : 138 Question Id : 145634689 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which sensors are used by Forest Survey of India to identify forest fire in India?

Options :

1. ✖ High Resolution Infra-Red Radiation Sounder and Suomi-National Polar-orbiting Partnership - Visible Infrared Imaging Radiometer Suite
2. ✔ Moderate Resolution Imaging Spectro-radiometer and Suomi-National Polar-orbiting Partnership - Visible Infrared Imaging Radiometer Suite
3. ✖ High Resolution Optical Imager and Moderate Resolution Imaging Spectro-radiometer
4. ✖ High Resolution Optical Imager and High Resolution Infra-Red Radiation Sounder

Question Number : 139 Question Id : 145634690 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

What is the spatial resolution of LISS III sensor?

Options :

1. ✔ 24 m
2. ✖ 80 m
3. ✖ 30 m
4. ✖ 10 m

Question Number : 140 Question Id : 145634691 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Who coined the term remote sensing?

Options :

1. ✖ Harlow Shapley
2. ✖ Walter Baade
3. ✔ Evelyn Pruitt
4. ✖ Kiyotsugu Hirayama

Question Number : 141 Question Id : 145634692 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

1 furlong = _____.

Options :

1. ✖ 20 chains
2. ✖ 15 chains
3. ✔ 10 chains
4. ✖ 25 chains

Question Number : 142 Question Id : 145634693 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

What is the length of Gunter's or Surveyor's chain?

Options :

1. ✖ 76 feet
2. ✖ 86 feet
3. ✔ 66 feet
4. ✖ 56 feet

Question Number : 143 Question Id : 145634694 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

In which system the bearing of a line is measured with the magnetic or true north in clockwise direction?

Options :

1. ✖ Reduced bearing
2. ✔ Whole circle bearing

3. ✖ Fore bearing

4. ✖ Back bearing

Question Number : 144 Question Id : 145634695 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

A digital topographic survey can be done using _____.

Options :

1. ✖ DISTOMAT DI 1000

2. ✖ Tellurometer

3. ✔ Differential Global Positioning System

4. ✖ Electronic Distance Measurement

Question Number : 145 Question Id : 145634696 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Surveys undertaken to define and record the boundary of properties; legislative area is known as:

Options :

1. ✔ Cadastral surveying

2. ✖ Geodetic survey

3. ✖ Hydrographic Surveying

4. ✖ Engineering Survey

Question Number : 146 Question Id : 145634697 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical Correct Marks : 1 Wrong Marks : 0.33

Which layer of forest road distributes the weight of traffic to the formation?

Options :

1. ✖ Sub-grade
2. ✖ Wearing Course
3. ✖ Base Course
4. ✔ Soling

Question Number : 147 Question Id : 145634698 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Rise of the centre of the road above its edges is known as _____.

Options :

1. ✖ Berm
2. ✖ Side drains
3. ✖ Super-elevation
4. ✔ Camber

Question Number : 148 Question Id : 145634699 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Which device helps in exactly centering the theodolite device at the station?

Options :

1. ✔ Shifting head
2. ✖ Levelling head
3. ✖ Upper plate
4. ✖ Lower plate

Question Number : 149 Question Id : 145634700 Question Type : MCQ Option Shuffling : Yes Is Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Calculate back bearing PQ, if bearing of PQ is 30° .

Options :

1. ✖ 180

2. ✖ 150

3. ✔ 210

4. ✖ 280

Question Number : 150 Question Id : 145634701 Question Type : MCQ Option Shuffling : Yes Is

Question Mandatory : No Calculator : None Response Time : N.A Think Time : N.A Minimum

Instruction Time : 0 Negative Marks Display Text : 1/3 Option Orientation : Vertical

Correct Marks : 1 Wrong Marks : 0.33

Calculate the inclination of line of sight if $H = 2.554$ m and $H' = 1.7 \tan^{-1} 0.038976$ m and the distance between the points is 150 m.

Options :

1. ✖ $\tan^{-1} 0.0389$

2. ✖ $\tan^{-1} 0.00158$

3. ✔ $\tan^{-1} 0.00518$

4. ✖ $\tan^{-1} 0.0839$