WATER HYDRAULIC VALVES / PRODUCT INFORMATION

ST5-Q-NN Microstep Drive

Review the ST5-Q-NN drive with its compatible motor, supply and programmed sequence. Confirm electrical interfaces, protective functions and the behaviour after interruption.

Step/direction, velocity, streaming commands, analogue positioning, encoder following, SiNet and Modbus modes are listed.



ST5-Q-NN Microstep Drive - Product view

Key operating parameters

Parameter	Published value
Model	ST5-Q-NN
Drive part number	5000-128
Supply voltage	24-48 V DC
Output current	0.1-5.0 A per phase
Communication	RS-232

Selection basis

Match the selected configuration to the working water, pressure, flow, temperature and duty. Maximum ratings and separate curve points do not establish one simultaneous operating point. Confirm installation and supplied configuration with WaterQuest Solutions.

Technical data

Parameter	Published value
Model	ST5-Q-NN
Drive part number	5000-128
Supply voltage	24-48 V DC
Output current	0.1-5.0 A per phase
Communication	RS-232
Encoder feedback	No
Step resolution	Full, half, microstepping and microstep emulation
Idle-current reduction	0-90%
Digital inputs / outputs	8 inputs / 4 outputs
Analogue inputs	1 differential or 2 single-ended
Dimensions	5.0 × 3.0 × 1.75 inches (127 × 76.2 × 44.4 mm)
Weight	10.4 oz
Ambient temperature	0-55 °C (32-131 °F)
Operating temperature	0-70 °C (32-158 °F)
Humidity	90% maximum, non-condensing
Setup	Software configuration

ST5-Q-NN Microstep Drive - options

Programme package	Reference
Open-loop flow / joystick demand	561-002
Closed-loop pressure / digital demand	561-003
Closed-loop pressure / 0-10 V DC demand	561-004
Open-loop flow / unidirectional 0-10 V DC	561-005
Open-loop flow / bidirectional 0-10 V DC	561-006

Selection and integration

Selection considerations Confirm the motor, power supply, control program and communication setup as one package. Ask WaterQuest Solutions about software and configuration support. Discuss your application

Drawings and reference visuals

Dimensions, ports and curves are reproduced from the webpage visuals. Use the original drawing units and confirm the current approved drawing before fabrication or installation.

ST5-Q-NN Microstep Drive - Dimensions

