WATER HYDRAULIC VALVES / PRODUCT INFORMATION

Electronic Pressure Control Valve

Check the relationship between the electrical signal and regulated pressure at the intended flow. Review response, stability and the separate pressure-protection function.

Explore the dimensions, connections and performance information for this range. Select any image for a closer look.



Electronic Pressure Control Valve - Product view

Key operating parameters

Parameter	Published value
Maximum inlet pressure	160 bar (2,321 psi)
Operating pressure	0-160 bar (0-2,321 psi)
DN6 rated flow	Confirm selected configuration
DN12 flow	5-100 L/min (1.32-26.4 US gpm)
Feed galleries	6 mm (0.236 in) / 12 mm (0.472 in)

Selection basis

Match the selected configuration to the working water, pressure, flow, temperature and duty. Maximum ratings and separate curve points do not establish one simultaneous operating point. Confirm installation and supplied configuration with WaterQuest Solutions.

Technical data

Parameter	Published value
Maximum inlet pressure	160 bar (2,321 psi)
Operating pressure	0-160 bar (0-2,321 psi)
DN6 rated flow	Confirm selected configuration
DN12 flow	5-100 L/min (1.32-26.4 US gpm)
Feed galleries	6 mm (0.236 in) / 12 mm (0.472 in)
Ports / mounting	BSPP and manifold
Materials	316 stainless steel / polymer
Motor supply	48 V DC
Connections	Flying lead or plug
Control platform	ST5 programmable drive with suitable feedback

Electronic Pressure Control Valve - options

Version	Stand-alone	Manifold
DN6	225BRRW	2M25BRRW
DN12	225DRRW	Confirm


Selection and integration

Selection considerations Confirm the DN6 flow range, pressure-transducer signal and control tuning before specifying the package. System volume, trapped air and transducer response affect pressure accuracy. Discuss your application

Drawings and reference visuals


Dimensions, ports and curves are reproduced from the webpage visuals. Use the original drawing units and confirm the current approved drawing before fabrication or installation.

Electronic Pressure Control Valve - DN6 manifold dimensions




Electronic Pressure Control Valve - DN6 standard dimensions

225BRRW




Electronic Pressure Control Valve - DN12 dimensions

225DRRW



Electronic Pressure Control Valve - Cyclic pressure response



Electronic Pressure Control Valve - Pressure ramp response

