WATER HYDRAULIC VALVES / PRODUCT INFORMATION

# ST5-Q-NN Microstep Drive

Review the ST5-Q-NN drive with its compatible motor, supply and programmed sequence. Confirm electrical interfaces, protective functions and the behaviour after interruption.

Step/direction, velocity, streaming commands, analogue positioning, encoder following, SiNet and Modbus modes are listed.




ST5-Q-NN Microstep Drive - Product view

## Key operating parameters

| Parameter | Published value |
|---|---|
| Model | ST5-Q-NN |
| Drive part number | 5000-128 |
| Supply voltage | 24-48 V DC |
| Output current | 0.1-5.0 A per phase |
| Communication | RS-232 |

## Selection basis

Match the selected configuration to the working water, pressure, flow, temperature and duty. Maximum ratings and separate curve points do not establish one simultaneous operating point. Confirm installation and supplied configuration with WaterQuest Solutions.

# Technical data

| Parameter | Published value |
|---|---|
| Model | ST5-Q-NN |
| Drive part number | 5000-128 |
| Supply voltage | 24-48 V DC |
| Output current | 0.1-5.0 A per phase |
| Communication | RS-232 |
| Encoder feedback | No |
| Step resolution | Full, half, microstepping and microstep emulation |
| Idle-current reduction | 0-90% |
| Digital inputs / outputs | 8 inputs / 4 outputs |
| Analogue inputs | 1 differential or 2 single-ended |
| Dimensions | 5.0 × 3.0 × 1.75 inches (127 × 76.2 × 44.4 mm) |
| Weight | 10.4 oz |
| Ambient temperature | 0-55 °C (32-131 °F) |
| Operating temperature | 0-70 °C (32-158 °F) |
| Humidity | 90% maximum, non-condensing |
| Setup | Software configuration |

## ST5-Q-NN Microstep Drive - options

| Programme package | Reference |
|---|---|
| Open-loop flow / joystick demand | 561-002 |
| Closed-loop pressure / digital demand | 561-003 |
| Closed-loop pressure / 0-10 V DC demand | 561-004 |
| Open-loop flow / unidirectional 0-10 V DC | 561-005 |
| Open-loop flow / bidirectional 0-10 V DC | 561-006 |

### Selection and integration

Selection considerations Confirm the motor, power supply, control program and communication setup as one package. Ask WaterQuest Solutions about software and configuration support. Discuss your application

# Drawings and reference visuals

Dimensions, ports and curves are reproduced from the webpage visuals. Use the original drawing units and confirm the current approved drawing before fabrication or installation.

## ST5-Q-NN Microstep Drive - Dimensions

