Project Name: Vanderbilt GC Salesperson: Greg Salisbury

Order Date: 10/30/2020 Ship Date: 1/21/2021 Apps Engineer: Chandler Blaschka

Station Type: Vertical Turbine Site Voltage: 460VAC/3Phase/60hz

Configuration: N/A Power Configuration: WYE 3PH 4 Wire

Prime System: N/A SCCR Rating: 35 kA

Dynamic Inlet PSI: N/A FCC Type: B

Feet of Lift: N/A Station Location: Inside - Weather Resistant Building

Discharge PSI: 110 Site Elevation: 5

Total Flow: 3200 Regulatory Compliance: UL Listed - Packaged Pumping Station

Station Color: WT Green Wet Well Depth: See CSO
Elec. Encl. Location: Off Skid Flow Meter Location: Off Skid

Sold To

Customer PO: 11052 City: Shelbyville
Company Name: Pro Pump & Controls State: Kentucky
Address 1: 610 Old Mount Eden Rd Zip: 40065

Address 2 : Country : United States

Sold To Contact

First Name : Scott Phone Number : Last Name : Hoppe Fax Number :

Mobile Number: (678) 662-7222 Email Address: shoppe@propumpserivce.com

Invoice Price Information

Invoice Price: \$197,366 Refer to WT Change Order:

Muiltiplier: Term of Sale: 25% Deposit

Corrected Price : Special Terms Approved by :

Ship To

Company Name: Vanderbilt Country Club City: Naples
Address 1: 8250 Danbury Blvd State: Florida
Address 2: Zip: 34120

Country: United States

Ship To Contact

First Name : Scott Phone Number : Last Name : Hoppe Fax Number :

Mobile Number: (678) 662-7222 Email Address: shoppe@propumpserivce.com

Shipment Details

24 Hour Advance Notice : Yes Notification of Shipment : All

Carrier : FOB Hartland - WT Selects Carrier Other :

Services Included in Total Price : Arrival Confirmation Notes :

Installation Service Type: None Station Weight:

Comments

Project Name: Vanderbilt GC Salesperson: Greg Salisbury

Skid Construction

Skid Construction: Formed Steel 8-3/8" Coating for Skid: Painting

Fit in Shipping Container: No Skid Color: Same as Station

Skid Construction Details : Describe Special Coating Under Skid :

Lifting Points: 8 Leveling Kit: 1

Comments

Pump / Manifold / Piping

Piping Material : Mild Steel Station Iso Butterfly Valve Size (in) : 10

Pipe Coating: FBE Internal - Paint External Station Iso Butterfly Valve Style: Lug Style Pipe Coating Application: Internal Only - FBE Station Butterfly Valve Operator: Gear Wheel

Pipe Color (Exterior): Same as Station Flow Meter Type: Mag Meter (Growsmart)

Injection Taps Per Zone: 3-3/4" PRV Size (in): 6

Pressure Reliefe Valve Type : Flanged Angle

System Relief Piped To : Wet Well

Wet Well to Sub Motor: 6 IN Column Material of Construction: Mild Steel

Wet Well to VT Basket: 12 IN

Comments

Station Enclosure - None

Drop Pipes - None

Pumps

Sustain Pump

Pump Specification Motor Specificaiton

Watertronics Part Number: 46-09-4009 Watertronics Part Number: 48-31-0504

Manufacturer : Goulds Manufacturer : Franklin

Manufacturer Model Number: 65GS50 Manufacturer Model Number: 2343278802G

Pump Type : Sub Horse Power : 5

Efficiency: 64% Efficiency: 84%

TDH: 280FT Enclosure: Submersible Flow: 45GPM Frame: NEMA-4

TPL: 195.375" Motor FLA: 8

Stages: 16 Coupling Type:

RPM: 3600 Motor Coupling Size:

Discharge Size: 2IN Winding Heaters: No

Impeller Trim: Motor Temp Switch: No Check Valve Above Skid: Yes Vibration Sensor: No

Comments: Pump Column is 304SS

Project Name: Vanderbilt GC Salesperson: Greg Salisbury

Pumps

Motor Efficiency for All Motors: Premium Motor Elevation Derate: N/A

Main Pump (#1)

Temperature Sensor at Intake: N/A

Pump Specification

Motor Specification

Watertronics Part Number: NP-11-2831 Watertronics Part Number:

Manufacturer : Integrity Manufacturer : Nidec

Manufacturer Model Number: 12ILL Manufacturer Model Number: HO75V2SLG / DT96

Pump Type: VT Horse Power: 75

Efficiency: 85.2% Efficiency: 95%

TDH: 280 FT Enclosure: WP1

Flow: 800GPM Frame: 365TP

TPL: 189.375" Motor FLA: 87

Stages: 4 Coupling Type: Self-Release Coupling

RPM: 1800 Motor Coupling Size: 1-1/4"

Discharge Size: 6IN Winding Heaters: Yes

Impeller Trim: Motor Temp Switch: No

Comments: Vibration Sensor: No

Main Pump (#2)

Temperature Sensor at Intake: N/A

Pump Specification

Motor Specification

Watertronics Part Number: NP-11-2831 Watertronics Part Number:

Manufacturer : Integrity Manufacturer : Nidec

Manufacturer Model Number: 12ILL Manufacturer Model Number: HO75V2SLG / DT96

Pump Type: VT Horse Power: 75

Efficiency: 85.2% Efficiency: 95%

TDH: 280 FT Enclosure: WP1

Flow: 800GPM Frame: 365TP

TPL: 189.375" Motor FLA: 87

Stages: 4 Coupling Type: Self-Release Coupling

RPM: 1800 Motor Coupling Size: 1-1/4"

Discharge Size: 6IN Winding Heaters: Yes

Impeller Trim: Motor Temp Switch: No

Comments: Vibration Sensor: No

Model Number: VTV-1-75x4/5ST-460-3-3200-110 Job Number: 2020583

Project Name: Vanderbilt GC Salesperson: Greg Salisbury

Main Pump (#3)

Temperature Sensor at Intake: N/A

> **Pump Specification Motor Specification**

Watertronics Part Number: NP-11-2831 Watertronics Part Number:

> Manufacturer: Integrity Manufacturer: Nidec

Manufacturer Model Number: 12ILL Manufacturer Model Number: HO75V2SLG / DT96

> Pump Type: VT Horse Power: 75 Efficiency: 85.2% Efficiency: 95% TDH: 280 FT Enclosure: WP1 Flow: 800GPM Frame: 365TP

TPL: 189.375" Motor FLA: 87 Stages: 4 Coupling Type: Self-Release Coupling

RPM: 1800 Motor Coupling Size: 1-1/4" Discharge Size: 6IN Winding Heaters: Yes Motor Temp Switch: No

Impeller Trim: Vibration Sensor: No Comments:

Main Pump (#4)

Temperature Sensor at Intake: N/A

Pump Specification

Watertronics Part Number: NP-11-2831

Manufacturer: Integrity Manufacturer: Nidec

Manufacturer Model Number: 12ILL Manufacturer Model Number: HO75V2SLG / DT96

> Pump Type: VT Horse Power: 75 Efficiency: 85.2% Efficiency: 95% TDH: 280 FT Enclosure: WP1 Flow: 800GPM Frame: 365TP

TPL: 189.375" Motor FLA: 87

Stages: 4 Coupling Type: Self-Release Coupling

Motor Specification

Watertronics Part Number:

RPM: 1800 Motor Coupling Size: 1-1/4" Discharge Size: 6IN Winding Heaters: Yes Impeller Trim: Motor Temp Switch: No Comments: Vibration Sensor: No

Additional Pump Details

Discharge Head Material (Mains): Ductile Iron Shaft Material (Mains): 416SS

> Check Valve (Mains): Silent Slam Shaft Seal Type (Mains): Mechanical Seal

ISO Valve Design (Mains): EBV

Pump Comments

Pricing Matrix did not select pumps

Project Name: Vanderbilt GC Salesperson: Greg Salisbury

Level Controls

Level Sensing Method : Level Float (normally closed) & Transducer Location : Wet Well

Number of Set Points: 1

Pond Fill Logic (2)

Fill SourceTypeHOAPondContactNo

Leve Control Comments

Additional Items