

DealFlow Legacy Platform Overview and Retired Plans

Enterprise knowledge document - PDF reference edition

DOCUMENT STATUS	superseded
EFFECTIVE PERIOD	2024-01-01 to 2025-06-30
REPLACED BY	DealFlow Platform Overview and Current Plan Boundaries

Canonical source: 02-platform-overview-legacy.md
PDF generated: 2026-09-18
The Markdown source remains the canonical retrieval-evaluation artifact.

Contents

Legacy Packaging Scope and Eligibility	3
Document Status and Effective Period	3
Legacy Standard Plan	4
Legacy Premium Plan	6
Legacy Packaging Configuration and Operations	8
Retired Unlimited Storage	8
Former Availability Commitment	9
Classic Workspace Model	11
Legacy Packaging Limits and Exception Handling	13
Legacy Export Service	13
Old Regional Footprint	14
Retired Guest Licensing	16
Legacy Packaging Evidence and Lifecycle Assurance	18
Prior Support Bundle	18
Migration Eligibility	19
Historical Exceptions	21

Legacy Packaging Scope and Eligibility

This business area brings together Document Status and Effective Period, Legacy Standard Plan, Legacy Premium Plan. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Document Status and Effective Period	superseded historical rule	Plan-specific; see fact rule
Legacy Standard Plan	superseded historical rule	Enterprise
Legacy Premium Plan	superseded historical rule	Dedicated

Document Status and Effective Period

This document is superseded and applied from 2024-01-01 through 2025-06-30; current procurement decisions must use the named replacement guide.

Eligibility for the effective dates and replacement status of the old policy follows the current product register rather than feature-name similarity. The governing entry lists the state as superseded historical rule and the customer scope as Plan-specific; see fact rule; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the data protection officer instead of being treated as an entitlement.

The operational workflow for the effective dates and replacement status of the old policy assigns Regional Reliability to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in mainland China; evidence is captured in a UTC-stamped change ticket with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 21 days.

An exception for the effective dates and replacement status of the old policy must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 35 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for the effective dates and replacement status of the old policy compares the live setting with the approved record every 24 hours during implementation. Drift is assigned to Regional Reliability with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for the effective dates and replacement status of the old policy is delivered as a UTC-stamped change ticket with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for the effective dates and replacement status of the old policy suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Regional Reliability records impact, cause, correction, and retest results. Re-enablement requires the data protection officer's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For the effective dates and replacement status of the old policy, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the UTC-stamped change ticket for its portion.

Procurement responses for the effective dates and replacement status of the old policy separate product availability from implementation effort. The response records superseded historical rule, identifies Plan-specific; see fact rule, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing

tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Plan-specific; see fact rule tenant enabled in mainland China. Its entitlement, live value, version, and evidence agree, so the assessor can accept the effective dates and replacement status of the old policy. The same record cannot prove another capability. A later migration to Virginia triggers a new check and preserves the original result solely as audit history.

Evidence for the effective dates and replacement status of the old policy is insufficient when an implementation team borrows a value from an adjacent policy. The current v3.2 guides became effective on 2025-07-01 and are not historical evidence. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for the effective dates and replacement status of the old policy 90 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Singapore changes an implementation parameter that may affect the effective dates and replacement status of the old policy. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 30 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Sydney renewal, Product Operations must decide whether the effective dates and replacement status of the old policy can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 35 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A mainland China tenant asks whether the effective dates and replacement status of the old policy remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 45 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of the effective dates and replacement status of the old policy with the current entitlement and live configuration. Approval is time-bounded to 60 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Legacy Standard Plan

For legacy standard plan, version 2.4 classifies the function as superseded historical rule for Enterprise. Its control record is reviewed every 35 days, operational evidence is sampled every 48 hours, and any approved exception expires after 45 days.

For contracting purposes, earlier-generation standard subscription is evaluated against the effective guide and the tenant's recorded configuration. Its current state is superseded historical rule, with scope limited to Enterprise. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The service owner must resolve any documentary conflict before the dependent control is enabled.

For earlier-generation standard subscription, Customer Success creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Frankfurt. Production use starts only when the regional assurance workbook contains the expected value and a successful UTC timestamp. The record is reviewed every 35 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the earlier-generation standard subscription baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline

within 45 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For earlier-generation standard subscription, the verification job samples the configured state at an interval of 48 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Customer Success; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for earlier-generation standard subscription combines the regional assurance workbook, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of earlier-generation standard subscription fails, new dependent operations stop while committed records remain readable. Customer Success determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the service owner. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for earlier-generation standard subscription is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the regional assurance workbook.

When earlier-generation standard subscription appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Enterprise boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Frankfurt implementation when the signed scope is Enterprise and the regional assurance workbook identifies the effective release. Acceptance is limited to earlier-generation standard subscription. Changing the service region to Singapore invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving earlier-generation standard subscription is to combine old and current guidance or apply one subscription's value to another. The adjacent legacy packaging control uses a 60-day window and applies to Dedicated; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to earlier-generation standard subscription eligibility, numeric limits, regional coverage, or capability state are announced at least 120 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Sydney renewal, Product Operations must decide whether earlier-generation standard subscription can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 35 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A mainland China tenant asks whether earlier-generation standard subscription remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 45 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of earlier-generation standard subscription with the current entitlement and live configuration. Approval is time-bounded to 60 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in Virginia changes an implementation parameter that may affect earlier-generation standard subscription. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering

the procurement team. A compliant result is reviewed again within 90 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Legacy Premium Plan

For legacy premium plan, version 2.4 classifies the function as superseded historical rule for Dedicated. Its control record is reviewed every 60 days, operational evidence is sampled every 72 hours, and any approved exception expires after 60 days.

The commercial boundary for earlier-generation premium subscription is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is superseded historical rule, and the recorded scope is Dedicated. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the tenant security administrator records a written resolution.

Activation of earlier-generation premium subscription begins with a request owned by Platform Engineering. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Virginia, and the resulting machine-readable audit bundle must be attached before the feature is released to users. Routine reassessment occurs every 60 days as well as after any material tenant change.

Where the baseline for earlier-generation premium subscription cannot be met, the customer and Platform Engineering must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 60 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 72 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Platform Engineering and shown as a failed control until resolved. Verification is deliberately scoped to earlier-generation premium subscription, so adjacent policies require their own evidence.

The customer-facing evidence package for earlier-generation premium subscription contains the machine-readable audit bundle, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed earlier-generation premium subscription check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Platform Engineering diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and tenant security administrator approval; unrelated contractual timers continue unchanged.

For earlier-generation premium subscription, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a machine-readable audit bundle. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for earlier-generation premium subscription begins with its current state-superseded historical rule-and the applicable commercial scope-Dedicated. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Dedicated completes activation in Virginia and presents versioned evidence that matches the live setting. This supports the claim for earlier-generation premium subscription, but no broader claim. If deployment moves to Sydney, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for earlier-generation premium subscription cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent legacy packaging control uses a 90-day window and applies to Enterprise and Dedicated; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to earlier-generation premium subscription is 180 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A mainland China tenant asks whether earlier-generation premium subscription remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 45 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of earlier-generation premium subscription with the current entitlement and live configuration. Approval is time-bounded to 60 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Virginia changes an implementation parameter that may affect earlier-generation premium subscription. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 90 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a Singapore renewal, Platform Engineering must decide whether earlier-generation premium subscription can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 120 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Legacy Packaging Configuration and Operations

This business area brings together Retired Unlimited Storage, Former Availability Commitment, Classic Workspace Model. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Retired Unlimited Storage	superseded historical rule	Enterprise and Dedicated
Former Availability Commitment	superseded historical rule	Business
Classic Workspace Model	superseded historical rule	Enterprise

Retired Unlimited Storage

For retired unlimited storage, version 2.4 classifies the function as superseded historical rule for Enterprise and Dedicated. Its control record is reviewed every 120 days, operational evidence is sampled every 1 hour, and any approved exception expires after 90 days.

Before committing to no-longer-offered unlimited storage, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies superseded historical rule for Enterprise and Dedicated. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the regional operations lead before the response is approved.

To configure no-longer-offered unlimited storage, Product Operations verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Singapore and stores a signed configuration export. A failed or incomplete test keeps production disabled. Successful configurations return to review every 120 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for no-longer-offered unlimited storage does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 90 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 1 hour against the tenant registry. A mismatch opens a case for Product Operations, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to no-longer-offered unlimited storage; it does not certify a neighboring identity, logging, resilience, or integration control.

For no-longer-offered unlimited storage, auditors receive a signed configuration export that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for no-longer-offered unlimited storage no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Product Operations. Investigation separates configuration drift from subscription or regional ineligibility. The regional operations lead authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by no-longer-offered unlimited storage. DealFlow validates only the platform boundary it operates and records that result in a signed configuration export. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about no-longer-offered unlimited storage must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use superseded historical rule as the lifecycle description and Enterprise and Dedicated as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Enterprise and Dedicated, the control is activated in Singapore, and the evidence names the current version. The assessor accepts the package for no-longer-offered unlimited storage only. If the tenant later moves to mainland China, the prior result remains historical and a new regional verification is required.

An invalid interpretation of no-longer-offered unlimited storage substitutes a nearby control because its terminology appears similar. The adjacent legacy packaging control uses a 120-day window and applies to Business; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to no-longer-offered unlimited storage scope, units, limits, regions, or lifecycle status follow a minimum 365-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of no-longer-offered unlimited storage with the current entitlement and live configuration. Approval is time-bounded to 60 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Virginia changes an implementation parameter that may affect no-longer-offered unlimited storage. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 90 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Singapore renewal, Platform Engineering must decide whether no-longer-offered unlimited storage can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 120 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A Sydney tenant asks whether no-longer-offered unlimited storage remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 180 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Former Availability Commitment

For former availability commitment, version 2.4 classifies the function as superseded historical rule for Business. Its control record is reviewed every 365 days, operational evidence is sampled every 2 hours, and any approved exception expires after 120 days.

Eligibility for former service uptime contractual promise follows the current product register rather than feature-name similarity. The governing entry lists the state as superseded historical rule and the customer scope as Business; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the change advisory board instead of being treated as an entitlement.

The operational workflow for former service uptime contractual promise assigns Security Assurance to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Sydney; evidence is captured in a tenant control report with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 365 days.

An exception for former service uptime contractual promise must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 120 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for former service uptime contractual promise compares the live setting with the approved record every 2 hours during implementation. Drift is assigned to Security Assurance with both values and the observation time

attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for former service uptime contractual promise is delivered as a tenant control report with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for former service uptime contractual promise suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Security Assurance records impact, cause, correction, and retest results. Re-enablement requires the change advisory board's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For former service uptime contractual promise, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the tenant control report for its portion.

Procurement responses for former service uptime contractual promise separate product availability from implementation effort. The response records superseded historical rule, identifies Business, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Business tenant enabled in Sydney. Its entitlement, live value, version, and evidence agree, so the assessor can accept former service uptime contractual promise. The same record cannot prove another capability. A later migration to Frankfurt triggers a new check and preserves the original result solely as audit history.

Evidence for former service uptime contractual promise is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent legacy packaging control uses a 180-day window and applies to Enterprise; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for former service uptime contractual promise 7 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Virginia changes an implementation parameter that may affect former service uptime contractual promise. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 90 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Singapore renewal, Platform Engineering must decide whether former service uptime contractual promise can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 120 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Sydney tenant asks whether former service uptime contractual promise remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 180 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of former service uptime contractual promise with the current entitlement and live configuration. Approval is time-bounded to 365 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Classic Workspace Model

For classic workspace model, version 2.4 classifies the function as superseded historical rule for Enterprise. Its control record is reviewed every 14 days, operational evidence is sampled every 4 hours, and any approved exception expires after 180 days.

For contracting purposes, classic workspace model is evaluated against the effective guide and the tenant's recorded configuration. Its current state is superseded historical rule, with scope limited to Enterprise. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The data protection officer must resolve any documentary conflict before the dependent control is enabled.

For classic workspace model, Regional Reliability creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in mainland China. Production use starts only when the UTC-stamped change ticket contains the expected value and a successful UTC timestamp. The record is reviewed every 14 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the classic workspace model baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 180 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For classic workspace model, the verification job samples the configured state at an interval of 4 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Regional Reliability; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for classic workspace model combines the UTC-stamped change ticket, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of classic workspace model fails, new dependent operations stop while committed records remain readable. Regional Reliability determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the data protection officer. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for classic workspace model is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the UTC-stamped change ticket.

When classic workspace model appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Enterprise boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a mainland China implementation when the signed scope is Enterprise and the UTC-stamped change ticket identifies the effective release. Acceptance is limited to classic workspace model. Changing the service region to Virginia invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving classic workspace model is to combine old and current guidance or apply one subscription's value to another. The adjacent legacy packaging control uses a 365-day window and applies to Dedicated; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to classic workspace model eligibility, numeric limits, regional coverage, or capability state are announced at least 14 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Singapore renewal, Platform Engineering must decide whether classic workspace model can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 120 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Sydney tenant asks whether classic workspace model remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 180 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of classic workspace model with the current entitlement and live configuration. Approval is time-bounded to 365 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in Frankfurt changes an implementation parameter that may affect classic workspace model. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 7 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Legacy Packaging Limits and Exception Handling

This business area brings together Legacy Export Service, Old Regional Footprint, Retired Guest Licensing. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Legacy Export Service	superseded historical rule	Dedicated
Old Regional Footprint	superseded historical rule	Enterprise and Dedicated
Retired Guest Licensing	superseded historical rule	Business

Legacy Export Service

For legacy export service, version 2.4 classifies the function as superseded historical rule for Dedicated. Its control record is reviewed every 30 days, operational evidence is sampled every 6 hours, and any approved exception expires after 365 days.

The commercial boundary for earlier-generation export service is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is superseded historical rule, and the recorded scope is Dedicated. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the service owner records a written resolution.

Activation of earlier-generation export service begins with a request owned by Customer Success. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Frankfurt, and the resulting regional assurance workbook must be attached before the feature is released to users. Routine reassessment occurs every 30 days as well as after any material tenant change.

Where the baseline for earlier-generation export service cannot be met, the customer and Customer Success must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 365 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 6 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Customer Success and shown as a failed control until resolved. Verification is deliberately scoped to earlier-generation export service, so adjacent policies require their own evidence.

The customer-facing evidence package for earlier-generation export service contains the regional assurance workbook, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed earlier-generation export service check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Customer Success diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and service owner approval; unrelated contractual timers continue unchanged.

For earlier-generation export service, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a regional assurance workbook. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for earlier-generation export service begins with its current state-superseded historical rule-and the applicable commercial scope-Dedicated. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Dedicated completes activation in Frankfurt and presents versioned evidence that matches the live setting. This supports the claim for earlier-generation export service, but no broader claim. If deployment moves to Singapore, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for earlier-generation export service cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent legacy packaging control uses a 7-day window and applies to Enterprise and Dedicated; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to earlier-generation export service is 21 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Sydney tenant asks whether earlier-generation export service remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 180 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of earlier-generation export service with the current entitlement and live configuration. Approval is time-bounded to 365 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Frankfurt changes an implementation parameter that may affect earlier-generation export service. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 7 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a Virginia renewal, Customer Success must decide whether earlier-generation export service can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 14 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Old Regional Footprint

For old regional footprint, version 2.4 classifies the function as superseded historical rule for Enterprise and Dedicated. Its control record is reviewed every 45 days, operational evidence is sampled every 8 hours, and any approved exception expires after 7 days.

Before committing to old regional footprint, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies superseded historical rule for Enterprise and Dedicated. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the tenant security administrator before the response is approved.

To configure old regional footprint, Platform Engineering verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Virginia and stores a machine-readable audit bundle. A failed or incomplete test keeps production disabled. Successful configurations return to review every 45 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for old regional footprint does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 7 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 8 hours against the tenant registry. A mismatch opens a case for Platform Engineering, preserves old and proposed values, and prevents the compliance export from

reporting success. This result applies only to old regional footprint; it does not certify a neighboring identity, logging, resilience, or integration control.

For old regional footprint, auditors receive a machine-readable audit bundle that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for old regional footprint no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Platform Engineering. Investigation separates configuration drift from subscription or regional ineligibility. The tenant security administrator authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by old regional footprint. DealFlow validates only the platform boundary it operates and records that result in a machine-readable audit bundle. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about old regional footprint must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use superseded historical rule as the lifecycle description and Enterprise and Dedicated as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Enterprise and Dedicated, the control is activated in Virginia, and the evidence names the current version. The assessor accepts the package for old regional footprint only. If the tenant later moves to Sydney, the prior result remains historical and a new regional verification is required.

An invalid interpretation of old regional footprint substitutes a nearby control because its terminology appears similar. The adjacent legacy packaging control uses a 14-day window and applies to Business; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to old regional footprint scope, units, limits, regions, or lifecycle status follow a minimum 30-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of old regional footprint with the current entitlement and live configuration. Approval is time-bounded to 365 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Frankfurt changes an implementation parameter that may affect old regional footprint. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 7 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Virginia renewal, Customer Success must decide whether old regional footprint can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 14 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A Singapore tenant asks whether old regional footprint remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 21 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Retired Guest Licensing

For retired guest licensing, version 2.4 classifies the function as superseded historical rule for Business. Its control record is reviewed every 90 days, operational evidence is sampled every 12 hours, and any approved exception expires after 14 days.

Eligibility for no-longer-offered guest licensing follows the current product register rather than feature-name similarity. The governing entry lists the state as superseded historical rule and the customer scope as Business; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the regional operations lead instead of being treated as an entitlement.

The operational workflow for no-longer-offered guest licensing assigns Product Operations to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Singapore; evidence is captured in a signed configuration export with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 90 days.

An exception for no-longer-offered guest licensing must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 14 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for no-longer-offered guest licensing compares the live setting with the approved record every 12 hours during implementation. Drift is assigned to Product Operations with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for no-longer-offered guest licensing is delivered as a signed configuration export with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for no-longer-offered guest licensing suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Product Operations records impact, cause, correction, and retest results. Re-enablement requires the regional operations lead's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For no-longer-offered guest licensing, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the signed configuration export for its portion.

Procurement responses for no-longer-offered guest licensing separate product availability from implementation effort. The response records superseded historical rule, identifies Business, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Business tenant enabled in Singapore. Its entitlement, live value, version, and evidence agree, so the assessor can accept no-longer-offered guest licensing. The same record cannot prove another capability. A later migration to mainland China triggers a new check and preserves the original result solely as audit history.

Evidence for no-longer-offered guest licensing is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent legacy packaging control uses a 21-day window and applies to Enterprise; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for no-longer-offered guest licensing 35 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Frankfurt changes an implementation parameter that may affect no-longer-offered guest licensing. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 7 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Virginia renewal, Customer Success must decide whether no-longer-offered guest licensing can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 14 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Singapore tenant asks whether no-longer-offered guest licensing remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 21 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of no-longer-offered guest licensing with the current entitlement and live configuration. Approval is time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Legacy Packaging Evidence and Lifecycle Assurance

This business area brings together Prior Support Bundle, Migration Eligibility, Historical Exceptions. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Prior Support Bundle	superseded historical rule	Enterprise
Migration Eligibility	superseded historical rule	Dedicated
Historical Exceptions	superseded historical rule	Enterprise and Dedicated

Prior Support Bundle

For prior support bundle, version 2.4 classifies the function as superseded historical rule for Enterprise. Its control record is reviewed every 180 days, operational evidence is sampled every 24 hours, and any approved exception expires after 21 days.

For contracting purposes, prior support bundle is evaluated against the effective guide and the tenant's recorded configuration. Its current state is superseded historical rule, with scope limited to Enterprise. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The change advisory board must resolve any documentary conflict before the dependent control is enabled.

For prior support bundle, Security Assurance creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Sydney. Production use starts only when the tenant control report contains the expected value and a successful UTC timestamp. The record is reviewed every 180 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the prior support bundle baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 21 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For prior support bundle, the verification job samples the configured state at an interval of 24 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Security Assurance; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for prior support bundle combines the tenant control report, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of prior support bundle fails, new dependent operations stop while committed records remain readable. Security Assurance determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the change advisory board. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for prior support bundle is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the tenant control report.

When prior support bundle appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Enterprise boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Sydney implementation when the signed scope is Enterprise and the tenant control report identifies the effective release. Acceptance is limited to prior support bundle. Changing the service region to Frankfurt invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving prior support bundle is to combine old and current guidance or apply one subscription's value to another. The adjacent legacy packaging control uses a 30-day window and applies to Dedicated; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to prior support bundle eligibility, numeric limits, regional coverage, or capability state are announced at least 45 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Virginia renewal, Customer Success must decide whether prior support bundle can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 14 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Singapore tenant asks whether prior support bundle remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 21 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of prior support bundle with the current entitlement and live configuration. Approval is time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in mainland China changes an implementation parameter that may affect prior support bundle. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Migration Eligibility

For migration eligibility, version 2.4 classifies the function as superseded historical rule for Dedicated. Its control record is reviewed every 7 days, operational evidence is sampled every 48 hours, and any approved exception expires after 30 days.

The commercial boundary for move from an older configuration eligibility is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is superseded historical rule, and the recorded scope is Dedicated. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the data protection officer records a written resolution.

Activation of move from an older configuration eligibility begins with a request owned by Regional Reliability. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in mainland China, and the resulting UTC-stamped change ticket must be attached before the feature is released to users. Routine reassessment occurs every 7 days as well as after any material tenant change.

Where the baseline for move from an older configuration eligibility cannot be met, the customer and Regional Reliability must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 30 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 48 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Regional Reliability and shown as a failed control until

resolved. Verification is deliberately scoped to move from an older configuration eligibility, so adjacent policies require their own evidence.

The customer-facing evidence package for move from an older configuration eligibility contains the UTC-stamped change ticket, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed move from an older configuration eligibility check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Regional Reliability diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and data protection officer approval; unrelated contractual timers continue unchanged.

For move from an older configuration eligibility, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a UTC-stamped change ticket. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for move from an older configuration eligibility begins with its current state-superseded historical rule-and the applicable commercial scope-Dedicated. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Dedicated completes activation in mainland China and presents versioned evidence that matches the live setting. This supports the claim for move from an older configuration eligibility, but no broader claim. If deployment moves to Virginia, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for move from an older configuration eligibility cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent legacy packaging control uses a 35-day window and applies to Enterprise and Dedicated; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to move from an older configuration eligibility is 60 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Singapore tenant asks whether move from an older configuration eligibility remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 21 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of move from an older configuration eligibility with the current entitlement and live configuration. Approval is time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in mainland China changes an implementation parameter that may affect move from an older configuration eligibility. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a Frankfurt renewal, Regional Reliability must decide whether move from an older configuration eligibility can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Historical Exceptions

For historical exceptions, version 2.4 classifies the function as superseded historical rule for Enterprise and Dedicated. Its control record is reviewed every 21 days, operational evidence is sampled every 72 hours, and any approved exception expires after 35 days.

Before committing to historical exceptions, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies superseded historical rule for Enterprise and Dedicated. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the service owner before the response is approved.

To configure historical exceptions, Customer Success verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Frankfurt and stores a regional assurance workbook. A failed or incomplete test keeps production disabled. Successful configurations return to review every 21 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for historical exceptions does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 35 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 72 hours against the tenant registry. A mismatch opens a case for Customer Success, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to historical exceptions; it does not certify a neighboring identity, logging, resilience, or integration control.

For historical exceptions, auditors receive a regional assurance workbook that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for historical exceptions no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Customer Success. Investigation separates configuration drift from subscription or regional ineligibility. The service owner authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by historical exceptions. DealFlow validates only the platform boundary it operates and records that result in a regional assurance workbook. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about historical exceptions must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use superseded historical rule as the lifecycle description and Enterprise and Dedicated as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Enterprise and Dedicated, the control is activated in Frankfurt, and the evidence names the current version. The assessor accepts the package for historical exceptions only. If the tenant later moves to Singapore, the prior result remains historical and a new regional verification is required.

An invalid interpretation of historical exceptions substitutes a nearby control because its terminology appears similar. The adjacent legacy packaging control uses a 45-day window and applies to Business; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to historical exceptions scope, units, limits, regions, or lifecycle status follow a minimum 90-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of historical exceptions with the current entitlement and live configuration. Approval is time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in mainland China changes an implementation parameter that may affect historical exceptions. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Frankfurt renewal, Regional Reliability must decide whether historical exceptions can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A Virginia tenant asks whether historical exceptions remains contractually available after a configuration change. Customer Success checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 60 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.