

DealFlow Identity and Access Control Guide

Enterprise knowledge document - PDF reference edition

DOCUMENT STATUS	current
EFFECTIVE FROM	2025-07-01
PRODUCT VERSION	3.2

Canonical source: 03-identity-access-control.md
PDF generated: 2026-09-18
The Markdown source remains the canonical retrieval-evaluation artifact.

Contents

Identity And Access Scope and Eligibility	3
Enterprise Single Sign-On	3
SAML Certificate Rotation	4
OpenID Connect Federation	6
Identity And Access Configuration and Operations	8
SCIM User Provisioning	8
Automated Offboarding	9
Multi-factor Authentication	11
Identity And Access Limits and Exception Handling	13
Role-based Access Control	13
Custom Roles	14
Privileged Administration	16
Identity And Access Evidence and Lifecycle Assurance	18
Session Lifetime	18
Passwordless Access	19
Service Account Identity	21

Identity And Access Scope and Eligibility

This business area brings together Enterprise Single Sign-On, SAML Certificate Rotation, OpenID Connect Federation. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Enterprise Single Sign-On	standard or plan-limited as stated	Plan-specific; see fact rule
SAML Certificate Rotation	standard or plan-limited as stated	Plan-specific; see fact rule
OpenID Connect Federation	standard capability	Business

Enterprise Single Sign-On

Enterprise and Dedicated tenants support SAML 2.0 and OpenID Connect; Business supports OpenID Connect but not SAML metadata rotation automation.

For contracting purposes, federated browser sign-in through a corporate identity provider is evaluated against the effective guide and the tenant's recorded configuration. Its current state is standard or plan-limited as stated, with scope limited to Plan-specific; see fact rule. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The tenant security administrator must resolve any documentary conflict before the dependent control is enabled.

For federated browser sign-in through a corporate identity provider, Customer Success creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Virginia. Production use starts only when the regional assurance workbook contains the expected value and a successful UTC timestamp. The record is reviewed every 30 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the federated browser sign-in through a corporate identity provider baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 35 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For federated browser sign-in through a corporate identity provider, the verification job samples the configured state at an interval of 1 hour while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Customer Success; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for federated browser sign-in through a corporate identity provider combines the regional assurance workbook, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of federated browser sign-in through a corporate identity provider fails, new dependent operations stop while committed records remain readable. Customer Success determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the tenant security administrator. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for federated browser sign-in through a corporate identity provider is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the regional assurance workbook.

When federated browser sign-in through a corporate identity provider appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Plan-specific; see fact rule boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Virginia implementation when the signed scope is Plan-specific; see fact rule and the regional assurance workbook identifies the effective release. Acceptance is limited to federated browser sign-in through a corporate identity provider. Changing the service region to Sydney invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving federated browser sign-in through a corporate identity provider is to combine old and current guidance or apply one subscription's value to another. SCIM synchronizes users and does not authenticate browser sessions. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to federated browser sign-in through a corporate identity provider eligibility, numeric limits, regional coverage, or capability state are announced at least 120 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Sydney renewal, Product Operations must decide whether federated browser sign-in through a corporate identity provider can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 35 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A mainland China tenant asks whether federated browser sign-in through a corporate identity provider remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 45 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of federated browser sign-in through a corporate identity provider with the current entitlement and live configuration. Approval is time-bounded to 60 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in Virginia changes an implementation parameter that may affect federated browser sign-in through a corporate identity provider. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 90 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

SAML Certificate Rotation

SAML signing certificates may overlap for seven days, and automatic identity-provider metadata refresh runs every six hours for Enterprise and Dedicated tenants.

The commercial boundary for overlapping federation certificates and metadata refresh is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is standard or plan-limited as stated, and the recorded scope is Plan-specific; see fact rule. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the regional operations lead records a written resolution.

Activation of overlapping federation certificates and metadata refresh begins with a request owned by Platform Engineering. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Singapore, and the resulting machine-readable audit bundle must be attached before the feature is released to users. Routine reassessment occurs every 45 days as well as after any material tenant change.

Where the baseline for overlapping federation certificates and metadata refresh cannot be met, the customer and Platform Engineering must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 45 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 2 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Platform Engineering and shown as a failed control until resolved. Verification is deliberately scoped to overlapping federation certificates and metadata refresh, so adjacent policies require their own evidence.

The customer-facing evidence package for overlapping federation certificates and metadata refresh contains the machine-readable audit bundle, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed overlapping federation certificates and metadata refresh check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Platform Engineering diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and regional operations lead approval; unrelated contractual timers continue unchanged.

For overlapping federation certificates and metadata refresh, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a machine-readable audit bundle. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for overlapping federation certificates and metadata refresh begins with its current state-standard or plan-limited as stated-and the applicable commercial scope-Plan-specific; see fact rule. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Plan-specific; see fact rule completes activation in Singapore and presents versioned evidence that matches the live setting. This supports the claim for overlapping federation certificates and metadata refresh, but no broader claim. If deployment moves to mainland China, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for overlapping federation certificates and metadata refresh cites a similarly named policy with a different number, lifecycle state, or subscription. Customer-managed encryption keys rotate on a different schedule and are unrelated to SAML trust. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to overlapping federation certificates and metadata refresh is 180 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A mainland China tenant asks whether overlapping federation certificates and metadata refresh remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 45 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of overlapping federation certificates and metadata refresh with the current entitlement and live configuration. Approval is time-bounded to 60 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Virginia changes an implementation parameter that may affect overlapping federation certificates and metadata refresh. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 90 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a Singapore renewal, Platform Engineering must decide whether overlapping federation certificates and metadata refresh can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 120 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

OpenID Connect Federation

For openid connect federation, version 3.2 classifies the function as standard capability for Business. Its control record is reviewed every 90 days, operational evidence is sampled every 4 hours, and any approved exception expires after 60 days.

Before committing to sign-in through an OpenID Connect identity provider, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies standard capability for Business. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the change advisory board before the response is approved.

To configure sign-in through an OpenID Connect identity provider, Product Operations verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Sydney and stores a signed configuration export. A failed or incomplete test keeps production disabled. Successful configurations return to review every 90 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for sign-in through an OpenID Connect identity provider does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 60 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 4 hours against the tenant registry. A mismatch opens a case for Product Operations, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to sign-in through an OpenID Connect identity provider; it does not certify a neighboring identity, logging, resilience, or integration control.

For sign-in through an OpenID Connect identity provider, auditors receive a signed configuration export that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for sign-in through an OpenID Connect identity provider no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Product Operations. Investigation separates configuration drift from subscription or regional ineligibility. The change advisory board authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by sign-in through an OpenID Connect identity provider. DealFlow validates only the platform boundary it operates and records that result in a signed configuration export. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about sign-in through an OpenID Connect identity provider must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use standard capability as the lifecycle description and Business as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Business, the control is activated in Sydney, and the evidence names the current version. The assessor accepts the package for sign-in through an OpenID Connect identity provider only. If the tenant later moves to Frankfurt, the prior result remains historical and a new regional verification is required.

An invalid interpretation of sign-in through an OpenID Connect identity provider substitutes a nearby control because its terminology appears similar. The adjacent identity and access control uses a 120-day window and applies to Enterprise and Dedicated; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to sign-in through an OpenID Connect identity provider scope, units, limits, regions, or lifecycle status follow a minimum 365-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of sign-in through an OpenID Connect identity provider with the current entitlement and live configuration. Approval is time-bounded to 60 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Virginia changes an implementation parameter that may affect sign-in through an OpenID Connect identity provider. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 90 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Singapore renewal, Platform Engineering must decide whether sign-in through an OpenID Connect identity provider can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 120 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A Sydney tenant asks whether sign-in through an OpenID Connect identity provider remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 180 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Identity And Access Configuration and Operations

This business area brings together SCIM User Provisioning, Automated Offboarding, Multi-factor Authentication. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
SCIM User Provisioning	standard or plan-limited as stated	Plan-specific; see fact rule
Automated Offboarding	standard or plan-limited as stated	Plan-specific; see fact rule
Multi-factor Authentication	Enterprise-tier capability	Enterprise and Dedicated

SCIM User Provisioning

SCIM 2.0 provisioning is included in Enterprise and Dedicated; directory changes are polled every 20 minutes and urgent deactivation webhooks are processed within five minutes.

Eligibility for directory-driven account creation and group synchronization follows the current product register rather than feature-name similarity. The governing entry lists the state as standard or plan-limited as stated and the customer scope as Plan-specific; see fact rule; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the data protection officer instead of being treated as an entitlement.

The operational workflow for directory-driven account creation and group synchronization assigns Security Assurance to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in mainland China; evidence is captured in a tenant control report with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 180 days.

An exception for directory-driven account creation and group synchronization must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 90 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for directory-driven account creation and group synchronization compares the live setting with the approved record every 6 hours during implementation. Drift is assigned to Security Assurance with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for directory-driven account creation and group synchronization is delivered as a tenant control report with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for directory-driven account creation and group synchronization suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Security Assurance records impact, cause, correction, and retest results. Re-enablement requires the data protection officer's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For directory-driven account creation and group synchronization, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the tenant control report for its portion.

Procurement responses for directory-driven account creation and group synchronization separate product availability from implementation effort. The response records standard or plan-limited as stated, identifies Plan-specific; see fact rule, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without

exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Plan-specific; see fact rule tenant enabled in mainland China. Its entitlement, live value, version, and evidence agree, so the assessor can accept directory-driven account creation and group synchronization. The same record cannot prove another capability. A later migration to Virginia triggers a new check and preserves the original result solely as audit history.

Evidence for directory-driven account creation and group synchronization is insufficient when an implementation team borrows a value from an adjacent policy. OIDC claims can assign a session role but cannot create or remove directory accounts. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for directory-driven account creation and group synchronization 7 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Virginia changes an implementation parameter that may affect directory-driven account creation and group synchronization. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 90 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Singapore renewal, Platform Engineering must decide whether directory-driven account creation and group synchronization can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 120 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Sydney tenant asks whether directory-driven account creation and group synchronization remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 180 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of directory-driven account creation and group synchronization with the current entitlement and live configuration. Approval is time-bounded to 365 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Automated Offboarding

A verified SCIM deactivation disables interactive access within five minutes and revokes active sessions within fifteen minutes; content ownership transfers separately.

For contracting purposes, automatic access removal after an employee leaves is evaluated against the effective guide and the tenant's recorded configuration. Its current state is standard or plan-limited as stated, with scope limited to Plan-specific; see fact rule. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The service owner must resolve any documentary conflict before the dependent control is enabled.

For automatic access removal after an employee leaves, Regional Reliability creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Frankfurt. Production use starts only when the UTC-stamped change ticket contains the expected value and a successful UTC timestamp. The record is reviewed every 7 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the automatic access removal after an employee leaves baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 120 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For automatic access removal after an employee leaves, the verification job samples the configured state at an interval of 8 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Regional Reliability; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for automatic access removal after an employee leaves combines the UTC-stamped change ticket, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of automatic access removal after an employee leaves fails, new dependent operations stop while committed records remain readable. Regional Reliability determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the service owner. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for automatic access removal after an employee leaves is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the UTC-stamped change ticket.

When automatic access removal after an employee leaves appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Plan-specific; see fact rule boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Frankfurt implementation when the signed scope is Plan-specific; see fact rule and the UTC-stamped change ticket identifies the effective release. Acceptance is limited to automatic access removal after an employee leaves. Changing the service region to Singapore invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving automatic access removal after an employee leaves is to combine old and current guidance or apply one subscription's value to another. Archiving a workspace preserves user identity and is not account deactivation. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to automatic access removal after an employee leaves eligibility, numeric limits, regional coverage, or capability state are announced at least 14 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Singapore renewal, Platform Engineering must decide whether automatic access removal after an employee leaves can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 120 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Sydney tenant asks whether automatic access removal after an employee leaves remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 180 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of automatic access removal after an employee leaves with the current entitlement and live configuration. Approval is time-bounded to 365 days and includes the governing evidence. Missing prerequisites are

reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in Frankfurt changes an implementation parameter that may affect automatic access removal after an employee leaves. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 7 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Multi-factor Authentication

For multi-factor authentication, version 3.2 classifies the function as Enterprise-tier capability for Enterprise and Dedicated. Its control record is reviewed every 21 days, operational evidence is sampled every 12 hours, and any approved exception expires after 180 days.

The commercial boundary for requiring an additional verification factor for interactive sign-in is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is Enterprise-tier capability, and the recorded scope is Enterprise and Dedicated. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the tenant security administrator records a written resolution.

Activation of requiring an additional verification factor for interactive sign-in begins with a request owned by Customer Success. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Virginia, and the resulting regional assurance workbook must be attached before the feature is released to users. Routine reassessment occurs every 21 days as well as after any material tenant change.

Where the baseline for requiring an additional verification factor for interactive sign-in cannot be met, the customer and Customer Success must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 180 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 12 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Customer Success and shown as a failed control until resolved. Verification is deliberately scoped to requiring an additional verification factor for interactive sign-in, so adjacent policies require their own evidence.

The customer-facing evidence package for requiring an additional verification factor for interactive sign-in contains the regional assurance workbook, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed requiring an additional verification factor for interactive sign-in check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Customer Success diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and tenant security administrator approval; unrelated contractual timers continue unchanged.

For requiring an additional verification factor for interactive sign-in, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a regional assurance workbook. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for requiring an additional verification factor for interactive sign-in begins with its current state-Enterprise-tier capability-and the applicable commercial scope-Enterprise and Dedicated. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Enterprise and Dedicated completes activation in Virginia and presents versioned evidence that matches the live setting. This supports the claim for requiring an additional verification factor for interactive sign-in, but no broader

claim. If deployment moves to Sydney, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for requiring an additional verification factor for interactive sign-in cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent identity and access control uses a 7-day window and applies to Dedicated; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to requiring an additional verification factor for interactive sign-in is 21 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Sydney tenant asks whether requiring an additional verification factor for interactive sign-in remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 180 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of requiring an additional verification factor for interactive sign-in with the current entitlement and live configuration. Approval is time-bounded to 365 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Frankfurt changes an implementation parameter that may affect requiring an additional verification factor for interactive sign-in. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 7 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a Virginia renewal, Customer Success must decide whether requiring an additional verification factor for interactive sign-in can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 14 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Identity And Access Limits and Exception Handling

This business area brings together Role-based Access Control, Custom Roles, Privileged Administration. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Role-based Access Control	standard capability	Business
Custom Roles	custom-development option	Enterprise
Privileged Administration	Dedicated-only capability	Dedicated

Role-based Access Control

For role-based access control, version 3.2 classifies the function as standard capability for Business. Its control record is reviewed every 35 days, operational evidence is sampled every 24 hours, and any approved exception expires after 365 days.

Before committing to assigning permissions through reusable roles, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies standard capability for Business. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the regional operations lead before the response is approved.

To configure assigning permissions through reusable roles, Platform Engineering verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Singapore and stores a machine-readable audit bundle. A failed or incomplete test keeps production disabled. Successful configurations return to review every 35 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for assigning permissions through reusable roles does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 365 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 24 hours against the tenant registry. A mismatch opens a case for Platform Engineering, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to assigning permissions through reusable roles; it does not certify a neighboring identity, logging, resilience, or integration control.

For assigning permissions through reusable roles, auditors receive a machine-readable audit bundle that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for assigning permissions through reusable roles no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Platform Engineering. Investigation separates configuration drift from subscription or regional ineligibility. The regional operations lead authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by assigning permissions through reusable roles. DealFlow validates only the platform boundary it operates and records that result in a machine-readable audit bundle. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about assigning permissions through reusable roles must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use standard capability as the lifecycle description and Business as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Business, the control is activated in Singapore, and the evidence names the current version. The assessor accepts the package for assigning permissions through reusable roles only. If the tenant later moves to mainland China, the prior result remains historical and a new regional verification is required.

An invalid interpretation of assigning permissions through reusable roles substitutes a nearby control because its terminology appears similar. The adjacent identity and access control uses a 14-day window and applies to Enterprise and Dedicated; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to assigning permissions through reusable roles scope, units, limits, regions, or lifecycle status follow a minimum 30-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of assigning permissions through reusable roles with the current entitlement and live configuration. Approval is time-bounded to 365 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Frankfurt changes an implementation parameter that may affect assigning permissions through reusable roles. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 7 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Virginia renewal, Customer Success must decide whether assigning permissions through reusable roles can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 14 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A Singapore tenant asks whether assigning permissions through reusable roles remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 21 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Custom Roles

For custom roles, version 3.2 classifies the function as custom-development option for Enterprise. Its control record is reviewed every 60 days, operational evidence is sampled every 48 hours, and any approved exception expires after 7 days.

Eligibility for custom roles follows the current product register rather than feature-name similarity. The governing entry lists the state as custom-development option and the customer scope as Enterprise; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the change advisory board instead of being treated as an entitlement.

The operational workflow for custom roles assigns Product Operations to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Sydney; evidence is captured in a signed configuration export with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 60 days.

An exception for custom roles must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 7 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for custom roles compares the live setting with the approved record every 48 hours during implementation. Drift is assigned to Product Operations with both values and the observation time attached. Until

reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for custom roles is delivered as a signed configuration export with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for custom roles suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Product Operations records impact, cause, correction, and retest results. Re-enablement requires the change advisory board's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For custom roles, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the signed configuration export for its portion.

Procurement responses for custom roles separate product availability from implementation effort. The response records custom-development option, identifies Enterprise, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Enterprise tenant enabled in Sydney. Its entitlement, live value, version, and evidence agree, so the assessor can accept custom roles. The same record cannot prove another capability. A later migration to Frankfurt triggers a new check and preserves the original result solely as audit history.

Evidence for custom roles is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent identity and access control uses a 21-day window and applies to Business; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for custom roles 35 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Frankfurt changes an implementation parameter that may affect custom roles. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 7 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Virginia renewal, Customer Success must decide whether custom roles can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 14 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Singapore tenant asks whether custom roles remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 21 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of custom roles with the current entitlement and live configuration. Approval is time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Privileged Administration

For privileged administration, version 3.2 classifies the function as Dedicated-only capability for Dedicated. Its control record is reviewed every 120 days, operational evidence is sampled every 72 hours, and any approved exception expires after 14 days.

For contracting purposes, privileged administration is evaluated against the effective guide and the tenant's recorded configuration. Its current state is Dedicated-only capability, with scope limited to Dedicated. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The data protection officer must resolve any documentary conflict before the dependent control is enabled.

For privileged administration, Security Assurance creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in mainland China. Production use starts only when the tenant control report contains the expected value and a successful UTC timestamp. The record is reviewed every 120 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the privileged administration baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 14 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For privileged administration, the verification job samples the configured state at an interval of 72 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Security Assurance; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for privileged administration combines the tenant control report, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of privileged administration fails, new dependent operations stop while committed records remain readable. Security Assurance determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the data protection officer. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for privileged administration is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the tenant control report.

When privileged administration appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Dedicated boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a mainland China implementation when the signed scope is Dedicated and the tenant control report identifies the effective release. Acceptance is limited to privileged administration. Changing the service region to Virginia invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving privileged administration is to combine old and current guidance or apply one subscription's value to another. The adjacent identity and access control uses a 30-day window and applies to Enterprise; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to privileged administration eligibility, numeric limits, regional coverage, or capability state are announced at least 45 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Virginia renewal, Customer Success must decide whether privileged administration can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 14 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Singapore tenant asks whether privileged administration remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 21 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of privileged administration with the current entitlement and live configuration. Approval is time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in mainland China changes an implementation parameter that may affect privileged administration. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Identity And Access Evidence and Lifecycle Assurance

This business area brings together Session Lifetime, Passwordless Access, Service Account Identity. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Session Lifetime	Enterprise-tier capability	Enterprise and Dedicated
Passwordless Access	standard capability	Business
Service Account Identity	Enterprise-only capability	Enterprise

Session Lifetime

For session lifetime, version 3.2 classifies the function as Enterprise-tier capability for Enterprise and Dedicated. Its control record is reviewed every 365 days, operational evidence is sampled every 1 hour, and any approved exception expires after 21 days.

The commercial boundary for session lifetime is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is Enterprise-tier capability, and the recorded scope is Enterprise and Dedicated. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the service owner records a written resolution.

Activation of session lifetime begins with a request owned by Regional Reliability. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Frankfurt, and the resulting UTC-stamped change ticket must be attached before the feature is released to users. Routine reassessment occurs every 365 days as well as after any material tenant change.

Where the baseline for session lifetime cannot be met, the customer and Regional Reliability must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 21 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 1 hour. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Regional Reliability and shown as a failed control until resolved. Verification is deliberately scoped to session lifetime, so adjacent policies require their own evidence.

The customer-facing evidence package for session lifetime contains the UTC-stamped change ticket, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed session lifetime check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Regional Reliability diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and service owner approval; unrelated contractual timers continue unchanged.

For session lifetime, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a UTC-stamped change ticket. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for session lifetime begins with its current state-Enterprise-tier capability-and the applicable commercial scope-Enterprise and Dedicated. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Enterprise and Dedicated completes activation in Frankfurt and presents versioned evidence that matches the live setting. This supports the claim for session lifetime, but no broader claim. If deployment moves to Singapore, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for session lifetime cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent identity and access control uses a 35-day window and applies to Dedicated; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to session lifetime is 60 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Singapore tenant asks whether session lifetime remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 21 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of session lifetime with the current entitlement and live configuration. Approval is time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in mainland China changes an implementation parameter that may affect session lifetime. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a Frankfurt renewal, Regional Reliability must decide whether session lifetime can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Passwordless Access

For passwordless access, version 3.2 classifies the function as standard capability for Business. Its control record is reviewed every 14 days, operational evidence is sampled every 2 hours, and any approved exception expires after 30 days.

Before committing to passwordless access, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies standard capability for Business. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the tenant security administrator before the response is approved.

To configure passwordless access, Customer Success verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Virginia and stores a regional assurance workbook. A failed or incomplete test keeps production disabled. Successful configurations return to review every 14 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for passwordless access does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 30 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 2 hours against the tenant registry. A mismatch opens a case for Customer Success, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to passwordless access; it does not certify a neighboring identity, logging, resilience, or integration control.

For passwordless access, auditors receive a regional assurance workbook that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for passwordless access no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Customer Success. Investigation separates configuration drift from subscription or regional ineligibility. The tenant security administrator authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by passwordless access. DealFlow validates only the platform boundary it operates and records that result in a regional assurance workbook. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about passwordless access must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use standard capability as the lifecycle description and Business as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Business, the control is activated in Virginia, and the evidence names the current version. The assessor accepts the package for passwordless access only. If the tenant later moves to Sydney, the prior result remains historical and a new regional verification is required.

An invalid interpretation of passwordless access substitutes a nearby control because its terminology appears similar. The adjacent identity and access control uses a 45-day window and applies to Enterprise and Dedicated; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to passwordless access scope, units, limits, regions, or lifecycle status follow a minimum 90-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of passwordless access with the current entitlement and live configuration. Approval is time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in mainland China changes an implementation parameter that may affect passwordless access. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Frankfurt renewal, Regional Reliability must decide whether passwordless access can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A Virginia tenant asks whether passwordless access remains contractually available after a configuration change. Customer Success checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 60 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Service Account Identity

For service account identity, version 3.2 classifies the function as Enterprise-only capability for Enterprise. Its control record is reviewed every 30 days, operational evidence is sampled every 4 hours, and any approved exception expires after 35 days.

Eligibility for service account identity follows the current product register rather than feature-name similarity. The governing entry lists the state as Enterprise-only capability and the customer scope as Enterprise; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the regional operations lead instead of being treated as an entitlement.

The operational workflow for service account identity assigns Platform Engineering to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Singapore; evidence is captured in a machine-readable audit bundle with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 30 days.

An exception for service account identity must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 35 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for service account identity compares the live setting with the approved record every 4 hours during implementation. Drift is assigned to Platform Engineering with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for service account identity is delivered as a machine-readable audit bundle with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for service account identity suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Platform Engineering records impact, cause, correction, and retest results. Re-enablement requires the regional operations lead's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For service account identity, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the machine-readable audit bundle for its portion.

Procurement responses for service account identity separate product availability from implementation effort. The response records Enterprise-only capability, identifies Enterprise, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Enterprise tenant enabled in Singapore. Its entitlement, live value, version, and evidence agree, so the assessor can accept service account identity. The same record cannot prove another capability. A later migration to mainland China triggers a new check and preserves the original result solely as audit history.

Evidence for service account identity is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent identity and access control uses a 60-day window and applies to Business; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for service account identity 120 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in mainland China changes an implementation parameter that may affect service account identity. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Frankfurt renewal, Regional Reliability must decide whether service account identity can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Virginia tenant asks whether service account identity remains contractually available after a configuration change. Customer Success checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 60 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a Singapore tenant, Platform Engineering compares the requested treatment of service account identity with the current entitlement and live configuration. Approval is time-bounded to 90 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.