

DealFlow Historical IAM and Migration Guide

Enterprise knowledge document - PDF reference edition

DOCUMENT STATUS	superseded
EFFECTIVE PERIOD	2024-01-01 to 2025-06-30
REPLACED BY	DealFlow Identity and Access Control Guide

Canonical source: 04-identity-access-migration-legacy.md
PDF generated: 2026-09-18
The Markdown source remains the canonical retrieval-evaluation artifact.

Contents

Iam Migration Scope and Eligibility	3
Document Status and Migration Window	3
Legacy SAML Endpoint	4
SHA-1 Certificate Retirement	5
Iam Migration Configuration and Operations	8
Classic OIDC Claims	8
SCIM Version One Sunset	9
Local Password Migration	10
Iam Migration Limits and Exception Handling	13
Role Mapping Conversion	13
Old Session Defaults	14
Migration Freeze Dates	15
Iam Migration Evidence and Lifecycle Assurance	18
Compatibility Bridge	18
Customer Validation Steps	19
Post-cutover Rollback	20

Iam Migration Scope and Eligibility

This business area brings together Document Status and Migration Window, Legacy SAML Endpoint, SHA-1 Certificate Retirement. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Document Status and Migration Window	superseded historical rule	Business
Legacy SAML Endpoint	superseded historical rule	Enterprise
SHA-1 Certificate Retirement	superseded historical rule	Dedicated

Document Status and Migration Window

For document status and migration window, version 1.9 classifies the function as superseded historical rule for Business. Its control record is reviewed every 35 days, operational evidence is sampled every 6 hours, and any approved exception expires after 35 days.

The commercial boundary for document status and move from an older configuration window is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is superseded historical rule, and the recorded scope is Business. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the change advisory board records a written resolution.

Activation of document status and move from an older configuration window begins with a request owned by Platform Engineering. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Sydney, and the resulting machine-readable audit bundle must be attached before the feature is released to users. Routine reassessment occurs every 35 days as well as after any material tenant change.

Where the baseline for document status and move from an older configuration window cannot be met, the customer and Platform Engineering must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 35 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 6 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Platform Engineering and shown as a failed control until resolved. Verification is deliberately scoped to document status and move from an older configuration window, so adjacent policies require their own evidence.

The customer-facing evidence package for document status and move from an older configuration window contains the machine-readable audit bundle, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed document status and move from an older configuration window check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Platform Engineering diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and change advisory board approval; unrelated contractual timers continue unchanged.

For document status and move from an older configuration window, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a machine-readable audit bundle. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for document status and move from an older configuration window begins with its current state-superseded historical rule-and the applicable commercial scope-Business. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be

mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Business completes activation in Sydney and presents versioned evidence that matches the live setting. This supports the claim for document status and move from an older configuration window, but no broader claim. If deployment moves to Frankfurt, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for document status and move from an older configuration window cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent IAM migration control uses a 90-day window and applies to Enterprise; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to document status and move from an older configuration window is 180 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A mainland China tenant asks whether document status and move from an older configuration window remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 45 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of document status and move from an older configuration window with the current entitlement and live configuration. Approval is time-bounded to 60 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Virginia changes an implementation parameter that may affect document status and move from an older configuration window. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 90 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Legacy SAML Endpoint

For legacy saml endpoint, version 1.9 classifies the function as superseded historical rule for Enterprise. Its control record is reviewed every 60 days, operational evidence is sampled every 8 hours, and any approved exception expires after 45 days.

Before committing to earlier-generation saml endpoint, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies superseded historical rule for Enterprise. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the data protection officer before the response is approved.

To configure earlier-generation saml endpoint, Product Operations verifies entitlement first and then records the environment-specific value. An independent operator tests the result in mainland China and stores a signed configuration export. A failed or incomplete test keeps production disabled. Successful configurations return to review every 60 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for earlier-generation saml endpoint does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 45 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 8 hours against the tenant registry. A mismatch opens a case for Product Operations, preserves old and proposed values, and prevents the compliance export from

reporting success. This result applies only to earlier-generation saml endpoint; it does not certify a neighboring identity, logging, resilience, or integration control.

For earlier-generation saml endpoint, auditors receive a signed configuration export that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for earlier-generation saml endpoint no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Product Operations. Investigation separates configuration drift from subscription or regional ineligibility. The data protection officer authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by earlier-generation saml endpoint. DealFlow validates only the platform boundary it operates and records that result in a signed configuration export. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about earlier-generation saml endpoint must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use superseded historical rule as the lifecycle description and Enterprise as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Enterprise, the control is activated in mainland China, and the evidence names the current version. The assessor accepts the package for earlier-generation saml endpoint only. If the tenant later moves to Virginia, the prior result remains historical and a new regional verification is required.

An invalid interpretation of earlier-generation saml endpoint substitutes a nearby control because its terminology appears similar. The adjacent IAM migration control uses a 120-day window and applies to Dedicated; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to earlier-generation saml endpoint scope, units, limits, regions, or lifecycle status follow a minimum 365-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of earlier-generation saml endpoint with the current entitlement and live configuration. Approval is time-bounded to 60 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Virginia changes an implementation parameter that may affect earlier-generation saml endpoint. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 90 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Singapore renewal, Platform Engineering must decide whether earlier-generation saml endpoint can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 120 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

SHA-1 Certificate Retirement

For sha-1 certificate retirement, version 1.9 classifies the function as superseded historical rule for Dedicated. Its control record is reviewed every 120 days, operational evidence is sampled every 12 hours, and any approved exception expires after 60 days.

Eligibility for sha-1 certificate retirement follows the current product register rather than feature-name similarity. The governing entry lists the state as superseded historical rule and the customer scope as Dedicated; region and deployment

prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the service owner instead of being treated as an entitlement.

The operational workflow for sha-1 certificate retirement assigns Security Assurance to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Frankfurt; evidence is captured in a tenant control report with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 120 days.

An exception for sha-1 certificate retirement must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 60 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for sha-1 certificate retirement compares the live setting with the approved record every 12 hours during implementation. Drift is assigned to Security Assurance with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for sha-1 certificate retirement is delivered as a tenant control report with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for sha-1 certificate retirement suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Security Assurance records impact, cause, correction, and retest results. Re-enablement requires the service owner's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For sha-1 certificate retirement, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the tenant control report for its portion.

Procurement responses for sha-1 certificate retirement separate product availability from implementation effort. The response records superseded historical rule, identifies Dedicated, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Dedicated tenant enabled in Frankfurt. Its entitlement, live value, version, and evidence agree, so the assessor can accept sha-1 certificate retirement. The same record cannot prove another capability. A later migration to Singapore triggers a new check and preserves the original result solely as audit history.

Evidence for sha-1 certificate retirement is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent IAM migration control uses a 180-day window and applies to Enterprise and Dedicated; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for sha-1 certificate retirement 7 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Virginia changes an implementation parameter that may affect sha-1 certificate retirement. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 90 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Singapore renewal, Platform Engineering must decide whether sha-1 certificate retirement can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of

undocumented product knowledge. Acceptance lasts no more than 120 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Sydney tenant asks whether sha-1 certificate retirement remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 180 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Iam Migration Configuration and Operations

This business area brings together Classic OIDC Claims, SCIM Version One Sunset, Local Password Migration. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Classic OIDC Claims	superseded historical rule	Enterprise and Dedicated
SCIM Version One Sunset	superseded historical rule	Business
Local Password Migration	superseded historical rule	Enterprise

Classic OIDC Claims

For classic oidc claims, version 1.9 classifies the function as superseded historical rule for Enterprise and Dedicated. Its control record is reviewed every 365 days, operational evidence is sampled every 24 hours, and any approved exception expires after 90 days.

For contracting purposes, classic oidc claims is evaluated against the effective guide and the tenant's recorded configuration. Its current state is superseded historical rule, with scope limited to Enterprise and Dedicated. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The tenant security administrator must resolve any documentary conflict before the dependent control is enabled.

For classic oidc claims, Regional Reliability creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Virginia. Production use starts only when the UTC-stamped change ticket contains the expected value and a successful UTC timestamp. The record is reviewed every 365 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the classic oidc claims baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 90 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For classic oidc claims, the verification job samples the configured state at an interval of 24 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Regional Reliability; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for classic oidc claims combines the UTC-stamped change ticket, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of classic oidc claims fails, new dependent operations stop while committed records remain readable. Regional Reliability determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the tenant security administrator. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for classic oidc claims is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the UTC-stamped change ticket.

When classic oidc claims appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Enterprise and Dedicated boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Virginia implementation when the signed scope is Enterprise and Dedicated and the UTC-stamped change ticket identifies the effective release. Acceptance is limited to classic oidc claims. Changing the service region to Sydney invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving classic oidc claims is to combine old and current guidance or apply one subscription's value to another. The adjacent IAM migration control uses a 365-day window and applies to Business; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to classic oidc claims eligibility, numeric limits, regional coverage, or capability state are announced at least 14 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Singapore renewal, Platform Engineering must decide whether classic oidc claims can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 120 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Sydney tenant asks whether classic oidc claims remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 180 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of classic oidc claims with the current entitlement and live configuration. Approval is time-bounded to 365 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

SCIM Version One Sunset

For scim version one sunset, version 1.9 classifies the function as superseded historical rule for Business. Its control record is reviewed every 14 days, operational evidence is sampled every 48 hours, and any approved exception expires after 120 days.

The commercial boundary for scim version one sunset is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is superseded historical rule, and the recorded scope is Business. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the regional operations lead records a written resolution.

Activation of scim version one sunset begins with a request owned by Customer Success. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Singapore, and the resulting regional assurance workbook must be attached before the feature is released to users. Routine reassessment occurs every 14 days as well as after any material tenant change.

Where the baseline for scim version one sunset cannot be met, the customer and Customer Success must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 120 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 48 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Customer Success and shown as a failed control until resolved. Verification is deliberately scoped to scim version one sunset, so adjacent policies require their own evidence.

The customer-facing evidence package for scim version one sunset contains the regional assurance workbook, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed scim version one sunset check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Customer Success diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and regional operations lead approval; unrelated contractual timers continue unchanged.

For scim version one sunset, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a regional assurance workbook. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for scim version one sunset begins with its current state-superseded historical rule-and the applicable commercial scope-Business. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Business completes activation in Singapore and presents versioned evidence that matches the live setting. This supports the claim for scim version one sunset, but no broader claim. If deployment moves to mainland China, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for scim version one sunset cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent IAM migration control uses a 7-day window and applies to Enterprise; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to scim version one sunset is 21 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Sydney tenant asks whether scim version one sunset remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 180 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of scim version one sunset with the current entitlement and live configuration. Approval is time-bounded to 365 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Frankfurt changes an implementation parameter that may affect scim version one sunset. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 7 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Local Password Migration

For local password migration, version 1.9 classifies the function as superseded historical rule for Enterprise. Its control record is reviewed every 30 days, operational evidence is sampled every 72 hours, and any approved exception expires after 180 days.

Before committing to local password move from an older configuration, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies superseded historical rule for Enterprise. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the change advisory board before the response is approved.

To configure local password move from an older configuration, Platform Engineering verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Sydney and stores a

machine-readable audit bundle. A failed or incomplete test keeps production disabled. Successful configurations return to review every 30 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for local password move from an older configuration does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 180 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 72 hours against the tenant registry. A mismatch opens a case for Platform Engineering, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to local password move from an older configuration; it does not certify a neighboring identity, logging, resilience, or integration control.

For local password move from an older configuration, auditors receive a machine-readable audit bundle that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for local password move from an older configuration no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Platform Engineering. Investigation separates configuration drift from subscription or regional ineligibility. The change advisory board authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by local password move from an older configuration. DealFlow validates only the platform boundary it operates and records that result in a machine-readable audit bundle. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about local password move from an older configuration must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use superseded historical rule as the lifecycle description and Enterprise as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Enterprise, the control is activated in Sydney, and the evidence names the current version. The assessor accepts the package for local password move from an older configuration only. If the tenant later moves to Frankfurt, the prior result remains historical and a new regional verification is required.

An invalid interpretation of local password move from an older configuration substitutes a nearby control because its terminology appears similar. The adjacent IAM migration control uses a 14-day window and applies to Dedicated; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to local password move from an older configuration scope, units, limits, regions, or lifecycle status follow a minimum 30-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of local password move from an older configuration with the current entitlement and live configuration. Approval is time-bounded to 365 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Frankfurt changes an implementation parameter that may affect local password move from an older configuration. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 7 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Virginia renewal, Customer Success must decide whether local password move from an older configuration can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 14 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Iam Migration Limits and Exception Handling

This business area brings together Role Mapping Conversion, Old Session Defaults, Migration Freeze Dates. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Role Mapping Conversion	superseded historical rule	Dedicated
Old Session Defaults	superseded historical rule	Enterprise and Dedicated
Migration Freeze Dates	superseded historical rule	Business

Role Mapping Conversion

For role mapping conversion, version 1.9 classifies the function as superseded historical rule for Dedicated. Its control record is reviewed every 45 days, operational evidence is sampled every 1 hour, and any approved exception expires after 365 days.

Eligibility for role mapping conversion follows the current product register rather than feature-name similarity. The governing entry lists the state as superseded historical rule and the customer scope as Dedicated; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the data protection officer instead of being treated as an entitlement.

The operational workflow for role mapping conversion assigns Product Operations to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in mainland China; evidence is captured in a signed configuration export with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 45 days.

An exception for role mapping conversion must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 365 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for role mapping conversion compares the live setting with the approved record every 1 hour during implementation. Drift is assigned to Product Operations with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for role mapping conversion is delivered as a signed configuration export with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for role mapping conversion suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Product Operations records impact, cause, correction, and retest results. Re-enablement requires the data protection officer's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For role mapping conversion, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the signed configuration export for its portion.

Procurement responses for role mapping conversion separate product availability from implementation effort. The response records superseded historical rule, identifies Dedicated, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Dedicated tenant enabled in mainland China. Its entitlement, live value, version, and evidence agree, so the assessor can accept role mapping conversion. The same record cannot prove another capability. A later migration to Virginia triggers a new check and preserves the original result solely as audit history.

Evidence for role mapping conversion is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent IAM migration control uses a 21-day window and applies to Enterprise and Dedicated; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for role mapping conversion 35 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Frankfurt changes an implementation parameter that may affect role mapping conversion. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 7 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Virginia renewal, Customer Success must decide whether role mapping conversion can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 14 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Singapore tenant asks whether role mapping conversion remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 21 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Old Session Defaults

For old session defaults, version 1.9 classifies the function as superseded historical rule for Enterprise and Dedicated. Its control record is reviewed every 90 days, operational evidence is sampled every 2 hours, and any approved exception expires after 7 days.

For contracting purposes, old session defaults is evaluated against the effective guide and the tenant's recorded configuration. Its current state is superseded historical rule, with scope limited to Enterprise and Dedicated. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The service owner must resolve any documentary conflict before the dependent control is enabled.

For old session defaults, Security Assurance creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Frankfurt. Production use starts only when the tenant control report contains the expected value and a successful UTC timestamp. The record is reviewed every 90 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the old session defaults baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 7 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For old session defaults, the verification job samples the configured state at an interval of 2 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Security Assurance; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for old session defaults combines the tenant control report, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but

preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of old session defaults fails, new dependent operations stop while committed records remain readable. Security Assurance determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the service owner. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for old session defaults is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the tenant control report.

When old session defaults appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Enterprise and Dedicated boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Frankfurt implementation when the signed scope is Enterprise and Dedicated and the tenant control report identifies the effective release. Acceptance is limited to old session defaults. Changing the service region to Singapore invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving old session defaults is to combine old and current guidance or apply one subscription's value to another. The adjacent IAM migration control uses a 30-day window and applies to Business; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to old session defaults eligibility, numeric limits, regional coverage, or capability state are announced at least 45 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Virginia renewal, Customer Success must decide whether old session defaults can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 14 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Singapore tenant asks whether old session defaults remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 21 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of old session defaults with the current entitlement and live configuration. Approval is time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Migration Freeze Dates

For migration freeze dates, version 1.9 classifies the function as superseded historical rule for Business. Its control record is reviewed every 180 days, operational evidence is sampled every 4 hours, and any approved exception expires after 14 days.

The commercial boundary for move from an older configuration freeze dates is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is superseded historical rule, and the recorded scope is Business. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the tenant security administrator records a written resolution.

Activation of move from an older configuration freeze dates begins with a request owned by Regional Reliability. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Virginia, and the resulting UTC-stamped change ticket must be attached before the feature is released to users. Routine reassessment occurs every 180 days as well as after any material tenant change.

Where the baseline for move from an older configuration freeze dates cannot be met, the customer and Regional Reliability must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 14 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 4 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Regional Reliability and shown as a failed control until resolved. Verification is deliberately scoped to move from an older configuration freeze dates, so adjacent policies require their own evidence.

The customer-facing evidence package for move from an older configuration freeze dates contains the UTC-stamped change ticket, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed move from an older configuration freeze dates check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Regional Reliability diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and tenant security administrator approval; unrelated contractual timers continue unchanged.

For move from an older configuration freeze dates, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a UTC-stamped change ticket. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for move from an older configuration freeze dates begins with its current state-superseded historical rule-and the applicable commercial scope-Business. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Business completes activation in Virginia and presents versioned evidence that matches the live setting. This supports the claim for move from an older configuration freeze dates, but no broader claim. If deployment moves to Sydney, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for move from an older configuration freeze dates cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent IAM migration control uses a 35-day window and applies to Enterprise; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to move from an older configuration freeze dates is 60 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Singapore tenant asks whether move from an older configuration freeze dates remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 21 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of move from an older configuration freeze dates with the current entitlement and live configuration. Approval is

time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in mainland China changes an implementation parameter that may affect move from an older configuration freeze dates. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Iam Migration Evidence and Lifecycle Assurance

This business area brings together Compatibility Bridge, Customer Validation Steps, Post-cutover Rollback. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Compatibility Bridge	superseded historical rule	Enterprise
Customer Validation Steps	superseded historical rule	Dedicated
Post-cutover Rollback	superseded historical rule	Enterprise and Dedicated

Compatibility Bridge

For compatibility bridge, version 1.9 classifies the function as superseded historical rule for Enterprise. Its control record is reviewed every 7 days, operational evidence is sampled every 6 hours, and any approved exception expires after 21 days.

Before committing to compatibility bridge, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies superseded historical rule for Enterprise. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the regional operations lead before the response is approved.

To configure compatibility bridge, Customer Success verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Singapore and stores a regional assurance workbook. A failed or incomplete test keeps production disabled. Successful configurations return to review every 7 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for compatibility bridge does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 21 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 6 hours against the tenant registry. A mismatch opens a case for Customer Success, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to compatibility bridge; it does not certify a neighboring identity, logging, resilience, or integration control.

For compatibility bridge, auditors receive a regional assurance workbook that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for compatibility bridge no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Customer Success. Investigation separates configuration drift from subscription or regional ineligibility. The regional operations lead authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by compatibility bridge. DealFlow validates only the platform boundary it operates and records that result in a regional assurance workbook. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about compatibility bridge must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use superseded historical rule as the lifecycle description and Enterprise as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Enterprise, the control is activated in Singapore, and the evidence names the current version. The assessor accepts the package for compatibility bridge only. If the tenant later moves to mainland China, the prior result remains historical and a new regional verification is required.

An invalid interpretation of compatibility bridge substitutes a nearby control because its terminology appears similar. The adjacent IAM migration control uses a 45-day window and applies to Dedicated; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to compatibility bridge scope, units, limits, regions, or lifecycle status follow a minimum 90-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of compatibility bridge with the current entitlement and live configuration. Approval is time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in mainland China changes an implementation parameter that may affect compatibility bridge. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Frankfurt renewal, Regional Reliability must decide whether compatibility bridge can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Customer Validation Steps

For customer validation steps, version 1.9 classifies the function as superseded historical rule for Dedicated. Its control record is reviewed every 21 days, operational evidence is sampled every 8 hours, and any approved exception expires after 30 days.

Eligibility for customer validation steps follows the current product register rather than feature-name similarity. The governing entry lists the state as superseded historical rule and the customer scope as Dedicated; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the change advisory board instead of being treated as an entitlement.

The operational workflow for customer validation steps assigns Platform Engineering to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Sydney; evidence is captured in a machine-readable audit bundle with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 21 days.

An exception for customer validation steps must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 30 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for customer validation steps compares the live setting with the approved record every 8 hours during implementation. Drift is assigned to Platform Engineering with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for customer validation steps is delivered as a machine-readable audit bundle with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for customer validation steps suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Platform Engineering records impact, cause, correction, and retest results. Re-enablement requires the change advisory board's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For customer validation steps, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the machine-readable audit bundle for its portion.

Procurement responses for customer validation steps separate product availability from implementation effort. The response records superseded historical rule, identifies Dedicated, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Dedicated tenant enabled in Sydney. Its entitlement, live value, version, and evidence agree, so the assessor can accept customer validation steps. The same record cannot prove another capability. A later migration to Frankfurt triggers a new check and preserves the original result solely as audit history.

Evidence for customer validation steps is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent IAM migration control uses a 60-day window and applies to Enterprise and Dedicated; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for customer validation steps 120 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in mainland China changes an implementation parameter that may affect customer validation steps. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Frankfurt renewal, Regional Reliability must decide whether customer validation steps can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Virginia tenant asks whether customer validation steps remains contractually available after a configuration change. Customer Success checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 60 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Post-cutover Rollback

For post-cutover rollback, version 1.9 classifies the function as superseded historical rule for Enterprise and Dedicated. Its control record is reviewed every 35 days, operational evidence is sampled every 12 hours, and any approved exception expires after 35 days.

For contracting purposes, post-cutover rollback is evaluated against the effective guide and the tenant's recorded configuration. Its current state is superseded historical rule, with scope limited to Enterprise and Dedicated. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The data protection officer must resolve any documentary conflict before the dependent control is enabled.

For post-cutover rollback, Product Operations creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in mainland China. Production use starts only when the signed configuration export contains the expected value and a successful

UTC timestamp. The record is reviewed every 35 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the post-cutover rollback baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 35 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For post-cutover rollback, the verification job samples the configured state at an interval of 12 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Product Operations; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for post-cutover rollback combines the signed configuration export, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of post-cutover rollback fails, new dependent operations stop while committed records remain readable. Product Operations determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the data protection officer. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for post-cutover rollback is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the signed configuration export.

When post-cutover rollback appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Enterprise and Dedicated boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a mainland China implementation when the signed scope is Enterprise and Dedicated and the signed configuration export identifies the effective release. Acceptance is limited to post-cutover rollback. Changing the service region to Virginia invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving post-cutover rollback is to combine old and current guidance or apply one subscription's value to another. The adjacent IAM migration control uses a 90-day window and applies to Business; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to post-cutover rollback eligibility, numeric limits, regional coverage, or capability state are announced at least 180 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Frankfurt renewal, Regional Reliability must decide whether post-cutover rollback can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Virginia tenant asks whether post-cutover rollback remains contractually available after a configuration change. Customer Success checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 60 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Singapore tenant, Platform Engineering compares the requested treatment of post-cutover rollback with the current entitlement and live configuration. Approval is time-bounded to 90 days

and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.