

DealFlow Availability and Service Level Policy

Enterprise knowledge document - PDF reference edition

DOCUMENT STATUS	current
EFFECTIVE FROM	2025-07-01
PRODUCT VERSION	3.2

Canonical source: 08-availability-service-levels.md
PDF generated: 2026-09-18
The Markdown source remains the canonical retrieval-evaluation artifact.

Contents

Service Availability Scope and Eligibility	3
Business Availability Target	3
Enterprise Availability Commitment	4
Dedicated Availability Commitment	6
Service Availability Configuration and Operations	8
Monthly Measurement	8
Excluded Downtime	9
Maintenance Windows	11
Service Availability Limits and Exception Handling	13
Service Credits	13
Regional Degradation	14
Dependency Exclusions	16
Service Availability Evidence and Lifecycle Assurance	18
Status Communications	18
Availability Evidence	19
Chronic Failure Remedy	21

Service Availability Scope and Eligibility

This business area brings together Business Availability Target, Enterprise Availability Commitment, Dedicated Availability Commitment. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Business Availability Target	standard or plan-limited as stated	Plan-specific; see fact rule
Enterprise Availability Commitment	standard or plan-limited as stated	Plan-specific; see fact rule
Dedicated Availability Commitment	standard or plan-limited as stated	Plan-specific; see fact rule

Business Availability Target

Business has a 99.9% monthly availability target and receives no contractual service credit.

The commercial boundary for the monthly uptime term for the business edition is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is standard or plan-limited as stated, and the recorded scope is Plan-specific; see fact rule. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the tenant security administrator records a written resolution.

Activation of the monthly uptime term for the business edition begins with a request owned by Customer Success. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Virginia, and the resulting regional assurance workbook must be attached before the feature is released to users. Routine reassessment occurs every 120 days as well as after any material tenant change.

Where the baseline for the monthly uptime term for the business edition cannot be met, the customer and Customer Success must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 35 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 24 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Customer Success and shown as a failed control until resolved. Verification is deliberately scoped to the monthly uptime term for the business edition, so adjacent policies require their own evidence.

The customer-facing evidence package for the monthly uptime term for the business edition contains the regional assurance workbook, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed the monthly uptime term for the business edition check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Customer Success diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and tenant security administrator approval; unrelated contractual timers continue unchanged.

For the monthly uptime term for the business edition, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a regional assurance workbook. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for the monthly uptime term for the business edition begins with its current state-standard or plan-limited as stated-and the applicable commercial scope-Plan-specific; see fact rule. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Plan-specific; see fact rule completes activation in Virginia and presents versioned evidence that matches the live setting. This supports the claim for the monthly uptime term for the business edition, but no broader claim. If deployment moves to Sydney, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for the monthly uptime term for the business edition cites a similarly named policy with a different number, lifecycle state, or subscription. Enterprise commits to 99.95% and Dedicated to 99.99% with credit schedules. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to the monthly uptime term for the business edition is 21 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Sydney tenant asks whether the monthly uptime term for the business edition remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 180 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of the monthly uptime term for the business edition with the current entitlement and live configuration. Approval is time-bounded to 365 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Frankfurt changes an implementation parameter that may affect the monthly uptime term for the business edition. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 7 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a Virginia renewal, Customer Success must decide whether the monthly uptime term for the business edition can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 14 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 5. A Singapore tenant asks whether the monthly uptime term for the business edition remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 21 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 6. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of the monthly uptime term for the business edition with the current entitlement and live configuration. Approval is time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Enterprise Availability Commitment

Enterprise has a 99.95% monthly availability commitment, measured per production region after stated exclusions.

Before committing to the contractual monthly uptime for enterprise tenants, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies standard or plan-limited as stated for Plan-specific; see fact rule. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the regional operations lead before the response is approved.

To configure the contractual monthly uptime for enterprise tenants, Platform Engineering verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Singapore and stores a

machine-readable audit bundle. A failed or incomplete test keeps production disabled. Successful configurations return to review every 365 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for the contractual monthly uptime for enterprise tenants does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 45 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 48 hours against the tenant registry. A mismatch opens a case for Platform Engineering, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to the contractual monthly uptime for enterprise tenants; it does not certify a neighboring identity, logging, resilience, or integration control.

For the contractual monthly uptime for enterprise tenants, auditors receive a machine-readable audit bundle that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for the contractual monthly uptime for enterprise tenants no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Platform Engineering. Investigation separates configuration drift from subscription or regional ineligibility. The regional operations lead authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by the contractual monthly uptime for enterprise tenants. DealFlow validates only the platform boundary it operates and records that result in a machine-readable audit bundle. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about the contractual monthly uptime for enterprise tenants must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use standard or plan-limited as stated as the lifecycle description and Plan-specific; see fact rule as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Plan-specific; see fact rule, the control is activated in Singapore, and the evidence names the current version. The assessor accepts the package for the contractual monthly uptime for enterprise tenants only. If the tenant later moves to mainland China, the prior result remains historical and a new regional verification is required.

An invalid interpretation of the contractual monthly uptime for enterprise tenants substitutes a nearby control because its terminology appears similar. Business is 99.9%, while Dedicated is 99.99%; neither figure substitutes for Enterprise. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to the contractual monthly uptime for enterprise tenants scope, units, limits, regions, or lifecycle status follow a minimum 30-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of the contractual monthly uptime for enterprise tenants with the current entitlement and live configuration. Approval is time-bounded to 365 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Frankfurt changes an implementation parameter that may affect the contractual monthly uptime for enterprise tenants. Regional Reliability verifies the version, plan, region, state, unit, and exclusion

before answering the procurement team. A compliant result is reviewed again within 7 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Virginia renewal, Customer Success must decide whether the contractual monthly uptime for enterprise tenants can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 14 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A Singapore tenant asks whether the contractual monthly uptime for enterprise tenants remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 21 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 5. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of the contractual monthly uptime for enterprise tenants with the current entitlement and live configuration. Approval is time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 6. A customer in mainland China changes an implementation parameter that may affect the contractual monthly uptime for enterprise tenants. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Dedicated Availability Commitment

Dedicated has a 99.99% monthly availability commitment when deployed across the prescribed multi-zone topology.

Eligibility for the uptime commitment for an isolated multi-zone tenant follows the current product register rather than feature-name similarity. The governing entry lists the state as standard or plan-limited as stated and the customer scope as Plan-specific; see fact rule; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the change advisory board instead of being treated as an entitlement.

The operational workflow for the uptime commitment for an isolated multi-zone tenant assigns Product Operations to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Sydney; evidence is captured in a signed configuration export with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 14 days.

An exception for the uptime commitment for an isolated multi-zone tenant must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 60 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for the uptime commitment for an isolated multi-zone tenant compares the live setting with the approved record every 72 hours during implementation. Drift is assigned to Product Operations with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for the uptime commitment for an isolated multi-zone tenant is delivered as a signed configuration export with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for the uptime commitment for an isolated multi-zone tenant suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Product Operations records impact, cause, correction, and retest results. Re-enablement requires the change advisory board's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For the uptime commitment for an isolated multi-zone tenant, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the signed configuration export for its portion.

Procurement responses for the uptime commitment for an isolated multi-zone tenant separate product availability from implementation effort. The response records standard or plan-limited as stated, identifies Plan-specific; see fact rule, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Plan-specific; see fact rule tenant enabled in Sydney. Its entitlement, live value, version, and evidence agree, so the assessor can accept the uptime commitment for an isolated multi-zone tenant. The same record cannot prove another capability. A later migration to Frankfurt triggers a new check and preserves the original result solely as audit history.

Evidence for the uptime commitment for an isolated multi-zone tenant is insufficient when an implementation team borrows a value from an adjacent policy. A single-zone customer exception uses the Enterprise 99.95% commitment. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for the uptime commitment for an isolated multi-zone tenant 35 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Frankfurt changes an implementation parameter that may affect the uptime commitment for an isolated multi-zone tenant. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 7 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Virginia renewal, Customer Success must decide whether the uptime commitment for an isolated multi-zone tenant can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 14 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Singapore tenant asks whether the uptime commitment for an isolated multi-zone tenant remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 21 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of the uptime commitment for an isolated multi-zone tenant with the current entitlement and live configuration. Approval is time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 5. A customer in mainland China changes an implementation parameter that may affect the uptime commitment for an isolated multi-zone tenant. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 6. For a Frankfurt renewal, Regional Reliability must decide whether the uptime commitment for an isolated multi-zone tenant can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Service Availability Configuration and Operations

This business area brings together Monthly Measurement, Excluded Downtime, Maintenance Windows. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Monthly Measurement	Enterprise-tier capability	Enterprise and Dedicated
Excluded Downtime	standard capability	Business
Maintenance Windows	Enterprise-only capability	Enterprise

Monthly Measurement

For monthly measurement, version 3.2 classifies the function as Enterprise-tier capability for Enterprise and Dedicated. Its control record is reviewed every 30 days, operational evidence is sampled every 1 hour, and any approved exception expires after 90 days.

For contracting purposes, the monthly service-uptime calculation is evaluated against the effective guide and the tenant's recorded configuration. Its current state is Enterprise-tier capability, with scope limited to Enterprise and Dedicated. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The data protection officer must resolve any documentary conflict before the dependent control is enabled.

For the monthly service-uptime calculation, Security Assurance creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in mainland China. Production use starts only when the tenant control report contains the expected value and a successful UTC timestamp. The record is reviewed every 30 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the the monthly service-uptime calculation baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 90 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For the monthly service-uptime calculation, the verification job samples the configured state at an interval of 1 hour while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Security Assurance; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for the monthly service-uptime calculation combines the tenant control report, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of the monthly service-uptime calculation fails, new dependent operations stop while committed records remain readable. Security Assurance determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the data protection officer. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for the monthly service-uptime calculation is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the tenant control report.

When the monthly service-uptime calculation appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Enterprise and Dedicated boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a mainland China implementation when the signed scope is Enterprise and Dedicated and the tenant control report identifies the effective release. Acceptance is limited to the monthly service-uptime calculation. Changing the service region to Virginia invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving the monthly service-uptime calculation is to combine old and current guidance or apply one subscription's value to another. The adjacent service availability control uses a 30-day window and applies to Business; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to the monthly service-uptime calculation eligibility, numeric limits, regional coverage, or capability state are announced at least 45 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Virginia renewal, Customer Success must decide whether the monthly service-uptime calculation can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 14 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Singapore tenant asks whether the monthly service-uptime calculation remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 21 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of the monthly service-uptime calculation with the current entitlement and live configuration. Approval is time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in mainland China changes an implementation parameter that may affect the monthly service-uptime calculation. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 5. For a Frankfurt renewal, Regional Reliability must decide whether the monthly service-uptime calculation can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 6. A Virginia tenant asks whether the monthly service-uptime calculation remains contractually available after a configuration change. Customer Success checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 60 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Excluded Downtime

For excluded downtime, version 3.2 classifies the function as standard capability for Business. Its control record is reviewed every 45 days, operational evidence is sampled every 2 hours, and any approved exception expires after 120 days.

The commercial boundary for excluded downtime is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is standard capability, and the recorded scope is Business. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the service owner records a written resolution.

Activation of excluded downtime begins with a request owned by Regional Reliability. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Frankfurt,

and the resulting UTC-stamped change ticket must be attached before the feature is released to users. Routine reassessment occurs every 45 days as well as after any material tenant change.

Where the baseline for excluded downtime cannot be met, the customer and Regional Reliability must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 120 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 2 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Regional Reliability and shown as a failed control until resolved. Verification is deliberately scoped to excluded downtime, so adjacent policies require their own evidence.

The customer-facing evidence package for excluded downtime contains the UTC-stamped change ticket, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed excluded downtime check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Regional Reliability diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and service owner approval; unrelated contractual timers continue unchanged.

For excluded downtime, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a UTC-stamped change ticket. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for excluded downtime begins with its current state-standard capability-and the applicable commercial scope-Business. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Business completes activation in Frankfurt and presents versioned evidence that matches the live setting. This supports the claim for excluded downtime, but no broader claim. If deployment moves to Singapore, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for excluded downtime cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent service availability control uses a 35-day window and applies to Enterprise; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to excluded downtime is 60 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Singapore tenant asks whether excluded downtime remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 21 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of excluded downtime with the current entitlement and live configuration. Approval is time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in mainland China changes an implementation parameter that may affect excluded downtime. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a Frankfurt renewal, Regional Reliability must decide whether excluded downtime can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 5. A Virginia tenant asks whether excluded downtime remains contractually available after a configuration change. Customer Success checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 60 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 6. During a subscription review for a Singapore tenant, Platform Engineering compares the requested treatment of excluded downtime with the current entitlement and live configuration. Approval is time-bounded to 90 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Maintenance Windows

For maintenance windows, version 3.2 classifies the function as Enterprise-only capability for Enterprise. Its control record is reviewed every 90 days, operational evidence is sampled every 4 hours, and any approved exception expires after 180 days.

Before committing to maintenance windows, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies Enterprise-only capability for Enterprise. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the tenant security administrator before the response is approved.

To configure maintenance windows, Customer Success verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Virginia and stores a regional assurance workbook. A failed or incomplete test keeps production disabled. Successful configurations return to review every 90 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for maintenance windows does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 180 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 4 hours against the tenant registry. A mismatch opens a case for Customer Success, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to maintenance windows; it does not certify a neighboring identity, logging, resilience, or integration control.

For maintenance windows, auditors receive a regional assurance workbook that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for maintenance windows no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Customer Success. Investigation separates configuration drift from subscription or regional ineligibility. The tenant security administrator authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by maintenance windows. DealFlow validates only the platform boundary it operates and records that result in a regional assurance workbook. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about maintenance windows must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use Enterprise-only capability as

the lifecycle description and Enterprise as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Enterprise, the control is activated in Virginia, and the evidence names the current version. The assessor accepts the package for maintenance windows only. If the tenant later moves to Sydney, the prior result remains historical and a new regional verification is required.

An invalid interpretation of maintenance windows substitutes a nearby control because its terminology appears similar. The adjacent service availability control uses a 45-day window and applies to Dedicated; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to maintenance windows scope, units, limits, regions, or lifecycle status follow a minimum 90-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of maintenance windows with the current entitlement and live configuration. Approval is time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in mainland China changes an implementation parameter that may affect maintenance windows. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Frankfurt renewal, Regional Reliability must decide whether maintenance windows can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A Virginia tenant asks whether maintenance windows remains contractually available after a configuration change. Customer Success checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 60 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 5. During a subscription review for a Singapore tenant, Platform Engineering compares the requested treatment of maintenance windows with the current entitlement and live configuration. Approval is time-bounded to 90 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 6. A customer in Sydney changes an implementation parameter that may affect maintenance windows. Product Operations verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 120 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Service Availability Limits and Exception Handling

This business area brings together Service Credits, Regional Degradation, Dependency Exclusions. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Service Credits	Dedicated-only capability	Dedicated
Regional Degradation	Enterprise-tier capability	Enterprise and Dedicated
Dependency Exclusions	standard capability	Business

Service Credits

For service credits, version 3.2 classifies the function as Dedicated-only capability for Dedicated. Its control record is reviewed every 180 days, operational evidence is sampled every 6 hours, and any approved exception expires after 365 days.

Eligibility for service credits follows the current product register rather than feature-name similarity. The governing entry lists the state as Dedicated-only capability and the customer scope as Dedicated; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the regional operations lead instead of being treated as an entitlement.

The operational workflow for service credits assigns Platform Engineering to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Singapore; evidence is captured in a machine-readable audit bundle with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 180 days.

An exception for service credits must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 365 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for service credits compares the live setting with the approved record every 6 hours during implementation. Drift is assigned to Platform Engineering with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for service credits is delivered as a machine-readable audit bundle with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for service credits suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Platform Engineering records impact, cause, correction, and retest results. Re-enablement requires the regional operations lead's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For service credits, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the machine-readable audit bundle for its portion.

Procurement responses for service credits separate product availability from implementation effort. The response records Dedicated-only capability, identifies Dedicated, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Dedicated tenant enabled in Singapore. Its entitlement, live value, version, and evidence agree, so the assessor can accept service credits. The same record cannot prove another capability. A later migration to mainland China triggers a new check and preserves the original result solely as audit history.

Evidence for service credits is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent service availability control uses a 60-day window and applies to Enterprise and Dedicated; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for service credits 120 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in mainland China changes an implementation parameter that may affect service credits. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Frankfurt renewal, Regional Reliability must decide whether service credits can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Virginia tenant asks whether service credits remains contractually available after a configuration change. Customer Success checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 60 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a Singapore tenant, Platform Engineering compares the requested treatment of service credits with the current entitlement and live configuration. Approval is time-bounded to 90 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 5. A customer in Sydney changes an implementation parameter that may affect service credits. Product Operations verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 120 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 6. For a mainland China renewal, Security Assurance must decide whether service credits can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Regional Degradation

For regional degradation, version 3.2 classifies the function as Enterprise-tier capability for Enterprise and Dedicated. Its control record is reviewed every 7 days, operational evidence is sampled every 8 hours, and any approved exception expires after 7 days.

For contracting purposes, regional degradation is evaluated against the effective guide and the tenant's recorded configuration. Its current state is Enterprise-tier capability, with scope limited to Enterprise and Dedicated. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The change advisory board must resolve any documentary conflict before the dependent control is enabled.

For regional degradation, Product Operations creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Sydney. Production use starts only when the signed configuration export contains the expected value and a successful UTC

timestamp. The record is reviewed every 7 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the regional degradation baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 7 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For regional degradation, the verification job samples the configured state at an interval of 8 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Product Operations; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for regional degradation combines the signed configuration export, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of regional degradation fails, new dependent operations stop while committed records remain readable. Product Operations determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the change advisory board. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for regional degradation is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the signed configuration export.

When regional degradation appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Enterprise and Dedicated boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Sydney implementation when the signed scope is Enterprise and Dedicated and the signed configuration export identifies the effective release. Acceptance is limited to regional degradation. Changing the service region to Frankfurt invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving regional degradation is to combine old and current guidance or apply one subscription's value to another. The adjacent service availability control uses a 90-day window and applies to Business; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to regional degradation eligibility, numeric limits, regional coverage, or capability state are announced at least 180 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Frankfurt renewal, Regional Reliability must decide whether regional degradation can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Virginia tenant asks whether regional degradation remains contractually available after a configuration change. Customer Success checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 60 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Singapore tenant, Platform Engineering compares the requested treatment of regional degradation with the current entitlement and live configuration. Approval is time-bounded to 90 days

and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in Sydney changes an implementation parameter that may affect regional degradation. Product Operations verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 120 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 5. For a mainland China renewal, Security Assurance must decide whether regional degradation can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 6. A Frankfurt tenant asks whether regional degradation remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Dependency Exclusions

For dependency exclusions, version 3.2 classifies the function as standard capability for Business. Its control record is reviewed every 21 days, operational evidence is sampled every 12 hours, and any approved exception expires after 14 days.

The commercial boundary for dependency exclusions is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is standard capability, and the recorded scope is Business. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the data protection officer records a written resolution.

Activation of dependency exclusions begins with a request owned by Security Assurance. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in mainland China, and the resulting tenant control report must be attached before the feature is released to users. Routine reassessment occurs every 21 days as well as after any material tenant change.

Where the baseline for dependency exclusions cannot be met, the customer and Security Assurance must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 14 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 12 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Security Assurance and shown as a failed control until resolved. Verification is deliberately scoped to dependency exclusions, so adjacent policies require their own evidence.

The customer-facing evidence package for dependency exclusions contains the tenant control report, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed dependency exclusions check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Security Assurance diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and data protection officer approval; unrelated contractual timers continue unchanged.

For dependency exclusions, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a tenant control report. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for dependency exclusions begins with its current state-standard capability-and the applicable commercial scope-Business. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Business completes activation in mainland China and presents versioned evidence that matches the live setting. This supports the claim for dependency exclusions, but no broader claim. If deployment moves to Virginia, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for dependency exclusions cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent service availability control uses a 120-day window and applies to Enterprise; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to dependency exclusions is 365 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Virginia tenant asks whether dependency exclusions remains contractually available after a configuration change. Customer Success checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 60 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Singapore tenant, Platform Engineering compares the requested treatment of dependency exclusions with the current entitlement and live configuration. Approval is time-bounded to 90 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Sydney changes an implementation parameter that may affect dependency exclusions. Product Operations verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 120 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a mainland China renewal, Security Assurance must decide whether dependency exclusions can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 5. A Frankfurt tenant asks whether dependency exclusions remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 6. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of dependency exclusions with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Service Availability Evidence and Lifecycle Assurance

This business area brings together Status Communications, Availability Evidence, Chronic Failure Remedy. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Status Communications	Enterprise-only capability	Enterprise
Availability Evidence	Dedicated-only capability	Dedicated
Chronic Failure Remedy	Enterprise-tier capability	Enterprise and Dedicated

Status Communications

For status communications, version 3.2 classifies the function as Enterprise-only capability for Enterprise. Its control record is reviewed every 35 days, operational evidence is sampled every 24 hours, and any approved exception expires after 21 days.

Before committing to status communications, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies Enterprise-only capability for Enterprise. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the service owner before the response is approved.

To configure status communications, Regional Reliability verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Frankfurt and stores a UTC-stamped change ticket. A failed or incomplete test keeps production disabled. Successful configurations return to review every 35 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for status communications does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 21 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 24 hours against the tenant registry. A mismatch opens a case for Regional Reliability, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to status communications; it does not certify a neighboring identity, logging, resilience, or integration control.

For status communications, auditors receive a UTC-stamped change ticket that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for status communications no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Regional Reliability. Investigation separates configuration drift from subscription or regional ineligibility. The service owner authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by status communications. DealFlow validates only the platform boundary it operates and records that result in a UTC-stamped change ticket. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about status communications must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use Enterprise-only capability as the lifecycle description and Enterprise as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Enterprise, the control is activated in Frankfurt, and the evidence names the current version. The assessor accepts the package for status communications only. If the tenant later moves to Singapore, the prior result remains historical and a new regional verification is required.

An invalid interpretation of status communications substitutes a nearby control because its terminology appears similar. The adjacent service availability control uses a 180-day window and applies to Dedicated; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to status communications scope, units, limits, regions, or lifecycle status follow a minimum 7-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Singapore tenant, Platform Engineering compares the requested treatment of status communications with the current entitlement and live configuration. Approval is time-bounded to 90 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Sydney changes an implementation parameter that may affect status communications. Product Operations verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 120 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a mainland China renewal, Security Assurance must decide whether status communications can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A Frankfurt tenant asks whether status communications remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 5. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of status communications with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 6. A customer in Singapore changes an implementation parameter that may affect status communications. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Availability Evidence

For availability evidence, version 3.2 classifies the function as Dedicated-only capability for Dedicated. Its control record is reviewed every 60 days, operational evidence is sampled every 48 hours, and any approved exception expires after 30 days.

Eligibility for service uptime proof available to an assessor follows the current product register rather than feature-name similarity. The governing entry lists the state as Dedicated-only capability and the customer scope as Dedicated; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the tenant security administrator instead of being treated as an entitlement.

The operational workflow for service uptime proof available to an assessor assigns Customer Success to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Virginia; evidence is

captured in a regional assurance workbook with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 60 days.

An exception for service uptime proof available to an assessor must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 30 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for service uptime proof available to an assessor compares the live setting with the approved record every 48 hours during implementation. Drift is assigned to Customer Success with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for service uptime proof available to an assessor is delivered as a regional assurance workbook with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for service uptime proof available to an assessor suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Customer Success records impact, cause, correction, and retest results. Re-enablement requires the tenant security administrator's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For service uptime proof available to an assessor, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the regional assurance workbook for its portion.

Procurement responses for service uptime proof available to an assessor separate product availability from implementation effort. The response records Dedicated-only capability, identifies Dedicated, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Dedicated tenant enabled in Virginia. Its entitlement, live value, version, and evidence agree, so the assessor can accept service uptime proof available to an assessor. The same record cannot prove another capability. A later migration to Sydney triggers a new check and preserves the original result solely as audit history.

Evidence for service uptime proof available to an assessor is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent service availability control uses a 365-day window and applies to Enterprise and Dedicated; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for service uptime proof available to an assessor 14 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Sydney changes an implementation parameter that may affect service uptime proof available to an assessor. Product Operations verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 120 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a mainland China renewal, Security Assurance must decide whether service uptime proof available to an assessor can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Frankfurt tenant asks whether service uptime proof available to an assessor remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment;

otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of service uptime proof available to an assessor with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 5. A customer in Singapore changes an implementation parameter that may affect service uptime proof available to an assessor. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 6. For a Sydney renewal, Product Operations must decide whether service uptime proof available to an assessor can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Chronic Failure Remedy

For chronic failure remedy, version 3.2 classifies the function as Enterprise-tier capability for Enterprise and Dedicated. Its control record is reviewed every 120 days, operational evidence is sampled every 72 hours, and any approved exception expires after 35 days.

For contracting purposes, chronic failure remedy is evaluated against the effective guide and the tenant's recorded configuration. Its current state is Enterprise-tier capability, with scope limited to Enterprise and Dedicated. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The regional operations lead must resolve any documentary conflict before the dependent control is enabled.

For chronic failure remedy, Platform Engineering creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Singapore. Production use starts only when the machine-readable audit bundle contains the expected value and a successful UTC timestamp. The record is reviewed every 120 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the chronic failure remedy baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 35 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For chronic failure remedy, the verification job samples the configured state at an interval of 72 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Platform Engineering; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for chronic failure remedy combines the machine-readable audit bundle, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of chronic failure remedy fails, new dependent operations stop while committed records remain readable. Platform Engineering determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the regional operations lead. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for chronic failure remedy is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the machine-readable audit bundle.

When chronic failure remedy appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Enterprise and Dedicated boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Singapore implementation when the signed scope is Enterprise and Dedicated and the machine-readable audit bundle identifies the effective release. Acceptance is limited to chronic failure remedy. Changing the service region to mainland China invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving chronic failure remedy is to combine old and current guidance or apply one subscription's value to another. The adjacent service availability control uses a 7-day window and applies to Business; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to chronic failure remedy eligibility, numeric limits, regional coverage, or capability state are announced at least 21 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a mainland China renewal, Security Assurance must decide whether chronic failure remedy can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Frankfurt tenant asks whether chronic failure remedy remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of chronic failure remedy with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in Singapore changes an implementation parameter that may affect chronic failure remedy. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 5. For a Sydney renewal, Product Operations must decide whether chronic failure remedy can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 6. A mainland China tenant asks whether chronic failure remedy remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.