

DealFlow Network Connectivity and Security Boundary Guide

Enterprise knowledge document - PDF reference edition

DOCUMENT STATUS	current
EFFECTIVE FROM	2025-07-01
PRODUCT VERSION	3.2

Canonical source: 11-network-security-boundaries.md
PDF generated: 2026-09-18
The Markdown source remains the canonical retrieval-evaluation artifact.

Contents

Network Connectivity Scope and Eligibility	3
Public TLS Endpoint	3
IP Allowlisting	4
Site-to-site VPN	6
Network Connectivity Configuration and Operations	8
PrivateLink Connectivity	8
Dedicated Circuits	9
Outbound Webhooks	11
Network Connectivity Limits and Exception Handling	13
Inbound Firewall Rules	13
DNS Requirements	14
Proxy Support	16
Network Connectivity Evidence and Lifecycle Assurance	18
Network Segmentation	18
DDoS Protection	19
Certificate Ownership	21

Network Connectivity Scope and Eligibility

This business area brings together Public TLS Endpoint, IP Allowlisting, Site-to-site VPN. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Public TLS Endpoint	Dedicated-only capability	Dedicated
IP Allowlisting	standard or plan-limited as stated	Plan-specific; see fact rule
Site-to-site VPN	standard or plan-limited as stated	Plan-specific; see fact rule

Public TLS Endpoint

For public tls endpoint, version 3.2 classifies the function as Dedicated-only capability for Dedicated. Its control record is reviewed every 7 days, operational evidence is sampled every 24 hours, and any approved exception expires after 35 days.

For contracting purposes, public tls endpoint is evaluated against the effective guide and the tenant's recorded configuration. Its current state is Dedicated-only capability, with scope limited to Dedicated. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The regional operations lead must resolve any documentary conflict before the dependent control is enabled.

For public tls endpoint, Security Assurance creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Singapore. Production use starts only when the tenant control report contains the expected value and a successful UTC timestamp. The record is reviewed every 7 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the public tls endpoint baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 35 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For public tls endpoint, the verification job samples the configured state at an interval of 24 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Security Assurance; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for public tls endpoint combines the tenant control report, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of public tls endpoint fails, new dependent operations stop while committed records remain readable. Security Assurance determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the regional operations lead. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for public tls endpoint is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the tenant control report.

When public tls endpoint appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Dedicated boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Singapore implementation when the signed scope is Dedicated and the tenant control report identifies the effective release. Acceptance is limited to public tls endpoint. Changing the service region to mainland China invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving public tls endpoint is to combine old and current guidance or apply one subscription's value to another. The adjacent network connectivity control uses a 30-day window and applies to Enterprise; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to public tls endpoint eligibility, numeric limits, regional coverage, or capability state are announced at least 45 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Virginia renewal, Customer Success must decide whether public tls endpoint can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 14 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Singapore tenant asks whether public tls endpoint remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 21 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of public tls endpoint with the current entitlement and live configuration. Approval is time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in mainland China changes an implementation parameter that may affect public tls endpoint. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

IP Allowlisting

Enterprise and Dedicated tenants can restrict administrative and API access with up to 200 IPv4 or IPv6 CIDR entries per environment.

The commercial boundary for restricting access by approved source networks is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is standard or plan-limited as stated, and the recorded scope is Plan-specific; see fact rule. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the change advisory board records a written resolution.

Activation of restricting access by approved source networks begins with a request owned by Regional Reliability. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Sydney, and the resulting UTC-stamped change ticket must be attached before the feature is released to users. Routine reassessment occurs every 21 days as well as after any material tenant change.

Where the baseline for restricting access by approved source networks cannot be met, the customer and Regional Reliability must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 45 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 48 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Regional Reliability and shown as a failed control until resolved. Verification is deliberately scoped to restricting access by approved source networks, so adjacent policies require their own evidence.

The customer-facing evidence package for restricting access by approved source networks contains the UTC-stamped change ticket, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed restricting access by approved source networks check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Regional Reliability diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and change advisory board approval; unrelated contractual timers continue unchanged.

For restricting access by approved source networks, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a UTC-stamped change ticket. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for restricting access by approved source networks begins with its current state-standard or plan-limited as stated-and the applicable commercial scope-Plan-specific; see fact rule. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Plan-specific; see fact rule completes activation in Sydney and presents versioned evidence that matches the live setting. This supports the claim for restricting access by approved source networks, but no broader claim. If deployment moves to Frankfurt, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for restricting access by approved source networks cites a similarly named policy with a different number, lifecycle state, or subscription. VPN routing establishes private connectivity but does not replace source-address policy. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to restricting access by approved source networks is 60 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Singapore tenant asks whether restricting access by approved source networks remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 21 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of restricting access by approved source networks with the current entitlement and live configuration. Approval is time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in mainland China changes an implementation parameter that may affect restricting access by approved source networks. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a Frankfurt renewal, Regional Reliability must decide whether restricting access by approved source networks can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Site-to-site VPN

A managed site-to-site IPsec VPN is available for Dedicated tenants and as an Enterprise add-on, with two tunnels per production region.

Before committing to encrypted private routing between customer and service networks, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies standard or plan-limited as stated for Plan-specific; see fact rule. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the data protection officer before the response is approved.

To configure encrypted private routing between customer and service networks, Customer Success verifies entitlement first and then records the environment-specific value. An independent operator tests the result in mainland China and stores a regional assurance workbook. A failed or incomplete test keeps production disabled. Successful configurations return to review every 35 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for encrypted private routing between customer and service networks does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 60 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 72 hours against the tenant registry. A mismatch opens a case for Customer Success, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to encrypted private routing between customer and service networks; it does not certify a neighboring identity, logging, resilience, or integration control.

For encrypted private routing between customer and service networks, auditors receive a regional assurance workbook that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for encrypted private routing between customer and service networks no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Customer Success. Investigation separates configuration drift from subscription or regional ineligibility. The data protection officer authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by encrypted private routing between customer and service networks. DealFlow validates only the platform boundary it operates and records that result in a regional assurance workbook. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about encrypted private routing between customer and service networks must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use standard or plan-limited as stated as the lifecycle description and Plan-specific; see fact rule as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Plan-specific; see fact rule, the control is activated in mainland China, and the evidence names the current version. The assessor accepts the package for encrypted private routing between customer and service networks only. If the tenant later moves to Virginia, the prior result remains historical and a new regional verification is required.

An invalid interpretation of encrypted private routing between customer and service networks substitutes a nearby control because its terminology appears similar. IP allowlisting filters public endpoints and does not create a private route. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to encrypted private routing between customer and service networks scope, units, limits, regions, or lifecycle status follow a minimum 90-day communication window except for documented urgent security action. Customers receive

a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of encrypted private routing between customer and service networks with the current entitlement and live configuration. Approval is time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in mainland China changes an implementation parameter that may affect encrypted private routing between customer and service networks. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Frankfurt renewal, Regional Reliability must decide whether encrypted private routing between customer and service networks can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A Virginia tenant asks whether encrypted private routing between customer and service networks remains contractually available after a configuration change. Customer Success checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 60 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Network Connectivity Configuration and Operations

This business area brings together PrivateLink Connectivity, Dedicated Circuits, Outbound Webhooks. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
PrivateLink Connectivity	standard or plan-limited as stated	Plan-specific; see fact rule
Dedicated Circuits	Dedicated-only capability	Dedicated
Outbound Webhooks	Enterprise-tier capability	Enterprise and Dedicated

PrivateLink Connectivity

PrivateLink is standard for Dedicated on AWS and an Enterprise add-on on AWS; Azure Private Link requires Dedicated, and GCP PSC is roadmap-only.

Eligibility for cloud-provider private endpoints by platform and edition follows the current product register rather than feature-name similarity. The governing entry lists the state as standard or plan-limited as stated and the customer scope as Plan-specific; see fact rule; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the service owner instead of being treated as an entitlement.

The operational workflow for cloud-provider private endpoints by platform and edition assigns Platform Engineering to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Frankfurt; evidence is captured in a machine-readable audit bundle with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 60 days.

An exception for cloud-provider private endpoints by platform and edition must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 90 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for cloud-provider private endpoints by platform and edition compares the live setting with the approved record every 1 hour during implementation. Drift is assigned to Platform Engineering with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for cloud-provider private endpoints by platform and edition is delivered as a machine-readable audit bundle with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for cloud-provider private endpoints by platform and edition suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Platform Engineering records impact, cause, correction, and retest results. Re-enablement requires the service owner's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For cloud-provider private endpoints by platform and edition, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the machine-readable audit bundle for its portion.

Procurement responses for cloud-provider private endpoints by platform and edition separate product availability from implementation effort. The response records standard or plan-limited as stated, identifies Plan-specific; see fact rule, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing

tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Plan-specific; see fact rule tenant enabled in Frankfurt. Its entitlement, live value, version, and evidence agree, so the assessor can accept cloud-provider private endpoints by platform and edition. The same record cannot prove another capability. A later migration to Singapore triggers a new check and preserves the original result solely as audit history.

Evidence for cloud-provider private endpoints by platform and edition is insufficient when an implementation team borrows a value from an adjacent policy. A dedicated circuit is a professional-services network project, not native PrivateLink. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for cloud-provider private endpoints by platform and edition 120 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in mainland China changes an implementation parameter that may affect cloud-provider private endpoints by platform and edition. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Frankfurt renewal, Regional Reliability must decide whether cloud-provider private endpoints by platform and edition can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Virginia tenant asks whether cloud-provider private endpoints by platform and edition remains contractually available after a configuration change. Customer Success checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 60 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a Singapore tenant, Platform Engineering compares the requested treatment of cloud-provider private endpoints by platform and edition with the current entitlement and live configuration. Approval is time-bounded to 90 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Dedicated Circuits

For dedicated circuits, version 3.2 classifies the function as Dedicated-only capability for Dedicated. Its control record is reviewed every 120 days, operational evidence is sampled every 2 hours, and any approved exception expires after 120 days.

For contracting purposes, dedicated circuits is evaluated against the effective guide and the tenant's recorded configuration. Its current state is Dedicated-only capability, with scope limited to Dedicated. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The tenant security administrator must resolve any documentary conflict before the dependent control is enabled.

For dedicated circuits, Product Operations creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Virginia. Production use starts only when the signed configuration export contains the expected value and a successful UTC timestamp. The record is reviewed every 120 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the dedicated circuits baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 120 days.

Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For dedicated circuits, the verification job samples the configured state at an interval of 2 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Product Operations; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for dedicated circuits combines the signed configuration export, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of dedicated circuits fails, new dependent operations stop while committed records remain readable. Product Operations determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the tenant security administrator. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for dedicated circuits is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the signed configuration export.

When dedicated circuits appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Dedicated boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Virginia implementation when the signed scope is Dedicated and the signed configuration export identifies the effective release. Acceptance is limited to dedicated circuits. Changing the service region to Sydney invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving dedicated circuits is to combine old and current guidance or apply one subscription's value to another. The adjacent network connectivity control uses a 90-day window and applies to Enterprise; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to dedicated circuits eligibility, numeric limits, regional coverage, or capability state are announced at least 180 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Frankfurt renewal, Regional Reliability must decide whether dedicated circuits can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Virginia tenant asks whether dedicated circuits remains contractually available after a configuration change. Customer Success checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 60 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Singapore tenant, Platform Engineering compares the requested treatment of dedicated circuits with the current entitlement and live configuration. Approval is time-bounded to 90 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in Sydney changes an implementation parameter that may affect dedicated circuits. Product Operations verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A

compliant result is reviewed again within 120 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Outbound Webhooks

For outbound webhooks, version 3.2 classifies the function as Enterprise-tier capability for Enterprise and Dedicated. Its control record is reviewed every 365 days, operational evidence is sampled every 4 hours, and any approved exception expires after 180 days.

The commercial boundary for outbound webhooks is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is Enterprise-tier capability, and the recorded scope is Enterprise and Dedicated. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the regional operations lead records a written resolution.

Activation of outbound webhooks begins with a request owned by Security Assurance. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Singapore, and the resulting tenant control report must be attached before the feature is released to users. Routine reassessment occurs every 365 days as well as after any material tenant change.

Where the baseline for outbound webhooks cannot be met, the customer and Security Assurance must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 180 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 4 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Security Assurance and shown as a failed control until resolved. Verification is deliberately scoped to outbound webhooks, so adjacent policies require their own evidence.

The customer-facing evidence package for outbound webhooks contains the tenant control report, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed outbound webhooks check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Security Assurance diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and regional operations lead approval; unrelated contractual timers continue unchanged.

For outbound webhooks, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a tenant control report. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for outbound webhooks begins with its current state-Enterprise-tier capability-and the applicable commercial scope-Enterprise and Dedicated. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Enterprise and Dedicated completes activation in Singapore and presents versioned evidence that matches the live setting. This supports the claim for outbound webhooks, but no broader claim. If deployment moves to mainland China, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for outbound webhooks cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent network connectivity control uses a 120-day window and applies to Dedicated; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to outbound webhooks is 365 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency

security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Virginia tenant asks whether outbound webhooks remains contractually available after a configuration change. Customer Success checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 60 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Singapore tenant, Platform Engineering compares the requested treatment of outbound webhooks with the current entitlement and live configuration. Approval is time-bounded to 90 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Sydney changes an implementation parameter that may affect outbound webhooks. Product Operations verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 120 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a mainland China renewal, Security Assurance must decide whether outbound webhooks can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Network Connectivity Limits and Exception Handling

This business area brings together Inbound Firewall Rules, DNS Requirements, Proxy Support. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Inbound Firewall Rules	standard capability	Business
DNS Requirements	Enterprise-only capability	Enterprise
Proxy Support	Dedicated-only capability	Dedicated

Inbound Firewall Rules

For inbound firewall rules, version 3.2 classifies the function as standard capability for Business. Its control record is reviewed every 14 days, operational evidence is sampled every 6 hours, and any approved exception expires after 365 days.

Before committing to inbound firewall rules, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies standard capability for Business. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the change advisory board before the response is approved.

To configure inbound firewall rules, Regional Reliability verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Sydney and stores a UTC-stamped change ticket. A failed or incomplete test keeps production disabled. Successful configurations return to review every 14 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for inbound firewall rules does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 365 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 6 hours against the tenant registry. A mismatch opens a case for Regional Reliability, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to inbound firewall rules; it does not certify a neighboring identity, logging, resilience, or integration control.

For inbound firewall rules, auditors receive a UTC-stamped change ticket that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for inbound firewall rules no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Regional Reliability. Investigation separates configuration drift from subscription or regional ineligibility. The change advisory board authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by inbound firewall rules. DealFlow validates only the platform boundary it operates and records that result in a UTC-stamped change ticket. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about inbound firewall rules must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use standard capability as the lifecycle description and Business as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Business, the control is activated in Sydney, and the evidence names the current version. The assessor accepts the package for inbound firewall rules only. If the tenant later moves to Frankfurt, the prior result remains historical and a new regional verification is required.

An invalid interpretation of inbound firewall rules substitutes a nearby control because its terminology appears similar. The adjacent network connectivity control uses a 180-day window and applies to Enterprise and Dedicated; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to inbound firewall rules scope, units, limits, regions, or lifecycle status follow a minimum 7-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Singapore tenant, Platform Engineering compares the requested treatment of inbound firewall rules with the current entitlement and live configuration. Approval is time-bounded to 90 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Sydney changes an implementation parameter that may affect inbound firewall rules. Product Operations verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 120 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a mainland China renewal, Security Assurance must decide whether inbound firewall rules can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A Frankfurt tenant asks whether inbound firewall rules remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

DNS Requirements

For dns requirements, version 3.2 classifies the function as Enterprise-only capability for Enterprise. Its control record is reviewed every 30 days, operational evidence is sampled every 8 hours, and any approved exception expires after 7 days.

Eligibility for dns requirements follows the current product register rather than feature-name similarity. The governing entry lists the state as Enterprise-only capability and the customer scope as Enterprise; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the data protection officer instead of being treated as an entitlement.

The operational workflow for dns requirements assigns Customer Success to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in mainland China; evidence is captured in a regional assurance workbook with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 30 days.

An exception for dns requirements must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 7 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for dns requirements compares the live setting with the approved record every 8 hours during implementation. Drift is assigned to Customer Success with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for dns requirements is delivered as a regional assurance workbook with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for dns requirements suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Customer Success records impact, cause, correction, and retest results. Re-enablement requires the data protection officer's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For dns requirements, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the regional assurance workbook for its portion.

Procurement responses for dns requirements separate product availability from implementation effort. The response records Enterprise-only capability, identifies Enterprise, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Enterprise tenant enabled in mainland China. Its entitlement, live value, version, and evidence agree, so the assessor can accept dns requirements. The same record cannot prove another capability. A later migration to Virginia triggers a new check and preserves the original result solely as audit history.

Evidence for dns requirements is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent network connectivity control uses a 365-day window and applies to Business; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for dns requirements 14 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Sydney changes an implementation parameter that may affect dns requirements. Product Operations verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 120 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a mainland China renewal, Security Assurance must decide whether dns requirements can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Frankfurt tenant asks whether dns requirements remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of dns requirements with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Proxy Support

For proxy support, version 3.2 classifies the function as Dedicated-only capability for Dedicated. Its control record is reviewed every 45 days, operational evidence is sampled every 12 hours, and any approved exception expires after 14 days.

For contracting purposes, proxy support is evaluated against the effective guide and the tenant's recorded configuration. Its current state is Dedicated-only capability, with scope limited to Dedicated. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The service owner must resolve any documentary conflict before the dependent control is enabled.

For proxy support, Platform Engineering creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Frankfurt. Production use starts only when the machine-readable audit bundle contains the expected value and a successful UTC timestamp. The record is reviewed every 45 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the proxy support baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 14 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For proxy support, the verification job samples the configured state at an interval of 12 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Platform Engineering; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for proxy support combines the machine-readable audit bundle, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of proxy support fails, new dependent operations stop while committed records remain readable. Platform Engineering determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the service owner. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for proxy support is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the machine-readable audit bundle.

When proxy support appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Dedicated boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Frankfurt implementation when the signed scope is Dedicated and the machine-readable audit bundle identifies the effective release. Acceptance is limited to proxy support. Changing the service region to Singapore invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving proxy support is to combine old and current guidance or apply one subscription's value to another. The adjacent network connectivity control uses a 7-day window and applies to Enterprise; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to proxy support eligibility, numeric limits, regional coverage, or capability state are announced at least 21 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a mainland China renewal, Security Assurance must decide whether proxy support can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Frankfurt tenant asks whether proxy support remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of proxy support with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in Singapore changes an implementation parameter that may affect proxy support. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Network Connectivity Evidence and Lifecycle Assurance

This business area brings together Network Segmentation, DDoS Protection, Certificate Ownership. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Network Segmentation	Enterprise-tier capability	Enterprise and Dedicated
DDoS Protection	standard capability	Business
Certificate Ownership	Enterprise-only capability	Enterprise

Network Segmentation

For network segmentation, version 3.2 classifies the function as Enterprise-tier capability for Enterprise and Dedicated. Its control record is reviewed every 90 days, operational evidence is sampled every 24 hours, and any approved exception expires after 21 days.

The commercial boundary for network segmentation is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is Enterprise-tier capability, and the recorded scope is Enterprise and Dedicated. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the tenant security administrator records a written resolution.

Activation of network segmentation begins with a request owned by Product Operations. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Virginia, and the resulting signed configuration export must be attached before the feature is released to users. Routine reassessment occurs every 90 days as well as after any material tenant change.

Where the baseline for network segmentation cannot be met, the customer and Product Operations must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 21 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 24 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Product Operations and shown as a failed control until resolved. Verification is deliberately scoped to network segmentation, so adjacent policies require their own evidence.

The customer-facing evidence package for network segmentation contains the signed configuration export, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed network segmentation check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Product Operations diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and tenant security administrator approval; unrelated contractual timers continue unchanged.

For network segmentation, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a signed configuration export. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for network segmentation begins with its current state-Enterprise-tier capability-and the applicable commercial scope-Enterprise and Dedicated. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Enterprise and Dedicated completes activation in Virginia and presents versioned evidence that matches the live setting. This supports the claim for network segmentation, but no broader claim. If deployment moves to Sydney, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for network segmentation cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent network connectivity control uses a 14-day window and applies to Dedicated; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to network segmentation is 30 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Frankfurt tenant asks whether network segmentation remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of network segmentation with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Singapore changes an implementation parameter that may affect network segmentation. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a Sydney renewal, Product Operations must decide whether network segmentation can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

DDoS Protection

For ddos protection, version 3.2 classifies the function as standard capability for Business. Its control record is reviewed every 180 days, operational evidence is sampled every 48 hours, and any approved exception expires after 30 days.

Before committing to ddos protection, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies standard capability for Business. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the regional operations lead before the response is approved.

To configure ddos protection, Security Assurance verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Singapore and stores a tenant control report. A failed or incomplete test keeps production disabled. Successful configurations return to review every 180 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for ddos protection does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 30 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 48 hours against the tenant registry. A mismatch opens a case for Security Assurance, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to ddos protection; it does not certify a neighboring identity, logging, resilience, or integration control.

For ddos protection, auditors receive a tenant control report that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for ddos protection no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Security Assurance. Investigation separates configuration drift from subscription or regional ineligibility. The regional operations lead authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by ddos protection. DealFlow validates only the platform boundary it operates and records that result in a tenant control report. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about ddos protection must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use standard capability as the lifecycle description and Business as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Business, the control is activated in Singapore, and the evidence names the current version. The assessor accepts the package for ddos protection only. If the tenant later moves to mainland China, the prior result remains historical and a new regional verification is required.

An invalid interpretation of ddos protection substitutes a nearby control because its terminology appears similar. The adjacent network connectivity control uses a 21-day window and applies to Enterprise and Dedicated; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to ddos protection scope, units, limits, regions, or lifecycle status follow a minimum 35-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of ddos protection with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Singapore changes an implementation parameter that may affect ddos protection. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Sydney renewal, Product Operations must decide whether ddos protection can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A mainland China tenant asks whether ddos protection remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Certificate Ownership

For certificate ownership, version 3.2 classifies the function as Enterprise-only capability for Enterprise. Its control record is reviewed every 7 days, operational evidence is sampled every 72 hours, and any approved exception expires after 35 days.

Eligibility for certificate ownership follows the current product register rather than feature-name similarity. The governing entry lists the state as Enterprise-only capability and the customer scope as Enterprise; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the change advisory board instead of being treated as an entitlement.

The operational workflow for certificate ownership assigns Regional Reliability to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Sydney; evidence is captured in a UTC-stamped change ticket with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 7 days.

An exception for certificate ownership must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 35 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for certificate ownership compares the live setting with the approved record every 72 hours during implementation. Drift is assigned to Regional Reliability with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for certificate ownership is delivered as a UTC-stamped change ticket with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for certificate ownership suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Regional Reliability records impact, cause, correction, and retest results. Re-enablement requires the change advisory board's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For certificate ownership, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the UTC-stamped change ticket for its portion.

Procurement responses for certificate ownership separate product availability from implementation effort. The response records Enterprise-only capability, identifies Enterprise, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Enterprise tenant enabled in Sydney. Its entitlement, live value, version, and evidence agree, so the assessor can accept certificate ownership. The same record cannot prove another capability. A later migration to Frankfurt triggers a new check and preserves the original result solely as audit history.

Evidence for certificate ownership is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent network connectivity control uses a 30-day window and applies to Business; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for certificate ownership 45 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Singapore changes an implementation parameter that may affect certificate ownership. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Sydney renewal, Product Operations must decide whether certificate ownership can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A mainland China tenant asks whether certificate ownership remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of certificate ownership with the current entitlement and live configuration. Approval is time-bounded to 35 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.