

DealFlow Data Residency and Cross-region Replication Policy

Enterprise knowledge document - PDF reference edition

DOCUMENT STATUS	current
EFFECTIVE FROM	2025-07-01
PRODUCT VERSION	3.2

Canonical source: 12-data-residency-cross-region.md
PDF generated: 2026-09-18
The Markdown source remains the canonical retrieval-evaluation artifact.

Contents

Data Residency Scope and Eligibility	3
Primary Data Regions	3
China Mainland Residency	4
European Union Residency	6
Data Residency Configuration and Operations	8
United States Residency	8
Backup Region Selection	9
Audit Log Location	11
Data Residency Limits and Exception Handling	13
Support Metadata Location	13
Cross-region Replication	14
Disaster Copy Location	16
Data Residency Evidence and Lifecycle Assurance	18
Region Migration	18
Subprocessor Location	19
Residency Evidence	21

Data Residency Scope and Eligibility

This business area brings together Primary Data Regions, China Mainland Residency, European Union Residency. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Primary Data Regions	standard capability	Business
China Mainland Residency	standard or plan-limited as stated	Plan-specific; see fact rule
European Union Residency	standard or plan-limited as stated	Plan-specific; see fact rule

Primary Data Regions

For primary data regions, version 3.2 classifies the function as standard capability for Business. Its control record is reviewed every 14 days, operational evidence is sampled every 1 hour, and any approved exception expires after 35 days.

The commercial boundary for primary data regions is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is standard capability, and the recorded scope is Business. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the data protection officer records a written resolution.

Activation of primary data regions begins with a request owned by Regional Reliability. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in mainland China, and the resulting UTC-stamped change ticket must be attached before the feature is released to users. Routine reassessment occurs every 14 days as well as after any material tenant change.

Where the baseline for primary data regions cannot be met, the customer and Regional Reliability must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 35 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 1 hour. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Regional Reliability and shown as a failed control until resolved. Verification is deliberately scoped to primary data regions, so adjacent policies require their own evidence.

The customer-facing evidence package for primary data regions contains the UTC-stamped change ticket, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed primary data regions check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Regional Reliability diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and data protection officer approval; unrelated contractual timers continue unchanged.

For primary data regions, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a UTC-stamped change ticket. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for primary data regions begins with its current state-standard capability-and the applicable commercial scope-Business. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Business completes activation in mainland China and presents versioned evidence that matches the live setting. This supports the claim for primary data regions, but no broader claim. If deployment moves to Virginia, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for primary data regions cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent data residency control uses a 35-day window and applies to Enterprise; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to primary data regions is 60 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Singapore tenant asks whether primary data regions remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 21 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of primary data regions with the current entitlement and live configuration. Approval is time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in mainland China changes an implementation parameter that may affect primary data regions. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a Frankfurt renewal, Regional Reliability must decide whether primary data regions can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

China Mainland Residency

The China Mainland Dedicated region keeps primary content, backups, and audit logs within mainland China; global support receives only redacted case metadata.

Before committing to keeping production content and recovery copies inside mainland China, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies standard or plan-limited as stated for Plan-specific; see fact rule. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the service owner before the response is approved.

To configure keeping production content and recovery copies inside mainland China, Customer Success verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Frankfurt and stores a regional assurance workbook. A failed or incomplete test keeps production disabled. Successful configurations return to review every 30 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for keeping production content and recovery copies inside mainland China does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 45 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 2 hours against the tenant registry. A mismatch opens a case for Customer Success, preserves old and proposed values, and prevents the compliance export from

reporting success. This result applies only to keeping production content and recovery copies inside mainland China; it does not certify a neighboring identity, logging, resilience, or integration control.

For keeping production content and recovery copies inside mainland China, auditors receive a regional assurance workbook that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for keeping production content and recovery copies inside mainland China no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Customer Success. Investigation separates configuration drift from subscription or regional ineligibility. The service owner authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by keeping production content and recovery copies inside mainland China. DealFlow validates only the platform boundary it operates and records that result in a regional assurance workbook. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about keeping production content and recovery copies inside mainland China must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use standard or plan-limited as stated as the lifecycle description and Plan-specific; see fact rule as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Plan-specific; see fact rule, the control is activated in Frankfurt, and the evidence names the current version. The assessor accepts the package for keeping production content and recovery copies inside mainland China only. If the tenant later moves to Singapore, the prior result remains historical and a new regional verification is required.

An invalid interpretation of keeping production content and recovery copies inside mainland China substitutes a nearby control because its terminology appears similar. The Singapore region is an APAC option but does not satisfy mainland residency. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to keeping production content and recovery copies inside mainland China scope, units, limits, regions, or lifecycle status follow a minimum 90-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of keeping production content and recovery copies inside mainland China with the current entitlement and live configuration. Approval is time-bounded to 30 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in mainland China changes an implementation parameter that may affect keeping production content and recovery copies inside mainland China. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Frankfurt renewal, Regional Reliability must decide whether keeping production content and recovery copies inside mainland China can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A Virginia tenant asks whether keeping production content and recovery copies inside mainland China remains contractually available after a configuration change. Customer Success checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 60 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

European Union Residency

EU residency pins primary content and backups to Frankfurt and Dublin; security telemetry remains in the EU, while billing identity is processed globally.

Eligibility for EU placement for primary data, backups, and telemetry follows the current product register rather than feature-name similarity. The governing entry lists the state as standard or plan-limited as stated and the customer scope as Plan-specific; see fact rule; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the tenant security administrator instead of being treated as an entitlement.

The operational workflow for EU placement for primary data, backups, and telemetry assigns Platform Engineering to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Virginia; evidence is captured in a machine-readable audit bundle with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 45 days.

An exception for EU placement for primary data, backups, and telemetry must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 60 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for EU placement for primary data, backups, and telemetry compares the live setting with the approved record every 4 hours during implementation. Drift is assigned to Platform Engineering with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for EU placement for primary data, backups, and telemetry is delivered as a machine-readable audit bundle with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for EU placement for primary data, backups, and telemetry suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Platform Engineering records impact, cause, correction, and retest results. Re-enablement requires the tenant security administrator's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For EU placement for primary data, backups, and telemetry, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the machine-readable audit bundle for its portion.

Procurement responses for EU placement for primary data, backups, and telemetry separate product availability from implementation effort. The response records standard or plan-limited as stated, identifies Plan-specific; see fact rule, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Plan-specific; see fact rule tenant enabled in Virginia. Its entitlement, live value, version, and evidence agree, so the assessor can accept EU placement for primary data, backups, and telemetry. The same record cannot prove another capability. A later migration to Sydney triggers a new check and preserves the original result solely as audit history.

Evidence for EU placement for primary data, backups, and telemetry is insufficient when an implementation team borrows a value from an adjacent policy. A Frankfurt primary with a Virginia disaster copy is not an EU-resident configuration. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for EU placement for primary data, backups, and telemetry 120 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in mainland China changes an implementation parameter that may affect EU placement for primary data, backups, and telemetry. Security Assurance verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 35 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Frankfurt renewal, Regional Reliability must decide whether EU placement for primary data, backups, and telemetry can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Virginia tenant asks whether EU placement for primary data, backups, and telemetry remains contractually available after a configuration change. Customer Success checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 60 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a Singapore tenant, Platform Engineering compares the requested treatment of EU placement for primary data, backups, and telemetry with the current entitlement and live configuration. Approval is time-bounded to 90 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Data Residency Configuration and Operations

This business area brings together United States Residency, Backup Region Selection, Audit Log Location. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
United States Residency	Enterprise-tier capability	Enterprise and Dedicated
Backup Region Selection	standard capability	Business
Audit Log Location	Enterprise-only capability	Enterprise

United States Residency

For united states residency, version 3.2 classifies the function as Enterprise-tier capability for Enterprise and Dedicated. Its control record is reviewed every 90 days, operational evidence is sampled every 6 hours, and any approved exception expires after 90 days.

For contracting purposes, united states residency is evaluated against the effective guide and the tenant's recorded configuration. Its current state is Enterprise-tier capability, with scope limited to Enterprise and Dedicated. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The regional operations lead must resolve any documentary conflict before the dependent control is enabled.

For united states residency, Product Operations creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Singapore. Production use starts only when the signed configuration export contains the expected value and a successful UTC timestamp. The record is reviewed every 90 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the united states residency baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 90 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For united states residency, the verification job samples the configured state at an interval of 6 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Product Operations; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for united states residency combines the signed configuration export, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of united states residency fails, new dependent operations stop while committed records remain readable. Product Operations determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the regional operations lead. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for united states residency is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the signed configuration export.

When united states residency appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Enterprise and Dedicated boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Singapore implementation when the signed scope is Enterprise and Dedicated and the signed configuration export identifies the effective release. Acceptance is limited to united states residency. Changing the service region to mainland China invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving united states residency is to combine old and current guidance or apply one subscription's value to another. The adjacent data residency control uses a 90-day window and applies to Business; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to united states residency eligibility, numeric limits, regional coverage, or capability state are announced at least 180 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Frankfurt renewal, Regional Reliability must decide whether united states residency can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Virginia tenant asks whether united states residency remains contractually available after a configuration change. Customer Success checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 60 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Singapore tenant, Platform Engineering compares the requested treatment of united states residency with the current entitlement and live configuration. Approval is time-bounded to 90 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in Sydney changes an implementation parameter that may affect united states residency. Product Operations verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 120 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Backup Region Selection

For backup region selection, version 3.2 classifies the function as standard capability for Business. Its control record is reviewed every 180 days, operational evidence is sampled every 8 hours, and any approved exception expires after 120 days.

The commercial boundary for backup region selection is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is standard capability, and the recorded scope is Business. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the change advisory board records a written resolution.

Activation of backup region selection begins with a request owned by Security Assurance. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Sydney, and the resulting tenant control report must be attached before the feature is released to users. Routine reassessment occurs every 180 days as well as after any material tenant change.

Where the baseline for backup region selection cannot be met, the customer and Security Assurance must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 120 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 8 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Security Assurance and shown as a failed control until resolved. Verification is deliberately scoped to backup region selection, so adjacent policies require their own evidence.

The customer-facing evidence package for backup region selection contains the tenant control report, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed backup region selection check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Security Assurance diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and change advisory board approval; unrelated contractual timers continue unchanged.

For backup region selection, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a tenant control report. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for backup region selection begins with its current state-standard capability-and the applicable commercial scope-Business. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Business completes activation in Sydney and presents versioned evidence that matches the live setting. This supports the claim for backup region selection, but no broader claim. If deployment moves to Frankfurt, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for backup region selection cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent data residency control uses a 120-day window and applies to Enterprise; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to backup region selection is 365 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Virginia tenant asks whether backup region selection remains contractually available after a configuration change. Customer Success checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 60 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Singapore tenant, Platform Engineering compares the requested treatment of backup region selection with the current entitlement and live configuration. Approval is time-bounded to 90 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Sydney changes an implementation parameter that may affect backup region selection. Product Operations verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 120 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a mainland China renewal, Security Assurance must decide whether backup region selection can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Audit Log Location

For audit log location, version 3.2 classifies the function as Enterprise-only capability for Enterprise. Its control record is reviewed every 7 days, operational evidence is sampled every 12 hours, and any approved exception expires after 180 days.

Before committing to audit log location, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies Enterprise-only capability for Enterprise. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the data protection officer before the response is approved.

To configure audit log location, Regional Reliability verifies entitlement first and then records the environment-specific value. An independent operator tests the result in mainland China and stores a UTC-stamped change ticket. A failed or incomplete test keeps production disabled. Successful configurations return to review every 7 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for audit log location does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 180 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 12 hours against the tenant registry. A mismatch opens a case for Regional Reliability, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to audit log location; it does not certify a neighboring identity, logging, resilience, or integration control.

For audit log location, auditors receive a UTC-stamped change ticket that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for audit log location no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Regional Reliability. Investigation separates configuration drift from subscription or regional ineligibility. The data protection officer authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by audit log location. DealFlow validates only the platform boundary it operates and records that result in a UTC-stamped change ticket. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about audit log location must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use Enterprise-only capability as the lifecycle description and Enterprise as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Enterprise, the control is activated in mainland China, and the evidence names the current version. The assessor accepts the package for audit log location only. If the tenant later moves to Virginia, the prior result remains historical and a new regional verification is required.

An invalid interpretation of audit log location substitutes a nearby control because its terminology appears similar. The adjacent data residency control uses a 180-day window and applies to Dedicated; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to audit log location scope, units, limits, regions, or lifecycle status follow a minimum 7-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Singapore tenant, Platform Engineering compares the requested treatment of audit log location with the current entitlement and live configuration. Approval is time-bounded to 90 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Sydney changes an implementation parameter that may affect audit log location. Product Operations verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 120 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a mainland China renewal, Security Assurance must decide whether audit log location can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A Frankfurt tenant asks whether audit log location remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Data Residency Limits and Exception Handling

This business area brings together Support Metadata Location, Cross-region Replication, Disaster Copy Location. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Support Metadata Location	Dedicated-only capability	Dedicated
Cross-region Replication	Enterprise-tier capability	Enterprise and Dedicated
Disaster Copy Location	standard capability	Business

Support Metadata Location

For support metadata location, version 3.2 classifies the function as Dedicated-only capability for Dedicated. Its control record is reviewed every 21 days, operational evidence is sampled every 24 hours, and any approved exception expires after 365 days.

Eligibility for support metadata location follows the current product register rather than feature-name similarity. The governing entry lists the state as Dedicated-only capability and the customer scope as Dedicated; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the service owner instead of being treated as an entitlement.

The operational workflow for support metadata location assigns Customer Success to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Frankfurt; evidence is captured in a regional assurance workbook with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 21 days.

An exception for support metadata location must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 365 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for support metadata location compares the live setting with the approved record every 24 hours during implementation. Drift is assigned to Customer Success with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for support metadata location is delivered as a regional assurance workbook with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for support metadata location suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Customer Success records impact, cause, correction, and retest results. Re-enablement requires the service owner's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For support metadata location, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the regional assurance workbook for its portion.

Procurement responses for support metadata location separate product availability from implementation effort. The response records Dedicated-only capability, identifies Dedicated, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Dedicated tenant enabled in Frankfurt. Its entitlement, live value, version, and evidence agree, so the assessor can accept support metadata location. The same record cannot prove another capability. A later migration to Singapore triggers a new check and preserves the original result solely as audit history.

Evidence for support metadata location is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent data residency control uses a 365-day window and applies to Enterprise and Dedicated; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for support metadata location 14 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Sydney changes an implementation parameter that may affect support metadata location. Product Operations verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 120 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a mainland China renewal, Security Assurance must decide whether support metadata location can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Frankfurt tenant asks whether support metadata location remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of support metadata location with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Cross-region Replication

For cross-region replication, version 3.2 classifies the function as Enterprise-tier capability for Enterprise and Dedicated. Its control record is reviewed every 35 days, operational evidence is sampled every 48 hours, and any approved exception expires after 7 days.

For contracting purposes, cross-region replication is evaluated against the effective guide and the tenant's recorded configuration. Its current state is Enterprise-tier capability, with scope limited to Enterprise and Dedicated. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The tenant security administrator must resolve any documentary conflict before the dependent control is enabled.

For cross-region replication, Platform Engineering creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Virginia. Production use starts only when the machine-readable audit bundle contains the expected value and a successful UTC timestamp. The record is reviewed every 35 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the cross-region replication baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 7 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For cross-region replication, the verification job samples the configured state at an interval of 48 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Platform Engineering;

downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for cross-region replication combines the machine-readable audit bundle, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of cross-region replication fails, new dependent operations stop while committed records remain readable. Platform Engineering determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the tenant security administrator. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for cross-region replication is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the machine-readable audit bundle.

When cross-region replication appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Enterprise and Dedicated boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Virginia implementation when the signed scope is Enterprise and Dedicated and the machine-readable audit bundle identifies the effective release. Acceptance is limited to cross-region replication. Changing the service region to Sydney invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving cross-region replication is to combine old and current guidance or apply one subscription's value to another. The adjacent data residency control uses a 7-day window and applies to Business; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to cross-region replication eligibility, numeric limits, regional coverage, or capability state are announced at least 21 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a mainland China renewal, Security Assurance must decide whether cross-region replication can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Frankfurt tenant asks whether cross-region replication remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of cross-region replication with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in Singapore changes an implementation parameter that may affect cross-region replication. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Disaster Copy Location

For disaster copy location, version 3.2 classifies the function as standard capability for Business. Its control record is reviewed every 60 days, operational evidence is sampled every 72 hours, and any approved exception expires after 14 days.

The commercial boundary for disaster copy location is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is standard capability, and the recorded scope is Business. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the regional operations lead records a written resolution.

Activation of disaster copy location begins with a request owned by Product Operations. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Singapore, and the resulting signed configuration export must be attached before the feature is released to users. Routine reassessment occurs every 60 days as well as after any material tenant change.

Where the baseline for disaster copy location cannot be met, the customer and Product Operations must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 14 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 72 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Product Operations and shown as a failed control until resolved. Verification is deliberately scoped to disaster copy location, so adjacent policies require their own evidence.

The customer-facing evidence package for disaster copy location contains the signed configuration export, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed disaster copy location check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Product Operations diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and regional operations lead approval; unrelated contractual timers continue unchanged.

For disaster copy location, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a signed configuration export. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for disaster copy location begins with its current state-standard capability-and the applicable commercial scope-Business. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Business completes activation in Singapore and presents versioned evidence that matches the live setting. This supports the claim for disaster copy location, but no broader claim. If deployment moves to mainland China, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for disaster copy location cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent data residency control uses a 14-day window and applies to Enterprise; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to disaster copy location is 30 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Frankfurt tenant asks whether disaster copy location remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of disaster copy location with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Singapore changes an implementation parameter that may affect disaster copy location. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a Sydney renewal, Product Operations must decide whether disaster copy location can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Data Residency Evidence and Lifecycle Assurance

This business area brings together Region Migration, Subprocessor Location, Residency Evidence. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Region Migration	Enterprise-only capability	Enterprise
Subprocessor Location	Dedicated-only capability	Dedicated
Residency Evidence	Enterprise-tier capability	Enterprise and Dedicated

Region Migration

For region migration, version 3.2 classifies the function as Enterprise-only capability for Enterprise. Its control record is reviewed every 120 days, operational evidence is sampled every 1 hour, and any approved exception expires after 21 days.

Before committing to region move from an older configuration, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies Enterprise-only capability for Enterprise. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the change advisory board before the response is approved.

To configure region move from an older configuration, Security Assurance verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Sydney and stores a tenant control report. A failed or incomplete test keeps production disabled. Successful configurations return to review every 120 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for region move from an older configuration does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 21 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 1 hour against the tenant registry. A mismatch opens a case for Security Assurance, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to region move from an older configuration; it does not certify a neighboring identity, logging, resilience, or integration control.

For region move from an older configuration, auditors receive a tenant control report that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for region move from an older configuration no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Security Assurance. Investigation separates configuration drift from subscription or regional ineligibility. The change advisory board authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by region move from an older configuration. DealFlow validates only the platform boundary it operates and records that result in a tenant control report. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about region move from an older configuration must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use Enterprise-only capability as the lifecycle description and Enterprise as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Enterprise, the control is activated in Sydney, and the evidence names the current version. The assessor accepts the package for region move from an older configuration only. If the tenant later moves to Frankfurt, the prior result remains historical and a new regional verification is required.

An invalid interpretation of region move from an older configuration substitutes a nearby control because its terminology appears similar. The adjacent data residency control uses a 21-day window and applies to Dedicated; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to region move from an older configuration scope, units, limits, regions, or lifecycle status follow a minimum 35-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of region move from an older configuration with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Singapore changes an implementation parameter that may affect region move from an older configuration. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Sydney renewal, Product Operations must decide whether region move from an older configuration can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A mainland China tenant asks whether region move from an older configuration remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Subprocessor Location

For subprocessor location, version 3.2 classifies the function as Dedicated-only capability for Dedicated. Its control record is reviewed every 365 days, operational evidence is sampled every 2 hours, and any approved exception expires after 30 days.

Eligibility for subprocessor location follows the current product register rather than feature-name similarity. The governing entry lists the state as Dedicated-only capability and the customer scope as Dedicated; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the data protection officer instead of being treated as an entitlement.

The operational workflow for subprocessor location assigns Regional Reliability to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in mainland China; evidence is captured in a UTC-stamped change ticket with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 365 days.

An exception for subprocessor location must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 30 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for subprocessor location compares the live setting with the approved record every 2 hours during implementation. Drift is assigned to Regional Reliability with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for subprocessor location is delivered as a UTC-stamped change ticket with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for subprocessor location suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Regional Reliability records impact, cause, correction, and retest results. Re-enablement requires the data protection officer's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For subprocessor location, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the UTC-stamped change ticket for its portion.

Procurement responses for subprocessor location separate product availability from implementation effort. The response records Dedicated-only capability, identifies Dedicated, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Dedicated tenant enabled in mainland China. Its entitlement, live value, version, and evidence agree, so the assessor can accept subprocessor location. The same record cannot prove another capability. A later migration to Virginia triggers a new check and preserves the original result solely as audit history.

Evidence for subprocessor location is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent data residency control uses a 30-day window and applies to Enterprise and Dedicated; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for subprocessor location 45 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Singapore changes an implementation parameter that may affect subprocessor location. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Sydney renewal, Product Operations must decide whether subprocessor location can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A mainland China tenant asks whether subprocessor location remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of subprocessor location with the current entitlement and live configuration. Approval is time-bounded to 35 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Residency Evidence

For residency evidence, version 3.2 classifies the function as Enterprise-tier capability for Enterprise and Dedicated. Its control record is reviewed every 14 days, operational evidence is sampled every 4 hours, and any approved exception expires after 35 days.

For contracting purposes, residency proof available to an assessor is evaluated against the effective guide and the tenant's recorded configuration. Its current state is Enterprise-tier capability, with scope limited to Enterprise and Dedicated. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The service owner must resolve any documentary conflict before the dependent control is enabled.

For residency proof available to an assessor, Customer Success creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Frankfurt. Production use starts only when the regional assurance workbook contains the expected value and a successful UTC timestamp. The record is reviewed every 14 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the residency proof available to an assessor baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 35 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For residency proof available to an assessor, the verification job samples the configured state at an interval of 4 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Customer Success; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for residency proof available to an assessor combines the regional assurance workbook, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of residency proof available to an assessor fails, new dependent operations stop while committed records remain readable. Customer Success determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the service owner. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for residency proof available to an assessor is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the regional assurance workbook.

When residency proof available to an assessor appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Enterprise and Dedicated boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Frankfurt implementation when the signed scope is Enterprise and Dedicated and the regional assurance workbook identifies the effective release. Acceptance is limited to residency proof available to an assessor. Changing the service region to Singapore invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving residency proof available to an assessor is to combine old and current guidance or apply one subscription's value to another. The adjacent data residency control uses a 35-day window and applies to Business; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to residency proof available to an assessor eligibility, numeric limits, regional coverage, or capability state are announced at least 60 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Sydney renewal, Product Operations must decide whether residency proof available to an assessor can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A mainland China tenant asks whether residency proof available to an assessor remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of residency proof available to an assessor with the current entitlement and live configuration. Approval is time-bounded to 35 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in Virginia changes an implementation parameter that may affect residency proof available to an assessor. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 45 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.