

DealFlow Performance Capacity and Upload Limits

Enterprise knowledge document - PDF reference edition

DOCUMENT STATUS	current
EFFECTIVE FROM	2025-07-01
PRODUCT VERSION	3.2

Canonical source: 15-performance-capacity-upload-limits.md
PDF generated: 2026-09-18
The Markdown source remains the canonical retrieval-evaluation artifact.

Contents

Performance And Capacity Scope and Eligibility	3
Concurrent User Capacity	3
Sustained API Throughput	4
Burst API Throughput	6
Performance And Capacity Configuration and Operations	8
Markdown Upload Size	8
PDF Upload Size	9
DOCX Upload Size	11
Performance And Capacity Limits and Exception Handling	13
PDF Page Limit	13
Knowledge Corpus Size	14
Workspace Count	16
Performance And Capacity Evidence and Lifecycle Assurance	18
Proposal Generation Concurrency	18
Indexing Throughput	19
Performance Test Conditions	21

Performance And Capacity Scope and Eligibility

This business area brings together Concurrent User Capacity, Sustained API Throughput, Burst API Throughput. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Concurrent User Capacity	standard or plan-limited as stated	Plan-specific; see fact rule
Sustained API Throughput	Enterprise-tier capability	Enterprise and Dedicated
Burst API Throughput	standard capability	Business

Concurrent User Capacity

Enterprise supports 500 concurrently active interactive users under the standard performance profile; Dedicated supports 2,000 and Business 100.

For contracting purposes, simultaneously active human users by plan is evaluated against the effective guide and the tenant's recorded configuration. Its current state is standard or plan-limited as stated, with scope limited to Plan-specific; see fact rule. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The service owner must resolve any documentary conflict before the dependent control is enabled.

For simultaneously active human users by plan, Product Operations creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Frankfurt. Production use starts only when the signed configuration export contains the expected value and a successful UTC timestamp. The record is reviewed every 35 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the simultaneously active human users by plan baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 35 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For simultaneously active human users by plan, the verification job samples the configured state at an interval of 1 hour while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Product Operations; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for simultaneously active human users by plan combines the signed configuration export, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of simultaneously active human users by plan fails, new dependent operations stop while committed records remain readable. Product Operations determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the service owner. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for simultaneously active human users by plan is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the signed configuration export.

When simultaneously active human users by plan appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Plan-specific; see fact rule boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Frankfurt implementation when the signed scope is Plan-specific; see fact rule and the signed configuration export identifies the effective release. Acceptance is limited to simultaneously active human users by plan. Changing the service region to Singapore invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving simultaneously active human users by plan is to combine old and current guidance or apply one subscription's value to another. API request rate is a separate workload measure. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to simultaneously active human users by plan eligibility, numeric limits, regional coverage, or capability state are announced at least 180 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Frankfurt renewal, Regional Reliability must decide whether simultaneously active human users by plan can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 45 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Virginia tenant asks whether simultaneously active human users by plan remains contractually available after a configuration change. Customer Success checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 60 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Singapore tenant, Platform Engineering compares the requested treatment of simultaneously active human users by plan with the current entitlement and live configuration. Approval is time-bounded to 90 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in Sydney changes an implementation parameter that may affect simultaneously active human users by plan. Product Operations verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 120 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Sustained API Throughput

For sustained api throughput, version 3.2 classifies the function as Enterprise-tier capability for Enterprise and Dedicated. Its control record is reviewed every 60 days, operational evidence is sampled every 2 hours, and any approved exception expires after 45 days.

The commercial boundary for the continuous API request rate is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is Enterprise-tier capability, and the recorded scope is Enterprise and Dedicated. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the tenant security administrator records a written resolution.

Activation of the continuous API request rate begins with a request owned by Security Assurance. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Virginia, and the resulting tenant control report must be attached before the feature is released to users. Routine reassessment occurs every 60 days as well as after any material tenant change.

Where the baseline for the continuous API request rate cannot be met, the customer and Security Assurance must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 45 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 2 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Security Assurance and shown as a failed control until

resolved. Verification is deliberately scoped to the continuous API request rate, so adjacent policies require their own evidence.

The customer-facing evidence package for the continuous API request rate contains the tenant control report, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed the continuous API request rate check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Security Assurance diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and tenant security administrator approval; unrelated contractual timers continue unchanged.

For the continuous API request rate, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a tenant control report. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for the continuous API request rate begins with its current state-Enterprise-tier capability-and the applicable commercial scope-Enterprise and Dedicated. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Enterprise and Dedicated completes activation in Virginia and presents versioned evidence that matches the live setting. This supports the claim for the continuous API request rate, but no broader claim. If deployment moves to Sydney, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for the continuous API request rate cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent performance and capacity control uses a 120-day window and applies to Dedicated; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to the continuous API request rate is 365 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Virginia tenant asks whether the continuous API request rate remains contractually available after a configuration change. Customer Success checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 60 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Singapore tenant, Platform Engineering compares the requested treatment of the continuous API request rate with the current entitlement and live configuration. Approval is time-bounded to 90 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Sydney changes an implementation parameter that may affect the continuous API request rate. Product Operations verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 120 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a mainland China renewal, Security Assurance must decide whether the continuous API request rate can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Burst API Throughput

For burst api throughput, version 3.2 classifies the function as standard capability for Business. Its control record is reviewed every 120 days, operational evidence is sampled every 4 hours, and any approved exception expires after 60 days.

Before committing to burst api throughput, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies standard capability for Business. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the regional operations lead before the response is approved.

To configure burst api throughput, Regional Reliability verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Singapore and stores a UTC-stamped change ticket. A failed or incomplete test keeps production disabled. Successful configurations return to review every 120 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for burst api throughput does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 60 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 4 hours against the tenant registry. A mismatch opens a case for Regional Reliability, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to burst api throughput; it does not certify a neighboring identity, logging, resilience, or integration control.

For burst api throughput, auditors receive a UTC-stamped change ticket that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for burst api throughput no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Regional Reliability. Investigation separates configuration drift from subscription or regional ineligibility. The regional operations lead authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by burst api throughput. DealFlow validates only the platform boundary it operates and records that result in a UTC-stamped change ticket. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about burst api throughput must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use standard capability as the lifecycle description and Business as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Business, the control is activated in Singapore, and the evidence names the current version. The assessor accepts the package for burst api throughput only. If the tenant later moves to mainland China, the prior result remains historical and a new regional verification is required.

An invalid interpretation of burst api throughput substitutes a nearby control because its terminology appears similar. The adjacent performance and capacity control uses a 180-day window and applies to Enterprise and Dedicated; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to burst api throughput scope, units, limits, regions, or lifecycle status follow a minimum 7-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Singapore tenant, Platform Engineering compares the requested treatment of burst api throughput with the current entitlement and live configuration. Approval is time-bounded to 90 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Sydney changes an implementation parameter that may affect burst api throughput. Product Operations verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 120 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a mainland China renewal, Security Assurance must decide whether burst api throughput can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A Frankfurt tenant asks whether burst api throughput remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Performance And Capacity Configuration and Operations

This business area brings together Markdown Upload Size, PDF Upload Size, DOCX Upload Size. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Markdown Upload Size	Enterprise-only capability	Enterprise
PDF Upload Size	standard or plan-limited as stated	Plan-specific; see fact rule
DOCX Upload Size	Enterprise-tier capability	Enterprise and Dedicated

Markdown Upload Size

For markdown upload size, version 3.2 classifies the function as Enterprise-only capability for Enterprise. Its control record is reviewed every 365 days, operational evidence is sampled every 6 hours, and any approved exception expires after 90 days.

Eligibility for markdown upload size follows the current product register rather than feature-name similarity. The governing entry lists the state as Enterprise-only capability and the customer scope as Enterprise; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the change advisory board instead of being treated as an entitlement.

The operational workflow for markdown upload size assigns Customer Success to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Sydney; evidence is captured in a regional assurance workbook with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 365 days.

An exception for markdown upload size must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 90 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for markdown upload size compares the live setting with the approved record every 6 hours during implementation. Drift is assigned to Customer Success with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for markdown upload size is delivered as a regional assurance workbook with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for markdown upload size suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Customer Success records impact, cause, correction, and retest results. Re-enablement requires the change advisory board's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For markdown upload size, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the regional assurance workbook for its portion.

Procurement responses for markdown upload size separate product availability from implementation effort. The response records Enterprise-only capability, identifies Enterprise, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work,

professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Enterprise tenant enabled in Sydney. Its entitlement, live value, version, and evidence agree, so the assessor can accept markdown upload size. The same record cannot prove another capability. A later migration to Frankfurt triggers a new check and preserves the original result solely as audit history.

Evidence for markdown upload size is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent performance and capacity control uses a 365-day window and applies to Business; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for markdown upload size 14 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Sydney changes an implementation parameter that may affect markdown upload size. Product Operations verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 120 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a mainland China renewal, Security Assurance must decide whether markdown upload size can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Frankfurt tenant asks whether markdown upload size remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of markdown upload size with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

PDF Upload Size

A PDF upload may be at most 50 MiB in Business and Enterprise or 200 MiB in Dedicated.

For contracting purposes, maximum PDF file size for each edition is evaluated against the effective guide and the tenant's recorded configuration. Its current state is standard or plan-limited as stated, with scope limited to Plan-specific; see fact rule. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The data protection officer must resolve any documentary conflict before the dependent control is enabled.

For maximum PDF file size for each edition, Platform Engineering creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in mainland China. Production use starts only when the machine-readable audit bundle contains the expected value and a successful UTC timestamp. The record is reviewed every 14 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the maximum PDF file size for each edition baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 120 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For maximum PDF file size for each edition, the verification job samples the configured state at an interval of 8 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Platform

Engineering; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for maximum PDF file size for each edition combines the machine-readable audit bundle, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of maximum PDF file size for each edition fails, new dependent operations stop while committed records remain readable. Platform Engineering determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the data protection officer. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for maximum PDF file size for each edition is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the machine-readable audit bundle.

When maximum PDF file size for each edition appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Plan-specific; see fact rule boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a mainland China implementation when the signed scope is Plan-specific; see fact rule and the machine-readable audit bundle identifies the effective release. Acceptance is limited to maximum PDF file size for each edition. Changing the service region to Virginia invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving maximum PDF file size for each edition is to combine old and current guidance or apply one subscription's value to another. The 500-page parser limit is independent of byte size. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to maximum PDF file size for each edition eligibility, numeric limits, regional coverage, or capability state are announced at least 21 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a mainland China renewal, Security Assurance must decide whether maximum PDF file size for each edition can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Frankfurt tenant asks whether maximum PDF file size for each edition remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of maximum PDF file size for each edition with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in Singapore changes an implementation parameter that may affect maximum PDF file size for each edition. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

DOCX Upload Size

For docx upload size, version 3.2 classifies the function as Enterprise-tier capability for Enterprise and Dedicated. Its control record is reviewed every 30 days, operational evidence is sampled every 12 hours, and any approved exception expires after 180 days.

The commercial boundary for docx upload size is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is Enterprise-tier capability, and the recorded scope is Enterprise and Dedicated. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the service owner records a written resolution.

Activation of docx upload size begins with a request owned by Product Operations. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Frankfurt, and the resulting signed configuration export must be attached before the feature is released to users. Routine reassessment occurs every 30 days as well as after any material tenant change.

Where the baseline for docx upload size cannot be met, the customer and Product Operations must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 180 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 12 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Product Operations and shown as a failed control until resolved. Verification is deliberately scoped to docx upload size, so adjacent policies require their own evidence.

The customer-facing evidence package for docx upload size contains the signed configuration export, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed docx upload size check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Product Operations diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and service owner approval; unrelated contractual timers continue unchanged.

For docx upload size, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a signed configuration export. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for docx upload size begins with its current state-Enterprise-tier capability-and the applicable commercial scope-Enterprise and Dedicated. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Enterprise and Dedicated completes activation in Frankfurt and presents versioned evidence that matches the live setting. This supports the claim for docx upload size, but no broader claim. If deployment moves to Singapore, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for docx upload size cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent performance and capacity control uses a 14-day window and applies to Dedicated; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to docx upload size is 30 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Frankfurt tenant asks whether docx upload size remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of docx upload size with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Singapore changes an implementation parameter that may affect docx upload size. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a Sydney renewal, Product Operations must decide whether docx upload size can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Performance And Capacity Limits and Exception Handling

This business area brings together PDF Page Limit, Knowledge Corpus Size, Workspace Count. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
PDF Page Limit	standard or plan-limited as stated	Plan-specific; see fact rule
Knowledge Corpus Size	Enterprise-only capability	Enterprise
Workspace Count	Dedicated-only capability	Dedicated

PDF Page Limit

The standard parser accepts at most 500 PDF pages per document; larger files must be split before ingestion.

Before committing to maximum pages accepted in one PDF, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies standard or plan-limited as stated for Plan-specific; see fact rule. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the tenant security administrator before the response is approved.

To configure maximum pages accepted in one PDF, Security Assurance verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Virginia and stores a tenant control report. A failed or incomplete test keeps production disabled. Successful configurations return to review every 45 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for maximum pages accepted in one PDF does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 365 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 24 hours against the tenant registry. A mismatch opens a case for Security Assurance, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to maximum pages accepted in one PDF; it does not certify a neighboring identity, logging, resilience, or integration control.

For maximum pages accepted in one PDF, auditors receive a tenant control report that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for maximum pages accepted in one PDF no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Security Assurance. Investigation separates configuration drift from subscription or regional ineligibility. The tenant security administrator authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by maximum pages accepted in one PDF. DealFlow validates only the platform boundary it operates and records that result in a tenant control report. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about maximum pages accepted in one PDF must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use standard or plan-limited as stated as the lifecycle description and Plan-specific; see fact rule as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Plan-specific; see fact rule, the control is activated in Virginia, and the evidence names the current version. The assessor accepts the package for maximum pages accepted in one PDF only. If the tenant later moves to Sydney, the prior result remains historical and a new regional verification is required.

An invalid interpretation of maximum pages accepted in one PDF substitutes a nearby control because its terminology appears similar. The 50 MiB upload limit does not imply a page count. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to maximum pages accepted in one PDF scope, units, limits, regions, or lifecycle status follow a minimum 35-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of maximum pages accepted in one PDF with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Singapore changes an implementation parameter that may affect maximum pages accepted in one PDF. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Sydney renewal, Product Operations must decide whether maximum pages accepted in one PDF can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A mainland China tenant asks whether maximum pages accepted in one PDF remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Knowledge Corpus Size

For knowledge corpus size, version 3.2 classifies the function as Enterprise-only capability for Enterprise. Its control record is reviewed every 90 days, operational evidence is sampled every 48 hours, and any approved exception expires after 7 days.

Eligibility for knowledge corpus size follows the current product register rather than feature-name similarity. The governing entry lists the state as Enterprise-only capability and the customer scope as Enterprise; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the regional operations lead instead of being treated as an entitlement.

The operational workflow for knowledge corpus size assigns Regional Reliability to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Singapore; evidence is captured in a UTC-stamped change ticket with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 90 days.

An exception for knowledge corpus size must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 7 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for knowledge corpus size compares the live setting with the approved record every 48 hours during implementation. Drift is assigned to Regional Reliability with both values and the observation time attached. Until

reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for knowledge corpus size is delivered as a UTC-stamped change ticket with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for knowledge corpus size suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Regional Reliability records impact, cause, correction, and retest results. Re-enablement requires the regional operations lead's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For knowledge corpus size, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the UTC-stamped change ticket for its portion.

Procurement responses for knowledge corpus size separate product availability from implementation effort. The response records Enterprise-only capability, identifies Enterprise, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Enterprise tenant enabled in Singapore. Its entitlement, live value, version, and evidence agree, so the assessor can accept knowledge corpus size. The same record cannot prove another capability. A later migration to mainland China triggers a new check and preserves the original result solely as audit history.

Evidence for knowledge corpus size is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent performance and capacity control uses a 30-day window and applies to Business; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for knowledge corpus size 45 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Singapore changes an implementation parameter that may affect knowledge corpus size. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Sydney renewal, Product Operations must decide whether knowledge corpus size can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A mainland China tenant asks whether knowledge corpus size remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of knowledge corpus size with the current entitlement and live configuration. Approval is time-bounded to 35 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Workspace Count

For workspace count, version 3.2 classifies the function as Dedicated-only capability for Dedicated. Its control record is reviewed every 180 days, operational evidence is sampled every 72 hours, and any approved exception expires after 14 days.

For contracting purposes, workspace count is evaluated against the effective guide and the tenant's recorded configuration. Its current state is Dedicated-only capability, with scope limited to Dedicated. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The change advisory board must resolve any documentary conflict before the dependent control is enabled.

For workspace count, Customer Success creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Sydney. Production use starts only when the regional assurance workbook contains the expected value and a successful UTC timestamp. The record is reviewed every 180 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the workspace count baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 14 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For workspace count, the verification job samples the configured state at an interval of 72 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Customer Success; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for workspace count combines the regional assurance workbook, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of workspace count fails, new dependent operations stop while committed records remain readable. Customer Success determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the change advisory board. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for workspace count is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the regional assurance workbook.

When workspace count appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Dedicated boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Sydney implementation when the signed scope is Dedicated and the regional assurance workbook identifies the effective release. Acceptance is limited to workspace count. Changing the service region to Frankfurt invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving workspace count is to combine old and current guidance or apply one subscription's value to another. The adjacent performance and capacity control uses a 35-day window and applies to Enterprise; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to workspace count eligibility, numeric limits, regional coverage, or capability state are announced at least 60 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Sydney renewal, Product Operations must decide whether workspace count can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A mainland China tenant asks whether workspace count remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of workspace count with the current entitlement and live configuration. Approval is time-bounded to 35 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in Virginia changes an implementation parameter that may affect workspace count. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 45 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Performance And Capacity Evidence and Lifecycle Assurance

This business area brings together Proposal Generation Concurrency, Indexing Throughput, Performance Test Conditions. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Proposal Generation Concurrency	Enterprise-tier capability	Enterprise and Dedicated
Indexing Throughput	standard capability	Business
Performance Test Conditions	Enterprise-only capability	Enterprise

Proposal Generation Concurrency

For proposal generation concurrency, version 3.2 classifies the function as Enterprise-tier capability for Enterprise and Dedicated. Its control record is reviewed every 7 days, operational evidence is sampled every 1 hour, and any approved exception expires after 21 days.

The commercial boundary for proposal generation concurrency is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is Enterprise-tier capability, and the recorded scope is Enterprise and Dedicated. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the data protection officer records a written resolution.

Activation of proposal generation concurrency begins with a request owned by Platform Engineering. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in mainland China, and the resulting machine-readable audit bundle must be attached before the feature is released to users. Routine reassessment occurs every 7 days as well as after any material tenant change.

Where the baseline for proposal generation concurrency cannot be met, the customer and Platform Engineering must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 21 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 1 hour. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Platform Engineering and shown as a failed control until resolved. Verification is deliberately scoped to proposal generation concurrency, so adjacent policies require their own evidence.

The customer-facing evidence package for proposal generation concurrency contains the machine-readable audit bundle, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed proposal generation concurrency check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Platform Engineering diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and data protection officer approval; unrelated contractual timers continue unchanged.

For proposal generation concurrency, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a machine-readable audit bundle. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for proposal generation concurrency begins with its current state-Enterprise-tier capability-and the applicable commercial scope-Enterprise and Dedicated. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be

mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Enterprise and Dedicated completes activation in mainland China and presents versioned evidence that matches the live setting. This supports the claim for proposal generation concurrency, but no broader claim. If deployment moves to Virginia, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for proposal generation concurrency cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent performance and capacity control uses a 45-day window and applies to Dedicated; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to proposal generation concurrency is 90 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A mainland China tenant asks whether proposal generation concurrency remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of proposal generation concurrency with the current entitlement and live configuration. Approval is time-bounded to 35 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Virginia changes an implementation parameter that may affect proposal generation concurrency. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 45 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a Singapore renewal, Platform Engineering must decide whether proposal generation concurrency can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 60 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Indexing Throughput

For indexing throughput, version 3.2 classifies the function as standard capability for Business. Its control record is reviewed every 21 days, operational evidence is sampled every 2 hours, and any approved exception expires after 30 days.

Before committing to indexing throughput, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies standard capability for Business. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the service owner before the response is approved.

To configure indexing throughput, Product Operations verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Frankfurt and stores a signed configuration export. A failed or incomplete test keeps production disabled. Successful configurations return to review every 21 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for indexing throughput does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 30 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 2 hours against the tenant registry. A mismatch opens a case for Product Operations, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to indexing throughput; it does not certify a neighboring identity, logging, resilience, or integration control.

For indexing throughput, auditors receive a signed configuration export that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for indexing throughput no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Product Operations. Investigation separates configuration drift from subscription or regional ineligibility. The service owner authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by indexing throughput. DealFlow validates only the platform boundary it operates and records that result in a signed configuration export. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about indexing throughput must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use standard capability as the lifecycle description and Business as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Business, the control is activated in Frankfurt, and the evidence names the current version. The assessor accepts the package for indexing throughput only. If the tenant later moves to Singapore, the prior result remains historical and a new regional verification is required.

An invalid interpretation of indexing throughput substitutes a nearby control because its terminology appears similar. The adjacent performance and capacity control uses a 60-day window and applies to Enterprise and Dedicated; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to indexing throughput scope, units, limits, regions, or lifecycle status follow a minimum 120-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of indexing throughput with the current entitlement and live configuration. Approval is time-bounded to 35 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Virginia changes an implementation parameter that may affect indexing throughput. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 45 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Singapore renewal, Platform Engineering must decide whether indexing throughput can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 60 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A Sydney tenant asks whether indexing throughput remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 90 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Performance Test Conditions

For performance test conditions, version 3.2 classifies the function as Enterprise-only capability for Enterprise. Its control record is reviewed every 35 days, operational evidence is sampled every 4 hours, and any approved exception expires after 35 days.

Eligibility for performance test conditions follows the current product register rather than feature-name similarity. The governing entry lists the state as Enterprise-only capability and the customer scope as Enterprise; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the tenant security administrator instead of being treated as an entitlement.

The operational workflow for performance test conditions assigns Security Assurance to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Virginia; evidence is captured in a tenant control report with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 35 days.

An exception for performance test conditions must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 35 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for performance test conditions compares the live setting with the approved record every 4 hours during implementation. Drift is assigned to Security Assurance with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for performance test conditions is delivered as a tenant control report with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for performance test conditions suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Security Assurance records impact, cause, correction, and retest results. Re-enablement requires the tenant security administrator's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For performance test conditions, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the tenant control report for its portion.

Procurement responses for performance test conditions separate product availability from implementation effort. The response records Enterprise-only capability, identifies Enterprise, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Enterprise tenant enabled in Virginia. Its entitlement, live value, version, and evidence agree, so the assessor can accept performance test conditions. The same record cannot prove another capability. A later migration to Sydney triggers a new check and preserves the original result solely as audit history.

Evidence for performance test conditions is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent performance and capacity control uses a 90-day window and applies to Business; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for performance test conditions 180 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Virginia changes an implementation parameter that may affect performance test conditions. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 45 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Singapore renewal, Platform Engineering must decide whether performance test conditions can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 60 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Sydney tenant asks whether performance test conditions remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 90 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of performance test conditions with the current entitlement and live configuration. Approval is time-bounded to 120 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.