

DealFlow Knowledge Chunking and Incremental Update Architecture

Enterprise knowledge document - PDF reference edition

DOCUMENT STATUS	current
EFFECTIVE FROM	2025-07-01
PRODUCT VERSION	3.2

Canonical source: 17-knowledge-chunk-incremental-update.md
PDF generated: 2026-09-18
The Markdown source remains the canonical retrieval-evaluation artifact.

Contents

Knowledge Indexing Scope and Eligibility	3
Source Document Registry	3
MySQL Metadata Role	4
MinIO Artifact Role	6
Knowledge Indexing Configuration and Operations	8
Parent Chunk Content	8
Child Chunk Vectors	9
Qdrant Point Model	11
Knowledge Indexing Limits and Exception Handling	13
Content Hashing	13
Incremental Re-indexing	14
Unchanged Content Reuse	16
Knowledge Indexing Evidence and Lifecycle Assurance	18
Document Deletion	18
Vector Cleanup	19
Index Versioning	21

Knowledge Indexing Scope and Eligibility

This business area brings together Source Document Registry, MySQL Metadata Role, MinIO Artifact Role. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Source Document Registry	Dedicated-only capability	Dedicated
MySQL Metadata Role	Enterprise-tier capability	Enterprise and Dedicated
MinIO Artifact Role	standard capability	Business

Source Document Registry

For source document registry, version 3.2 classifies the function as Dedicated-only capability for Dedicated. Its control record is reviewed every 60 days, operational evidence is sampled every 24 hours, and any approved exception expires after 35 days.

Before committing to source document registry, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies Dedicated-only capability for Dedicated. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the data protection officer before the response is approved.

To configure source document registry, Regional Reliability verifies entitlement first and then records the environment-specific value. An independent operator tests the result in mainland China and stores a UTC-stamped change ticket. A failed or incomplete test keeps production disabled. Successful configurations return to review every 60 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for source document registry does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 35 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 24 hours against the tenant registry. A mismatch opens a case for Regional Reliability, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to source document registry; it does not certify a neighboring identity, logging, resilience, or integration control.

For source document registry, auditors receive a UTC-stamped change ticket that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for source document registry no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Regional Reliability. Investigation separates configuration drift from subscription or regional ineligibility. The data protection officer authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by source document registry. DealFlow validates only the platform boundary it operates and records that result in a UTC-stamped change ticket. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about source document registry must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use Dedicated-only capability as the lifecycle description and Dedicated as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Dedicated, the control is activated in mainland China, and the evidence names the current version. The assessor accepts the package for source document registry only. If the tenant later moves to Virginia, the prior result remains historical and a new regional verification is required.

An invalid interpretation of source document registry substitutes a nearby control because its terminology appears similar. The adjacent knowledge indexing control uses a 180-day window and applies to Enterprise; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to source document registry scope, units, limits, regions, or lifecycle status follow a minimum 7-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Singapore tenant, Platform Engineering compares the requested treatment of source document registry with the current entitlement and live configuration. Approval is time-bounded to 90 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Sydney changes an implementation parameter that may affect source document registry. Product Operations verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 120 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a mainland China renewal, Security Assurance must decide whether source document registry can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A Frankfurt tenant asks whether source document registry remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 5. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of source document registry with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

MySQL Metadata Role

For mysql metadata role, version 3.2 classifies the function as Enterprise-tier capability for Enterprise and Dedicated. Its control record is reviewed every 120 days, operational evidence is sampled every 48 hours, and any approved exception expires after 45 days.

Eligibility for mysql metadata role follows the current product register rather than feature-name similarity. The governing entry lists the state as Enterprise-tier capability and the customer scope as Enterprise and Dedicated; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the service owner instead of being treated as an entitlement.

The operational workflow for mysql metadata role assigns Customer Success to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Frankfurt; evidence is captured in a regional assurance workbook with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 120 days.

An exception for mysql metadata role must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 45 days after approval, and renewal requires a fresh decision. Roadmap

language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for mysql metadata role compares the live setting with the approved record every 48 hours during implementation. Drift is assigned to Customer Success with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for mysql metadata role is delivered as a regional assurance workbook with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for mysql metadata role suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Customer Success records impact, cause, correction, and retest results. Re-enablement requires the service owner's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For mysql metadata role, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the regional assurance workbook for its portion.

Procurement responses for mysql metadata role separate product availability from implementation effort. The response records Enterprise-tier capability, identifies Enterprise and Dedicated, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Enterprise and Dedicated tenant enabled in Frankfurt. Its entitlement, live value, version, and evidence agree, so the assessor can accept mysql metadata role. The same record cannot prove another capability. A later migration to Singapore triggers a new check and preserves the original result solely as audit history.

Evidence for mysql metadata role is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent knowledge indexing control uses a 365-day window and applies to Dedicated; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for mysql metadata role 14 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Sydney changes an implementation parameter that may affect mysql metadata role. Product Operations verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 120 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a mainland China renewal, Security Assurance must decide whether mysql metadata role can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Frankfurt tenant asks whether mysql metadata role remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of mysql metadata role with the current entitlement and live configuration. Approval is time-bounded to 7 days

and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 5. A customer in Singapore changes an implementation parameter that may affect mysql metadata role. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

MinIO Artifact Role

For minio artifact role, version 3.2 classifies the function as standard capability for Business. Its control record is reviewed every 365 days, operational evidence is sampled every 72 hours, and any approved exception expires after 60 days.

For contracting purposes, minio artifact role is evaluated against the effective guide and the tenant's recorded configuration. Its current state is standard capability, with scope limited to Business. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The tenant security administrator must resolve any documentary conflict before the dependent control is enabled.

For minio artifact role, Platform Engineering creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Virginia. Production use starts only when the machine-readable audit bundle contains the expected value and a successful UTC timestamp. The record is reviewed every 365 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the minio artifact role baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 60 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For minio artifact role, the verification job samples the configured state at an interval of 72 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Platform Engineering; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for minio artifact role combines the machine-readable audit bundle, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of minio artifact role fails, new dependent operations stop while committed records remain readable. Platform Engineering determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the tenant security administrator. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for minio artifact role is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the machine-readable audit bundle.

When minio artifact role appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Business boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Virginia implementation when the signed scope is Business and the machine-readable audit bundle identifies the effective release. Acceptance is limited to minio artifact role. Changing the service region to Sydney invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving minio artifact role is to combine old and current guidance or apply one subscription's value to another. The adjacent knowledge indexing control uses a 7-day window and applies to Enterprise and Dedicated; those

values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to minio artifact role eligibility, numeric limits, regional coverage, or capability state are announced at least 21 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a mainland China renewal, Security Assurance must decide whether minio artifact role can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Frankfurt tenant asks whether minio artifact role remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of minio artifact role with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in Singapore changes an implementation parameter that may affect minio artifact role. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 5. For a Sydney renewal, Product Operations must decide whether minio artifact role can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Knowledge Indexing Configuration and Operations

This business area brings together Parent Chunk Content, Child Chunk Vectors, Qdrant Point Model. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Parent Chunk Content	standard or plan-limited as stated	Plan-specific; see fact rule
Child Chunk Vectors	standard or plan-limited as stated	Plan-specific; see fact rule
Qdrant Point Model	Enterprise-tier capability	Enterprise and Dedicated

Parent Chunk Content

Parent chunks retain the larger evidence text and stable section path; they are expanded after retrieval and are not stored as Qdrant search points.

The commercial boundary for where complete evidence text is retained in hierarchical retrieval is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is standard or plan-limited as stated, and the recorded scope is Plan-specific; see fact rule. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the regional operations lead records a written resolution.

Activation of where complete evidence text is retained in hierarchical retrieval begins with a request owned by Product Operations. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Singapore, and the resulting signed configuration export must be attached before the feature is released to users. Routine reassessment occurs every 14 days as well as after any material tenant change.

Where the baseline for where complete evidence text is retained in hierarchical retrieval cannot be met, the customer and Product Operations must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 90 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 1 hour. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Product Operations and shown as a failed control until resolved. Verification is deliberately scoped to where complete evidence text is retained in hierarchical retrieval, so adjacent policies require their own evidence.

The customer-facing evidence package for where complete evidence text is retained in hierarchical retrieval contains the signed configuration export, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed where complete evidence text is retained in hierarchical retrieval check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Product Operations diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and regional operations lead approval; unrelated contractual timers continue unchanged.

For where complete evidence text is retained in hierarchical retrieval, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a signed configuration export. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for where complete evidence text is retained in hierarchical retrieval begins with its current state-standard or plan-limited as stated-and the applicable commercial scope-Plan-specific; see fact rule. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or

neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Plan-specific; see fact rule completes activation in Singapore and presents versioned evidence that matches the live setting. This supports the claim for where complete evidence text is retained in hierarchical retrieval, but no broader claim. If deployment moves to mainland China, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for where complete evidence text is retained in hierarchical retrieval cites a similarly named policy with a different number, lifecycle state, or subscription. Child chunks carry retrieval vectors and reference their parent identifier. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to where complete evidence text is retained in hierarchical retrieval is 30 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Frankfurt tenant asks whether where complete evidence text is retained in hierarchical retrieval remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of where complete evidence text is retained in hierarchical retrieval with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Singapore changes an implementation parameter that may affect where complete evidence text is retained in hierarchical retrieval. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a Sydney renewal, Product Operations must decide whether where complete evidence text is retained in hierarchical retrieval can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 5. A mainland China tenant asks whether where complete evidence text is retained in hierarchical retrieval remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Child Chunk Vectors

Each child chunk produces one dense vector and one sparse representation in a Qdrant point and carries its parent identifier.

Before committing to which unit is embedded and indexed for retrieval, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies standard or plan-limited as stated for Plan-specific; see fact rule. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the change advisory board before the response is approved.

To configure which unit is embedded and indexed for retrieval, Security Assurance verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Sydney and stores a tenant control report. A failed or incomplete test keeps production disabled. Successful configurations return to review every 30 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for which unit is embedded and indexed for retrieval does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 120 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 2 hours against the tenant registry. A mismatch opens a case for Security Assurance, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to which unit is embedded and indexed for retrieval; it does not certify a neighboring identity, logging, resilience, or integration control.

For which unit is embedded and indexed for retrieval, auditors receive a tenant control report that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for which unit is embedded and indexed for retrieval no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Security Assurance. Investigation separates configuration drift from subscription or regional ineligibility. The change advisory board authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by which unit is embedded and indexed for retrieval. DealFlow validates only the platform boundary it operates and records that result in a tenant control report. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about which unit is embedded and indexed for retrieval must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use standard or plan-limited as stated as the lifecycle description and Plan-specific; see fact rule as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Plan-specific; see fact rule, the control is activated in Sydney, and the evidence names the current version. The assessor accepts the package for which unit is embedded and indexed for retrieval only. If the tenant later moves to Frankfurt, the prior result remains historical and a new regional verification is required.

An invalid interpretation of which unit is embedded and indexed for retrieval substitutes a nearby control because its terminology appears similar. MySQL stores document and chunk metadata but is not the vector search engine. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to which unit is embedded and indexed for retrieval scope, units, limits, regions, or lifecycle status follow a minimum 35-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of which unit is embedded and indexed for retrieval with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Singapore changes an implementation parameter that may affect which unit is embedded and indexed for retrieval. Platform Engineering verifies the version, plan, region, state, unit, and exclusion

before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Sydney renewal, Product Operations must decide whether which unit is embedded and indexed for retrieval can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A mainland China tenant asks whether which unit is embedded and indexed for retrieval remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 5. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of which unit is embedded and indexed for retrieval with the current entitlement and live configuration. Approval is time-bounded to 35 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Qdrant Point Model

For qdrant point model, version 3.2 classifies the function as Enterprise-tier capability for Enterprise and Dedicated. Its control record is reviewed every 45 days, operational evidence is sampled every 4 hours, and any approved exception expires after 180 days.

Eligibility for the vector and sparse payload stored for each searchable unit follows the current product register rather than feature-name similarity. The governing entry lists the state as Enterprise-tier capability and the customer scope as Enterprise and Dedicated; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the data protection officer instead of being treated as an entitlement.

The operational workflow for the vector and sparse payload stored for each searchable unit assigns Regional Reliability to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in mainland China; evidence is captured in a UTC-stamped change ticket with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 45 days.

An exception for the vector and sparse payload stored for each searchable unit must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 180 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for the vector and sparse payload stored for each searchable unit compares the live setting with the approved record every 4 hours during implementation. Drift is assigned to Regional Reliability with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for the vector and sparse payload stored for each searchable unit is delivered as a UTC-stamped change ticket with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for the vector and sparse payload stored for each searchable unit suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Regional Reliability records impact, cause, correction, and retest results. Re-enablement requires the data protection officer's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For the vector and sparse payload stored for each searchable unit, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises

components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the UTC-stamped change ticket for its portion.

Procurement responses for the vector and sparse payload stored for each searchable unit separate product availability from implementation effort. The response records Enterprise-tier capability, identifies Enterprise and Dedicated, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Enterprise and Dedicated tenant enabled in mainland China. Its entitlement, live value, version, and evidence agree, so the assessor can accept the vector and sparse payload stored for each searchable unit. The same record cannot prove another capability. A later migration to Virginia triggers a new check and preserves the original result solely as audit history.

Evidence for the vector and sparse payload stored for each searchable unit is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent knowledge indexing control uses a 30-day window and applies to Dedicated; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for the vector and sparse payload stored for each searchable unit 45 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Singapore changes an implementation parameter that may affect the vector and sparse payload stored for each searchable unit. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Sydney renewal, Product Operations must decide whether the vector and sparse payload stored for each searchable unit can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A mainland China tenant asks whether the vector and sparse payload stored for each searchable unit remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of the vector and sparse payload stored for each searchable unit with the current entitlement and live configuration. Approval is time-bounded to 35 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 5. A customer in Virginia changes an implementation parameter that may affect the vector and sparse payload stored for each searchable unit. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 45 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Knowledge Indexing Limits and Exception Handling

This business area brings together Content Hashing, Incremental Re-indexing, Unchanged Content Reuse. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Content Hashing	standard capability	Business
Incremental Re-indexing	standard or plan-limited as stated	Plan-specific; see fact rule
Unchanged Content Reuse	Dedicated-only capability	Dedicated

Content Hashing

For content hashing, version 3.2 classifies the function as standard capability for Business. Its control record is reviewed every 90 days, operational evidence is sampled every 6 hours, and any approved exception expires after 365 days.

For contracting purposes, content hashing is evaluated against the effective guide and the tenant's recorded configuration. Its current state is standard capability, with scope limited to Business. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The service owner must resolve any documentary conflict before the dependent control is enabled.

For content hashing, Customer Success creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Frankfurt. Production use starts only when the regional assurance workbook contains the expected value and a successful UTC timestamp. The record is reviewed every 90 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the content hashing baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 365 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For content hashing, the verification job samples the configured state at an interval of 6 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Customer Success; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for content hashing combines the regional assurance workbook, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of content hashing fails, new dependent operations stop while committed records remain readable. Customer Success determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the service owner. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for content hashing is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the regional assurance workbook.

When content hashing appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Business boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Frankfurt implementation when the signed scope is Business and the regional assurance workbook identifies the effective release. Acceptance is limited to content hashing. Changing the service region to Singapore invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving content hashing is to combine old and current guidance or apply one subscription's value to another. The adjacent knowledge indexing control uses a 35-day window and applies to Enterprise and Dedicated; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to content hashing eligibility, numeric limits, regional coverage, or capability state are announced at least 60 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Sydney renewal, Product Operations must decide whether content hashing can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A mainland China tenant asks whether content hashing remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of content hashing with the current entitlement and live configuration. Approval is time-bounded to 35 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in Virginia changes an implementation parameter that may affect content hashing. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 45 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 5. For a Singapore renewal, Platform Engineering must decide whether content hashing can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 60 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Incremental Re-indexing

Incremental indexing compares content hashes, reuses unchanged child vectors, embeds changed children, and deletes obsolete points in one document-scoped update.

The commercial boundary for avoiding repeat embeddings while synchronizing changed content is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is standard or plan-limited as stated, and the recorded scope is Plan-specific; see fact rule. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the tenant security administrator records a written resolution.

Activation of avoiding repeat embeddings while synchronizing changed content begins with a request owned by Platform Engineering. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Virginia, and the resulting machine-readable audit bundle must be attached before the feature is released to users. Routine reassessment occurs every 180 days as well as after any material tenant change.

Where the baseline for avoiding repeat embeddings while synchronizing changed content cannot be met, the customer and Platform Engineering must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 7 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 8 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Platform Engineering and shown as a failed control until resolved. Verification is deliberately scoped to avoiding repeat embeddings while synchronizing changed content, so adjacent policies require their own evidence.

The customer-facing evidence package for avoiding repeat embeddings while synchronizing changed content contains the machine-readable audit bundle, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed avoiding repeat embeddings while synchronizing changed content check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Platform Engineering diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and tenant security administrator approval; unrelated contractual timers continue unchanged.

For avoiding repeat embeddings while synchronizing changed content, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a machine-readable audit bundle. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for avoiding repeat embeddings while synchronizing changed content begins with its current state-standard or plan-limited as stated-and the applicable commercial scope-Plan-specific; see fact rule. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Plan-specific; see fact rule completes activation in Virginia and presents versioned evidence that matches the live setting. This supports the claim for avoiding repeat embeddings while synchronizing changed content, but no broader claim. If deployment moves to Sydney, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for avoiding repeat embeddings while synchronizing changed content cites a similarly named policy with a different number, lifecycle state, or subscription. Uploading an unchanged file does not force every child to be embedded again. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to avoiding repeat embeddings while synchronizing changed content is 90 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A mainland China tenant asks whether avoiding repeat embeddings while synchronizing changed content remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of avoiding repeat embeddings while synchronizing changed content with the current entitlement and live configuration. Approval is time-bounded to 35 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Virginia changes an implementation parameter that may affect avoiding repeat embeddings while synchronizing changed content. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 45 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a Singapore renewal, Platform Engineering must decide whether avoiding repeat embeddings while synchronizing changed content can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 60 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 5. A Sydney tenant asks whether avoiding repeat embeddings while synchronizing changed content remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 90 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Unchanged Content Reuse

For unchanged content reuse, version 3.2 classifies the function as Dedicated-only capability for Dedicated. Its control record is reviewed every 7 days, operational evidence is sampled every 12 hours, and any approved exception expires after 14 days.

Before committing to unchanged content reuse, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies Dedicated-only capability for Dedicated. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the regional operations lead before the response is approved.

To configure unchanged content reuse, Product Operations verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Singapore and stores a signed configuration export. A failed or incomplete test keeps production disabled. Successful configurations return to review every 7 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for unchanged content reuse does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 14 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 12 hours against the tenant registry. A mismatch opens a case for Product Operations, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to unchanged content reuse; it does not certify a neighboring identity, logging, resilience, or integration control.

For unchanged content reuse, auditors receive a signed configuration export that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for unchanged content reuse no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Product Operations. Investigation separates configuration drift from subscription or regional ineligibility. The regional operations lead authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by unchanged content reuse. DealFlow validates only the platform boundary it operates and records that result in a signed configuration export. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about unchanged content reuse must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use Dedicated-only capability as the lifecycle description and Dedicated as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Dedicated, the control is activated in Singapore, and the evidence names the current version. The assessor accepts the package for unchanged content reuse only. If the tenant later moves to mainland China, the prior result remains historical and a new regional verification is required.

An invalid interpretation of unchanged content reuse substitutes a nearby control because its terminology appears similar. The adjacent knowledge indexing control uses a 60-day window and applies to Enterprise; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to unchanged content reuse scope, units, limits, regions, or lifecycle status follow a minimum 120-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of unchanged content reuse with the current entitlement and live configuration. Approval is time-bounded to 35 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Virginia changes an implementation parameter that may affect unchanged content reuse. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 45 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Singapore renewal, Platform Engineering must decide whether unchanged content reuse can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 60 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A Sydney tenant asks whether unchanged content reuse remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 90 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 5. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of unchanged content reuse with the current entitlement and live configuration. Approval is time-bounded to 120 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Knowledge Indexing Evidence and Lifecycle Assurance

This business area brings together Document Deletion, Vector Cleanup, Index Versioning. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Document Deletion	standard or plan-limited as stated	Plan-specific; see fact rule
Vector Cleanup	standard capability	Business
Index Versioning	Enterprise-only capability	Enterprise

Document Deletion

Document deletion removes the source record, stored artifacts, parent metadata, and every child vector point associated with the document.

Eligibility for consistent cleanup across metadata, artifacts, and vector index follows the current product register rather than feature-name similarity. The governing entry lists the state as standard or plan-limited as stated and the customer scope as Plan-specific; see fact rule; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the change advisory board instead of being treated as an entitlement.

The operational workflow for consistent cleanup across metadata, artifacts, and vector index assigns Security Assurance to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Sydney; evidence is captured in a tenant control report with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 21 days.

An exception for consistent cleanup across metadata, artifacts, and vector index must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 21 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for consistent cleanup across metadata, artifacts, and vector index compares the live setting with the approved record every 24 hours during implementation. Drift is assigned to Security Assurance with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for consistent cleanup across metadata, artifacts, and vector index is delivered as a tenant control report with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for consistent cleanup across metadata, artifacts, and vector index suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Security Assurance records impact, cause, correction, and retest results. Re-enablement requires the change advisory board's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For consistent cleanup across metadata, artifacts, and vector index, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the tenant control report for its portion.

Procurement responses for consistent cleanup across metadata, artifacts, and vector index separate product availability from implementation effort. The response records standard or plan-limited as stated, identifies Plan-specific; see fact rule, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without

exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Plan-specific; see fact rule tenant enabled in Sydney. Its entitlement, live value, version, and evidence agree, so the assessor can accept consistent cleanup across metadata, artifacts, and vector index. The same record cannot prove another capability. A later migration to Frankfurt triggers a new check and preserves the original result solely as audit history.

Evidence for consistent cleanup across metadata, artifacts, and vector index is insufficient when an implementation team borrows a value from an adjacent policy. Archiving preserves content and vectors but removes the document from default discovery. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for consistent cleanup across metadata, artifacts, and vector index 180 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Virginia changes an implementation parameter that may affect consistent cleanup across metadata, artifacts, and vector index. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 45 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Singapore renewal, Platform Engineering must decide whether consistent cleanup across metadata, artifacts, and vector index can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 60 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Sydney tenant asks whether consistent cleanup across metadata, artifacts, and vector index remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 90 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of consistent cleanup across metadata, artifacts, and vector index with the current entitlement and live configuration. Approval is time-bounded to 120 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 5. A customer in Frankfurt changes an implementation parameter that may affect consistent cleanup across metadata, artifacts, and vector index. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 180 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Vector Cleanup

For vector cleanup, version 3.2 classifies the function as standard capability for Business. Its control record is reviewed every 35 days, operational evidence is sampled every 48 hours, and any approved exception expires after 30 days.

For contracting purposes, vector cleanup is evaluated against the effective guide and the tenant's recorded configuration. Its current state is standard capability, with scope limited to Business. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The data protection officer must resolve any documentary conflict before the dependent control is enabled.

For vector cleanup, Regional Reliability creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in mainland China. Production

use starts only when the UTC-stamped change ticket contains the expected value and a successful UTC timestamp. The record is reviewed every 35 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the vector cleanup baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 30 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For vector cleanup, the verification job samples the configured state at an interval of 48 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Regional Reliability; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for vector cleanup combines the UTC-stamped change ticket, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of vector cleanup fails, new dependent operations stop while committed records remain readable. Regional Reliability determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the data protection officer. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for vector cleanup is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the UTC-stamped change ticket.

When vector cleanup appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Business boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a mainland China implementation when the signed scope is Business and the UTC-stamped change ticket identifies the effective release. Acceptance is limited to vector cleanup. Changing the service region to Virginia invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving vector cleanup is to combine old and current guidance or apply one subscription's value to another. The adjacent knowledge indexing control uses a 120-day window and applies to Enterprise and Dedicated; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to vector cleanup eligibility, numeric limits, regional coverage, or capability state are announced at least 365 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Singapore renewal, Platform Engineering must decide whether vector cleanup can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 60 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Sydney tenant asks whether vector cleanup remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 90 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of vector cleanup with the current entitlement and live configuration. Approval is time-bounded to 120

days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in Frankfurt changes an implementation parameter that may affect vector cleanup. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 180 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 5. For a Virginia renewal, Customer Success must decide whether vector cleanup can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 365 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Index Versioning

For index versioning, version 3.2 classifies the function as Enterprise-only capability for Enterprise. Its control record is reviewed every 60 days, operational evidence is sampled every 72 hours, and any approved exception expires after 35 days.

The commercial boundary for index versioning is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is Enterprise-only capability, and the recorded scope is Enterprise. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the service owner records a written resolution.

Activation of index versioning begins with a request owned by Customer Success. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Frankfurt, and the resulting regional assurance workbook must be attached before the feature is released to users. Routine reassessment occurs every 60 days as well as after any material tenant change.

Where the baseline for index versioning cannot be met, the customer and Customer Success must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 35 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 72 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Customer Success and shown as a failed control until resolved. Verification is deliberately scoped to index versioning, so adjacent policies require their own evidence.

The customer-facing evidence package for index versioning contains the regional assurance workbook, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed index versioning check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Customer Success diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and service owner approval; unrelated contractual timers continue unchanged.

For index versioning, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a regional assurance workbook. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for index versioning begins with its current state-Enterprise-only capability-and the applicable commercial scope-Enterprise. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Enterprise completes activation in Frankfurt and presents versioned evidence that matches the live setting. This supports the claim for index versioning, but no broader claim. If deployment moves to Singapore, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for index versioning cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent knowledge indexing control uses a 180-day window and applies to Business; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to index versioning is 7 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Sydney tenant asks whether index versioning remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 90 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of index versioning with the current entitlement and live configuration. Approval is time-bounded to 120 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Frankfurt changes an implementation parameter that may affect index versioning. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 180 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a Virginia renewal, Customer Success must decide whether index versioning can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 365 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 5. A Singapore tenant asks whether index versioning remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 7 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.