

DealFlow Implementation Migration and Training Services

Enterprise knowledge document - PDF reference edition

DOCUMENT STATUS	current
EFFECTIVE FROM	2025-07-01
PRODUCT VERSION	3.2

Canonical source: 19-implementation-migration-training.md
PDF generated: 2026-09-18
The Markdown source remains the canonical retrieval-evaluation artifact.

Contents

Implementation Services Scope and Eligibility

3

Standard Implementation Scope

3

Six-week Launch Plan

4

Discovery Workshops

6

Implementation Services Configuration and Operations

8

Configuration Workstream

8

Data Migration Allowance

9

Custom Migration Services

11

Implementation Services Limits and Exception Handling

13

Administrator Training

13

End-user Training

14

Go-live Readiness

16

Implementation Services Evidence and Lifecycle Assurance

18

Hypercare Period

18

Change Management

19

Acceptance Criteria

21

Implementation Services Scope and Eligibility

This business area brings together Standard Implementation Scope, Six-week Launch Plan, Discovery Workshops. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Standard Implementation Scope	Dedicated-only capability	Dedicated
Six-week Launch Plan	standard or plan-limited as stated	Plan-specific; see fact rule
Discovery Workshops	standard capability	Business

Standard Implementation Scope

For standard implementation scope, version 3.2 classifies the function as Dedicated-only capability for Dedicated. Its control record is reviewed every 120 days, operational evidence is sampled every 6 hours, and any approved exception expires after 35 days.

For contracting purposes, standard implementation coverage boundary is evaluated against the effective guide and the tenant's recorded configuration. Its current state is Dedicated-only capability, with scope limited to Dedicated. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The change advisory board must resolve any documentary conflict before the dependent control is enabled.

For standard implementation coverage boundary, Platform Engineering creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Sydney. Production use starts only when the machine-readable audit bundle contains the expected value and a successful UTC timestamp. The record is reviewed every 120 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the standard implementation coverage boundary baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 35 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For standard implementation coverage boundary, the verification job samples the configured state at an interval of 6 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Platform Engineering; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for standard implementation coverage boundary combines the machine-readable audit bundle, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of standard implementation coverage boundary fails, new dependent operations stop while committed records remain readable. Platform Engineering determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the change advisory board. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for standard implementation coverage boundary is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the machine-readable audit bundle.

When standard implementation coverage boundary appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Dedicated boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Sydney implementation when the signed scope is Dedicated and the machine-readable audit bundle identifies the effective release. Acceptance is limited to standard implementation coverage boundary. Changing the service region to Frankfurt invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving standard implementation coverage boundary is to combine old and current guidance or apply one subscription's value to another. The adjacent implementation services control uses a 7-day window and applies to Enterprise; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to standard implementation coverage boundary eligibility, numeric limits, regional coverage, or capability state are announced at least 21 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a mainland China renewal, Security Assurance must decide whether standard implementation coverage boundary can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 180 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Frankfurt tenant asks whether standard implementation coverage boundary remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of standard implementation coverage boundary with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in Singapore changes an implementation parameter that may affect standard implementation coverage boundary. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Six-week Launch Plan

The standard Enterprise launch is six weeks and includes discovery, configuration, administrator training, validation, and a go-live readiness review.

The commercial boundary for standard implementation duration and included activities is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is standard or plan-limited as stated, and the recorded scope is Plan-specific; see fact rule. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the data protection officer records a written resolution.

Activation of standard implementation duration and included activities begins with a request owned by Product Operations. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in mainland China, and the resulting signed configuration export must be attached before the feature is released to users. Routine reassessment occurs every 365 days as well as after any material tenant change.

Where the baseline for standard implementation duration and included activities cannot be met, the customer and Product Operations must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 45 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 8 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Product Operations and shown as a failed control until resolved. Verification is deliberately scoped to standard implementation duration and included activities, so adjacent policies require their own evidence.

The customer-facing evidence package for standard implementation duration and included activities contains the signed configuration export, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed standard implementation duration and included activities check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Product Operations diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and data protection officer approval; unrelated contractual timers continue unchanged.

For standard implementation duration and included activities, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a signed configuration export. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for standard implementation duration and included activities begins with its current state-standard or plan-limited as stated-and the applicable commercial scope-Plan-specific; see fact rule. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Plan-specific; see fact rule completes activation in mainland China and presents versioned evidence that matches the live setting. This supports the claim for standard implementation duration and included activities, but no broader claim. If deployment moves to Virginia, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for standard implementation duration and included activities cites a similarly named policy with a different number, lifecycle state, or subscription. Custom migration development and end-user change management are paid extensions. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to standard implementation duration and included activities is 30 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Frankfurt tenant asks whether standard implementation duration and included activities remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of standard implementation duration and included activities with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Singapore changes an implementation parameter that may affect standard implementation duration and included activities. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a Sydney renewal, Product Operations must decide whether standard implementation duration and included activities can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Discovery Workshops

For discovery workshops, version 3.2 classifies the function as standard capability for Business. Its control record is reviewed every 14 days, operational evidence is sampled every 12 hours, and any approved exception expires after 60 days.

Before committing to discovery workshops, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies standard capability for Business. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the service owner before the response is approved.

To configure discovery workshops, Security Assurance verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Frankfurt and stores a tenant control report. A failed or incomplete test keeps production disabled. Successful configurations return to review every 14 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for discovery workshops does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 60 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 12 hours against the tenant registry. A mismatch opens a case for Security Assurance, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to discovery workshops; it does not certify a neighboring identity, logging, resilience, or integration control.

For discovery workshops, auditors receive a tenant control report that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for discovery workshops no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Security Assurance. Investigation separates configuration drift from subscription or regional ineligibility. The service owner authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by discovery workshops. DealFlow validates only the platform boundary it operates and records that result in a tenant control report. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about discovery workshops must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use standard capability as the lifecycle description and Business as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Business, the control is activated in Frankfurt, and the evidence names the current version. The assessor accepts the package for discovery workshops only. If the tenant later moves to Singapore, the prior result remains historical and a new regional verification is required.

An invalid interpretation of discovery workshops substitutes a nearby control because its terminology appears similar. The adjacent implementation services control uses a 21-day window and applies to Enterprise and Dedicated; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to discovery workshops scope, units, limits, regions, or lifecycle status follow a minimum 35-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of discovery workshops with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Singapore changes an implementation parameter that may affect discovery workshops. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Sydney renewal, Product Operations must decide whether discovery workshops can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A mainland China tenant asks whether discovery workshops remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Implementation Services Configuration and Operations

This business area brings together Configuration Workstream, Data Migration Allowance, Custom Migration Services. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Configuration Workstream	Enterprise-only capability	Enterprise
Data Migration Allowance	Dedicated-only capability	Dedicated
Custom Migration Services	custom-development option	Enterprise and Dedicated

Configuration Workstream

For configuration workstream, version 3.2 classifies the function as Enterprise-only capability for Enterprise. Its control record is reviewed every 30 days, operational evidence is sampled every 24 hours, and any approved exception expires after 90 days.

Eligibility for configuration workstream follows the current product register rather than feature-name similarity. The governing entry lists the state as Enterprise-only capability and the customer scope as Enterprise; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the tenant security administrator instead of being treated as an entitlement.

The operational workflow for configuration workstream assigns Regional Reliability to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Virginia; evidence is captured in a UTC-stamped change ticket with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 30 days.

An exception for configuration workstream must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 90 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for configuration workstream compares the live setting with the approved record every 24 hours during implementation. Drift is assigned to Regional Reliability with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for configuration workstream is delivered as a UTC-stamped change ticket with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for configuration workstream suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Regional Reliability records impact, cause, correction, and retest results. Re-enablement requires the tenant security administrator's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For configuration workstream, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the UTC-stamped change ticket for its portion.

Procurement responses for configuration workstream separate product availability from implementation effort. The response records Enterprise-only capability, identifies Enterprise, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom

work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Enterprise tenant enabled in Virginia. Its entitlement, live value, version, and evidence agree, so the assessor can accept configuration workstream. The same record cannot prove another capability. A later migration to Sydney triggers a new check and preserves the original result solely as audit history.

Evidence for configuration workstream is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent implementation services control uses a 30-day window and applies to Business; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for configuration workstream 45 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Singapore changes an implementation parameter that may affect configuration workstream. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Sydney renewal, Product Operations must decide whether configuration workstream can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A mainland China tenant asks whether configuration workstream remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of configuration workstream with the current entitlement and live configuration. Approval is time-bounded to 35 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Data Migration Allowance

For data migration allowance, version 3.2 classifies the function as Dedicated-only capability for Dedicated. Its control record is reviewed every 45 days, operational evidence is sampled every 48 hours, and any approved exception expires after 120 days.

For contracting purposes, data move from an older configuration allowance is evaluated against the effective guide and the tenant's recorded configuration. Its current state is Dedicated-only capability, with scope limited to Dedicated. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The regional operations lead must resolve any documentary conflict before the dependent control is enabled.

For data move from an older configuration allowance, Customer Success creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Singapore. Production use starts only when the regional assurance workbook contains the expected value and a successful UTC timestamp. The record is reviewed every 45 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the data move from an older configuration allowance baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 120 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For data move from an older configuration allowance, the verification job samples the configured state at an interval of 48 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Customer Success; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for data move from an older configuration allowance combines the regional assurance workbook, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of data move from an older configuration allowance fails, new dependent operations stop while committed records remain readable. Customer Success determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the regional operations lead. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for data move from an older configuration allowance is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the regional assurance workbook.

When data move from an older configuration allowance appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Dedicated boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Singapore implementation when the signed scope is Dedicated and the regional assurance workbook identifies the effective release. Acceptance is limited to data move from an older configuration allowance. Changing the service region to mainland China invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving data move from an older configuration allowance is to combine old and current guidance or apply one subscription's value to another. The adjacent implementation services control uses a 35-day window and applies to Enterprise; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to data move from an older configuration allowance eligibility, numeric limits, regional coverage, or capability state are announced at least 60 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Sydney renewal, Product Operations must decide whether data move from an older configuration allowance can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A mainland China tenant asks whether data move from an older configuration allowance remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of data move from an older configuration allowance with the current entitlement and live configuration. Approval is time-bounded to 35 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in Virginia changes an implementation parameter that may affect data move from an older configuration allowance. Customer Success verifies the version, plan, region, state, unit, and exclusion before

answering the procurement team. A compliant result is reviewed again within 45 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Custom Migration Services

For custom migration services, version 3.2 classifies the function as custom-development option for Enterprise and Dedicated. Its control record is reviewed every 90 days, operational evidence is sampled every 72 hours, and any approved exception expires after 180 days.

The commercial boundary for custom move from an older configuration services is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is custom-development option, and the recorded scope is Enterprise and Dedicated. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the change advisory board records a written resolution.

Activation of custom move from an older configuration services begins with a request owned by Platform Engineering. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Sydney, and the resulting machine-readable audit bundle must be attached before the feature is released to users. Routine reassessment occurs every 90 days as well as after any material tenant change.

Where the baseline for custom move from an older configuration services cannot be met, the customer and Platform Engineering must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 180 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 72 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Platform Engineering and shown as a failed control until resolved. Verification is deliberately scoped to custom move from an older configuration services, so adjacent policies require their own evidence.

The customer-facing evidence package for custom move from an older configuration services contains the machine-readable audit bundle, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed custom move from an older configuration services check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Platform Engineering diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and change advisory board approval; unrelated contractual timers continue unchanged.

For custom move from an older configuration services, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a machine-readable audit bundle. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for custom move from an older configuration services begins with its current state-custom-development option-and the applicable commercial scope-Enterprise and Dedicated. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Enterprise and Dedicated completes activation in Sydney and presents versioned evidence that matches the live setting. This supports the claim for custom move from an older configuration services, but no broader claim. If deployment moves to Frankfurt, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for custom move from an older configuration services cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent implementation services control uses a 45-day window and applies to Dedicated; those values are not interchangeable. The neighboring statement answers another business

condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to custom move from an older configuration services is 90 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A mainland China tenant asks whether custom move from an older configuration services remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of custom move from an older configuration services with the current entitlement and live configuration. Approval is time-bounded to 35 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Virginia changes an implementation parameter that may affect custom move from an older configuration services. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 45 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a Singapore renewal, Platform Engineering must decide whether custom move from an older configuration services can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 60 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Implementation Services Limits and Exception Handling

This business area brings together Administrator Training, End-user Training, Go-live Readiness. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Administrator Training	standard or plan-limited as stated	Plan-specific; see fact rule
End-user Training	Enterprise-only capability	Enterprise
Go-live Readiness	Dedicated-only capability	Dedicated

Administrator Training

Standard implementation includes two remote administrator classes for up to twelve named administrators, with recordings retained for 30 days.

Before committing to included enablement for tenant administrators, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies standard or plan-limited as stated for Plan-specific; see fact rule. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the data protection officer before the response is approved.

To configure included enablement for tenant administrators, Product Operations verifies entitlement first and then records the environment-specific value. An independent operator tests the result in mainland China and stores a signed configuration export. A failed or incomplete test keeps production disabled. Successful configurations return to review every 180 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for included enablement for tenant administrators does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 365 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 1 hour against the tenant registry. A mismatch opens a case for Product Operations, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to included enablement for tenant administrators; it does not certify a neighboring identity, logging, resilience, or integration control.

For included enablement for tenant administrators, auditors receive a signed configuration export that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for included enablement for tenant administrators no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Product Operations. Investigation separates configuration drift from subscription or regional ineligibility. The data protection officer authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by included enablement for tenant administrators. DealFlow validates only the platform boundary it operates and records that result in a signed configuration export. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about included enablement for tenant administrators must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use standard or plan-limited as stated as the lifecycle description and Plan-specific; see fact rule as the commercial boundary. It must

not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Plan-specific; see fact rule, the control is activated in mainland China, and the evidence names the current version. The assessor accepts the package for included enablement for tenant administrators only. If the tenant later moves to Virginia, the prior result remains historical and a new regional verification is required.

An invalid interpretation of included enablement for tenant administrators substitutes a nearby control because its terminology appears similar. End-user training and custom courseware are separate services. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to included enablement for tenant administrators scope, units, limits, regions, or lifecycle status follow a minimum 120-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of included enablement for tenant administrators with the current entitlement and live configuration. Approval is time-bounded to 35 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Virginia changes an implementation parameter that may affect included enablement for tenant administrators. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 45 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Singapore renewal, Platform Engineering must decide whether included enablement for tenant administrators can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 60 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A Sydney tenant asks whether included enablement for tenant administrators remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 90 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

End-user Training

For end-user training, version 3.2 classifies the function as Enterprise-only capability for Enterprise. Its control record is reviewed every 7 days, operational evidence is sampled every 2 hours, and any approved exception expires after 7 days.

Eligibility for end-user training follows the current product register rather than feature-name similarity. The governing entry lists the state as Enterprise-only capability and the customer scope as Enterprise; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the service owner instead of being treated as an entitlement.

The operational workflow for end-user training assigns Security Assurance to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Frankfurt; evidence is captured in a tenant control report with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 7 days.

An exception for end-user training must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 7 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for end-user training compares the live setting with the approved record every 2 hours during implementation. Drift is assigned to Security Assurance with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for end-user training is delivered as a tenant control report with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for end-user training suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Security Assurance records impact, cause, correction, and retest results. Re-enablement requires the service owner's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For end-user training, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the tenant control report for its portion.

Procurement responses for end-user training separate product availability from implementation effort. The response records Enterprise-only capability, identifies Enterprise, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Enterprise tenant enabled in Frankfurt. Its entitlement, live value, version, and evidence agree, so the assessor can accept end-user training. The same record cannot prove another capability. A later migration to Singapore triggers a new check and preserves the original result solely as audit history.

Evidence for end-user training is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent implementation services control uses a 90-day window and applies to Business; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for end-user training 180 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Virginia changes an implementation parameter that may affect end-user training. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 45 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Singapore renewal, Platform Engineering must decide whether end-user training can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 60 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Sydney tenant asks whether end-user training remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 90 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of end-user training with the current entitlement and live configuration. Approval is time-bounded to 120 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Go-live Readiness

For go-live readiness, version 3.2 classifies the function as Dedicated-only capability for Dedicated. Its control record is reviewed every 21 days, operational evidence is sampled every 4 hours, and any approved exception expires after 14 days.

For contracting purposes, go-live readiness is evaluated against the effective guide and the tenant's recorded configuration. Its current state is Dedicated-only capability, with scope limited to Dedicated. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The tenant security administrator must resolve any documentary conflict before the dependent control is enabled.

For go-live readiness, Regional Reliability creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Virginia. Production use starts only when the UTC-stamped change ticket contains the expected value and a successful UTC timestamp. The record is reviewed every 21 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the go-live readiness baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 14 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For go-live readiness, the verification job samples the configured state at an interval of 4 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Regional Reliability; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for go-live readiness combines the UTC-stamped change ticket, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of go-live readiness fails, new dependent operations stop while committed records remain readable. Regional Reliability determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the tenant security administrator. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for go-live readiness is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the UTC-stamped change ticket.

When go-live readiness appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Dedicated boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Virginia implementation when the signed scope is Dedicated and the UTC-stamped change ticket identifies the effective release. Acceptance is limited to go-live readiness. Changing the service region to Sydney invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving go-live readiness is to combine old and current guidance or apply one subscription's value to another. The adjacent implementation services control uses a 120-day window and applies to Enterprise; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to go-live readiness eligibility, numeric limits, regional coverage, or capability state are announced at least 365 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Singapore renewal, Platform Engineering must decide whether go-live readiness can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 60 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Sydney tenant asks whether go-live readiness remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 90 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of go-live readiness with the current entitlement and live configuration. Approval is time-bounded to 120 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 4. A customer in Frankfurt changes an implementation parameter that may affect go-live readiness. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 180 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Implementation Services Evidence and Lifecycle Assurance

This business area brings together Hypercare Period, Change Management, Acceptance Criteria. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Hypercare Period	Enterprise-tier capability	Enterprise and Dedicated
Change Management	standard capability	Business
Acceptance Criteria	Enterprise-only capability	Enterprise

Hypercare Period

For hypercare period, version 3.2 classifies the function as Enterprise-tier capability for Enterprise and Dedicated. Its control record is reviewed every 35 days, operational evidence is sampled every 6 hours, and any approved exception expires after 21 days.

The commercial boundary for hypercare period is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is Enterprise-tier capability, and the recorded scope is Enterprise and Dedicated. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the regional operations lead records a written resolution.

Activation of hypercare period begins with a request owned by Customer Success. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Singapore, and the resulting regional assurance workbook must be attached before the feature is released to users. Routine reassessment occurs every 35 days as well as after any material tenant change.

Where the baseline for hypercare period cannot be met, the customer and Customer Success must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 21 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 6 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Customer Success and shown as a failed control until resolved. Verification is deliberately scoped to hypercare period, so adjacent policies require their own evidence.

The customer-facing evidence package for hypercare period contains the regional assurance workbook, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed hypercare period check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Customer Success diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and regional operations lead approval; unrelated contractual timers continue unchanged.

For hypercare period, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a regional assurance workbook. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for hypercare period begins with its current state-Enterprise-tier capability-and the applicable commercial scope-Enterprise and Dedicated. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Enterprise and Dedicated completes activation in Singapore and presents versioned evidence that matches the live setting. This supports the claim for hypercare period, but no broader claim. If deployment moves to mainland China, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for hypercare period cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent implementation services control uses a 180-day window and applies to Dedicated; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to hypercare period is 7 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Sydney tenant asks whether hypercare period remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 90 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of hypercare period with the current entitlement and live configuration. Approval is time-bounded to 120 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Frankfurt changes an implementation parameter that may affect hypercare period. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 180 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 4. For a Virginia renewal, Customer Success must decide whether hypercare period can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 365 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Change Management

For change management, version 3.2 classifies the function as standard capability for Business. Its control record is reviewed every 60 days, operational evidence is sampled every 8 hours, and any approved exception expires after 30 days.

Before committing to change management, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies standard capability for Business. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the change advisory board before the response is approved.

To configure change management, Platform Engineering verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Sydney and stores a machine-readable audit bundle. A failed or incomplete test keeps production disabled. Successful configurations return to review every 60 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for change management does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 30 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 8 hours against the tenant registry. A mismatch opens a case for Platform Engineering, preserves old and proposed values, and prevents the compliance export from

reporting success. This result applies only to change management; it does not certify a neighboring identity, logging, resilience, or integration control.

For change management, auditors receive a machine-readable audit bundle that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for change management no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Platform Engineering. Investigation separates configuration drift from subscription or regional ineligibility. The change advisory board authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by change management. DealFlow validates only the platform boundary it operates and records that result in a machine-readable audit bundle. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about change management must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use standard capability as the lifecycle description and Business as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Business, the control is activated in Sydney, and the evidence names the current version. The assessor accepts the package for change management only. If the tenant later moves to Frankfurt, the prior result remains historical and a new regional verification is required.

An invalid interpretation of change management substitutes a nearby control because its terminology appears similar. The adjacent implementation services control uses a 365-day window and applies to Enterprise and Dedicated; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to change management scope, units, limits, regions, or lifecycle status follow a minimum 14-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of change management with the current entitlement and live configuration. Approval is time-bounded to 120 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Frankfurt changes an implementation parameter that may affect change management. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 180 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Virginia renewal, Customer Success must decide whether change management can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 365 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 4. A Singapore tenant asks whether change management remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 7 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Acceptance Criteria

For acceptance criteria, version 3.2 classifies the function as Enterprise-only capability for Enterprise. Its control record is reviewed every 120 days, operational evidence is sampled every 12 hours, and any approved exception expires after 35 days.

Eligibility for acceptance criteria follows the current product register rather than feature-name similarity. The governing entry lists the state as Enterprise-only capability and the customer scope as Enterprise; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the data protection officer instead of being treated as an entitlement.

The operational workflow for acceptance criteria assigns Product Operations to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in mainland China; evidence is captured in a signed configuration export with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 120 days.

An exception for acceptance criteria must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 35 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for acceptance criteria compares the live setting with the approved record every 12 hours during implementation. Drift is assigned to Product Operations with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for acceptance criteria is delivered as a signed configuration export with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for acceptance criteria suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Product Operations records impact, cause, correction, and retest results. Re-enablement requires the data protection officer's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For acceptance criteria, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the signed configuration export for its portion.

Procurement responses for acceptance criteria separate product availability from implementation effort. The response records Enterprise-only capability, identifies Enterprise, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Enterprise tenant enabled in mainland China. Its entitlement, live value, version, and evidence agree, so the assessor can accept acceptance criteria. The same record cannot prove another capability. A later migration to Virginia triggers a new check and preserves the original result solely as audit history.

Evidence for acceptance criteria is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent implementation services control uses a 7-day window and applies to Business; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for acceptance criteria 21 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Frankfurt changes an implementation parameter that may affect acceptance criteria. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 180 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Virginia renewal, Customer Success must decide whether acceptance criteria can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 365 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Singapore tenant asks whether acceptance criteria remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 7 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 4. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of acceptance criteria with the current entitlement and live configuration. Approval is time-bounded to 14 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.