

DealFlow Limitations Deprecations and Roadmap Register

Enterprise knowledge document - PDF reference edition

DOCUMENT STATUS	current
EFFECTIVE FROM	2025-07-01
PRODUCT VERSION	3.2

Canonical source: 20-limitations-deprecations-roadmap.md
PDF generated: 2026-09-18
The Markdown source remains the canonical retrieval-evaluation artifact.

Contents

Product Status Scope and Eligibility	3
Current Supported Capabilities	3
Enterprise-only Capabilities	4
Custom Development Boundary	5
Product Status Configuration and Operations	8
Professional Services Boundary	8
Roadmap Candidate Policy	9
Explicitly Unsupported Features	11
Product Status Limits and Exception Handling	13
Deprecated API Versions	13
Retired Authentication Methods	14
Legacy Export Retirement	16
Product Status Evidence and Lifecycle Assurance	18
Planned Mobile Offline Mode	18
Unsupported Air-gapped SaaS	19
Status Communication	20

Product Status Scope and Eligibility

This business area brings together Current Supported Capabilities, Enterprise-only Capabilities, Custom Development Boundary. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Current Supported Capabilities	standard capability	Business
Enterprise-only Capabilities	Enterprise-only capability	Enterprise
Custom Development Boundary	custom-development option	Dedicated

Current Supported Capabilities

For current supported capabilities, version 3.2 classifies the function as standard capability for Business. Its control record is reviewed every 180 days, operational evidence is sampled every 24 hours, and any approved exception expires after 35 days.

The commercial boundary for presently offered supported capabilities is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is standard capability, and the recorded scope is Business. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the service owner records a written resolution.

Activation of presently offered supported capabilities begins with a request owned by Product Operations. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Frankfurt, and the resulting signed configuration export must be attached before the feature is released to users. Routine reassessment occurs every 180 days as well as after any material tenant change.

Where the baseline for presently offered supported capabilities cannot be met, the customer and Product Operations must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 35 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 24 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Product Operations and shown as a failed control until resolved. Verification is deliberately scoped to presently offered supported capabilities, so adjacent policies require their own evidence.

The customer-facing evidence package for presently offered supported capabilities contains the signed configuration export, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed presently offered supported capabilities check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Product Operations diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and service owner approval; unrelated contractual timers continue unchanged.

For presently offered supported capabilities, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a signed configuration export. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for presently offered supported capabilities begins with its current state-standard capability-and the applicable commercial scope-Business. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Business completes activation in Frankfurt and presents versioned evidence that matches the live setting. This supports the claim for presently offered supported capabilities, but no broader claim. If deployment moves to Singapore, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for presently offered supported capabilities cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent product status control uses a 14-day window and applies to Enterprise; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to presently offered supported capabilities is 30 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Frankfurt tenant asks whether presently offered supported capabilities remains contractually available after a configuration change. Regional Reliability checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 365 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of presently offered supported capabilities with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Singapore changes an implementation parameter that may affect presently offered supported capabilities. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Enterprise-only Capabilities

For enterprise-only capabilities, version 3.2 classifies the function as Enterprise-only capability for Enterprise. Its control record is reviewed every 7 days, operational evidence is sampled every 48 hours, and any approved exception expires after 45 days.

Before committing to enterprise-only capabilities, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies Enterprise-only capability for Enterprise. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the tenant security administrator before the response is approved.

To configure enterprise-only capabilities, Security Assurance verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Virginia and stores a tenant control report. A failed or incomplete test keeps production disabled. Successful configurations return to review every 7 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for enterprise-only capabilities does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 45 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 48 hours against the tenant registry. A mismatch opens a case for Security Assurance, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to enterprise-only capabilities; it does not certify a neighboring identity, logging, resilience, or integration control.

For enterprise-only capabilities, auditors receive a tenant control report that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields

needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for enterprise-only capabilities no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Security Assurance. Investigation separates configuration drift from subscription or regional ineligibility. The tenant security administrator authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by enterprise-only capabilities. DealFlow validates only the platform boundary it operates and records that result in a tenant control report. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about enterprise-only capabilities must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use Enterprise-only capability as the lifecycle description and Enterprise as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Enterprise, the control is activated in Virginia, and the evidence names the current version. The assessor accepts the package for enterprise-only capabilities only. If the tenant later moves to Sydney, the prior result remains historical and a new regional verification is required.

An invalid interpretation of enterprise-only capabilities substitutes a nearby control because its terminology appears similar. The adjacent product status control uses a 21-day window and applies to Dedicated; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to enterprise-only capabilities scope, units, limits, regions, or lifecycle status follow a minimum 35-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Virginia tenant, Customer Success compares the requested treatment of enterprise-only capabilities with the current entitlement and live configuration. Approval is time-bounded to 7 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Singapore changes an implementation parameter that may affect enterprise-only capabilities. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Sydney renewal, Product Operations must decide whether enterprise-only capabilities can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Custom Development Boundary

For custom development boundary, version 3.2 classifies the function as custom-development option for Dedicated. Its control record is reviewed every 21 days, operational evidence is sampled every 72 hours, and any approved exception expires after 60 days.

Eligibility for custom development boundary follows the current product register rather than feature-name similarity. The governing entry lists the state as custom-development option and the customer scope as Dedicated; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the regional operations lead instead of being treated as an entitlement.

The operational workflow for custom development boundary assigns Regional Reliability to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Singapore; evidence is captured in a UTC-stamped change ticket with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 21 days.

An exception for custom development boundary must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 60 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for custom development boundary compares the live setting with the approved record every 72 hours during implementation. Drift is assigned to Regional Reliability with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for custom development boundary is delivered as a UTC-stamped change ticket with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for custom development boundary suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Regional Reliability records impact, cause, correction, and retest results. Re-enablement requires the regional operations lead's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For custom development boundary, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the UTC-stamped change ticket for its portion.

Procurement responses for custom development boundary separate product availability from implementation effort. The response records custom-development option, identifies Dedicated, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Dedicated tenant enabled in Singapore. Its entitlement, live value, version, and evidence agree, so the assessor can accept custom development boundary. The same record cannot prove another capability. A later migration to mainland China triggers a new check and preserves the original result solely as audit history.

Evidence for custom development boundary is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent product status control uses a 30-day window and applies to Enterprise and Dedicated; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for custom development boundary 45 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Singapore changes an implementation parameter that may affect custom development boundary. Platform Engineering verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 14 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Sydney renewal, Product Operations must decide whether custom development boundary can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A mainland China tenant asks whether custom development boundary remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Product Status Configuration and Operations

This business area brings together Professional Services Boundary, Roadmap Candidate Policy, Explicitly Unsupported Features. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Professional Services Boundary	professional-services deliverable	Enterprise and Dedicated
Roadmap Candidate Policy	roadmap candidate and not currently available	Plan-specific; see fact rule
Explicitly Unsupported Features	explicitly unsupported capability	Enterprise

Professional Services Boundary

For professional services boundary, version 3.2 classifies the function as professional-services deliverable for Enterprise and Dedicated. Its control record is reviewed every 35 days, operational evidence is sampled every 1 hour, and any approved exception expires after 90 days.

For contracting purposes, professional services boundary is evaluated against the effective guide and the tenant's recorded configuration. Its current state is professional-services deliverable, with scope limited to Enterprise and Dedicated. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The change advisory board must resolve any documentary conflict before the dependent control is enabled.

For professional services boundary, Customer Success creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Sydney. Production use starts only when the regional assurance workbook contains the expected value and a successful UTC timestamp. The record is reviewed every 35 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the professional services boundary baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 90 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For professional services boundary, the verification job samples the configured state at an interval of 1 hour while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Customer Success; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for professional services boundary combines the regional assurance workbook, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of professional services boundary fails, new dependent operations stop while committed records remain readable. Customer Success determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the change advisory board. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for professional services boundary is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the regional assurance workbook.

When professional services boundary appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Enterprise and

Dedicated boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Sydney implementation when the signed scope is Enterprise and Dedicated and the regional assurance workbook identifies the effective release. Acceptance is limited to professional services boundary. Changing the service region to Frankfurt invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving professional services boundary is to combine old and current guidance or apply one subscription's value to another. The adjacent product status control uses a 35-day window and applies to Business; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to professional services boundary eligibility, numeric limits, regional coverage, or capability state are announced at least 60 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Sydney renewal, Product Operations must decide whether professional services boundary can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 21 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A mainland China tenant asks whether professional services boundary remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of professional services boundary with the current entitlement and live configuration. Approval is time-bounded to 35 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Roadmap Candidate Policy

A roadmap candidate is directional and not a committed capability, date, or contractual deliverable until promoted to Current Supported.

The commercial boundary for how planned features must be represented in an RFP response is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is roadmap candidate and not currently available, and the recorded scope is Plan-specific; see fact rule. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the data protection officer records a written resolution.

Activation of how planned features must be represented in an RFP response begins with a request owned by Platform Engineering. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in mainland China, and the resulting machine-readable audit bundle must be attached before the feature is released to users. Routine reassessment occurs every 60 days as well as after any material tenant change.

Where the baseline for how planned features must be represented in an RFP response cannot be met, the customer and Platform Engineering must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 120 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 2 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Platform Engineering and shown as a failed control until resolved. Verification is deliberately scoped to how planned features must be represented in an RFP response, so adjacent policies require their own evidence.

The customer-facing evidence package for how planned features must be represented in an RFP response contains the machine-readable audit bundle, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed how planned features must be represented in an RFP response check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Platform Engineering diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and data protection officer approval; unrelated contractual timers continue unchanged.

For how planned features must be represented in an RFP response, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a machine-readable audit bundle. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for how planned features must be represented in an RFP response begins with its current state-roadmap candidate and not currently available-and the applicable commercial scope-Plan-specific; see fact rule. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Plan-specific; see fact rule completes activation in mainland China and presents versioned evidence that matches the live setting. This supports the claim for how planned features must be represented in an RFP response, but no broader claim. If deployment moves to Virginia, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for how planned features must be represented in an RFP response cites a similarly named policy with a different number, lifecycle state, or subscription. Professional-services availability does not convert a roadmap item into standard support. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to how planned features must be represented in an RFP response is 90 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A mainland China tenant asks whether how planned features must be represented in an RFP response remains contractually available after a configuration change. Security Assurance checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 30 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of how planned features must be represented in an RFP response with the current entitlement and live configuration. Approval is time-bounded to 35 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Virginia changes an implementation parameter that may affect how planned features must be represented in an RFP response. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 45 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Explicitly Unsupported Features

For explicitly unsupported features, version 3.2 classifies the function as explicitly unsupported capability for Enterprise. Its control record is reviewed every 120 days, operational evidence is sampled every 4 hours, and any approved exception expires after 180 days.

Before committing to explicitly unsupported features, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies explicitly unsupported capability for Enterprise. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the service owner before the response is approved.

To configure explicitly unsupported features, Product Operations verifies entitlement first and then records the environment-specific value. An independent operator tests the result in Frankfurt and stores a signed configuration export. A failed or incomplete test keeps production disabled. Successful configurations return to review every 120 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for explicitly unsupported features does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 180 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 4 hours against the tenant registry. A mismatch opens a case for Product Operations, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to explicitly unsupported features; it does not certify a neighboring identity, logging, resilience, or integration control.

For explicitly unsupported features, auditors receive a signed configuration export that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for explicitly unsupported features no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Product Operations. Investigation separates configuration drift from subscription or regional ineligibility. The service owner authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by explicitly unsupported features. DealFlow validates only the platform boundary it operates and records that result in a signed configuration export. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about explicitly unsupported features must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use explicitly unsupported capability as the lifecycle description and Enterprise as the commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Enterprise, the control is activated in Frankfurt, and the evidence names the current version. The assessor accepts the package for explicitly unsupported features only. If the tenant later moves to Singapore, the prior result remains historical and a new regional verification is required.

An invalid interpretation of explicitly unsupported features substitutes a nearby control because its terminology appears similar. The adjacent product status control uses a 60-day window and applies to Dedicated; those values are not interchangeable. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to explicitly unsupported features scope, units, limits, regions, or lifecycle status follow a minimum 120-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a Frankfurt tenant, Regional Reliability compares the requested treatment of explicitly unsupported features with the current entitlement and live configuration. Approval is time-bounded to 35 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Virginia changes an implementation parameter that may affect explicitly unsupported features. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 45 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Singapore renewal, Platform Engineering must decide whether explicitly unsupported features can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 60 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Product Status Limits and Exception Handling

This business area brings together Deprecated API Versions, Retired Authentication Methods, Legacy Export Retirement. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Deprecated API Versions	deprecated capability retained only for migration	Dedicated
Retired Authentication Methods	deprecated capability retained only for migration	Enterprise and Dedicated
Legacy Export Retirement	deprecated capability retained only for migration	Business

Deprecated API Versions

For deprecated api versions, version 3.2 classifies the function as deprecated capability retained only for migration for Dedicated. Its control record is reviewed every 365 days, operational evidence is sampled every 6 hours, and any approved exception expires after 365 days.

Eligibility for withdrawn api versions follows the current product register rather than feature-name similarity. The governing entry lists the state as deprecated capability retained only for migration and the customer scope as Dedicated; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the tenant security administrator instead of being treated as an entitlement.

The operational workflow for withdrawn api versions assigns Security Assurance to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Virginia; evidence is captured in a tenant control report with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 365 days.

An exception for withdrawn api versions must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 365 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for withdrawn api versions compares the live setting with the approved record every 6 hours during implementation. Drift is assigned to Security Assurance with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for withdrawn api versions is delivered as a tenant control report with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for withdrawn api versions suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Security Assurance records impact, cause, correction, and retest results. Re-enablement requires the tenant security administrator's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For withdrawn api versions, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the tenant control report for its portion.

Procurement responses for withdrawn api versions separate product availability from implementation effort. The response records deprecated capability retained only for migration, identifies Dedicated, cites the effective subsection, and

preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Dedicated tenant enabled in Virginia. Its entitlement, live value, version, and evidence agree, so the assessor can accept withdrawn api versions. The same record cannot prove another capability. A later migration to Sydney triggers a new check and preserves the original result solely as audit history.

Evidence for withdrawn api versions is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent product status control uses a 90-day window and applies to Enterprise and Dedicated; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for withdrawn api versions 180 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Virginia changes an implementation parameter that may affect withdrawn api versions. Customer Success verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 45 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Singapore renewal, Platform Engineering must decide whether withdrawn api versions can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 60 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Sydney tenant asks whether withdrawn api versions remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 90 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Retired Authentication Methods

For retired authentication methods, version 3.2 classifies the function as deprecated capability retained only for migration for Enterprise and Dedicated. Its control record is reviewed every 14 days, operational evidence is sampled every 8 hours, and any approved exception expires after 7 days.

For contracting purposes, no-longer-offered verifying machine or user identity methods is evaluated against the effective guide and the tenant's recorded configuration. Its current state is deprecated capability retained only for migration, with scope limited to Enterprise and Dedicated. Neither a demonstration environment nor a professional-services estimate expands production entitlement. The regional operations lead must resolve any documentary conflict before the dependent control is enabled.

For no-longer-offered verifying machine or user identity methods, Regional Reliability creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Singapore. Production use starts only when the UTC-stamped change ticket contains the expected value and a successful UTC timestamp. The record is reviewed every 14 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the no-longer-offered verifying machine or user identity methods baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 7 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For no-longer-offered verifying machine or user identity methods, the verification job samples the configured state at an interval of 8 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by

Regional Reliability; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for no-longer-offered verifying machine or user identity methods combines the UTC-stamped change ticket, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of no-longer-offered verifying machine or user identity methods fails, new dependent operations stop while committed records remain readable. Regional Reliability determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the regional operations lead. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for no-longer-offered verifying machine or user identity methods is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the UTC-stamped change ticket.

When no-longer-offered verifying machine or user identity methods appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Enterprise and Dedicated boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Singapore implementation when the signed scope is Enterprise and Dedicated and the UTC-stamped change ticket identifies the effective release. Acceptance is limited to no-longer-offered verifying machine or user identity methods. Changing the service region to mainland China invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving no-longer-offered verifying machine or user identity methods is to combine old and current guidance or apply one subscription's value to another. The adjacent product status control uses a 120-day window and applies to Business; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to no-longer-offered verifying machine or user identity methods eligibility, numeric limits, regional coverage, or capability state are announced at least 365 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Singapore renewal, Platform Engineering must decide whether no-longer-offered verifying machine or user identity methods can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 60 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Sydney tenant asks whether no-longer-offered verifying machine or user identity methods remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 90 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of no-longer-offered verifying machine or user identity methods with the current entitlement and live configuration. Approval is time-bounded to 120 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Legacy Export Retirement

For legacy export retirement, version 3.2 classifies the function as deprecated capability retained only for migration for Business. Its control record is reviewed every 30 days, operational evidence is sampled every 12 hours, and any approved exception expires after 14 days.

The commercial boundary for earlier-generation export retirement is determined from the signed edition, deployment model, region, effective version, and recorded lifecycle state. In this release the applicable classification is deprecated capability retained only for migration, and the recorded scope is Business. A proposal may describe a narrower customer commitment, but it cannot imply broader availability. If the order form conflicts with this guide, activation pauses until the change advisory board records a written resolution.

Activation of earlier-generation export retirement begins with a request owned by Customer Success. The request links the commercial entitlement, target environment, region, implementation parameters, and approver. Validation takes place in Sydney, and the resulting regional assurance workbook must be attached before the feature is released to users. Routine reassessment occurs every 30 days as well as after any material tenant change.

Where the baseline for earlier-generation export retirement cannot be met, the customer and Customer Success must document the reason, risk treatment, validation method, and responsible party. Approval lasts at most 14 days. A planned feature does not satisfy the missing control, and custom work is not considered delivered until accepted. Expired exceptions are closed by restoring compliance or removing the dependency.

During an active change window, evidence collection runs every 12 hours. It checks the approved tenant value, current platform value, region, and version. Any divergence is routed to Customer Success and shown as a failed control until resolved. Verification is deliberately scoped to earlier-generation export retirement, so adjacent policies require their own evidence.

The customer-facing evidence package for earlier-generation export retirement contains the regional assurance workbook, effective version, activation time in UTC, approving role, latest result, and any open exception. Secrets, personal data, and raw customer content are redacted, while plan, region, state, threshold, and unit remain visible. A screenshot without tenant and version context is supporting material only, not authoritative proof.

A failed earlier-generation export retirement check moves the control to a non-compliant state and blocks new use of the dependent function. Existing durable data is preserved unless its own policy requires removal. Customer Success diagnoses entitlement, configuration, region, and version in that order. Service resumes only after retest and change advisory board approval; unrelated contractual timers continue unchanged.

For earlier-generation export retirement, customers must disclose configuration and subscription changes, keep approval contacts current, and operate any external dependency under their control. DealFlow remains accountable for the hosted implementation described here and produces a regional assurance workbook. This division prevents an external KMS, IdP, network, connector, or on-premises host from being mistaken for a provider-operated component.

The approved response pattern for earlier-generation export retirement begins with its current state-deprecated capability retained only for migration-and the applicable commercial scope-Business. It then states prerequisites, measurable behavior, evidence, exceptions, and ownership in separate sentences. Historical or neighboring values may be mentioned only as exclusions. This structure lets the proposal team answer precisely without converting ambiguity into a broader commitment.

A tenant within Business completes activation in Sydney and presents versioned evidence that matches the live setting. This supports the claim for earlier-generation export retirement, but no broader claim. If deployment moves to Frankfurt, reviewers retain the old artifact for traceability and require fresh evidence before acceptance.

A non-conforming response for earlier-generation export retirement cites a similarly named policy with a different number, lifecycle state, or subscription. The adjacent product status control uses a 180-day window and applies to Enterprise; those values are not interchangeable. The neighboring statement answers another business condition even when both documents are official. The proposal must be corrected before approval, and the rejected interpretation remains in the audit trail.

The normal notice period for a material change to earlier-generation export retirement is 7 days. Release communication must identify the previous rule, replacement, affected plans and regions, required customer action, and authoritative

guide. Emergency security remediation may shorten notice with recorded justification. Open exceptions retain their dates and undergo a new applicability review.

Decision example 1. A Sydney tenant asks whether earlier-generation export retirement remains contractually available after a configuration change. Product Operations checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 90 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 2. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of earlier-generation export retirement with the current entitlement and live configuration. Approval is time-bounded to 120 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 3. A customer in Frankfurt changes an implementation parameter that may affect earlier-generation export retirement. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 180 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Product Status Evidence and Lifecycle Assurance

This business area brings together Planned Mobile Offline Mode, Unsupported Air-gapped SaaS, Status Communication. The grouping follows operational ownership and reader workflow; each subsection retains its own plan, version, status, limits, exceptions, and evidence.

Topic	Capability state	Commercial scope
Planned Mobile Offline Mode	roadmap candidate and not currently available	Plan-specific; see fact rule
Unsupported Air-gapped SaaS	explicitly unsupported capability	Dedicated
Status Communication	Enterprise-tier capability	Enterprise and Dedicated

Planned Mobile Offline Mode

Mobile offline mode is a roadmap candidate for 2027 and is not currently supported, orderable, or covered by SLA.

Before committing to current status of working without connectivity on mobile, the account team verifies five fields: subscription, hosting model, data region, product version, and capability state. The authoritative record identifies roadmap candidate and not currently available for Plan-specific; see fact rule. Contract language may add restrictions but may not convert a roadmap, custom, deprecated, or unsupported item into standard service. Ambiguity is escalated to the data protection officer before the response is approved.

To configure current status of working without connectivity on mobile, Platform Engineering verifies entitlement first and then records the environment-specific value. An independent operator tests the result in mainland China and stores a machine-readable audit bundle. A failed or incomplete test keeps production disabled. Successful configurations return to review every 45 days, with earlier review triggered by subscription, region, provider, or architecture changes.

Exception approval for current status of working without connectivity on mobile does not change the product's capability state. Each request identifies the specific condition, compensating safeguard, owner, verification evidence, and an expiry within 21 days. Renewal repeats the risk review from the beginning. Without a valid renewal, the documented default is enforced and any incompatible workflow stops.

While a change remains open, the service checks the active value every 24 hours against the tenant registry. A mismatch opens a case for Platform Engineering, preserves old and proposed values, and prevents the compliance export from reporting success. This result applies only to current status of working without connectivity on mobile; it does not certify a neighboring identity, logging, resilience, or integration control.

For current status of working without connectivity on mobile, auditors receive a machine-readable audit bundle that identifies the tenant, product version, region, approval, UTC observation time, and current exception status. Sensitive values are masked without removing the fields needed to assess scope. Stand-alone screenshots and sales slides cannot establish whether the control was current, historical, planned, custom, or unavailable.

When the observed value for current status of working without connectivity on mobile no longer matches the approved record, the platform prevents additional dependent actions and opens an incident for Platform Engineering. Investigation separates configuration drift from subscription or regional ineligibility. The data protection officer authorizes recovery after a successful test. The event cannot be used to reset separate availability, recovery, logging, or residency obligations.

The tenant owner supplies accurate identifiers, regions, authorized users, and information about externally managed components used by current status of working without connectivity on mobile. DealFlow validates only the platform boundary it operates and records that result in a machine-readable audit bundle. Failures in a customer-controlled identity, key, network, integration, or infrastructure service follow the customer's operating process unless a separate agreement states otherwise.

An RFP answer about current status of working without connectivity on mobile must state the effective version, applicable scope, operational owner, measurable limit or cadence, evidence type, and explicit exclusion. The answer should use roadmap candidate and not currently available as the lifecycle description and Plan-specific; see fact rule as the

commercial boundary. It must not combine values from adjacent sections. Any unresolved exception is disclosed with its expiry rather than presented as standard support.

In a conforming case, the order form matches Plan-specific; see fact rule, the control is activated in mainland China, and the evidence names the current version. The assessor accepts the package for current status of working without connectivity on mobile only. If the tenant later moves to Virginia, the prior result remains historical and a new regional verification is required.

An invalid interpretation of current status of working without connectivity on mobile substitutes a nearby control because its terminology appears similar. The responsive web application works online on mobile devices but has no offline cache. Differences in audience, version, state, unit, or time window are material. Reviewers reject the claim, preserve their rationale, and require the proposal owner to cite the authoritative subsection.

Changes to current status of working without connectivity on mobile scope, units, limits, regions, or lifecycle status follow a minimum 14-day communication window except for documented urgent security action. Customers receive a comparison of old and new rules plus migration instructions. Superseded language remains available for audit, and existing exceptions are reviewed without silently extending them.

Decision example 1. During a subscription review for a mainland China tenant, Security Assurance compares the requested treatment of current status of working without connectivity on mobile with the current entitlement and live configuration. Approval is time-bounded to 120 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.

Decision example 2. A customer in Frankfurt changes an implementation parameter that may affect current status of working without connectivity on mobile. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 180 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 3. For a Virginia renewal, Customer Success must decide whether current status of working without connectivity on mobile can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 365 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Unsupported Air-gapped SaaS

For unsupported air-gapped saas, version 3.2 classifies the function as explicitly unsupported capability for Dedicated. Its control record is reviewed every 90 days, operational evidence is sampled every 48 hours, and any approved exception expires after 30 days.

Eligibility for unsupported air-gapped saas follows the current product register rather than feature-name similarity. The governing entry lists the state as explicitly unsupported capability and the customer scope as Dedicated; region and deployment prerequisites still apply. Sales and implementation teams must preserve that boundary in every RFP response. A contradictory order form is quarantined for review by the service owner instead of being treated as an entitlement.

The operational workflow for unsupported air-gapped saas assigns Product Operations to prepare the tenant record and a separate reviewer to confirm the live result. The verification is performed in Frankfurt; evidence is captured in a signed configuration export with the tenant and version identifiers. No production dependency may rely on the setting before that evidence is complete. Its maximum routine review interval is 90 days.

An exception for unsupported air-gapped saas must name the unmet requirement, compensating control, accountable owner, and expiry date. The expiry may be no later than 30 days after approval, and renewal requires a fresh decision. Roadmap language and an unsigned services estimate are not compensating controls. At expiry, operations either restores the documented baseline or disables the dependent workflow.

Operational assurance for unsupported air-gapped saas compares the live setting with the approved record every 48 hours during implementation. Drift is assigned to Product Operations with both values and the observation time attached. Until reconciliation, the evidence package reports the control as unresolved. Similar terminology elsewhere in the platform cannot be used as substitute proof.

Evidence for unsupported air-gapped saas is delivered as a signed configuration export with immutable tenant and version references. It records the last successful test, responsible roles, region, numeric unit, and unresolved deviations. Customer content and credentials are excluded. Reviewers reject images or copied text that lack provenance and an effective-version marker.

Verification failure for unsupported air-gapped saas suspends activation and any new operation that depends on the control, without rewriting previously committed evidence. Product Operations records impact, cause, correction, and retest results. Re-enablement requires the service owner's sign-off. Other service objectives remain governed by their own start times and are not recalculated from this recovery.

For unsupported air-gapped saas, the customer provides correct tenant identifiers, maintains authorized contacts, and reports subscription or regional changes before production reliance. Customer-operated identity providers, key services, network appliances, integration platforms, and on-premises components remain customer dependencies. DealFlow operates the documented hosted boundary and supplies the signed configuration export for its portion.

Procurement responses for unsupported air-gapped saas separate product availability from implementation effort. The response records explicitly unsupported capability, identifies Dedicated, cites the effective subsection, and preserves every relevant unit and condition. Supporting evidence is named without exposing tenant secrets. If delivery depends on custom work, professional services, or a future roadmap item, that dependency appears prominently instead of being implied as live capability.

Consider a Dedicated tenant enabled in Frankfurt. Its entitlement, live value, version, and evidence agree, so the assessor can accept unsupported air-gapped saas. The same record cannot prove another capability. A later migration to Singapore triggers a new check and preserves the original result solely as audit history.

Evidence for unsupported air-gapped saas is insufficient when an implementation team borrows a value from an adjacent policy. The adjacent product status control uses a 7-day window and applies to Enterprise and Dedicated; those values are not interchangeable. Official origin alone does not make two controls interchangeable. The review records the mismatch and withholds proposal approval until scope, version, status, and unit point to this exact rule.

Product governance publishes material revisions for unsupported air-gapped saas 21 days in advance under normal conditions. Each notice links the outgoing and incoming rules, lists affected tenants, and explains migration and evidence updates. A security emergency may use an expedited path. Historical guidance is retained as superseded, while open exceptions keep their original expiry and are reconsidered against the new baseline.

Decision example 1. A customer in Frankfurt changes an implementation parameter that may affect unsupported air-gapped saas. Regional Reliability verifies the version, plan, region, state, unit, and exclusion before answering the procurement team. A compliant result is reviewed again within 180 days. An unmet condition is classified as unavailable, custom, or exception-controlled, with the evidence and reasoning exposed to the customer.

Decision example 2. For a Virginia renewal, Customer Success must decide whether unsupported air-gapped saas can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 365 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 3. A Singapore tenant asks whether unsupported air-gapped saas remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 7 days before routine reassessment; otherwise it is recorded accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Status Communication

For status communication, version 3.2 classifies the function as Enterprise-tier capability for Enterprise and Dedicated. Its control record is reviewed every 180 days, operational evidence is sampled every 72 hours, and any approved exception expires after 35 days.

For contracting purposes, status communication is evaluated against the effective guide and the tenant's recorded configuration. Its current state is Enterprise-tier capability, with scope limited to Enterprise and Dedicated. Neither a

demonstration environment nor a professional-services estimate expands production entitlement. The tenant security administrator must resolve any documentary conflict before the dependent control is enabled.

For status communication, Security Assurance creates the governing record before enablement, capturing tenant, subscription, authorized region, approval, and expected setting. A second operator validates the control in Virginia. Production use starts only when the tenant control report contains the expected value and a successful UTC timestamp. The record is reviewed every 180 days and whenever an edition, identity, network, or residency change could alter eligibility.

Temporary deviation from the status communication baseline is allowed only through a time-bounded exception owned by a named person. The record describes the exact gap, residual risk, monitoring action, and a deadline within 35 days. Extensions are never automatic. If the deadline passes without renewed approval, the affected operation returns to baseline or is suspended.

For status communication, the verification job samples the configured state at an interval of 72 hours while rollout is active. Differences from the tenant registry produce an auditable investigation owned by Security Assurance; downstream attestations remain blocked. A passing result confirms only the rule in this subsection and carries no implication for controls with comparable names or numbers.

A valid assurance package for status communication combines the tenant control report, entitlement record, UTC verification result, approving role, and exception history. Redaction protects secrets and personal information but preserves every field needed to interpret applicability. Marketing material may explain the capability; it cannot replace tenant-specific operational evidence.

If verification of status communication fails, new dependent operations stop while committed records remain readable. Security Assurance determines whether the cause is drift, expired entitlement, regional restriction, or version mismatch. Restoration requires a clean verification and approval from the tenant security administrator. Recovery does not restart unrelated SLA, RTO, RPO, retention, or residency clocks.

Responsibility for status communication is shared at the documented service boundary. The customer keeps contacts, entitlement information, external systems, and requested regions accurate; DealFlow configures and verifies the hosted control. Availability of customer-managed infrastructure is not transferred to DealFlow. The provider's work is evidenced by the tenant control report.

When status communication appears in a customer questionnaire, the reviewer first gives a direct supported, conditional, custom, planned, deprecated, or unsupported conclusion. The explanation then identifies the Enterprise and Dedicated boundary, version, region assumptions, customer duties, and available evidence. Similar product names are not enough: the cited rule must answer the exact requirement and its measurement basis.

A valid procurement response can cite a Virginia implementation when the signed scope is Enterprise and Dedicated and the tenant control report identifies the effective release. Acceptance is limited to status communication. Changing the service region to Sydney invalidates prospective reliance on the old check until regional verification is repeated.

A common failure involving status communication is to combine old and current guidance or apply one subscription's value to another. The adjacent product status control uses a 14-day window and applies to Business; those values are not interchangeable. The incorrect mapping is retained as review evidence, but it cannot support the customer commitment. Correction requires a citation to the effective rule and confirmation of the applicable tenant scope.

Material changes to status communication eligibility, numeric limits, regional coverage, or capability state are announced at least 30 days before effect unless an urgent security correction requires less notice. The notice names old and new values, affected subscriptions, migration action, and replacement document. Existing exceptions keep their expiry but are reassessed; historical text remains marked superseded.

Decision example 1. For a Virginia renewal, Customer Success must decide whether status communication can appear as a current commitment. The reviewer uses the signed scope and operational evidence instead of undocumented product knowledge. Acceptance lasts no more than 365 days before normal reassessment. If the baseline is not met, the response names the actual lifecycle state and the required next action.

Decision example 2. A Singapore tenant asks whether status communication remains contractually available after a configuration change. Platform Engineering checks the effective guide, capability state, unit, and explicit exclusion. If every prerequisite is satisfied, the decision remains valid for 7 days before routine reassessment; otherwise it is recorded

accurately as unavailable, custom, or exception-bound. The customer-facing rationale links to evidence so another reviewer can reproduce the decision.

Decision example 3. During a subscription review for a Sydney tenant, Product Operations compares the requested treatment of status communication with the current entitlement and live configuration. Approval is time-bounded to 14 days and includes the governing evidence. Missing prerequisites are reported as a gap rather than silently elevated to standard support, allowing a later reviewer to repeat the same decision from recorded facts.