Experiment 3

Aim: Create a directory Vehicle. In Vehicle create three directories with names Fourwheelers, Threewheelers, Twowheelers.

- → In Fourwheelers create directories Bus, Car, Truck.
- → In Threewheelers create directories Auto.

→ In Twowheelers create directories Cycle and Scooty.

In the Car directory, create files: Carbrand.txt,Busbrand.txt,Truckbrand.txt,Autocolor.txt, Cyclebrand.txt. Write 2 lines in each file. Move each file to their respective directories. Also, delete the Cycle directory finally.

Step1: Create a directory named Vehicle mkdir Vehicle

ls

localhost:~# mkdir vehicle localhost:~# ls bench.py hello.c hello.js readme.txt vehicle

Step 2:In vehicle directory create subdirectories- Fourwheelers, Threewheelers, Twowheelers.

cd vehicle

mkdir Fourwheelers Threewheelers Twowheelers

localhost:~# cd vehicle

localhost:~/vehicle# mkdir Fourwheelers Threewheelers Twowheelers localhost:~/vehicle# ls

ourwheelers Threewheelers Twowheelers

Step3:Inside the fourwheelers directory, create the following subdirectories- Bus, Car, Truck.

cd Fourwheelers

mkdir Bus Car Truck

ls

localhost:~/vehicle# cd Fourwheelers

localhost:~/vehicle/Fourwheelers# mkdir Bus Car Truck

localhost:~/vehicle/Fourwheelers# ls

Bus Car Truck

Step4: Inside the Threewheelers directory, create a subdirectory named Auto cd Threewheelers

4CSF2 mkdir Auto

localhost:~/vehicle# cd Threewheelers localhost:~/vehicle/Threewheelers# mkdir Auto localhost:~/vehicle/Threewheelers# ls

Step 5: Inside the Twowheelers directory, create the following subdirectories- Cycle, Scooty.

cd Twowheelers mkdir Cycle Scooty

localhost:~/vehicle# cd Twowheelers localhost:~/vehicle/Twowheelers# mkdir Cycle Scooty localhost:~/vehicle/Twowheelers# ls Cycle Scooty

Step 6: In the Car directory, create the following files-Carbrand.txt, Busbrand.txt, Truckbrand.txt, Autocolor.txt , Cyclebrand.txt.

cd Fourwheelers

cd car

cat>carbrand.txt

cat>busbrand.txt

cat>truckbrand.txt

cat>autocolor.txt

cat>cyclebrand.txt

localhost:~/vehicle/Fourwheelers# cd Car localhost:~/yehicle/Fourwheelers/Car# cat>carbrand.txt Car brands are Toyota, Mercedes, BMW. Sports car brands are Porshce and Ferrari. localhost:~/vehicle/Fourwheelers/Car# cat>busbrand.txt Bus brands consists of Volvo, Force. Volvo is a luxurious bus. localhost:~/vehicle/Fourwheelers/Car# cat>truckbrand.txt Truck brand consists of Bharat benz and Tata. localhost:~/vehicle/Fourwheelers/Car# cat>autocolour.txt Autos comes in many colors Green-Yellow, Pink and Black. Green-Yellow is most commonly seen on roads. localhost:~/vehicle/Fourwheelers/Car# cat>cyclebrand.txt

Cycle brands are as follows:

Avon, Atlas and Firefox.

localhost:~/vehicle/Fourwheelers/Car# ls

autocolour.txt busbrand.txt carbrand.txt cyclebrand.txt truckbrand.txt

Step 7: Now move the files from Car directory to their respective directories. mv busbrand.txt ..//Bus//busbrand.txt mv truckbrand.txt ..//Truck/truckbrand.txt

```
4CSF2
```

Is

localhost:~/vehicle/Fourwheelers/Car# mv busbrand.txt ..//Bus/busbrand.txt
localhost:~/vehicle/Fourwheelers/Car# mv truckbrand.txt ..//Iruck/truckbrand.txt

localhost:~/vehicle/Fourwheelers/Car# ls
autocolour.txt carbrand.txt cyclebrand.txt

mv autocolour.txt ..//..//Auto

mv cyclebrand.txt ..//..//Cycle

Is

localhost:~/vehicle/Fourwheelers/Car# mv autocolour.txt ..//..//Auto

localhost:~/vehicle/Fourwheelers/Car# ls

carbrand.txt cyclebrand.txt

localhost:~/vehicle/Fourwheelers/Car# mv cyclebrand.txt ..//..//Cycle

localhost:~/vehicle/Fourwheelers/Car# ls

carbrand.txt

Step 8: Delete the Cycle Directory cd Twowheelers rmdir Cycle

ls

localhost:~/vehicle/Fourwheelers/Car# cd ..


localhost:~/vehicle/Fourwheelers# cd ...

localhost:~/vehicle# cd Twowheelers

localhost:~/vehicle/Twowheelers# rmdir Cycle

localhost:~/vehicle/Twowheelers# ls

Scooty



2/2/21