






Organoid | All MEKi: recurrence of significant features
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin
Patients
Tumor types
Features
0
20
40
60
80
1
2
3
4
5
6
7
8
9
10
11
Number of patients / tumor types in which the feature is significant
Pooled test
(across patients /
tumor type means)
q >= 0.05
q < 0.05



Organoid | Binimetinib 1 uM: recurrence of significant features
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin
Patients
Tumor types
Features
0
5
10
15
20
1
2
3
4
Number of patients / tumor types in which the feature is significant
Pooled test
(across patients /
tumor type means)
q >= 0.05



Organoid | Binimetinib 10 uM: recurrence of significant features
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin
Patients
Tumor types
Features
Number of patients / tumor types in which the feature is significant
Pooled test (across patients / tumor type means)
q >= 0.05
q < 0.05



Organoid | Mirdametinib 1 uM: recurrence of significant features
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin
Patients
Tumor types
Features
Number of patients / tumor types in which the feature is significant
Pooled test (across patients / tumor type means)
q >= 0.05



Organoid | Mirdametinib 10 uM: recurrence of significant features
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin
Patients
Tumor types
Features
Number of patients / tumor types in which the feature is significant
Pooled test
(across patients /
tumor type means)
q >= 0.05
q < 0.05



Organoid | Trametinib 1 uM: recurrence of significant features
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin
Patients
Tumor types
Features
Number of patients / tumor types in which the feature is significant
Pooled test (across patients / tumor type means)
q >= 0.05



Organoid | Trametinib 10 uM: recurrence of significant features
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin
Patients
Tumor types
Features
Number of patients / tumor types in which the feature is significant
Pooled test (across patients / tumor type means)
q >= 0.05



Organoid | Selumetinib 1 uM: recurrence of significant features
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin
Patients
Tumor types
Features
0
5
10
0
2
4
6
8
1
2
3
1
2
3
1
2
3
4
Number of patients / tumor types in which the feature is significant
Pooled test
(across patients /
tumor type means)
q >= 0.05



Organoid | Selumetinib 10 uM: recurrence of significant features
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin
Patients
Tumor types
Features
40
30
20
10
0
10
5
0
1
2
1
2
3
1
2
3
4
Number of patients / tumor types in which the feature is significant
Pooled test
(across patients /
tumor type means)
q >= 0.05
q < 0.05



Single cell | All MEKi: recurrence of significant features
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin
Patients
Tumor types
Features
0
50
100
150
1
2
3
4
5
6
7
8
9
10
11
Number of patients / tumor types in which the feature is significant
Pooled test
(across patients /
tumor type means)
q >= 0.05
q < 0.05



Single cell | Binimetinib 1 uM: recurrence of significant features
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin
Patients
Tumor types
Features
0
10
20
30
0
40
80
120
1
2
3
4
Number of patients / tumor types in which the feature is significant
Pooled test
(across patients /
tumor type means)
q >= 0.05
q < 0.05



Single cell | Binimetinib 10 uM: recurrence of significant features
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin
Patients
Tumor types
Features
Number of patients / tumor types in which the feature is significant
Pooled test
(across patients /
tumor type means)
q >= 0.05



Single cell | Mirdametinib 1 uM: recurrence of significant features
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin
Patients
Tumor types
Features
0
10
20
30
0
30
60
90
120
1
2
5
1
2
3
4
1
2
3
4
5
Number of patients / tumor types in which the feature is significant
Pooled test
(across patients /
tumor type means)
q >= 0.05
q < 0.05


Single cell | Mirdametinib 10 uM: recurrence of significant features
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin
Patients
Tumor types
Features
0
10
20
30
40
1
2
3
Number of patients / tumor types in which the feature is significant
Pooled test
(across patients /
tumor type means)
q >= 0.05
q < 0.05


Single cell | Trametinib 1 uM: recurrence of significant features
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin
Patients
Tumor types
Features
30
20
10
0
40
20
0
1
2
3
1
2
3
1
2
3
4
Number of patients / tumor types in which the feature is significant
Pooled test (across patients / tumor type means)
q >= 0.05
q < 0.05


Single cell | Trametinib 10 uM: recurrence of significant features
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin
Patients
Tumor types
Features
0
10
20
0
2
4
6
8
1
2
3
1
2
3
1
2
3
4
Number of patients / tumor types in which the feature is significant
Pooled test
(across patients /
tumor type means)
q >= 0.05
q < 0.05


Single cell | Selumetinib 1 uM: recurrence of significant features
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin
Patients
Tumor types
Features
0
10
20
30
0
50
100
1
2
3
1
2
3
4
5
1
2
3
5
6
Number of patients / tumor types in which the feature is significant
Pooled test
(across patients /
tumor type means)
q >= 0.05
q < 0.05


Single cell | Selumetinib 10 uM: recurrence of significant features
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin
Patients
Tumor types
Features
30
20
10
0
125
100
75
50
25
0
1
2
3
Number of patients / tumor types in which the feature is significant
Pooled test
(across patients /
tumor type means)
q >= 0.05
q < 0.05