





Inter-patient mAP – 2D Organoid





Inter-patient mAP vs Distance – 2D Organoid




Inter-patient mAP – 2D Single-cell




Inter-patient mAP vs Distance – 2D Single-cell



Inter-patient mAP – 3D Organoid – Handcrafted



Inter-patient mAP vs Distance – 3D Organoid – Handcrafted




Treatment





Dose




Inter-patient mAP – 3D Organoid – DL (SAM–Med3D)




Inter-patient mAP vs Distance – 3D Organoid – DL (SAM–Med3D)





Inter-patient mAP – 3D Single-cell – Handcrafted




Inter-patient mAP vs Distance – 3D Single-cell – Handcrafted



Inter-patient mAP – 3D Single-cell – DL (SAM-Med3D)



Inter-patient mAP vs Distance – 3D Single-cell – DL (SAM-Med3D)



Treatment

Dose

● ARV-825 ● Everolimus ● Mirdametinib ● Sapanisertib ● Vistusertib ● 1 ▲ 10


● Binimetinib ● Fimepinostat ● Nilotinib ● Selumetinib

● Cabozantinib ● Imatinib ● Onalespib ● Staurosporine

● Copanlisib ● Ketotifen ● Panobinostat ● Trabectedin

● Digoxin ● Linsitinib ● Rapamycin ● Trametinib

Inter-patient mAP – 3D Single-cell – Nucleocentric DL (SAM-Med3D)



Treatment

Dose

● ARV-825 ● Everolimus ● Mirdametinib ● Sapanisertib ● Vistusertib ● 1 ▲ 10



● Binimetinib ● Fimepinostat ● Nilotinib ● Selumetinib

● Cabozantinib ● Imatinib ● Onalespib ● Staurosporine


● Copanlisib ● Ketotifen ● Panobinostat ● Trabectedin

● Digoxin ● Linsitinib ● Rapamycin ● Trametinib



Inter-patient mAP vs Distance – 3D Single-cell – Nucleocentric DL (SAM-Med3D)




Inter-patient mAP – 3D Single-cell – Nucleocentric DL (MorphEM)





Inter-patient mAP vs Distance – 3D Single-cell – Nucleocentric DL (MorphEM)





2D vs 3D Inter-patient mAP – Organoid – Handcrafted





2D vs 3D Inter-patient mAP – Organoid – DL (SAM–Med3D)




2D vs 3D Inter-patient mAP – Single-cell – Handcrafted




2D vs 3D Inter-patient mAP – Single-cell – DL (SAM-Med3D)





2D vs 3D Inter-patient mAP – Single-cell – Nucleocentric DL (SAM–Med3D)




2D vs 3D Inter-patient mAP – Single-cell – Nucleocentric DL (MorphEM)



2D vs 3D Inter-patient Cosine Distance – Organoid – Handcrafted



2D vs 3D Inter-patient Cosine Distance – Organoid – DL (SAM-Med3D)



Treatment

Dose

● ARV-825

- Everolimus

● Mirdametinib

● Sapanisertib

 Vistuser tib

● 1 ▲ 10

● Binimetinib

- Fimepinostat

● Nilotinib

● Selumetinib

- Cabozantinib

- Imatinib

● Onalespib

- Staurosporine

● Copanlisib

- Ketotifen

- Panobinostat

- Trabectedin


- Digoxin

● Linsitinib

- Rapamycin


● Trametinib

2D vs 3D Inter-patient Cosine Distance – Single-cell – Handcrafted





2D vs 3D Inter-patient Cosine Distance – Single-cell – DL (SAM-Med3D)

3D Cosine Distance



2D vs 3D Inter-patient Cosine Distance – Single-cell – Nucleocentric DL (SAM-Med3D)



2D vs 3D Inter-patient Cosine Distance – Single-cell – Nucleocentric DL (MorphEM)

3D Cosine Distance

0.80

0.84

0.88

0.92

2D Cosine Distance

Treatment

Dose

