





Intra:Inter mAP Ratio – 2D Organoid





Inter vs Intra Patient mAP – 2D Organoid




Intra:Inter mAP Ratio – 2D Single-cell





Inter vs Intra Patient mAP – 2D Single-cell




Intra:Inter mAP Ratio – 3D Organoid – Handcrafted




Inter vs Intra Patient mAP – 3D Organoid – Handcrafted




Intra:Inter mAP Ratio – 3D Organoid – DL (SAM–Med3D)





Inter vs Intra Patient mAP – 3D Organoid – DL (SAM–Med3D)




Intra:Inter mAP Ratio – 3D Single-cell – Handcrafted





Inter vs Intra Patient mAP – 3D Single-cell – Handcrafted




Intra:Inter mAP Ratio – 3D Single-cell – DL (SAM–Med3D)





Inter vs Intra Patient mAP – 3D Single-cell – DL (SAM-Med3D)




Intra:Inter mAP Ratio – 3D Single-cell – Nucleocentric DL (SAM-Med3D)



Inter vs Intra Patient mAP – 3D Single-cell – Nucleocentric DL (SAM-Med3D)



Intra:Inter mAP Ratio – 3D Single-cell – Nucleocentric DL (MorphEM)



Inter vs Intra Patient mAP – 3D Single-cell – Nucleocentric DL (MorphEM)

