




Colored by patient
0
−2
−4
Viability log2(fold change vs DMSO)
0.00
0.25
0.50
0.75
Morphology cosine similarity to DMSO
Patient
NF0014_T1
NF0014_T2
NF0018_T6
NF0021_T1
NF0035_T1
NF0037_T1
NF0055_T1
SARCO219_T2
SARCO361_T1


Colored by tumor type
0
−2
−4
Viability log2(fold change vs DMSO)
0.00
0.25
0.50
0.75
Morphology cosine similarity to DMSO
Tumor type
cNF
pNF
MPNST


Colored by treatment
0
−2
−4
Viability log2(fold change vs DMSO)
0.00
0.25
0.50
0.75
Morphology cosine similarity to DMSO
Treatment
Staurosporine
Fimepinostat
Copanlisib
Everolimus
Rapamycin
Sapanisertib
Vistusertib
Panobinostat
ARV−825
Imatinib
Nilotinib
Cabozantinib
Linsitinib
Binimetinib
Mirdametinib
Trametinib
Selumetinib
Onalespib
Digoxin
Ketotifen
Trabectedin


Colored by target
0
−2
−4
Viability log2(fold change vs DMSO)
0.00
0.25
0.50
0.75
Morphology cosine similarity to DMSO
Target
BRD4 inhibitor
receptor tyrosine kinase inhibitor
tyrosine kinase inhibitor
MEK1/2 inhibitor
IGF−1R inhibitor
mTOR inhibitor
PI3K inhibitor
PI3K and HDAC inhibitor
HDAC inhibitor
Apoptosis induction
DNA binding
HSP90 inhibitor
histamine H1 receptor antagonist
Na+/K+ pump inhibitor