





Organoid: features with q < 0.05
NF0014_T1 (cNF)
NF0018_T6 (cNF)
NF0021_T1 (cNF)
NF0035_T1 (cNF)
NF0037_T1 (cNF)
NF0014_T2 (pNF)
NF0016_T1 (pNF)
NF0055_T1 (pNF)
SARCO219_T2 (MPNST)
SARCO361_T1 (MPNST)
NF0030_T1 (Other)
NF0040_T1 (Other)
1 56 86
42 59 2
15 92 106
1 106 92
32 123 122
2 29 65
35 127
16 49 32
12 45 69
109 130 131
0 98 115
10 113 92
Within patient
All patients
0 20 0
Across patients
cNF
pNF
MPNST
Other
7 119 102
7 69 70
62 102 101
4 89 104
Within tumor type
Tumor type means
0 0 0
Across tumor types (shared)
Between tumor types
0 0 0
Across tumor types (differ)
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin
Significant features
125
100
75
50
25
0


Single cell: features with q < 0.05
NF0014_T1 (cNF)
NF0018_T6 (cNF)
NF0021_T1 (cNF)
NF0035_T1 (cNF)
NF0037_T1 (cNF)
NF0014_T2 (pNF)
NF0016_T1 (pNF)
NF0055_T1 (pNF)
SARCO219_T2 (MPNST)
SARCO361_T1 (MPNST)
NF0030_T1 (Other)
NF0040_T1 (Other)
77 247 218
102 164 125
9 249 194
0 255 214
48 259 192
4 104 60
0 235
17 232 109
4 126 156
137 288 238
0 142 236
15 216 205
Within patient
All patients
0 83 24
Across patients
cNF
pNF
MPNST
Other
102 272 223
34 194 183
6 249 199
0 192 127
Within tumor type
Tumor type means
0 0 0
Across tumor types (shared)
Between tumor types
0 0 0
Across tumor types (differ)
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin
Significant features
200
100
0


Organoid | Within patient
Patient x feature pairs with q < 0.05 (log10)
450
418
331
105
66
58
46
100
10
1
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin


Organoid | Across patients
No significant features for: MEKi vs DMSO, MEKi vs Digoxin
Features with q < 0.05 (log10)
20
10
3
1
MEKi vs Staurosporine



Organoid | Within tumor type
Tumor type x feature pairs with q < 0.05 (log10)
100
10
1
165
162
159
37
16
15
12
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin


Organoid | Across tumor types (shared)


No features with q < 0.05

Organoid | Across tumor types (differ)

No features with q < 0.05


Single cell | Within patient
Patient x feature pairs with q < 0.05 (log10)
1000
100
10
1
1060
950
874
186
86
79
62
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin


Single cell | Across patients
No significant features for: MEKi vs DMSO
Features with q < 0.05 (log10)
100
10
1
73
14
10
MEKi vs Staurosporine
MEKi vs Digoxin


Single cell | Within tumor type
Tumor type x feature pairs with q < 0.05 (log10)
409
408
237
57
33
30
22
100
10
1
MEKi vs DMSO
MEKi vs Staurosporine
MEKi vs Digoxin

Single cell | Across tumor types (shared)

No features with q < 0.05

Single cell | Across tumor types (differ)

No features with q < 0.05