


Share of each model's variance explained, by model term




Share of each model's variance explained, by model term




Share of each model's variance explained, by model term




Share of each model's variance explained, by model term




Share of each model's variance explained, by model term




Share of each model's variance explained, by model term




Share of each model's variance explained, by model term





Share of each model's variance explained, by model term





Unexplained (residual) variance across fitted models






Variance explained by each term in the 20 best-explained models
organoid_norm: one bar per fitted model (patient | treatment | feature)
bars sum to 100% of that model's variance
NF0021_T1 | Binimetinib_10.0uM | Organoid_ER_Intensity_LowerQuartileIntensity
NF0030_T1 | Nilotinib_1.0uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Fimepinostat_1.0uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Binimetinib_1.0uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Fimepinostat_1.0uM | Organoid_NoChannel_VolumeSizeShape_Volume
NF0030_T1 | Fimepinostat_1.0uM | Organoid_AGP_Intensity_IntegratedIntensity
NF0030_T1 | Rapamycin_1.0uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Mirdametinib_1.0uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Cabozantinib_1.0uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Everolimus_1.0uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Nilotinib_1.0uM | Organoid_NoChannel_VolumeSizeShape_Volume
NF0021_T1 | Copanlisib_1.0uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Mirdametinib_10.0uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Copanlisib_1.0uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Binimetinib_1.0uM | Organoid_NoChannel_VolumeSizeShape_Volume
NF0030_T1 | Onalespib_1.0uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Binimetinib_10.0uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Trametinib_1.0uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Trametinib_10.0uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Nilotinib_1.0uM | Organoid_Mito_Intensity_IntegratedIntensity
0
5
10
15
20
25
30
35
% of total variance
Term
cell_count
cell_per_organoid_count
organoid_count
treatment
residual



What drives the 500 best-explained models?
(organoid_norm)
Dominant term
dominant_term
treatment
cell_per_organoid_count
cell_count
0
100
200
300
400
n top models
Compartment
Compartment
Organoid
0.00
0.25
0.50
0.75
1.00
fraction of models
top 500
all models
Channel
Channel
NoChannel
DNA
ER
AGP
Mito
ER-AGP
DNA-ER
DNA-Mito
ER-Mito
DNA-AGP
AGP-Mito
0.0
0.1
0.2
fraction of models
top 500
all models
Feature_type
Feature_type
Intensity
VolumeSizeShape
Colocalization
Texture
Neighbors
Granularity
0.0
0.2
0.4
0.6
0.8
fraction of models
top 500
all models



Variance explained by each term in the 20 best-explained models
organoid_norm_technical_model: one bar per fitted model (patient | treatment | feature)
bars sum to 100% of that model's variance
NF0030_T1 | Nilotinib_1uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Fimepinostat_1uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Binimetinib_1uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Fimepinostat_1uM | Organoid_NoChannel_VolumeSizeShape_Volume
NF0030_T1 | Nilotinib_1uM | Organoid_NoChannel_VolumeSizeShape_Volume
NF0030_T1 | Binimetinib_1uM | Organoid_NoChannel_VolumeSizeShape_Volume
NF0030_T1 | Fimepinostat_1uM | Organoid_AGP_Intensity_IntegratedIntensity
NF0030_T1 | Rapamycin_1uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Nilotinib_1uM | Organoid_Mito_Intensity_IntegratedIntensity
NF0030_T1 | Cabozantinib_1uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Everolimus_1uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Fimepinostat_1uM | Organoid_NoChannel_VolumeSizeShape_BboxVolume
NF0030_T1 | Mirdametinib_10uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Copanlisib_1uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Mirdametinib_1uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Binimetinib_10uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Onalespib_1uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Trametinib_1uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0021_T1 | Copanlisib_1uM | Organoid_DNA_Intensity_IntegratedIntensity
NF0030_T1 | Digoxin_1uM | Organoid_DNA_Intensity_IntegratedIntensity
0
5
10
15
20
25
% of total variance
Term
Metadata_Experiment_Treatment
cell_count
cell_per_organoid_count
cell_x_position
cell_y_position
cell_z_depth
cell_z_position
manhattan_distance_from_center
organoid_count
residual



What drives the 500 best-explained models?
(organoid_norm_technical_model)
Dominant term
dominant_term
organoid_count
cell_z_position
Metadata_Experiment_Treatment
cell_z_depth
manhattan_distance_from_center
cell_per_organoid_count
cell_count
0
100
200
300
400
n top models
Compartment
Compartment
Organoid
0.00
0.25
0.50
0.75
1.00
fraction of models
top 500
all models
Channel
Channel
NoChannel
DNA
ER
AGP
Mito
ER-AGP
DNA-ER
ER-Mito
DNA-Mito
DNA-AGP
AGP-Mito
0.0
0.1
0.2
0.3
fraction of models
top 500
all models
Feature_type
Feature_type
Intensity
VolumeSizeShape
Colocalization
Neighbors
Granularity
0.0
0.2
0.4
0.6
fraction of models
top 500
all models



Variance explained by each term in the 20 best-explained models
single_cell_norm: one bar per fitted model (patient | treatment | feature)
bars sum to 100% of that model's variance
NF0014_T2 | Trametinib_1.0uM | Cytoplasm_DNA_Intensity_MinIntensityEdge
NF0014_T2 | Trametinib_1.0uM | Cell_DNA_Intensity_MinIntensityEdge
NF0014_T2 | Trametinib_1.0uM | Cytoplasm_DNA_Intensity_MinIntensity
NF0014_T2 | Trametinib_1.0uM | Cell_DNA_Intensity_MinIntensity
NF0055_T1 | Trabectedin_1.0uM | Cell_ER_Texture_InformationMeasureOfCorrelation2-3-04-256
NF0055_T1 | Trabectedin_1.0uM | Cell_ER_Texture_InformationMeasureOfCorrelation2-3-02-256
NF0055_T1 | Trabectedin_1.0uM | Cytoplasm_ER_Texture_InformationMeasureOfCorrelation2-3-04-256
NF0055_T1 | Trabectedin_1.0uM | Cytoplasm_ER_Texture_InformationMeasureOfCorrelation2-3-02-256
NF0055_T1 | Trabectedin_1.0uM | Cell_ER_Texture_InformationMeasureOfCorrelation2-3-10-256
NF0055_T1 | Trabectedin_1.0uM | Cell_ER_Texture_InformationMeasureOfCorrelation2-3-06-256
NF0030_T1 | Selumetinib_10.0uM | Cell_NoChannel_VolumeSizeShape_MaxZ
NF0030_T1 | Selumetinib_10.0uM | Cytoplasm_NoChannel_VolumeSizeShape_MaxZ
NF0055_T1 | Trabectedin_1.0uM | Cell_ER_Texture_InformationMeasureOfCorrelation2-3-05-256
NF0055_T1 | Trabectedin_1.0uM | Cell_ER_Texture_InformationMeasureOfCorrelation2-3-09-256
NF0055_T1 | Trabectedin_1.0uM | Cytoplasm_ER_Texture_InformationMeasureOfCorrelation2-3-10-256
NF0055_T1 | Trabectedin_1.0uM | Cell_ER_Texture_InformationMeasureOfCorrelation2-3-01-256
NF0055_T1 | Trabectedin_1.0uM | Cell_ER_Texture_InformationMeasureOfCorrelation2-3-03-256
NF0055_T1 | Trabectedin_1.0uM | Cytoplasm_ER_Texture_InformationMeasureOfCorrelation2-3-06-256
NF0014_T2 | Trametinib_1.0uM | Cell_NoChannel_VolumeSizeShape_MaxZ
NF0014_T2 | Trametinib_1.0uM | Cytoplasm_NoChannel_VolumeSizeShape_MaxZ
0
10
20
30
40
50
60
70
80
% of total variance
Term
cell_count
cell_per_organoid_count
organoid_count
treatment
residual



What drives the 500 best-explained models?
(single_cell_norm)
Dominant term
dominant_term
cell_count
treatment
0
50
100
150
200
250
n top models
Compartment
Compartment
Cell
Cytoplasm
Nuclei
0.0
0.1
0.2
0.3
0.4
fraction of models
top 500
all models
Channel
Channel
ER
Mito
DNA
AGP
NoChannel
ER-Mito
AGP-Mito
DNA-ER
DNA-Mito
ER-AGP
DNA-AGP
0.0
0.1
0.2
0.3
fraction of models
top 500
all models
Feature_type
Feature_type
Texture
Intensity
VolumeSizeShape
Colocalization
Granularity
0.0
0.2
0.4
0.6
0.8
fraction of models
top 500
all models



Variance explained by each term in the 20 best-explained models
single_cell_norm_technical_model: one bar per fitted model (patient | treatment | feature)
bars sum to 100% of that model's variance
NF0014_T2 | Trametinib_1uM | Cytoplasm_DNA_Intensity_MinIntensityEdge
NF0014_T2 | Trametinib_1uM | Cell_DNA_Intensity_MinIntensityEdge
NF0014_T2 | Trametinib_1uM | Cytoplasm_DNA_Intensity_MinIntensity
NF0055_T1 | Trabectedin_1uM | Cell_Mito_Intensity_MinIntensityEdge
NF0014_T2 | Trametinib_1uM | Cell_DNA_Intensity_MinIntensity
NF0055_T1 | Trabectedin_1uM | Cytoplasm_Mito_Intensity_MinIntensityEdge
NF0055_T1 | Trabectedin_1uM | Cell_Mito_Intensity_MinIntensity
NF0055_T1 | Trabectedin_1uM | Cytoplasm_Mito_Intensity_MinIntensity
NF0014_T2 | Trametinib_1uM | Cytoplasm_DNA_Intensity_LowerQuartileIntensity
NF0014_T2 | Trametinib_1uM | Cytoplasm_DNA_Intensity_MedianIntensity
NF0014_T2 | Trametinib_1uM | Cell_DNA_Intensity_IntegratedIntensity
NF0014_T2 | Trametinib_1uM | Cytoplasm_DNA_Intensity_IntegratedIntensity
NF0014_T2 | Trametinib_1uM | Nuclei_DNA_Intensity_MinIntensityEdge
NF0014_T2 | Trametinib_1uM | Cell_DNA-Mito_Colocalization_OverlapCoeff
NF0014_T1 | Trametinib_10uM | Cytoplasm_ER_Intensity_MinIntensityEdge
NF0014_T2 | Trametinib_1uM | Nuclei_DNA_Intensity_MinIntensity
NF0014_T1 | Trametinib_10uM | Cell_ER_Intensity_MinIntensityEdge
NF0014_T1 | Trametinib_10uM | Cell_ER_Intensity_MaxIntensityEdge
NF0055_T1 | Trabectedin_1uM | Cell_ER_Intensity_MassDisplacement
NF0014_T1 | Trametinib_10uM | Cell_ER_Intensity_MaxIntensity
0
10
20
30
40
50
60
70
% of total variance
Term
Metadata_Experiment_Treatment
cell_count
cell_per_organoid_count
cell_x_position
cell_y_position
cell_z_depth
cell_z_position
manhattan_distance_from_center
organoid_count
residual


What drives the 500 best-explained models?
(single_cell_norm_technical_model)
Dominant term
dominant_term
cell_per_organoid_count
cell_z_position
Metadata_Experiment_Treatment
cell_count
cell_z_depth
0
100
200
300
n top models
Compartment
Compartment
Cell
Cytoplasm
Nuclei
0.0
0.1
0.2
0.3
0.4
top 500
all models
Channel
Channel
NoChannel
AGP
ER
Mito
DNA
ER-Mito
ER-AGP
AGP-Mito
DNA-ER
DNA-Mito
DNA-AGP
Feature_type
Feature_type
Intensity
VolumeSizeShape
Granularity
Colocalization


Variance explained by each term in the 20 best-explained models
organoid_agg: one bar per fitted model (patient | treatment | feature)
bars sum to 100% of that model's variance
NF0035_T1 | Trametinib_10.0uM | Organoid_AGP_Intensity_MinIntensityEdge
NF0055_T1 | Binimetinib_10.0uM | Organoid_AGP_Intensity_LowerQuartileIntensity
NF0055_T1 | Binimetinib_10.0uM | Organoid_ER_Intensity_LowerQuartileIntensity
NF0055_T1 | Binimetinib_10.0uM | Organoid_ER_Intensity_MinIntensityEdge
NF0055_T1 | Nilotinib_1.0uM | Organoid_AGP_Intensity_MinIntensityEdge
NF0035_T1 | Binimetinib_1.0uM | Organoid_AGP_Intensity_MinIntensityEdge
NF0037_T1 | Nilotinib_1.0uM | Organoid_AGP_Intensity_MinIntensityEdge
NF0055_T1 | Binimetinib_10.0uM | Organoid_AGP_Intensity_MinIntensityEdge
NF0055_T1 | Binimetinib_10.0uM | Organoid_ER_Intensity_MedianIntensity
NF0055_T1 | Trametinib_1.0uM | Organoid_ER_Intensity_MedianIntensity
NF0055_T1 | Rapamycin_1.0uM | Organoid_ER_Intensity_MedianIntensity
NF0055_T1 | Nilotinib_1.0uM | Organoid_AGP_Intensity_MinIntensity
NF0035_T1 | Copanlisib_1.0uM | Organoid_AGP_Intensity_MinIntensityEdge
NF0055_T1 | Rapamycin_1.0uM | Organoid_AGP_Intensity_MinIntensityEdge
NF0055_T1 | Cabozantinib_1.0uM | Organoid_AGP_Intensity_MinIntensityEdge
NF0037_T1 | Rapamycin_1.0uM | Organoid_AGP_Intensity_MinIntensityEdge
NF0055_T1 | Mirdametinib_10.0uM | Organoid_ER_Intensity_MinIntensityEdge
NF0055_T1 | Mirdametinib_10.0uM | Organoid_ER_Intensity_LowerQuartileIntensity
NF0055_T1 | Mirdametinib_10.0uM | Organoid_AGP_Intensity_LowerQuartileIntensity
NF0021_T1 | Trametinib_10.0uM | Organoid_NoChannel_VolumeSizeShape_MinZ
0
20
40
60
80
100
120
140
160
% of total variance
Term
cell_count
cell_per_organoid_count
organoid_count
treatment
residual


What drives the 500 best-explained models?
(organoid_agg)
Dominant term
dominant_term
cell_count
treatment
cell_per_organoid_count
organoid_count
0
100
200
300
400
n top models
Compartment
Compartment
Organoid
0.00
0.25
0.50
0.75
1.00
fraction of models
top 500
all models
Channel
Channel
DNA
ER
Mito
AGP
AGP-Mito
DNA-Mito
NoChannel
ER-Mito
ER-AGP
DNA-ER
DNA-AGP
0.0
0.1
0.2
0.3
0.4
fraction of models
top 500
all models
Feature_type
Feature_type
Texture
Granularity
Intensity
Colocalization
VolumeSizeShape
Neighbors
0.0
0.2
0.4
0.6
0.8
fraction of models
top 500
all models


Variance explained by each term in the 20 best-explained models
organoid_agg_technical_model: one bar per fitted model (patient | treatment | feature)
bars sum to 100% of that model's variance
NF0055_T1 | Trametinib_1uM | Organoid_ER_Intensity_MedianIntensity
NF0021_T1 | Trametinib_10uM | Organoid_ER_Granularity_7
SARCO219_T2 | Selumetinib_1uM | Organoid_ER_Intensity_IntegratedIntensity
SARCO219_T2 | Selumetinib_1uM | Organoid_DNA-AGP_Colocalization_MandersCoeffM2
SARCO219_T2 | Selumetinib_1uM | Organoid_DNA-ER_Colocalization_MandersCoeffM2
SARCO219_T2 | Selumetinib_1uM | Organoid_AGP-Mito_Colocalization_MandersCoeffM1
SARCO219_T2 | Selumetinib_1uM | Organoid_ER_Granularity_9
SARCO219_T2 | Selumetinib_1uM | Organoid_ER_Granularity_7
SARCO219_T2 | Selumetinib_1uM | Organoid_AGP_Granularity_15
SARCO219_T2 | Selumetinib_1uM | Organoid_ER_Granularity_16
SARCO219_T2 | Selumetinib_1uM | Organoid_ER_Granularity_10
SARCO219_T2 | Selumetinib_1uM | Organoid_ER_Granularity_13
SARCO219_T2 | Selumetinib_1uM | Organoid_DNA_Granularity_6
SARCO219_T2 | Selumetinib_1uM | Organoid_DNA_Granularity_5
SARCO219_T2 | Selumetinib_1uM | Organoid_ER_Intensity_LowerQuartileIntensity
SARCO219_T2 | Selumetinib_1uM | Organoid_ER_Intensity_MinIntensityEdge
SARCO219_T2 | Selumetinib_1uM | Organoid_DNA_Granularity_15
SARCO219_T2 | Selumetinib_1uM | Organoid_DNA_Granularity_7
SARCO219_T2 | Selumetinib_1uM | Organoid_ER_Granularity_6
SARCO219_T2 | Selumetinib_1uM | Organoid_DNA_Granularity_12
10
20
30
40
50
60
70
% of total variance
Term
Metadata_Experiment_Treatment
cell_count
cell_per_organoid_count
manhattan_distance_from_center
organoid_count
residual


What drives the 500 best-explained models?
(organoid_agg_technical_model)
Dominant term
dominant_term
manhattan_distance_from_center
Metadata_Experiment_Treatment
cell_count
organoid_count
cell_per_organoid_count
0
50
100
150
n top models
Compartment
Compartment
Organoid
0.00
0.25
0.50
0.75
1.00
fraction of models
top 500
all models
Channel
Channel
AGP
Mito
ER
DNA
DNA-Mito
DNA-ER
ER-AGP
ER-Mito
AGP-Mito
NoChannel
DNA-AGP
0.00
0.05
0.10
0.15
0.20
fraction of models
top 500
all models
Feature_type
Feature_type
Granularity
Colocalization
Intensity
VolumeSizeShape
Neighbors
0.0
0.1
0.2
0.3
fraction of models
top 500
all models


Variance explained by each term in the 20 best-explained models


single_cell_agg: one bar per fitted model (patient | treatment | feature)
bars sum to 100% of that model's variance


NF0021_T1 | Selumetinib_10.0uM | Cytoplasm_ER_Intensity_MedianIntensity
SARCO219_T2 | Digoxin_1.0uM | Nuclei_ER_Granularity_9
SARCO219_T2 | Digoxin_1.0uM | Cell_DNA_Granularity_12
SARCO219_T2 | Digoxin_1.0uM | Nuclei_ER_Granularity_14
NF0021_T1 | Trametinib_1.0uM | Cytoplasm_ER_Granularity_11
SARCO219_T2 | Staurosporine_10.0nM | Nuclei_ER_Granularity_5
SARCO219_T2 | Digoxin_1.0uM | Nuclei_DNA_Granularity_13
SARCO219_T2 | Digoxin_1.0uM | Nuclei_AGP_Granularity_12
SARCO219_T2 | Digoxin_1.0uM | Cell_ER_Granularity_11
SARCO219_T2 | Mirdametinib_1.0uM | Cytoplasm_DNA_Granularity_15
SARCO219_T2 | Digoxin_1.0uM | Cell_ER_Granularity_8
SARCO219_T2 | Digoxin_1.0uM | Cytoplasm_DNA_Granularity_7
SARCO219_T2 | Digoxin_1.0uM | Cytoplasm_DNA_Granularity_11
SARCO219_T2 | Digoxin_1.0uM | Nuclei_ER_Intensity_LowerQuartileIntensity
SARCO219_T2 | Mirdametinib_1.0uM | Nuclei_ER_Intensity_UpperQuartileIntensity
SARCO219_T2 | Digoxin_1.0uM | Nuclei_ER_Intensity_MinIntensityEdge
SARCO219_T2 | Digoxin_1.0uM | Cytoplasm_ER_Intensity_UpperQuartileIntensity
SARCO219_T2 | Nilotinib_1.0uM | Nuclei_DNA_Granularity_6
SARCO219_T2 | Digoxin_1.0uM | Cell_ER_Granularity_14
SARCO219_T2 | Fimepinostat_1.0uM | Nuclei_AGP_Intensity_MinIntensityEdge

Term
cell_count
cell_per_organoid_count
organoid_count
treatment
residual

% of total variance


What drives the 500 best-explained models?
(single_cell_agg)
Dominant term
dominant_term
organoid_count
cell_count
cell_per_organoid_count
treatment
0
200
400
n top models
Compartment
Compartment
Cell
Cytoplasm
Nuclei
0.0
0.1
0.2
0.3
fraction of models
top 500
all models
Channel
Channel
ER
AGP
DNA
NoChannel
Mito
DNA-ER
DNA-Mito
DNA-AGP
ER-Mito
ER-AGP
AGP-Mito
0.0
0.1
0.2
0.3
fraction of models
top 500
all models
Feature_type
Feature_type
Texture
Colocalization
Granularity
VolumeSizeShape
Intensity
0.0
0.2
0.4
0.6
0.8
fraction of models
top 500
all models


Variance explained by each term in the 20 best-explained models
single_cell_agg_technical_model: one bar per fitted model (patient | treatment | feature)
bars sum to 100% of that model's variance
SARCO361_T1 | Everolimus_1uM | Cell_NoChannel_VolumeSizeShape_EulerNumber
SARCO219_T2 | Imatinib_1uM | Nuclei_AGP_Intensity_MinIntensityEdge
SARCO219_T2 | Fimepinostat_1uM | Nuclei_AGP_Intensity_MinIntensityEdge
NF0014_T1 | Digoxin_1uM | Nuclei_ER_Granularity_13
NF0055_T1 | Trabectedin_1uM | Nuclei_AGP_Granularity_14
NF0014_T1 | Digoxin_1uM | Nuclei_DNA-AGP_Colocalization_MandersCoeffM2
NF0055_T1 | Trabectedin_1uM | Cell_ER_Intensity_MassDisplacement
NF0021_T1 | Onalespib_1uM | Cell_DNA-AGP_Colocalization_MandersCoeffCostesM2
NF0014_T1 | Digoxin_1uM | Cytoplasm_DNA-AGP_Colocalization_MandersCoeffM2
NF0014_T1 | Digoxin_1uM | Cell_DNA-AGP_Colocalization_MandersCoeffM2
NF0055_T1 | Trabectedin_1uM | Cell_NoChannel_VolumeSizeShape_EulerNumber
NF0014_T1 | Digoxin_1uM | Cytoplasm_DNA-Mito_Colocalization_MandersCoeffM2
NF0014_T1 | Digoxin_1uM | Cell_DNA-Mito_Colocalization_MandersCoeffM2
NF0014_T1 | Digoxin_1uM | Cell_DNA-ER_Colocalization_MandersCoeffM2
NF0014_T1 | Digoxin_1uM | Cytoplasm_DNA-ER_Colocalization_MandersCoeffM2
NF0014_T1 | Digoxin_1uM | Nuclei_DNA-Mito_Colocalization_MandersCoeffM2
NF0055_T1 | Trabectedin_1uM | Cytoplasm_NoChannel_VolumeSizeShape_EulerNumber
NF0037_T1 | Sapanisertib_1uM | Nuclei_ER-Mito_Colocalization_MandersCoeffM1
NF0014_T1 | Fimepinostat_1uM | Cell_AGP-Mito_Colocalization_MandersCoeffM2
NF0014_T1 | Fimepinostat_1uM | Cytoplasm_AGP-Mito_Colocalization_MandersCoeffM2
0
10
20
30
40
50
60
70
80
% of total variance
Term
Metadata_Experiment_Treatment
cell_count
cell_per_organoid_count
manhattan_distance_from_center
organoid_count
residual


What drives the 500 best-explained models?
(single_cell_agg_technical_model)
Dominant term
dominant_term
cell_per_organoid_count
manhattan_distance_from_center
Metadata_Experiment_Treatment
0
100
200
300
400
n top models
Compartment
Compartment
Cytoplasm
Cell
Nuclei
0.0
0.1
0.2
0.3
fraction of models
top 500
all models
Channel
Channel
DNA
ER
Mito
AGP
ER-AGP
NoChannel
DNA-AGP
DNA-ER
DNA-Mito
AGP-Mito
ER-Mito
0.00
0.05
0.10
0.15
fraction of models
top 500
all models
Feature_type
Feature_type
Colocalization
Granularity
Intensity
VolumeSizeShape
0.0
0.1
0.2
0.3
0.4
fraction of models
top 500
all models