





Organoid 2D Max Projection − Aggregate Profiles − All Patients (Clustered)
Treatment
Dose
Patient
TumorType
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Neighbors
RadialDistribution
Channel
AGP
BF
DNA
ER
Mito
NoChannel
Dose
1%
10nM
10uM
1uM
Patient
NF0014_T1
NF0014_T2
NF0016_T1
NF0018_T6
NF0021_T1
NF0030_T1
NF0035_T1
NF0037_T1
NF0040_T1
NF0055_T1
SARCO219_T2
SARCO361_T1
Tumor type
cNF
MPNST
Other
pNF
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid



Organoid 2D Max Projection − Aggregate Profiles − All Patients (Unclustered)
Treatment
Dose
Patient
TumorType
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Patient
NF0014_T1
NF0014_T2
NF0016_T1
NF0018_T6
NF0021_T1
NF0030_T1
NF0035_T1
NF0037_T1
NF0040_T1
NF0055_T1
SARCO219_T2
SARCO361_T1
Tumor type
cNF
MPNST
Other
pNF
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Neighbors
RadialDistribution
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Max Projection − Aggregate Profiles − NF0014_T1 (cNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Max Projection − Aggregate Profiles − NF0014_T1 (cNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Max Projection − Aggregate Profiles − NF0014_T2 (pNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Max Projection − Aggregate Profiles − NF0014_T2 (pNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Max Projection − Aggregate Profiles − NF0016_T1 (pNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Trametinib
Dose
1%
10uM
1uM
Normalized feature value
1.5
1
0.5
0
−0.5
−1
−1.5
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Max Projection − Aggregate Profiles − NF0016_T1 (pNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Trametinib
Dose
1%
10uM
1uM
Normalized feature value
1.5
1
0.5
0
−0.5
−1
−1.5
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel


Organoid 2D Max Projection − Aggregate Profiles − NF0018_T6 (cNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Max Projection − Aggregate Profiles − NF0018_T6 (cNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Max Projection − Aggregate Profiles − NF0021_T1 (cNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Max Projection − Aggregate Profiles − NF0021_T1 (cNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Max Projection − Aggregate Profiles − NF0030_T1 (Other) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Max Projection − Aggregate Profiles − NF0030_T1 (Other) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Max Projection − Aggregate Profiles − NF0035_T1 (cNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Max Projection − Aggregate Profiles − NF0035_T1 (cNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Max Projection − Aggregate Profiles − NF0037_T1 (cNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Max Projection − Aggregate Profiles − NF0037_T1 (cNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel


Organoid 2D Max Projection − Aggregate Profiles − NF0040_T1 (Other) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Max Projection − Aggregate Profiles − NF0040_T1 (Other) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel


Organoid 2D Max Projection − Aggregate Profiles − NF0055_T1 (pNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Normalized feature value
4
2
0
−2
−4
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Max Projection − Aggregate Profiles − NF0055_T1 (pNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Normalized feature value
4
2
0
−2
−4
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Max Projection − Aggregate Profiles − SARCO219_T2 (MPNST) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Max Projection − Aggregate Profiles − SARCO219_T2 (MPNST) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Max Projection − Aggregate Profiles − SARCO361_T1 (MPNST) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Max Projection − Aggregate Profiles − SARCO361_T1 (MPNST) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − All Patients (Clustered)
Treatment
Dose
Patient
TumorType
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Patient
NF0014_T1
NF0014_T2
NF0016_T1
NF0018_T6
NF0021_T1
NF0030_T1
NF0035_T1
NF0037_T1
NF0040_T1
NF0055_T1
SARCO219_T2
SARCO361_T1
Tumor type
cNF
MPNST
Other
pNF
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − All Patients (Unclustered)
Treatment
Dose
Patient
TumorType
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Patient
NF0014_T1
NF0014_T2
NF0016_T1
NF0018_T6
NF0021_T1
NF0030_T1
NF0035_T1
NF0037_T1
NF0040_T1
NF0055_T1
SARCO219_T2
SARCO361_T1
Tumor type
cNF
MPNST
Other
pNF
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − NF0014_T1 (cNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − NF0014_T1 (cNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − NF0014_T2 (pNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − NF0014_T2 (pNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − NF0016_T1 (pNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Trametinib
Dose
1%
10uM
1uM
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − NF0016_T1 (pNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Trametinib
Dose
1%
10uM
1uM
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − NF0018_T6 (cNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
3
2
1
0
−1
−2
−3
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − NF0018_T6 (cNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
3
2
1
0
−1
−2
−3
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel


Organoid 2D Middle Slice − Aggregate Profiles − NF0021_T1 (cNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − NF0021_T1 (cNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − NF0030_T1 (Other) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − NF0030_T1 (Other) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − NF0035_T1 (cNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − NF0035_T1 (cNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − NF0037_T1 (cNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − NF0037_T1 (cNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel


Organoid 2D Middle Slice − Aggregate Profiles − NF0040_T1 (Other) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − NF0040_T1 (Other) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − NF0055_T1 (pNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Normalized feature value
4
2
0
−2
−4
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − NF0055_T1 (pNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Normalized feature value
4
2
0
−2
−4
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − SARCO219_T2 (MPNST) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − SARCO219_T2 (MPNST) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel


Organoid 2D Middle Slice − Aggregate Profiles − SARCO361_T1 (MPNST) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle Slice − Aggregate Profiles − SARCO361_T1 (MPNST) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle N Slice − Aggregate Profiles − All Patients (Clustered)
Treatment
Dose
Patient
TumorType
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Neighbors
RadialDistribution
Channel
AGP
BF
DNA
ER
Mito
NoChannel
Dose
1%
10nM
10uM
1uM
Patient
NF0014_T1
NF0014_T2
NF0016_T1
NF0018_T6
NF0021_T1
NF0030_T1
NF0035_T1
NF0037_T1
NF0040_T1
NF0055_T1
SARCO219_T2
SARCO361_T1
Tumor type
cNF
MPNST
Other
pNF
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid



Organoid 2D Middle N Slice − Aggregate Profiles − All Patients (Unclustered)
Treatment
Dose
Patient
TumorType
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Patient
NF0014_T1
NF0014_T2
NF0016_T1
NF0018_T6
NF0021_T1
NF0030_T1
NF0035_T1
NF0037_T1
NF0040_T1
NF0055_T1
SARCO219_T2
SARCO361_T1
Tumor type
cNF
MPNST
Other
pNF
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Neighbors
RadialDistribution
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle N Slice − Aggregate Profiles − NF0014_T1 (cNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle N Slice − Aggregate Profiles − NF0014_T1 (cNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle N Slice − Aggregate Profiles − NF0014_T2 (pNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle N Slice − Aggregate Profiles − NF0014_T2 (pNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle N Slice − Aggregate Profiles − NF0016_T1 (pNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Trametinib
Dose
1%
10uM
1uM
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle N Slice − Aggregate Profiles − NF0016_T1 (pNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Trametinib
Dose
1%
10uM
1uM
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel


Organoid 2D Middle N Slice − Aggregate Profiles − NF0018_T6 (cNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle N Slice − Aggregate Profiles − NF0018_T6 (cNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
2
1
0
−1
−2
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle N Slice − Aggregate Profiles − NF0021_T1 (cNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle N Slice − Aggregate Profiles − NF0021_T1 (cNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle N Slice − Aggregate Profiles − NF0030_T1 (Other) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle N Slice − Aggregate Profiles − NF0030_T1 (Other) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle N Slice − Aggregate Profiles − NF0035_T1 (cNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle N Slice − Aggregate Profiles − NF0035_T1 (cNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle N Slice − Aggregate Profiles − NF0037_T1 (cNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle N Slice − Aggregate Profiles − NF0037_T1 (cNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle N Slice − Aggregate Profiles − NF0040_T1 (Other) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle N Slice − Aggregate Profiles − NF0040_T1 (Other) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel



Organoid 2D Middle N Slice − Aggregate Profiles − NF0055_T1 (pNF) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Normalized feature value
6
4
2
0
−2
−4
−6
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel


Organoid 2D Middle N Slice − Aggregate Profiles − NF0055_T1 (pNF) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
ARV−825
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Panobinostat
Rapamycin
Sapanisertib
Selumetinib
Staurosporine
Trabectedin
Trametinib
Vistusertib
Dose
1%
10nM
10uM
1uM
Normalized feature value
6
4
2
0
−2
−4
−6
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel


Organoid 2D Middle N Slice − Aggregate Profiles − SARCO219_T2 (MPNST) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel


Organoid 2D Middle N Slice − Aggregate Profiles − SARCO219_T2 (MPNST) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel


Organoid 2D Middle N Slice − Aggregate Profiles − SARCO361_T1 (MPNST) (Clustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel


Organoid 2D Middle N Slice − Aggregate Profiles − SARCO361_T1 (MPNST) (Unclustered)
Treatment
Dose
Compartment
Feature type
Channel
Treatment
Binimetinib
Cabozantinib
Copanlisib
Digoxin
DMSO
Everolimus
Fimepinostat
Imatinib
Ketotifen
Linsitinib
Mirdametinib
Nilotinib
Onalespib
Rapamycin
Selumetinib
Staurosporine
Trametinib
Dose
1%
10nM
10uM
1uM
Normalized feature value
1
0.5
0
−0.5
−1
Compartment
Organoid
Feature type
AreaSizeShape
Colocalization
Granularity
Intensity
Location
Neighbors
RadialDistribution
Texture
Channel
AGP
BF
DNA
ER
Mito
NoChannel