

Organoid | All MEKi: recurrence of significant features

Rows = two separate tests (within patient / within tumor type); features not significant anywhere are excluded.
x = how many patients/tumor types a feature is significant in on its own. Color = whether it is ALSO significant pooled (independent of x).




Organoid | Binimetinib 1 uM: recurrence of significant features

Rows = two separate tests (within patient / within tumor type); features not significant anywhere are excluded.
x = how many patients/tumor types a feature is significant in on its own. Color = whether it is ALSO significant pooled (independent of x).




Organoid | Binimetinib 10 uM: recurrence of significant features

Rows = two separate tests (within patient / within tumor type); features not significant anywhere are excluded.
x = how many patients/tumor types a feature is significant in on its own. Color = whether it is ALSO significant pooled (independent of x).




Organoid | Mirdametinib 1 uM: recurrence of significant features

Rows = two separate tests (within patient / within tumor type); features not significant anywhere are excluded.
x = how many patients/tumor types a feature is significant in on its own. Color = whether it is ALSO significant pooled (independent of x).




Organoid | Mirdametinib 10 uM: recurrence of significant features

Rows = two separate tests (within patient / within tumor type); features not significant anywhere are excluded.
x = how many patients/tumor types a feature is significant in on its own. Color = whether it is ALSO significant pooled (independent of x).




Organoid | Trametinib 1 uM: recurrence of significant features

Rows = two separate tests (within patient / within tumor type); features not significant anywhere are excluded.
x = how many patients/tumor types a feature is significant in on its own. Color = whether it is ALSO significant pooled (independent of x).




Organoid | Trametinib 10 uM: recurrence of significant features

Rows = two separate tests (within patient / within tumor type); features not significant anywhere are excluded.
x = how many patients/tumor types a feature is significant in on its own. Color = whether it is ALSO significant pooled (independent of x).




Organoid | Selumetinib 1 uM: recurrence of significant features

Rows = two separate tests (within patient / within tumor type); features not significant anywhere are excluded.
x = how many patients/tumor types a feature is significant in on its own. Color = whether it is ALSO significant pooled (independent of x).




Organoid | Selumetinib 10 uM: recurrence of significant features

Rows = two separate tests (within patient / within tumor type); features not significant anywhere are excluded.
x = how many patients/tumor types a feature is significant in on its own. Color = whether it is ALSO significant pooled (independent of x).




Single cell | All MEKi: recurrence of significant features

Rows = two separate tests (within patient / within tumor type); features not significant anywhere are excluded.
x = how many patients/tumor types a feature is significant in on its own. Color = whether it is ALSO significant pooled (independent of x).




Single cell | Binimetinib 1 uM: recurrence of significant features

Rows = two separate tests (within patient / within tumor type); features not significant anywhere are excluded.
x = how many patients/tumor types a feature is significant in on its own. Color = whether it is ALSO significant pooled (independent of x).




Single cell | Binimetinib 10 uM: recurrence of significant features

Rows = two separate tests (within patient / within tumor type); features not significant anywhere are excluded.
x = how many patients/tumor types a feature is significant in on its own. Color = whether it is ALSO significant pooled (independent of x).




Single cell | Mirdametinib 1 uM: recurrence of significant features

Rows = two separate tests (within patient / within tumor type); features not significant anywhere are excluded.
x = how many patients/tumor types a feature is significant in on its own. Color = whether it is ALSO significant pooled (independent of x).




Single cell | Mirdametinib 10 uM: recurrence of significant features

Rows = two separate tests (within patient / within tumor type); features not significant anywhere are excluded.
x = how many patients/tumor types a feature is significant in on its own. Color = whether it is ALSO significant pooled (independent of x).




Single cell | Trametinib 1 uM: recurrence of significant features

Rows = two separate tests (within patient / within tumor type); features not significant anywhere are excluded.
x = how many patients/tumor types a feature is significant in on its own. Color = whether it is ALSO significant pooled (independent of x).




Single cell | Trametinib 10 uM: recurrence of significant features

Rows = two separate tests (within patient / within tumor type); features not significant anywhere are excluded.
x = how many patients/tumor types a feature is significant in on its own. Color = whether it is ALSO significant pooled (independent of x).



Single cell | Selumetinib 1 uM: recurrence of significant features

Rows = two separate tests (within patient / within tumor type); features not significant anywhere are excluded.
x = how many patients/tumor types a feature is significant in on its own. Color = whether it is ALSO significant pooled (independent of x).



Single cell | Selumetinib 10 uM: recurrence of significant features

Rows = two separate tests (within patient / within tumor type); features not significant anywhere are excluded.
x = how many patients/tumor types a feature is significant in on its own. Color = whether it is ALSO significant pooled (independent of x).

