



NF0014_T1 – Single-cells MIP FS Profiles




A UMAP plot showing the distribution of cells colored by cell cycle phase. The x-axis is labeled 'UMAP 1' and has major ticks at 5 and 10. The y-axis is unlabeled. The plot shows several distinct clusters of cells. The clusters are colored according to their cell cycle phase: G0/G1 (dark blue), S (light blue), G2 (green), M (red), and a small cluster of cells in the top left (purple). The clusters are distributed across the plot, with a large cluster on the right and several smaller clusters on the left and bottom.

- Binimetinib
- Cabozantinib
- Copanlisib
- Digoxin
- DMSO
- Everolimus
- Fimepinostat
- Imatinib
- Ketotifen
- Linsitinib
- Mirdametinib
- Nilotinib
- Onalespib
- Rapamycin
- Selumetinib
- Staurosporine
- Trametinib


NF0016_T1 – Single-cells MIP FS Profiles




NF0018_T6 – Single-cells MIP FS Profiles




NF0021_T1 – Single-cells MIP FS Profiles




NF0030_T1 - Single-cells MIP FS Profiles




NF0035_T1 – Single-cells MIP FS Profiles




NF0040_T1 – Single-cells MIP FS Profiles



NF0055_T1 – Single-cells MIP FS Profiles



SARCO219_T2 – Single-cells MIP FS Profiles



SARCO361_T1 – Single-cells MIP FS Profiles

