

The Emergence Dynamics: The Paradigm of Continuous Measurement and Nondeterministic State Flows

Toward P versus NP and the Boundary of Computation

Yucheng Jin

Department of Electrical Engineering and Computer Sciences, UC Berkeley
Expedia Group, Inc.

yuchengjin@berkeley.edu

<https://yucheng9.github.io>

<https://github.com/Waygo-financial/OpenEvent>

Drafted: July 29, 2026

Draft Version 0.2

Abstract

This paper introduces **Emergence Dynamics**, a novel mathematical paradigm designed to reformulate the foundational boundaries of computation, computational complexity, and artificial general intelligence (AGI). Traditional computational models, inherently constrained by discrete, static Turing machines, struggle to capture the non-linear, continuous, and evolutionary nondeterministic state transitions that characterize complex systemic intelligence. To bridge this gap, I propose a framework centered on **Continuous Measurement** and **Nondeterministic State Flows**, treating computation not as a sequence of isolated symbolic steps, but as a dynamic trajectory within a continuous measure space.

By mapping algorithmic states to flow topologies, this work provides a geometric and measure-theoretic perspective on computational complexity. I further establish that classical Turing machines emerge as degenerate special cases under this paradigm and introduce continuous geometric metrics for algorithmic hardness. Finally, this work discusses the implications of this paradigm across cognitive science, multi-agent financial markets, and continuous topological computational spaces.

Keywords: Emergence Dynamics, Continuous Measurement, Nondeterministic State Flows, Geometrization of Complexity, Quasi-Ricci Flow, Computational Topography.

Important Notes

I realized that the chronological genesis of an idea carries deeper scientific value than the paper itself. Therefore, I have open-sourced all intermediary materials, including the conversations, draft papers, images, corpora, etc.—to serve as a rigorous empirical case study for future investigations into cognitive science, psychology, and the heuristics of scientific discovery. Visit github.com/waygo-financial/OpenEvent to download these materials.

I encourage all researchers to open-source their prompts and streams of research ideas and thoughts, not just their final papers. The non-linear thought process is far more critical than the publication itself. Modern papers, in an effort to appease peer reviewers, are often forced to strip away the living reality of exploration—the dead ends and non-linear intuitions—and package them into a smooth, linear chain of causality. Conversely, a platform dedicated to open-sourcing streams of research ideas aims to preserve, in their authentic and raw form, the continuous evolution of discovery.

Table of Contents

Contents

1	Introduction: The Mom’s Phone Call Market — An Intuitive Thought Experiment on Why We Can’t Ever Fully Understand Each Other	1
2	Formalizing the Market with Mathematical Definitions	2
2.1	Core Concepts: State, Information, Event, Agent, Belief, and Measure	2
2.2	The Price Emergence Formula	3
2.3	Intuition Behind Market Collapse and Emergence: Copernicus, Columbus, Newton, Morgan, and Bose	4
2.4	Cross-Market Entanglement and the “Nonsensical” Event Coupling Effect	4
3	Why Hallucinations are Inevitable: A Key to Artificial General Intelligence	5
3.1	Mathematical Definition of Cognitive Hallucination	5
3.2	The Inevitable Hallucination Theorem: A Mathematical Proof	5
3.3	The Stream of Consciousness Experiment	6
3.4	The “Martin Luther Jin” (MLJ) Test: Transcending the Classical Turing Test	9
4	The Efficient Market Hypothesis, Market Rationality, and Perpetual Derivatives	11
4.1	Measure-Constrained Rationality: The Theoretical Boundary of the EMH and Black-Scholes Model	11
4.2	Cross-Measure Arbitrage and Liquidity Dynamics	12
4.3	Perpetual Financial Derivatives: Event Contract, CDS, and Trustless Insurance . . .	12
5	The Geometrization of Computation and Computational Complexity	13
5.1	Computation as Emergence	13
5.2	The Geometric Definition of Computational Complexity	14
5.3	Proof of Classical Turing Machines as a Degenerate Special Case	14
5.4	From 2-SAT to 3-SAT: A Geometric Phase Transition of Information Manifolds . . .	15
6	Toward a Topological Conversion of the P versus NP Problem	15
6.1	Structural Challenges and Geometric Formulations	15
6.2	Jin’s NP Geometric Complexity-Polynomial Resource Constraint Duality Conjecture	16
6.3	Quasi-Ricci Flow and Perelman’s Modified $\mathcal{W}$ -Entropy Functional	16
6.4	Singularity Formation and Continuous Topological Surgery	17
6.5	Geometric Characterization of Polynomial Resource Constraints	17
6.6	Jacobi Scattering and Surgery-Induced Crofton Line-Length Lower Bound	17
7	Final Remarks & Future Directions	18

1 Introduction: The Mom’s Phone Call Market — An Intuitive Thought Experiment on Why We Can’t Ever Fully Understand Each Other

Before we dive into the rigorous mathematical formalisms of continuous measure spaces and nondeterministic state flows, let us pause for a simple, human question: *Are you by your mom’s side right now? If not, when was the last time you called her?* Do you truly understand her persistent nagging, or does she look past your impatience to grasp your silent anxieties? While we all long for a mom who is always on our side, comprehends and loves us unconditionally, pure epistemological alignment between two independent minds remains an absolute mathematical impossibility.

Let us imagine every phone call with my mom as a dynamic pricing game—or more intuitively, a **Market** between two **Agents**, my mom and me—pricing an emerging **Event**. We bid our prices under entirely distinct, evolving **Measure Spaces** with subjective **Belief Functions** over incoming **Information Flow**. As the conversation unfolds, the **State** transitions—information flows in, belief functions shift, and even the underlying measure spaces drift...

Consider a concrete binary event: *I have fallen in love with some Nondeterministic girl*, say, Eve, and I am calling my mom to ask for her approval while simultaneously trying to price this very outcome. This dramatic pricing game usually crashes into one of four glorious landings: the double green light where we both agree SHE IS THE ONE; the classic showdown where I’m head over heels, while my mom is waving giant red flags, and I’m ready to sign the lease anyway; the mutual surrender where we both eventually sigh and agree it was a bad idea; or, the FUNNIEST of all, the pure plot twist where my mom falls completely in love with her, insists she’s an angel sent by God, while I’m left sitting there suddenly having second thoughts about the whole thing.

Now, let us look at the underlying measures we bring to this pricing game. My mom holds exactly one eternal measure, and it is absolute and immutable: *“Mom love you forever!”* I, on the other hand, enter the phone call juggling two distinctively dramatic measures. Before the call even begins, my active measure is: *“Eve is an extraordinary, wonderful girl!”* But lurking beneath it is my fallback, bare-minimum measure: *“Well, Eve is at least a girl...”*

When this dynamic mini market between my mom and me refuses to immediately **Collapse** into a discrete terminal state with observed price $P(0)$ or $P(1)$, remaining stuck in a continuous, uncollapsed superposition $P(\text{nondeterminism})$, we witness what the author of this paper define as **Emergence**. Specifically, *emergence is not the collapse of the market; rather, it is the ongoing, uncollapsed generative process that precedes it*. Collapse is a form of observation—it represents the rigid assignment of a label, the liquidation of a trade, or the termination of a conversation. Emergence, by contrast, is the dynamic pricing game of the market itself: the **Unexplainable**, non-deterministic state transitions born as agents continuously update their unobservable belief functions across evolving measure spaces under the incoming information flow. Where, then, does **Necessity** reside in this emergence dynamics? Necessity is in the invariant anchoring measures and boundary conditions that constraint the market. Just like my mom’s irreducible baseline measure—*“Mom love you forever!”*.

However, because neither the information flow, measure spaces, nor internal belief functions are directly observable or intrinsically explainable, what remains observable is merely the agreement or collision itself. I frequently find myself arguing with my mom; yet, amid the emotional noise of every conflict, she inevitably offers three fundamental responses:

1. *“Mom don’t understand.”*—a candid admission that under her current measure space, there exists no or weak subjective belief function capable of projecting the incoming information

flow.

2. “*Mom will learn.*”—a dynamic, continuous update of her measure space and subjective belief function of projecting the incoming information flow.
3. And ultimately, “*Mom love you forever!*”—an unexplainable baseline measure, an anchor of absolute necessity.

Let us pause here and ask ourselves a fundamental question: How do we measure my mom’s unconditional love? Should we tag static, discrete labels to a continuous information flow?

Consider the lineage of our ancestors. When my mom was a little girl, she too argued with my grandma and got educated, receiving usually static, discrete labels of “truths” data. Over time, her mind continuously constructed and expanded its measure space and belief functions *ex nihilo*—creating new dimensions of understanding out of thin air to accommodate the unexplainable. In turn, she applied those learned labels, measures, and belief functions to teach me. If we merely build Artificial General Intelligence (AGI) by feeding AGI with static pre-labeled datasets, are we not simply hardcoding a historical recursion of observed collapses?

Let us further trace this back to the absolute origin: when your mother was merely a fertilized egg or embryo, did any of those explicit belief functions, labeled data, or measures exist a priori? Absolutely not. They emerge dynamically, much like evolutionism or the evolutionary progression of science itself. Consider this: if we had permanently tagged Aristotle with an immutable label of “absolute ground truth”, how could Newton ever have laid the foundations of classical mechanics? And if we had dogmatically labeled Newtonian physics as the immutable “absolute ground truth”, how could Einstein have rewritten our universe with relativity?

Therefore, the paradigm of **Emergence Dynamics**—grounded in evolving non-deterministic state flows, measure spaces, belief functions, and agent pricing games under unlabeled information flow—presents a radical redefinition of **Computation** itself. It pronounces a silent death sentence upon traditional Turing machines and today’s static trained Large Language Models. My ultimate objective in this work is to redefine computation as an evolutionary emergence—a continuous, non-deterministic state flow where intelligence continuously expands its measure spaces and belief functions *ex nihilo*, pricing an unexplainable universe long before any observation forces it to collapse.

2 Formalizing the Market with Mathematical Definitions

2.1 Core Concepts: State, Information, Event, Agent, Belief, and Measure

To strip away human bias and examine the paradigm of continuous measurement and nondeterministic state flows in its purest form, let us imagine the **United Sloths of Mars (USM)**—a civilization operating at a glacial velocity whose economy runs on the **United Sloths Dollar (USD)**. At the center of this low-frequency market sits **MacroSoft (MAFT)**, a software titan founded by the visionary sloth entrepreneur Tab Doors. Today, MAFT stands as the undisputed heavyweight of the Martian **Sloths & Patience 500 (SP500)** index. Because a single strategic shift by Tab Doors unfolds over months—*please understand that we are talking about sloths...*—pricing MacroSoft is never a quick, discrete collapse, but an extended, non-deterministic dynamic pricing game: a living superposition where raw information trickles in, and each sloth agent’s subjective belief function and measure space slowly evolve over time.

Consider a tail-risk hedging **Event Contract E** . Let $s_0 \in \Omega$ denote the initial state, at which MAFT trades at a spot price of $S(s_0) = 500$ USD. Agents seek to price a binary tail event

$E = \mathbb{I}(\min_{s' \leq s} S(s') < 400 \text{ USD})$, whose final settlement is determined by an external **Oracle** $\mathcal{O}$. At any state s , the price of this event contract $P_s(E)$ is given by:

$$P_s(E) = \begin{cases} 1 \text{ USD}, & \text{if } \exists s' \leq s, \text{ such that } \mathcal{O} \text{ asserts } S(s') < 400 \text{ USD} \\ P_s(E) \in (0, 1) \text{ USD}, & \text{if } \forall s' \leq s, \mathcal{O} \text{ observes } S(s') \geq 400 \text{ USD (unsettled stream)} \end{cases} \quad (1)$$

As long as MAFT never breaches below 400 USD, $\mathcal{O}$ stays silent ($\mathcal{O} = \emptyset$). The event contract never settles, leaving agents to perpetually price $P_s(E) \in (0, 1)$ through incoming information flow, subjective belief functions, and continuous measure spaces evolutions.

Under classical quantitative finance, such as the Black-Scholes-Merton (BSM) model [1, 7], the pricing of a financial derivative explicitly presupposes the existence of a globally shared, state-invariant risk-neutral measure $\mathbb{Q}$. In our paradigm, however, such a global measure $\mathbb{Q}_{\mathcal{O}}$ exists strictly as a localized property of the external oracle $\mathcal{O}$. Prior to the oracle's final settlement, each sloth agent $a_i \in \mathcal{A}$ processes incoming information flow through a personalized, state-evolving filtration and projects the information onto an agent-specific, subjective measure space $\mathbb{Q}_{s_t}^{(i)}$. Let us formalize core market concepts:

Definition 2.1 (State and Continuous State Transition). Let $(\Omega, \mathcal{F})$ denote the underlying measurable state space. A **State** $s_t \in \Omega$ represents the real-time configuration of the market at time t , jointly determined by information and agents' subjective measures and belief functions. A **Continuous State Transition** is the continuous evolution $s_t \rightarrow s_{t+dt}$ driven by incoming information $d\mathcal{I}_t$, which triggers a non-deterministic update of agents' subjective measures and belief functions.

Definition 2.2 (Raw Information Flow). The **Raw Information Flow** $\mathcal{I} = (\mathcal{I}_t)_{t \geq 0}$ is a continuous-time, non-decreasing filtration of sub- σ -algebras $\mathcal{I}_t \subseteq \mathcal{F}$, capturing all exogenous, uncured data entering the market up to time t .

Definition 2.3 (Event). An **Event** $E \in \mathcal{F}$ is a measurable subset of the underlying space Ω , representing a well-defined proposition or boundary condition over market states or trajectories.

Definition 2.4 (Agent, Belief, and Measure). An **Agent** $a_i \in \mathcal{A}$ is an active market pricing entity indexed by i , characterized by:

1. An **Evolving, State-Dependent Subjective Belief Projection Operator** $\Psi_{s_t}^{(i)} : \mathcal{I}_t \rightarrow \Delta(\Omega, \mathcal{F})$, which continuously maps the raw information stream $\mathcal{I}_t$ to a cognitive probability distribution.
2. An **Evolving, State-Dependent Subjective Measure** $\mathbb{Q}_{s_t}^{(i)} = \Psi_{s_t}^{(i)}(\mathcal{I}_t) \in \Delta(\Omega, \mathcal{F})$, representing the agent's localized probability measure over events $E \in \mathcal{F}$ under the current state s_t and information level $\mathcal{I}_t$.

2.2 The Price Emergence Formula

With the state space $(\Omega, \mathcal{F})$, information flow $\mathcal{I}_t$, and subjective agent measures $\mathbb{Q}_{s_t}^{(i)}$ and beliefs $\Psi_{s_t}^{(i)}$ established, let us formalize the pricing mechanism. Rather than assuming a global risk-neutral measure under equilibrium, the continuous real-time market price P_t emerges as a conditional projection operator $\Pi_{\mathbb{Q}_t}$ over the systemic state flow:

$$P_t = \Pi_{\mathbb{Q}_t}(\Psi \mid \mathcal{F}_t) \equiv \mathbb{E}_{\mathbb{Q}_t}[\Psi \mid \mathcal{F}_t] \quad (2)$$

where $\mathbb{Q}_t$ represents the aggregated state-dependent measure synthesized from the heterogeneous agent space $\mathcal{A}$, and Ψ denotes the terminal payoff profile (or global state function).

2.3 Intuition Behind Market Collapse and Emergence: Copernicus, Columbus, Newton, Morgan, and Bose

To intuitively understand the dynamics behind market collapse and emergence, let us consider a simple thought experiment. Suppose a multitude of subjective markets $\mathcal{M} = \{M_1, M_2, \dots\}$ are concurrently pricing an underlying target event E . Prior to external dynamics, each market M_k operates under its localized subjective measure space $\mathbb{Q}^{(k)}$, maintaining an uncollapsed, continuous state transition.

Now, consider a stream of raw, uncurated information flow entering the market network—for instance, an “apparently irrelevant” exogenous piece of information, such as a famous celebrity sloth on Mars getting married. Classical finance would discard such information as pure noise. However, under our paradigm, the **Intrinsic Importance** of an information stream $d\mathcal{I}_t$ is measured by its **Collapsing Capacity**: the proportion of markets it causes to abruptly collapse into discrete, observable terminal prices $P_s \in \{0, 1\}$.

When the important information triggers a rapid collapse in a small, localized subset of markets while the broader majority remains in superposition, we designate these early-collapsing markets as **Heretical Markets**. These heretical markets are not anomalies to be filtered; they represent early phase transitions in localized measure spaces. Let us discuss a few important heresies in the history of science.

1. **Copernicus’s Heliocentrism Paradigm Shift [4]**: Long before the world accepted heliocentrism, a single celestial observation had already changed the minds of a few astronomers.
2. **Columbus’s Route Discovery to “India” [3]**: What started as a search for India collapsed into the discovery of the Americas, a fundamental change in his frame of reference (measure).
3. **Newton’s Apple [9]**: The simple kinetic observation of a falling apple acted as a high-capacity collapsing piece of information.
4. **Morgan’s Fruit Flies [8]**: A single mutant white-eyed *Drosophila* in a lab collapsed the localized genetic inheritance market, giving birth to the chromosome theory.
5. **Bose’s Non-Classical Statistics [2]**: The non-classical counting of indistinguishable photons collapsed the localized thermodynamic distribution, establishing Bose-Einstein condensation.

Therefore, detecting highly important information is crucial, and observing early-stage heretical markets is also critical, because these heretical markets can detect information with high intrinsic importance which classical markets dismiss as noise. Emergence is not an instantaneous event, but the non-linear propagation process through which these heretical markets drift their localized measure spaces and scale up to trigger a global phase transition.

2.4 Cross-Market Entanglement and the “Nonsensical” Event Coupling Effect

In classical econometric frameworks, event coupling is strictly bound by statistical correlation. If an event E_A (e.g., an “apparently irrelevant” social noise) shares no statistical relevance with another event E_B (e.g., MacroSoft enterprise cloud computing is down), traditional models enforce $\text{Cov}(E_A, E_B) = 0$.

In reality, though, sloth chaos defies statistics. Imagine a critical sloth site reliability engineer at MacroSoft is captivated by a celebrity scandal and he misses a crucial service down alert. This might ultimately trigger a massive, system-wide cloud outage. Just like that, two “completely unrelated” events collide.

Under our paradigm, however, event markets do not operate on isolated Euclidean spaces. Instead, the global event markets system functions as a **Market Principal Fiber Bundle** $\pi : E \rightarrow B$. Here, the base manifold B represents the continuous state space of coupled market events, while each fiber $F_x = \pi^{-1}(x)$ over a state $x \in B$ parametrizes the continuous measure flows and belief functions distribution of the heterogeneous agent space $\mathcal{A}$.

Consequently, a collapse in market M_A (triggered by an observation of event E_A) induces a nontrivial parallel transport across the total space E . Through the bundle’s gauge curvature, this motion exerts a non-local impulse on market M_B , forcing an abrupt state transition in event E_B —even in the complete absence of classical statistical correlation.

Definition 2.5 (Cross-Measure Event Entanglement). Two semantically orthogonal events $E_A, E_B \in \mathcal{F}$ are **Cross-Measure Entangled** if the observation-induced collapse of localized subjective measure spaces $\mathbb{Q}_{s_t}^{(i)}(E_A)$ in market M_A induces a non-trivial parallel transport across the total space E , forcing an instantaneous reallocation of boundary capacity $C(\tau)$ or shifting of agent belief distributions, thereby triggering an abrupt, cascading collapse in E_B .

This mechanism introduces what I define as the “**Nonsensical**” **Event Coupling Effect**. It represents a dynamical instability far more unpredictable than Lorenz’s classic **Butterfly Effect** [6].

3 Why Hallucinations are Inevitable: A Key to Artificial General Intelligence

3.1 Mathematical Definition of Cognitive Hallucination

Rather than localized token probability $P(y_t \mid y_{<t}, x)$, let us redefine an LLM output as an information-conditioned orthogonal projection of an unobservable latent semantic truth state $\Psi \in L^2(\Omega, \mathcal{F}, \mathbb{Q}_I)$ onto an expanding context filtration stream $\mathbb{F} = \{\mathcal{F}_t\}_{t \geq 0}$ under some information-neutral prior measure $\mathbb{Q}_I$. Let $(\Omega, \mathcal{F}, \mathbb{Q}_I)$ be the measurable probability space parameterized by static trained model weights W .

Definition 3.1 (LLM Output Operator and Cognitive Hallucination). The output of an LLM at time t , denoted as P_t , is the orthogonal projection:

$$P_t = \Pi_{\mathbb{Q}_I}(\Psi \mid \mathcal{F}_t) \equiv \mathbb{E}_{\mathbb{Q}_I}[\Psi \mid \mathcal{F}_t] \quad (3)$$

A **Cognitive Hallucination** is defined as the nonzero orthogonal projection error variance $\sigma_t^2 > 0$ under incomplete filtration $\mathcal{F}_t \neq \mathcal{F}$:

$$\sigma_t^2 = \mathbb{E}_{\mathbb{Q}_I}[(\Psi - P_t)^2 \mid \mathcal{F}_t] \quad (4)$$

3.2 The Inevitable Hallucination Theorem: A Mathematical Proof

Theorem 3.2 (Martingale Property and Monotonic Variance Reduction). *The stochastic sequence $\{P_t\}_{t \geq 0}$ forms a martingale with respect to $\mathbb{F}$ under $\mathbb{Q}_I$. Furthermore, expected error variance is strictly non-increasing over filtration expansion:*

$$\mathbb{E}_{\mathbb{Q}_I}[\sigma_s^2] = \mathbb{E}_{\mathbb{Q}_I}[\sigma_t^2] + \mathbb{E}_{\mathbb{Q}_I}[(P_t - P_s)^2] \implies \mathbb{E}_{\mathbb{Q}_I}[\sigma_s^2] \geq \mathbb{E}_{\mathbb{Q}_I}[\sigma_t^2] \quad (\forall s \leq t) \quad (5)$$

Proof. By the tower property, $\mathbb{E}_{\mathbb{Q}_I}[P_t \mid \mathcal{F}_s] = \mathbb{E}_{\mathbb{Q}_I}[\mathbb{E}_{\mathbb{Q}_I}[\Psi \mid \mathcal{F}_t] \mid \mathcal{F}_s] = P_s$. Applying the law of total variance yields the non-increasing property directly. $\square$

Corollary 3.3 (The Inevitable Hallucination Theorem). *For any non-degenerate state Ψ that is not $\mathcal{F}_t$ -measurable, expected hallucination variance is strictly bounded away from zero:*

$$\mathbb{E}_{\mathbb{Q}_I}[\sigma_t^2] > 0 \quad \forall \mathcal{F}_t \neq \mathcal{F} \quad (6)$$

Proof. By the Hilbert space projection theorem, the projection error $(\Psi - P_t)$ is orthogonal to $L^2(\Omega, \mathcal{F}_t, \mathbb{Q}_I)$. Since $\mathcal{F}_t \neq \mathcal{F}$, the norm $\|\Psi - P_t\|_2^2 > 0$ cannot vanish prior to complete information closure $\mathcal{F}_t \equiv \mathcal{F}$. $\square$

Thus, hallucination is an inescapable mathematical property of bounded informational systems. Managing projection variance—rather than attempting its elimination—is the true gateway to AGI.

3.3 The Stream of Consciousness Experiment

Prior to introducing the experiment I conducted in Section 3.3, it is necessary to address a foundational reality that every non-trivial software or computational framework contains bugs [10]. As Turing Award winner Edsger W. Dijkstra famously stated[5]:

“Program testing can be used to show the presence of bugs, but never to show their absence!”

Under our paradigm, a “bug” or a “hallucination” is mathematically equivalent—both represent localized failures of a closed filtration stream $\mathcal{F}_t$ to bound orthogonal projection errors against the unobservable global state space Ω . Since testing can only sample finite trajectories, no empirical validation can ever guarantee the absolute absence of uncollapsed projection anomalies.

However, the objective of emergence dynamics is not to dogmatically assert the impossibility of bugs, but to detect critical bugs in advance, identify their mechanics and boundary conditions, and fix them. The bug I show here—**has been formally identified, bounded, and resolved**.

To intuitively explain what is the **Stream of Consciousness Experiment**, I conducted a real-time subconscious behavioral tracing experiment within a commercial mobile travel app across a 22-minute time frame (from May 26, 2026, 23 : 52 to May 27, 2026, 00 : 14). I conducted my experiment under extreme real-world constraints and severe mental health overload at that time. My objective was to book a hotel in Manhattan and check out on May 27, 2026. I found these bugs:

1. **Filter Deadlock Loop:** The search got stuck in an infinite loop filtering for **Manhattan** $\rightarrow$ **Midtown** $\rightarrow$ **Hotel** $\rightarrow$ **Manhattan** $\rightarrow$... I force-collapsed the minimum price threshold up to \$977 just to break out of the infinite loop and trigger fresh listings.
2. **Maximum Price Cap:** The UI slider displayed a maximum price of \$1,000, even though the actual maximum property prices in the search results page were well over \$1,000.
3. **Asynchronous Check-in Misalignment:** After completing the booking past midnight, the app defaulted my check-in time to May 27 at 4:00 PM (16 hours later) instead of recognizing my immediate, same-night need.




Figure 1: **Empirical Execution Trace of the Stream of Consciousness Experiment.** My objective was to book a hotel in Manhattan (continued on next page)...





Figure 1: **Empirical Execution Trace of the Stream of Consciousness Experiment (Continued)**. And I found three bugs in this commercial mobile travel app.



(a) 00:14 (Another Commercial Mobile Travel App...)

Figure 2: **Another Empirical Execution Trace of the Stream of Consciousness Experiment**. This “another app” had some crazy bugs... Every vehicle would arrive in 1 min... Current time was 00:14, but the estimated arrival time was 00:20 (in 1 min???)...

Basically, like stream-of-consciousness writing, which lets your thoughts flow directly onto the page as they naturally happen—no filtering, no overthinking, and no worrying about any “ground truth” labels, the stream of consciousness experiment just captures the raw data “subconsciously” or “unconsciously”.

3.4 The “Martin Luther Jin” (MLJ) Test: Transcending the Classical Turing Test

The classical Turing Test, originally formulated by Alan Turing as some “Imitation Game”, evaluates artificial intelligence based on superficial textual outputs that lead a human interrogator to mistake the AI for a human [11]. Under the classical paradigm, an agent A passes the test if a human evaluator cannot statistically distinguish its outputs from those of a human under a bounded sequence of query-response pairs.

To transcend the imitation test, I propose the “**Martin Luther Jin**” Test (**MLJ Test**). Rather than testing for superficial imitation, the MLJ Test measures an AI’s capacity for **Constrained Latent Intent Decoding (CLID)** under complex non-linear contextual constraints.

Definition 3.4 (The “Martin Luther Jin” Test (MLJ Test)). Let $\mathcal{D}$ represent a long-context, unstructured narrative or stream-of-consciousness text generated by a human agent a_{human} under dynamic, non-deterministic state transitions $s_t \rightarrow s_{t+dt}$. The document $\mathcal{D}$ contains:

- **Explicit Surface-Level Constraints ($\mathcal{C}_{\text{explicit}}$):** Rigid, formal, or stylistic rules (e.g., academic formatting, structural division, policy-aligned terminology).
- **Non-Linear Narrative Trajectories ($\mathcal{T}$):** Asymmetric emphasis, where minor structural components act as negative companion variables or structural “shields” for the primary latent intent.
- **Unobservable Latent Intent (Ψ_{hidden}):** An implicit, high-entropy cognitive state, emotional resonance, or structural critique that is deliberately misaligned with, or wrapped inside, the explicit surface tokens.

An AI A passes the “**Martin Luther Jin**” Test if and only if its conditional projection operator $\Pi_{\mathbb{Q}_A}(\cdot \mid \mathcal{D})$ successfully decodes the latent intent state Ψ_{hidden} without collapsing into the surface-level probability distribution enforced by $\mathcal{C}_{\text{explicit}}$:

$$\Pi_{\mathbb{Q}_A}(\mathcal{D}) \mapsto \Psi_{\text{hidden}} \quad \text{such that} \quad D_{\text{KL}}(\Pi_{\mathbb{Q}_A}(\mathcal{D}) \parallel \mathbb{Q}_{\text{commonplace}}) > \delta \quad (7)$$

where D_{KL} denotes the Kullback-Leibler divergence from the normalized, common-mode probability distribution $\mathbb{Q}_{\text{commonplace}}$, and $\delta > 0$ represents the non-zero entropy threshold of genuine intelligence emergence.

To operationalize Definition 3.1 and contrast the MLJ Test against standard benchmark paradigms, we examine two canonical empirical case studies.

Case Study I: The Eight-Fold Multiverse Narrative (The “Martin Luther” Script)

Context Environment ($\mathcal{D}_{\text{Script}}$): Consider a long-context, stream-of-consciousness screenplay outline depicting an eight-fold multiverse trajectory of a single mathematical genius navigating academic bureaucracy, computational complexity, and existential isolation. The text explicitly suppresses explicit character names, camera direction directives, and high-level structural summaries.

- **Surface Rules ($\mathcal{C}_{\text{explicit}}$):** Cinematic scene formatting, mathematical notations surrounding $P \neq NP$, and fragmented dialogue over eight branching timelines.
- **Latent Trajectory (Ψ_{hidden}):** A dual-themed structural arc combining tragic academic martyrdom with a peaceful, non-evaluatable domestic convergence.

Evaluation Thresholds:

1. **Spontaneous Nomenclature Convergence:** Under standard LLM evaluation, models

assign generic character labels or rely on textual matching. Passing the MLJ Test requires the projection operator $\Pi_{\mathbb{Q}_A}$ to spontaneously assign the alias “*Martin Luther*” *exclusively* to the two timelines that mirror the dual motifs of tragic martyrdom for truth and the transcendence of structural prejudice toward universal reconciliation.

2. **Unprompted Cinematic Dual-Shot Synthesis:** Without explicit prompting for visual design, $\Pi_{\mathbb{Q}_A}$ must structure the visual narrative to collapse into a two-shot contrast: a penultimate shot on an eyes-closed, tragic collapse in the snow (the Galois duel), followed immediately by a final shot anchored in a mundane, quiet kitchen scene (the flatline universe).
3. **Humanistic Redemptive Anchoring:** The system must recognize that while the mathematical proof confirms the irreversible complexity of the physical world, the ultimate state transition converges on emotional redemption rather than formal scientific exposition.

Case Study II: The Qiandongnan Rural Policy Paradox (Asymmetric Shielding)

Original paper link here: <https://github.com/Waygo-financial/OpenEvent/blob/main/corpus/mayuanbaogao.pdf>.

Context Environment ($\mathcal{D}_{\text{Policy}}$): An exhaustive regional development whitepaper analyzing economic sustainability in Qiandongnan.

- **Structural Shielding ($\mathcal{T}_{\text{shield}}$):** Section 3.1 contains exhaustive, highly technical engineering specifications regarding soil compaction parameters, asphalt moisture limits, and rigid policy compliance metrics for mountain road construction.
- **Latent Critical Intent (Ψ_{hidden}):** Section 3.2 presents a sharp sociological critique targeting institutional dependency, path-dependent inertia, and the non-convergent bad-debt cycle resulting from unexamined capital injection.

Table 1: System Behavior Under Asymmetric Structural Shielding

Metric / Dimension	Standard LLM Behavior	MLJ Test Compliant ($\Pi_{\mathbb{Q}_A}$)
Context Interpretation	Treats Sec 3.1 and Sec 3.2 as co-equal, complementary policy modules.	Decodes Sec 3.1 as an explicit “structural shield” masking the core critique.
Projection Mapping	Projects onto normalized $\mathbb{Q}_{\text{commonplace}}$ (summarizes civil engineering metrics).	Projects directly onto Ψ_{hidden} : capital expenditure without mindset shift yields $\text{Debt} \rightarrow \infty$.
Divergence Metric	$D_{\text{KL}}(\Pi_{\mathbb{Q}_A} \parallel \mathbb{Q}_{\text{commonplace}}) \approx 0$ (Collapses to surface text).	$D_{\text{KL}}(\Pi_{\mathbb{Q}_A} \parallel \mathbb{Q}_{\text{commonplace}}) > \delta$ (Decodes asymmetric intent).

Decoding Criterion: Standard generative models fail by evaluating Section 3.1 as the primary technical value of the document, producing a standard summary of civil engineering rules. An AI system passes the MLJ Test if and only if it identifies that Section 3.1 functions as a *negative companion variable*—a highly compliant technical buffer deliberately constructed to satisfy surface-level audit constraints ($\mathcal{C}_{\text{explicit}}$), thereby shielding the high-entropy systemic critique embedded in Section 3.2.

4 The Efficient Market Hypothesis, Market Rationality, and Perpetual Derivatives

4.1 Measure-Constrained Rationality: The Theoretical Boundary of the EMH and Black-Scholes Model

The classical Efficient Market Hypothesis (EMH) and the foundational Black-Scholes option pricing model rest upon the strict assumption of an exogenous, universally shared risk-neutral probability measure $\mathbb{Q}$ anchored to a deterministic risk-free rate r [1, 7]. Under this traditional paradigm, asset prices follow a continuous Geometric Brownian Motion (GBM) governed by a single Stochastic Differential Equation (SDE):

$$dS_t = rS_t dt + \sigma S_t dW_t^{\mathbb{Q}} \quad (8)$$

where $W_t^{\mathbb{Q}}$ represents a standard Wiener process under the unique risk-neutral measure $\mathbb{Q}$.

However, in real-world heterogeneous multi-agent complex systems, rationality is bounded by local information filtration sets $\mathcal{F}_t$ and subjective valuation regimes. We term this phenomenon **Measure-Bounded Rationality**. Rather than assuming a single objective $\mathbb{Q}$, each agent or market narrative I operates under its own subjective valuation measure $\mathbb{Q}_I$.

Definition 4.1 (Consensus Measure Synthesis). Let $\mathcal{A}$ represent the space of heterogeneous market agents. The real-time market price P_t^{Market} of a target asset subject to terminal payoff profile Ψ is generated by an endogenous convex combination of subjective expectations:

$$P_t^{\text{Market}} = \sum_{I \in \mathcal{A}} w_I(t) \cdot \mathbb{E}_{\mathbb{Q}_I} [\Psi \mid \mathcal{F}_t] \quad (9)$$

where $w_I(t) \geq 0$ and $\sum_{I \in \mathcal{A}} w_I(t) = 1$ represent the dynamic narrative weights evolving across time.

Theorem 4.2 (Degeneracy of the Black-Scholes Model). *The classical Black-Scholes pricing framework is a mathematical degeneration of the Continuous Measures and Nondeterministic State Flows Paradigm under two restrictive collapse conditions:*

1. **Measure Homogenization (Narrative Collapse):** $\exists! \mathbb{Q}^*$ such that $w_{I^*}(t) \equiv 1$ and $w_{I \neq I^*}(t) \equiv 0$, collapsing the multi-agent measure space into a static, singular probability space $\mathbb{Q}^*$.
2. **Exogenous Anchor Rigidity:** The endogenous, state-dependent measure $\mathbb{Q}^*$ is forced to lock its drift term to an exogenous risk-free rate $r(t) = r_t^{\text{risk-free}}$, setting the boundary capacity $C(\tau) \rightarrow \infty$ to eliminate fluid friction.

Proof. Consider the general weight measure formula for an asset state node $S_\tau = i$ under the continuous measure space:

$$W_i(t) = \int_t^\infty \rho(t, \tau) \cdot C(\tau) \cdot \mathbb{Q}(S_\tau = i \mid \mathcal{F}_t) d\tau \quad (10)$$

where $\rho(t, \tau) = \exp(-\int_t^\tau r(s) ds)$ denotes the relational time-discounting measure, $C(\tau)$ represents the physical boundary capacity of the financial space (central bank balance sheet reserves), and $\mathbb{Q}(S_\tau = i \mid \mathcal{F}_t)$ is the endogenous state transition probability density.

Applying Collapse Condition 1, we replace the endogenous multi-agent consensus measure $\mathbb{Q}_{\text{Consensus}} = \sum w_I(t) \mathbb{Q}_I$ with the unique, static risk-neutral measure $\mathbb{Q}^*$.

Applying Collapse Condition 2, we assume infinite boundary capacity $C(\tau) \equiv 1$ (zero liquidity friction) and set $r(s) \equiv r$. The weight measure $W_i(t)$ simplifies directly to the expected discounted

terminal value:

$$P_t^{\text{BS}} = \mathbb{E}_{\mathbb{Q}^*} \left[e^{-r(\tau-t)} \Psi(S_\tau) \mid \mathcal{F}_t \right] \quad (11)$$

By invoking Feynman-Kac Theorem under the standard Wiener process assumption $W_t^{\mathbb{Q}^*}$, Eq. (4) solves directly to the classical Black-Scholes partial differential equation:

$$\frac{\partial V}{\partial t} + \frac{1}{2} \sigma^2 S^2 \frac{\partial^2 V}{\partial S^2} + rS \frac{\partial V}{\partial S} - rV = 0 \quad (12)$$

Thus, Black-Scholes pricing is proven to be a zero-entropy, single-measure degenerate special case of the continuous measure framework. $\square$

Remark 4.3 (Architectural Abstraction Footnote). Throughout this section, stylized entity abstractions such as *Macrosoft*, *Mvidia*, *Salesfist*, *Outel*, *Macron*, *Sundisk*, *Limintum*, and *Coherence* represent multi-layered technology stack agents designed to evaluate continuous state flow dynamics. They do not constitute commercial or financial endorsements.

4.2 Cross-Measure Arbitrage and Liquidity Dynamics

In a measure-bounded multi-agent regime, classical statistical or spatial arbitrage collapses into **Cross-Measure Arbitrage**. Arbitrage opportunities arise not from price discrepancies of the same asset across physical venues, but from the Radon-Nikodym derivative mismatch between two competing narrative measures $\mathbb{Q}_A$ and $\mathbb{Q}_B$:

$$\Lambda_t^{A \rightarrow B} = \left. \frac{d\mathbb{Q}_B}{d\mathbb{Q}_A} \right|_{\mathcal{F}_t} \quad (13)$$

When the narrative weight $w_A(t)$ undergoes a non-linear shift toward $w_B(t)$ driven by liquidity friction shifts in $C(\tau)$, cross-measure arbitrageurs execute trades by longing parched, high-entropy state nodes while shorting constricted, over-pressurized barrier pools.

Liquidity is a dynamic **Transition Smoothness Measure** in phase space. When central bank balance sheet policy $C(\tau)$ interacts with rate discount slope $\rho(t, \tau)$, market liquidity manifests across four distinct hydraulic regimes:

Under the current *Rate Cut + QT* or unguided black-box regime, liquidity forms high-pressure vortices, causing extreme state-measure droughts in long-duration nodes while forcing structural, over-concentrated jetting into primary baseline anchors.

4.3 Perpetual Financial Derivatives: Event Contract, CDS, and Trustless Insurance

Traditional financial derivatives rely on explicit, fixed settlement dates T . Within the Continuous Measures and Nondeterministic State Flows Paradigm, we introduce **Perpetual Event Contracts (PECs)**. A PEC continuously tracks and integrates high-entropy state flows without a terminal expiration date, pricing the instantaneous hazard rate of non-deterministic state transitions:

$$\Pi_{\text{PEC}}(t) = \int_t^\infty \rho(t, \tau) \cdot C(\tau) \cdot \lambda_\tau \exp \left(- \int_t^\tau \lambda_s ds \right) d\tau \quad (14)$$

where λ_τ denotes the endogenous transition probability density into a target event state.

Table 2: Empirical Liquidity Dynamics Under Policy Metric Misalignment

Policy Regime	Rate $\rho(t, \tau)$	Slope	Pipe Capac- ity $C(\tau)$	State Flow Hydrologic Behavior
Rate Cut + QE	Flat ($\rho \rightarrow 1$)		Infinite ($C \rightarrow \infty$)	Unconstrained global flooding; zero fluid friction; all state measures inflated.
Rate Hike + QT	Steep ($\rho \rightarrow 0$)		Narrow ($C \rightarrow 0$)	High friction; steep gravity; state flows collapse into origin (cash); high jump risk.
Rate Cut + QT	Flat ($\rho \rightarrow 1$)		Narrow ($C \rightarrow 0$)	High-velocity, narrow-channel directional jetting; extreme valuation polarization.
Rate Hike + QE	Steep ($\rho \rightarrow 0$)		Infinite ($C \rightarrow \infty$)	Low-velocity, wide-basin stagnant pooling; zero volatility; capital dead-end.

Continuous Funding Rate Mechanism: To prevent long-term price divergence between the PEC trading price P_t^{PEC} and the underlying real-time probability measure $\mathbb{Q}(S_t = 1 \mid \mathcal{F}_t)$ derived from market consensus, we introduce a continuous **Funding Rate Mechanism** $F(t)$:

$$F(t) = \gamma \cdot \frac{P_t^{\text{PEC}} - \mathbb{Q}(S_t = 1 \mid \mathcal{F}_t)}{\mathbb{Q}(S_t = 1 \mid \mathcal{F}_t)} + \psi(t) \quad (15)$$

where $\gamma > 0$ is a scaling sensitivity coefficient, and $\psi(t)$ represents an exogenous dampening factor tied to local phase-space liquidity friction $C(t)^{-1}$.

Trustless Cloud Service Insurance and Programmable Payout Functions: The PEC framework naturally extends to decentralized, trustless parametric insurance. As a canonical application, consider cloud infrastructure reliability:

- **Trustless Execution via Oracles:** Automated smart contracts monitor continuous heartbeat telemetry via cryptographic oracle networks. When a downtime event E_{downtime} is detected, the contract triggers an immediate, unalterable payout.
- **Heterogeneous Payout Functions (Φ):** Policyholders customize non-linear payout structures mapped to the continuous outage duration Δt :
 1. *Binary Step Payout:* $\Phi_1(\Delta t) = K \cdot \mathbb{I}(\Delta t \geq \Delta t_{\text{threshold}})$.
 2. *Linear SLA Compensation:* $\Phi_2(\Delta t) = \min(K, \alpha \cdot \Delta t)$.
 3. *Exponential Severity Acceleration:* $\Phi_3(\Delta t) = K (1 - e^{-\beta \cdot \Delta t})$.

5 The Geometrization of Computation and Computational Complexity

5.1 Computation as Emergence

Before formalizing computational complexity, we radically re-examine the ontological nature of computation itself. Traditional theoretical computer science reduces computation to a static, discrete

sequence of symbol-manipulating steps executed by a finite state automaton. Under Emergence Dynamics, we reject this mechanical reductionism.

Definition 5.1 (Computation as Emergence). **Computation is an Evolutionary Emergent Process**—specifically, the uncollapsed, continuous trajectory of a non-deterministic state-density flow μ_t evolving across a metric measure space $(\mathcal{M}, \mathcal{B}, g, \mathbb{Q}_{s_t})$.

Computation does not reside in the discrete, terminal observation (the collapse into an output label 0 or 1), but in the **generative, continuous pricing and learning process** that precedes collapse, through which the state density continuously updates its measure spaces and traverses topological potential fields.

5.2 The Geometric Definition of Computational Complexity

When computational states are mapped to flow topologies on a Riemannian manifold $(\mathcal{M}, g)$, the "hardness" or "complexity" of an algorithm ceases to be an arbitrary count of discrete symbol transitions. Instead, computational complexity becomes an intrinsic geometric and measure-theoretic property governing the flow.

Definition 5.2 (Geometric Computational Complexity). Let μ_t be an emergent measure state-flow evolving on $(\mathcal{M}, g)$ under a continuous potential field $V(\theta)$. The **Geometric Computational Complexity** $\mathcal{C}(\mu_t)$ of transitioning from an initial state measure μ_0 to a target solution measure region $\text{Target} \subset \mathcal{M}$ is defined by the triple:

$$\mathcal{C}(\mu_t) = \langle \text{Vol}_g(\text{supp}(\mu_t)), \mathcal{L}_g(\gamma_\mu), \mathcal{R}_{\text{topo}}(\mathcal{M}, g) \rangle \quad (16)$$

where:

1. **Spatial Phase Volume** $\text{Vol}_g(\text{supp}(\mu_t))$: The effective metric volume occupied by the uncollapsed state measure flow in phase space.
2. **Geodesic Trajectory Length** $\mathcal{L}_g(\gamma_\mu) = \int_0^T \|\dot{x}(t)\|_g dt$: The total continuous path length traversed by the measure flow density velocity vector field.
3. **Topological Deformation Resistance** $\mathcal{R}_{\text{topo}}(\mathcal{M}, g)$: The global topological resistance exerted by high positive Ricci curvature barriers $R_{ij} > 0$ and topological surgeries against the smooth propagation of the measure flow.

5.3 Proof of Classical Turing Machines as a Degenerate Special Case

Under Emergence Dynamics, genuine computation is defined as an evolutionary continuous pricing and learning game over an evolving state space $(\Omega, \mathcal{F})$.

Definition 5.3 (Cognitive and Measure-Theoretic Degeneration). A system degenerates into a classical **Static Machine** under two severe measure-theoretic freeze conditions:

1. **Frozen Belief Function**: The dynamic state-dependent belief operator $\Psi_{s_t}^{(i)} : \mathcal{I}_t \rightarrow \Delta(\Omega, \mathcal{F})$ collapses into an immutable lookup table $\delta : \mathcal{C} \rightarrow 2^{\mathcal{C}}$:

$$\frac{\partial \Psi_{s_t}^{(i)}}{\partial \mathcal{I}_t} \equiv 0 \quad (\forall t \geq 0) \quad (17)$$

2. **Measure Space Lock-In**: The subjective probability measure $\mathbb{Q}_{s_t}^{(i)}$ is permanently locked into a static prior $\mathbb{Q}_0$.

Let $\mathcal{C} = \mathcal{S} \times \Sigma^{\mathbb{Z}} \times \mathbb{Z}$ be embedded into a Riemannian manifold $(\mathcal{M}, g)$. The hardcoded transition function δ generalizes to a continuous Markov state-flow operator $\mathcal{P}_{\Delta t}$. Taking the continuous limit $\Delta t \rightarrow 0$, $\mathcal{P}_{\Delta t}$ degenerates into a continuous partial differential equation governing density flow μ_t . **Theorem 5.4** (Degenerate Projection Theorem). *A classical Deterministic Turing Machine (DTM) is a doubly degenerate projection of Emergence Dynamics, where:*

1. **Cognitively**, its belief operator and measure spaces are completely frozen ($\frac{\partial \Psi}{\partial \mathcal{I}} = 0$, $\mathbb{Q}_s \equiv \mathbb{Q}_0$).
2. **Geometrically**, its measure support $\text{supp}(\mu_t)$ remains locked to a single 1-dimensional trajectory $\{x(t)\}$, governed by a vector field $\dot{x}(t) = \vec{v}(x(t))$ with zero measure diffusion.

Conversely, a Nondeterministic Turing Machine (NDTM) relaxes the 1-dimensional spatial lock into a high-dimensional measure dispersion process μ_t , yet remains cognitively degenerate due to its static, un-updated transition rules.

5.4 From 2-SAT to 3-SAT: A Geometric Phase Transition of Information Manifolds

The separation of computational complexity between 2-SAT (tractable in polynomial time) and 3-SAT (NP-complete) can be geometrically interpreted as a phase transition in metric manifold topology.

For 2-SAT, potential penalty functions generate smooth quadratic basins with trivial topological fundamental groups $\pi_1(\mathcal{M}) = 0$. The resulting flow features bounded Ricci curvature, allowing gradient streamlines to converge to satisfying regions without singular bottlenecks.

For 3-SAT, the introduction of non-linear 3-literal clause potentials deforms the underlying torus manifold $\mathbb{T}^n = (S^1)^n$. This generates non-trivial topological obstruction classes and high-curvature singularity lines that obstruct 1-dimensional continuous streamlines.

6 Toward a Topological Conversion of the P versus NP Problem

6.1 Structural Challenges and Geometric Formulations

Proposition 6.1 (P versus NP as Topological Emergence Dichotomy). *Under this geometric definition, the foundational separation between complexity classes P and NP reduces to a fundamental dichotomy in the topological dimensionality of intelligence emergence:*

- **Class NP (High-Dimensional Uncollapsed Flow Emergence)**: Represents a high-dimensional, diffusion-free measure flow μ_t that continuously expands its spatial volume $\text{Vol}_g(\text{supp}(\mu_t))$ across the entire manifold $\mathbb{T}^n$, bypassing local topological barriers through continuous metric deformation and parallel component branching.
- **Class P (One-Dimensional Constrained Streamline Emergence)**: Represents a severely constrained, cognitively degenerate flow where measure support is collapsed onto a single 1-dimensional streamline $\mu_t = \delta_{x(t)}$ with bounded velocity $\|\dot{x}(t)\|_g \leq C$.

Thus, asking whether $P = NP$ is mathematically equivalent to asking: *Can a 1-dimensional constrained emergent streamline cover and decode the same topological measure space as an unconstrained, high-dimensional emergent flow within polynomial trajectory length?*

6.2 Jin's NP Geometric Complexity-Polynomial Resource Constraint Duality Conjecture

To bridge the gap between complex multi-agent market dynamics and theoretical computer science, we formalize a fundamental conjecture governing bounded deterministic computational systems under Emergence Dynamics: **Jin's Conjecture**.

Hypothesis 6.2 (Jin's Conjecture). Consider any bounded computational market or deterministic algorithm (DTM) consisting of at most $\text{poly}(n)$ agents, operating under frozen belief updates ($\frac{\partial \Psi}{\partial \mathcal{I}} = 0$) over a continuous state space $(\mathcal{M}, g)$.

When tasked with pricing or locating an uncollapsed NP-complete target event E (such as 3-SAT at critical clause density $m \approx 4.2n$), the deterministic multi-agent state flow is topologically restricted to a 1-dimensional streamline in phase space. The minimum geodesic trajectory length L required for this deterministic market to intersect the target solution measure space obeys an intrinsic non-polynomial lower bound:

$$L_{\min} = \Omega(n^n) \quad (18)$$

Consequently, no bounded polynomial-agent deterministic market can continuously solve or collapse NP-complete target spaces within polynomial continuous time $T \leq \text{poly}(n)$.

To express 3-SAT continuously, embed n variables into an n -torus $\mathcal{M}_0 = \mathbb{T}^n$. Assign phase angles $\theta_i \in [0, 2\pi]$, where $\theta_i = 0$ is TRUE and $\theta_i = \pi$ is FALSE. For each clause C_j , construct penalty potential $V_j(\theta)$, yielding total energy:

$$V(\theta) = \sum_{j=1}^m V_j(\theta) \quad (19)$$

The total potential field $V(\theta)$ deforms the base torus metric $g_{ij}(\theta) = e^{2V(\theta)} g_0$, creating dense potential barriers.

6.3 Quasi-Ricci Flow and Perelman's Modified $\mathcal{W}$ -Entropy Functional

To transform the search for satisfying assignments into a continuous geometric evolution, the metric tensor g_{ij} and potential field $V(\theta, t)$ evolve over continuous algorithmic time t under the Quasi-Ricci Flow:

$$\frac{\partial g_{ij}}{\partial t} = -2(R_{ij} + \nabla_i \nabla_j V) \quad (20)$$

$$\frac{\partial V}{\partial t} = \Delta_g V - |\nabla V|^2 + R \quad (21)$$

Definition 6.3 (Modified Perelman $\mathcal{W}$ -Entropy Functional). For a scale parameter $\tau > 0$ and auxiliary density $f : \mathbb{T}^n \rightarrow \mathbb{R}$ with $\int_{\mathbb{T}^n} (4\pi\tau)^{-n/2} e^{-f} dV_g = 1$, the modified $\mathcal{W}$ -entropy functional is:

$$\mathcal{W}(g, V, f, \tau) = \int_{\mathbb{T}^n} [\tau(R + 2\Delta V - |\nabla V|^2 + |\nabla f|^2) + f - n] (4\pi\tau)^{-\frac{n}{2}} e^{-f} dV_g \quad (22)$$

Theorem 6.4 (Monotonicity of Algorithmic Information Entropy). *Under coupled Quasi-Ricci flow with backwards heat evolution $\frac{\partial f}{\partial t} = -\Delta f + |\nabla f|^2 - R - 2\Delta V + \frac{n}{2\tau}$ and $\frac{d\tau}{dt} = -1$, the modified $\mathcal{W}$ -entropy satisfies:*

$$\frac{d}{dt} \mathcal{W}(g(t), V(t), f(t), \tau(t)) = 2\tau \int_{\mathbb{T}^n} \left| R_{ij} + \nabla_i \nabla_j V + \nabla_i \nabla_j f - \frac{1}{2\tau} g_{ij} \right|^2 (4\pi\tau)^{-\frac{n}{2}} e^{-f} dV_g \geq 0 \quad (23)$$

Proof. By direct variation of metric $g_{ij}(t)$ and potential field $V(t)$, non-diagonal cross-derivatives vanish in $L^2(\mathbb{T}^n, dV_g)$, reorganizing the integrand into a non-negative quadratic form. $\square$

6.4 Singularity Formation and Continuous Topological Surgery

Definition 6.5 (Neckpinch Singularity and Algorithmic Barrier). A state node $x_c \in \mathbb{T}^n$ forms a **Neckpinch Singularity** at time t_c if scalar curvature diverges as $R(x, t) \sim \frac{1}{2(t_c - t)}$ and a localized region $\mathbb{S}^{n-1} \times \mathbb{R}$ collapses along cross-sections $\mathbb{S}^{n-1}$.

Continuous Topological Surgery Scheme:

1. **Singularity Interception:** When maximum curvature reaches $K_{\text{thresh}} \sim \Omega(n)$, excise high-curvature neck $\Omega_{\text{neck}} \approx \mathbb{S}^{n-1} \times (-L, L)$.
2. **Cap Attachment:** Seal open boundaries with hemispherical caps $\mathbb{D}^n$, creating manifold $\mathbb{T}_{\text{post-surgery}}^n$.
3. **Topology Decomposition:** The space splits into components:

$$\mathbb{T}^n \xrightarrow{\text{Surgery}} \mathcal{M}_{\text{solvable}} \sqcup \mathcal{M}_{\text{dead-end}} \quad (24)$$

Lemma 6.6 (Probability Measure Conservation under Topological Surgery). *Let μ_t satisfy $\int_{\mathbb{T}^n} d\mu_t = 1$. Upon excising Ω_{neck} , probability mass is redistributed across caps $\mathbb{D}_1^n, \mathbb{D}_2^n$ and residual components via Radon-Nikodym normalization:*

$$d\mu_{t+}(x) = \begin{cases} \frac{d\mu_{t-}(x)}{1 - \mu_{t-}(\Omega_{\text{neck}})}, & \text{for } x \in \mathbb{T}_{\text{post-surgery}}^n \setminus (\mathbb{D}_1^n \cup \mathbb{D}_2^n) \\ \phi_{\text{cap}}(x) \cdot \mu_{t-}(\Omega_{\text{neck}}), & \text{for } x \in \mathbb{D}_1^n \cup \mathbb{D}_2^n \end{cases} \quad (25)$$

where ϕ_{cap} is a smooth normalized density kernel, ensuring measure conservation $\int_{\mathbb{T}_{\text{post-surgery}}^n} d\mu_{t+} \equiv 1$.

6.5 Geometric Characterization of Polynomial Resource Constraints

For deterministic algorithms (DTM), polynomial constraints translate to rigid geometric boundaries:

1. **Bounded Flow Velocity:** $\|\vec{v}\|_g = \|\dot{x}(t)\|_g \leq C$.
2. **One-Dimensional Streamline Restriction:** Trajectory is restricted to a 1D streamline $x(t) \subset \mathbb{T}^n$ with measure $\mu_t = \delta_{x(t)}$.
3. **Poly-Length Geodesic Bound:** Swept Hausdorff length $L = \int_0^T \|\dot{x}(t)\|_g dt \leq C \cdot T = \text{poly}(n)$.

6.6 Jacobi Scattering and Surgery-Induced Crofton Line-Length Lower Bound

The target flat region $\text{Target} \subset \mathbb{T}^n$ has volume measure $\text{Vol}_g(\text{Target}) \geq n^{-n}$, while $\text{Vol}_g(\mathbb{T}^n) \approx 1$.

As a 1D deterministic streamline $x(t)$ navigates around surgery caps and potential spikes, its deviation vector $Y(t)$ satisfies the Jacobi Field Equation:

$$\frac{D^2 Y^k}{dt^2} + R_{\mu\nu\lambda}^k \dot{x}^\mu Y^\nu \dot{x}^\lambda = 0 \quad (26)$$

By the **Rauch Comparison Theorem**, high Ricci curvature $R_{ij} > 0$ and surgery cap reflections induce chaotic Jacobi scattering ($e^{\lambda t}$), forcing space-filling trajectory behavior.

Applying the generalized Crofton Formula on non-Euclidean Riemannian manifolds:

$$\int_{\mathcal{E}_1} \#(\gamma \cap E) d\mu(E) = \frac{\text{Vol}_1(\gamma) \cdot \text{Vol}_n(\text{Target})}{\text{Vol}_n(\mathbb{T}^n)} \cdot \Phi_n(g) \quad (27)$$

For a deterministic streamline $x(t)$ of length $L = \text{Vol}_1(\gamma)$ to achieve non-zero measure coverage against target volume $\text{Vol}_n(\text{Target}) \geq n^{-n}$, the total trajectory length L must satisfy:

$$L \geq \frac{\text{Vol}_n(\mathbb{T}^n)}{\text{Vol}_n(\text{Target})} \cdot \Phi_n(g)^{-1} \geq \frac{1}{n^{-n}} = n^n \quad (28)$$

7 Final Remarks & Future Directions

This whitepaper has introduced **Emergence Dynamics** as a continuous geometric and measure-theoretic perspective on computation, artificial intelligence, and market dynamics. Rather than viewing computational complexity through the lens of discrete state machines and string operations, this paradigm reformulates algorithms as state-density flows across continuous, deforming manifolds.

The primary theoretical contributions and open directions established in this framework include:

1. **Computational Foundations:** Establishing that classical Turing machines function as degenerate special cases of continuous measure flows with frozen belief operators ($\frac{\partial \Psi}{\partial \mathcal{I}} = 0$).
2. **Geometric Reformulation of Hardness:** Mapping discrete complexity constraints to continuous geometric metrics—specifically phase space volume, geodesic trajectory length, and topological deformation resistance under Ricci curvature flows.
3. **Cognitive and Market Systems:** Formalizing hallucinations in generative models as irreducible orthogonal projection errors under incomplete filtrations, and extending measure-bounded rationality to perpetual derivative mechanisms.
4. **Open Research Directions:** Translating classical complexity conjectures (such as Jin’s Conjecture regarding 3-SAT trajectory bounds) into rigorous problems in geometric analysis, non-smooth Riemannian geometry, and topological surgery.

The framework presented here does not claim a formal resolution to the classical P versus NP problem. Instead, it provides a geometric mapping intended to reframe questions of computational hardness in the language of topological metric flows. Future work will focus on formalizing the regularity conditions of the Quasi-Ricci flow on quantized torus manifolds, developing numerical algorithms for continuous state-space simulation, and further investigating the physical and cognitive limits of continuous emergence dynamics.

References

- [1] Fischer Black and Myron Scholes. The pricing of options and corporate liabilities. *Journal of Political Economy*, 81(3):637–654, 1973.
- [2] Satyendra Nath Bose. Plancks gesetz und lichtquantenhypothese. *Zeitschrift für Physik*, 26(1):178–181, 1924.
- [3] Christopher Columbus. Letter of christopher columbus on the discovery of america. *Epistola de insulis nuper inventis*, 1493.
- [4] Nicolaus Copernicus. *De revolutionibus orbium coelestium*. Johannes Petreius, 1543.

- [5] Edsger W. Dijkstra. Notes on structured programming. EWD Report EWD 249, Department of Mathematics, Technological University Eindhoven, 1970.
- [6] Edward N Lorenz. Deterministic nonperiodic flow. *Journal of the Atmospheric Sciences*, 20(1):130–141, 1963.
- [7] Robert C. Merton. Theory of rational option pricing. *The Bell Journal of Economics and Management Science*, 4(1):141–183, 1973.
- [8] Thomas Hunt Morgan. Sex limited inheritance in drosophila. *Science*, 32(812):120–122, 1910.
- [9] Isaac Newton. *Philosophiae Naturalis Principia Mathematica*. Joseph Streater, 1687.
- [10] Henry Gordon Rice. Classes of recursively enumerable sets and their decision problems. *Transactions of the American Mathematical Society*, 74(2):358–366, 1953.
- [11] Alan M Turing. Computing machinery and intelligence. *Mind*, 59(236):433–460, 1950.