


PART 1

SOURCE CODE:

```
1 package account;
2
3 public class Bitwise {
4
5     public static void main(String[] args) {
6
7         int a = 12; //1100
8         int b = 5;  //0101
9
10        int result = a & b;
11
12        System.out.println("Result: " + result);
13
14    }
15 }
16
```

OUTPUT:




The screenshot shows an IDE window with tabs for Problems, Javadoc, Declaration, and Console. The Console tab is active, displaying the output of the Java application. The text in the console is: <terminated> Bitwise [Java Application] C:\Users\enyaw\.p2\pool\plugins, followed by the printed result: Result: 4.

```
<terminated> Bitwise [Java Application] C:\Users\enyaw\.p2\pool\plugins
Result: 4
```

SOURCE CODE:

```
1 package account;
2
3 public class Ternary {
4
5     public static void main(String[] args) {
6
7         int score = 75;
8
9         String result = (score >= 75) ? "Passed" : "Failed";
10
11         System.out.println("Result: " + result);
12
13     }
14
15 }
16
```

OUTPUT:




The screenshot shows the IDE's console window with the following content:

```
<terminated> Ternary [Java Application] C:\Users\enyaw\.p2\pool\plug
Result: Passed
```

SOURCE CODE:

```
1 package account;
2
3 public class AssignmentOperators {
4
5     public static void main(String[] args) {
6
7         int number = 20;
8
9         number += 10;
10        number -= 5;
11        number *= 2;
12        number /= 5;
13
14        System.out.println("Final Value: " + number);
15
16    }
17
18 }
```

OUTPUT:



The screenshot shows the IDE's console window with the following content:


```
<terminated> AssignmentOperators [Java Application] C:\Users\enyaw\
Final Value: 10
```

PART 2

SOURCE CODE:

```
1 package account;
2
3 public class MultipleOperators {
4
5     public static void main(String[] args) {
6
7         int x = 7;
8         int y = 8;
9         int z = 1;
10
11         //1 Arithmetic
12         int result1 = x * y + z;
13         System.out.println(result1);
14
15         //2 Unary
16         int result2 = x++ + ++x;
17         System.out.println(result2);
18
19         //3 Assignment operator
20         y += 10;
21         System.out.println(y);
22
23         //4 Bitwise operator
24         int result4 = y & z;
25         System.out.println(result4);
26
27         //5 Relational operator
28
29         boolean result5 = x > y;
30         System.out.println(result5);
31
32         //6 logical operator
33
34         boolean result6 = (x > 3) && (z < 5);
35         System.out.println(result6);
36     }
37 }
```

OUTPUT:



```
<terminated> MultipleOperators [Java Application] C:\Users\eny
57
16
18
0
false
true
```