The NavLight System Setup guide.

WINDOWS 10 has caused the appearance of many of the pictures in this document to change. The colours of the title bars, and shapes of the windows, may be slightly different. Also, some screen shots are from older versions with less Menu options. This does not affect the information provided in this Manual.

Contents

1. INTRODUCTION. 4
1.1 What skills do I need? 4
1.2 What must I decide about my event before I start? 4
1.3 Setting up the Event Folder. 4
1.3.1 Files you will need. 5
1.4 Operating the system - an overview. 5
1.5 The things you must do - - 6
1.6 Making life simple - - 7
1.7 The Event Reference Time. 7
2 Using the HELP Menus. 7
3 PREPARING FOR AN EVENT – "EVENT SETUP" Window 7
3.1 Setting the EVENT REFERENCE time. 8
3.2 Course Data. 9
3.2.1 Setting Course START and FINISH times. 10
3.2.2 Time penalties and Disqualification. 10
3.2.3 Team Scoring Options. 10
3.2.4 Duration-limited Courses (eg. 15Hr in 23Hr). 10
3.2.5 Selecting, Creating, or Deleting a Course. 11
3.3 Creating Age/Gender classes in an Event. 12
3.3.1 Major Categories in "Competitor Classes" Window. 12
3.3.2 Inserting / Deleting Major Categories. 13
3.3.3 Adding other also-eligible Categories 14
3.3.4 Cross-Gender and Cross-Age Categories. 14
4 Setting punch functions. 15
4.1.1 Assigning STATUS to a Punch. 15

4.1.2 Grouping Punches at busy checkpoints. 17
5 ERASING PUNCHES – THE “PROGRAM PUNCHES” WINDOW. 18
6 PREPARING TAGS – THE “ERASE TAGS” Window. 19
7 ASSIGNING A TAG CODE TO A PERSON. 20
7.1 Changing the number of tags per team. 23
7.2 Printing Tag lists. 23
7.3 Loading and Saving Tagnums.txt. 24
7.4 Saving your spreadsheet. 24
8 ADVANCED SCORING – THE “READ TAGS” Window. 25
8.1 Scoring the Tags. 25
8.1.1 Printing the Tag data. 26
8.1.2 Team Withdrawal. 26
8.1.3 Partial Team Withdrawal. 27
8.2 Handling errors – Adjustments to Scores. 27
8.2.1 Manual modifications to Finish Time. 29
8.2.2 Handling a damaged or mis-placed Punch. 29
8.2.3 Direct numerical adjustment. 30
8.2.4 Lost Tags. 30
8.3 Printing the results – Overall and Section Winners. 31
8.4 Finding out who hasn’t returned. 32
8.4.1 From the TOOLS… Menu. 32
9 A SIMPLE SCORING WINDOW. 32
9.1 Using the simple Window. 34
9.1.1 Scoring. 34
9.1.2 Adjusting the FINISH Punch clocks. 35
9.1.3 Updating from your spreadsheet. 35
9.1.4 Printing results. 36
9.2 Complaints. 36
9.2.1 A missed Punch. 37
9.2.2 Altering a FINISH time. 38
9.2.3 Adding a MANUAL score or with-drawing a team. 38
10 THE “READ PUNCHES” Window. 39
10.1 Checking the “BRIEF” Punches before Event start. 39
11 ADDING/DELETING NEW TAGS AND PUNCHES. 40
11. File Management features. 41
11.1.1 Saving and Reloading whole events. 41
11.2 “CHAINED” and “TOTAL” Courses – combining several courses. 42
11.2.1 Setting up the individual courses. 43

11.2.2 CHAINING the courses. Checkpoint re-use. 43
11.2.3 TOTAL course setup. 45
11.2.4 How to enter people. 45
11.2.5 Chain Courses use the same Tags. 46
11.2.6 Either-day (total) courses. 46
11.2.7 Other “total” courses. 46
11.2.8 Getting the results. 47
11.2.9 Re-scoring chained Tags. 47

1. INTRODUCTION.

1.1 What skills do I need?

You should be comfortable using an Excel spreadsheet, to enter the names of people, age groups etc. Most probably, you will want to copy-and-paste from another spreadsheet, or a text file. You should be able to move a person's name from one cell to another. You are best to use a specialised spreadsheet which comes with Navlight, probably called "EventEntries.xls" unless it has been re-named.

You also need to be familiar with Windows File Explorer (NOT Internet Explorer) so that you understand files and folders, and can copy files from one folder to another.

If you want to use a printer, you must be able to use Control Panel to set up your printer as the "Default Printer".

1.2 What must I decide about my event before I start?

There are several decisions you must make before you set up your event. It is simpler if you make these decisions before you start. You will need:

- An Event name, eg. "Spring Classic".
- A name for each Course you are having, eg. 6 Hour, 12 Hour, School Championship. Even if you only have one course, you should have a name for it which is different from the Event name. Eg. Course 1 or Main Course.
- The starting and finishing times of each course, and the date of your event.
- The late-point penalty rate for each course, and the time to disqualification. (10 points per minute late, and 30 minutes to disqualification, are standard.)
- What age and gender classes you will have, for example the usual ones are M, W, X, MV, WV, XV, MSV, WSV, XSV, and possibly J. You can also have an Open grade (O) for which everyone competes.
- How many tags you will use: one per team, two per team, or one per person. (Two per team is most common except for championships, which have one tag per person.)
- If you are using more than one tag per team, you must decide NOW what you will do if a team returns with different scores. Will you use the maximum score or the Minimum score (which is normal). This choice can be different for each course.
- An "EVENT REFERENCE TIME". This should be 2 to 6 hours before your first course starts. It is not critical but should not be changed once the Punches have been programmed.

1.3 Setting up the Event Folder.

You need a Folder for your event. In Windows 7, a good place is in Libraries\Documents\Public documents\Rogaine Events\<Your event folder in here>.

(This is the same as C:\Users\Public\Public Documents\RogaineEvents\<Your event folder in here>. With the glorious intuition of Microsoft, in Windows 10, the path appears in the title bar as C:\Users\Public\ RogaineEvents\ , or C:\Users\Public\Public Documents\ RogaineEvents\)

The simplest way is to create a folder yourself. However if you run RogaineScore from its installed location in C:\ProgramFiles\Navlight Rogaine Scoring, you will have the option of creating a new event folder.

1.3.1 Files you will need.

Your event folder should have several files in it.

- EventEntries.xls
- Tagnums.txt
- Punchnums.txt
- Optionally, RogaineSCORE.exe

EventEntries.xls - - You need the spreadsheet EventEntries.xls which you use to enter the names and teams of your competitors. You can copy this spreadsheet from an earlier event (probably with a different name) or you might find it in C:\ProgramFiles\Navlight Rogaine Scoring\EventEntries.xls The name may have a date in it also, to indicate a version. For example, EventEntriesApr2016.xls.

This is a special spreadsheet because it has "Macros" in it. These are buttons which you click on to do special functions, including looking for errors and issuing tags to people. When you open it you will get a "Security warning" but you need to "Enable Macros." After that, use the "HELP" button.

Tagnums.txt - - This file contains a list of the Tags which you will use. Each Tag has a unique number which is represented as a 4-letter code. The file may already exist in a previous event, or may have been installed by the Navlight Manager. It is CRITICAL that you actually have the Tags that are in the list. If in doubt, delete the file and re-create it automatically when you erase the tags before your event.


Punchnums.txt - - This file contains a list of the Punches which you might use. Any punches you use must be in this list, but it doesn't matter if other punches are also in the list. If it is not included, it may be generated from the EVENT SETUP - Punch Values window, and will need additional information such as the number and value of each Punch inserted.

RogaineSCORE.exe - - This is the scoring program. It can be run either from the C:\ProgramFiles\Navlight Rogaine Scoring folder, or from your event folder.

1.4 Operating the system - an overview.

The PC software RogaineSCORE has six different main Windows available, by clicking on the appropriate button. Some of these steps need to be done before the event while others can be done before, during, or even after the event. Obviously, scoring must be done at the event conclusion.

The basic steps are described here. The settings entered are saved in text files in your event folder and automatically re-loaded each time you start the RogaineSCORE software.



The start-up window is shown above. The Event Setup is used for the first four or five steps. In general, the sequence is Event Setup, Program Punches, Erase Tags, Tags to Teams (Preferably done entirely within the spreadsheet "EventEntries.xls"), and Read Tags.

The system operation is governed by a number of text files. These are generated by the EVENT SETUP Window and the EventEntries.xls spreadsheet.

When the Event Setup text files are made, the operation is simple – Program the Punches, Erase the Tags, then Read the tags (Score them) after the event has finished.

1.5 The things you must do - -

After you have made your decisions, the sequence is roughly:

- Create your Event folder, with the files you need.
- Set the Event Reference Time using EVENT SETUP. (Look at SPECIFIC HELP from the menu)
- Enter your Course information using EVENT SETUP.
- Assign some punches to be BRIEF and FINISH punches using EVENT SETUP.
- Program the punches, ready for use, using PROGRAM PUNCHES.
- Erase the Tags (and make sure that only YOUR tags exist in Tagnums.txt – best done by deleting Tagnums.txt before you erase tags) from the ERASE TAGS window.
- Get information about teams, competitors, age/gender classes etc. and put it in your spreadsheet. The spreadsheet should be placed in your event folder.
- Use Event Setup to make sure your various Courses and Categories match the ones from your entry form and spreadsheet.
- Assign Tags to teams using your spreadsheet.

On Event day, ensure that all tags are punched with a BRIEF punch, usually about 15 minutes before the start. Also ensure that the Finish punches have their clocks synchronised by re-confirming them in the PROGRAM PUNCHES window, and correcting any timing errors.

As people finish, remove their tags and read them using the READ TAGS window.

1.6 Making life simple - -

Nearly all the complicated buttons and menu items you will see are there to handle human stuff-ups. If you prepare your event correctly, erase the Tags, and program the punches, there is little more to do apart from reading the Tags as they finish, and printing results. The only additional task you may have to do is to handle a failed punch, and this is best done after everyone has finished. Look at the section on handling damaged punches in Section 8.2.2

1.7 The Event Reference Time.

A counter in the punches keeps track of time by incrementing every second. When the counter reaches its maximum, it overflows to zero. Think of it as the odometer in your car – when you get to 999,999 kms it ticks over to 0 kms and you have a new car!

When you program the punches, the counter is pre-set to (0 minus the number of seconds to the event reference time). This means that it reaches zero exactly at the event reference time.

There are two things which happen at this point.

- The weak flashes from the punches which indicate they are working, are stopped.
- The punches start "sniffing" for a connected Tag four times a second, instead of every 2 -3 seconds. This gives a faster response.

This state remains for about 32 hours, after which the punches revert to a slow (16 second interval) "post-event flash" which is brighter than the pre-event flash. This 32-hour period will automatically extend if tags continue to use the punches.

The Reference Time thus controls some behaviour in the punches, but punches will always register a tag regardless of when it is connected. The tag records its punching time by copying the counter, and when you do the scoring, the time of punching is calculated by adding the seconds counter to the Reference Time set up in your event.

2 Using the HELP Menus.


Several screens have HELP Menus. These are:

- The MAIN window
- The EVENT SETUP window
- The READ TAGS window

In addition, most buttons will display a hint or tip if you hold the mouse over it.

3 PREPARING FOR AN EVENT – "EVENT SETUP" WINDOW


The first four or five steps are operated by clicking the "EVENT SETUP" window. This brings up the window below.



The options on the right control the punch flashes before and after the event. These flashes occur at approximately 16 second intervals. The pre-event flash is weak, and is an indicator that the punch is functioning. The post-event flash is brighter, to help you find the pinches for retrieval in the dark. (It also attracts possums, and people – if the punches will be in a public place, turn off the flashes.)

3.1 Setting the EVENT REFERENCE time.

Clicking the "REFERENCE TIME–" button opens the Date-Time Picker as shown below. This is a standard Microsoft Interface for selecting a date. The Hr and Min buttons can be used to adjust the time of day, as described in the next section.



SETTING THE EVENT REFERENCE TIME.

Clicking the down arrow beside the Date opens a calendar as shown below. From this, a date can be clicked to select it. The Month can be changed by using the two horizontal arrows beside the Date.




Once the Date is set, the time within the day is altered by using the <Min, <Hr, >Hr, and >Min buttons. When the desired Event Reference Time is set, click the "SAVE" button.

Note that you can also type dates and times directly into the white box of the DT Picker.

3.2 Course Data.

It is possible to run several courses simultaneously, for example, a six-hour and a 24-hour, and an 8 -in-15 hour. Each course may have different finish times, and some courses, such as the 8-in-15 may have a time restriction on the total time on-course.

By clicking the COURSE data- button, the Window changes to this:



The course properties are displayed. Which course is displayed is chosen by clicking the desired course in the "Course" list.

Note: Use the "SPECIFIC HELP" menu (not shorn on this picture) to get guidance as you work.

3.2.1 Setting Course START and FINISH times.

The Course START and FINISH times are set by clicking the START Time or FINISH Time boxes (which turn blue), then using the Date-Time Picker (as described in Section **Error! Reference source not found.** above) and the Hr and Min adjustment buttons to set these two times.

Note: you can also set the Finish time by entering the Course Duration instead of the Finish Time.




3.2.2 Time penalties and Disqualification.

The Penalty regime for late finishers is also set by typing into the two text boxes in the FINISH Options frame. The normal regime is 10 points per minute late (or part thereof) and 30 minutes to disqualification.

3.2.3 Team Scoring Options.

If you have more than one tag per team, which is usual, you must decide what to do if the tags in a team give different scores.. (The slowest Finish Time is used in all cases.)



Click the Option which you choose. The default is MINIMUM.

3.2.4 Duration-limited Courses (eg. 15Hr in 23Hr).

If a total-time-on-course limit is also required, for example 15 hours out of 23, clicking the "Apply Limit" checkbox will give the screen below. This will apply only to the course being edited.




Use the Min<, Hr<, Hr>, and Min> buttons to alter the COURSE TIME limit from the 24:00:00 shown to whatever the maximum time allowed on the Course is. For example, if the Course is restricted to 15 hours in 23, you would set 15:00:00 as the TIME limit, but have START and FINISH times which are 23 hours apart.



3.2.5 Selecting, Creating, or Deleting a Course.

To add a new Course to your event, or to view an existing Course, click the course in the "Course" list. For a new course, click "New". By default, all its settings will be copied from the previous course and you must then change them.



Type in a number or name for the Course you want to create in the "Course on display - - " box. Even if you have only one Course, such as a 12-hour one, you may want to name the course "12" or "12 Hour" rather than use the default course which will be called Course 0.

Set the Course START and FINISH times, and penalties etc as described above. A "SAVE" Button will appear, which you should click to save all the current settings.

To DELETE an existing Course, select it from the Course box and click it. Click the "DELETE COURSE" Button which will have appeared.


3.3 Creating Age/Gender classes in an Event.

Competitors may compete within a restricted class, such as under 19, over 50, or Mixed teams. Each class is given a name, such as M, W, V, XV etc. Competitors may be eligible for more than one class; for example, a Veteran may also be eligible for an Open class.

The Competitor Classes Window allows you to create the Major classifications, and then assign other classifications which also apply to people in each Major class. The classifications are saved in a text file called Categories.txt.

3.3.1 Major Categories in "Competitor Classes" Window.

Clicking the "Competitor Classes" button opens a new Window which looks like this.




The Major categories show in the left column. The right column lists the other categories which people in a Major category are also eligible for. You may type directly in all columns, but it is best to type only in the Major column, and drag-and-drop from there into the right hand columns.

Lines may be inserted or deleted by clicking in a major category and using the INSERT or DELETE Menu.

If you don't need any categories for your event, don't worry – the default categories will still exist, but you choose the (none) category when giving team numbers to competitors. You may also use the LOAD DEFAULTS… Menu to REMOVE ALL CATEGORIES.

3.3.2 Inserting / Deleting Major Categories.

Lines may be inserted or deleted by clicking in a major category and using the INSERT or DELETE Menu. The example below shows the process of deleting the MV class.



When the line is deleted, MV will also be removed from any also-eligible categories.

To replace a Category, click in the Category box in the left-hand column and enter the new Major Category name. The new name will replace the old name wherever it occurs in the right-hand column of also-eligible categories. If you do this in an empty box, you are adding a new Category.

For a completely new set of categories, you are best to use the LOAD DEFAULTS… REMOVE ALL CATEGORIES Menu to clear all the boxes, then start afresh. Enter the names of all your Major categories in the left-hand column. The order they are in down the page will be the order they are printed across the RESULTS Printout.

You can use the up-arrow and down-arrow keys to scroll through the major categories list.

NOTE: *Category names should be not more than 7 characters long, to retain formatting in the Results printout.*

3.3.3 Adding other also-eligible Categories .

The right-hand column is best populated by dragging and dropping the Major Categories into the also-eligible categories. It is possible to type directly into the right-hand boxes, but take care that your formatting is correct. The boxes should start with a comma, and commas must separate each sub-category. Spaces are not permitted.

If your list is longer than 16 lines, the display will scroll down or up if you drag the mouse pointer below or above the column of textboxes.

3.3.4 Cross-Gender and Cross-Age Categories.

A Junior team can cross all genders, and may be eligible for Mixed, Womans, or Mens classes, but this cannot be handled by the “Also-eligible” concept used above. The “J” category shown in Section 3.3.1 cannot be eligible for M, W, XV etc as this varies on a team-by-team basis.

Similarly, a Family team can be cross-gender and cross-age, and may be eligible for MV or W or J for example.

These additional per-team categories must be loaded from a spreadsheet file where a spreadsheet column contains each team’s Major category.

Multiple Categories are entered in the spreadsheet by separating the classes with commas, so a Family Mixed team would be X,F (or F,X) while a Family Mens team would be M,F and a Junior mixed team would be J,X. The codes used (eg. X,F) ***must*** match the major categories loaded in the Event Setup Window above.


Note: The Category entry in the spreadsheet should normally list only the major class, such as WV or MSV rather than WV,W or MSV,M,MV. The sub-classes are automatically assigned.

4 SETTING PUNCH FUNCTIONS.

Each Punch has a unique, 3-letter internal ID code, which can be read through the transparent cover on the Punch. Each Punch also has a label on the outside which is the familiar "Punch Number", such as 23 or 76. There is also a score value for each Punch, which is normally (but doesn't have to be) the tens value of the Punch Number, so 23 and 76 would be worth 20 and 70 points respectively.

The PUNCH values window allows you to use some Punches for special tasks by assigning a "STATUS" to them. You must at least have some BRIEF and FINISH punches.

Clicking the "PUNCH values" button will open the Window below.




Any Punch can be found by using the scroll bar to the left, by using your mouse scroll wheel, or by actually inserting the Punch into the Reader. The display can be sorted either by Punch ID code, or by its number, as shown above. Use the SORT… menu to do this.

4.1.1 Assigning STATUS to a Punch.

A Punch Record in a Tag can be interpreted during the Scoring process in several ways, depending on the STATUS assigned to that Punch. There are five STATUS conditions you may need. A Punch with no STATUS is a normal Punch, and its points value will be added to the Tag's score. With a STATUS assigned, the Punch value ***WILL NOT COUNT*** and must not be altered.

STATUS values are “TEST”, “BRIEF”, “START”, “FINISH”, “LAP”, “GROUP-”, and “DEPART”. Simple events need only BRIEF and FINISH punches.

The STATUS is assigned by using the scroll arrows to the right of the blank box on the “editable line”. (The line with black bars between numbers.)



Use the Scroll Arrows to select the STATUS for that Punch.
DO NOT alter the score value; it will be ignored.

A “TEST” Punch will have no effect on the Tag’s score, although, like all Punch Records, it will show in the Tag printout. You may have a TEST Punch at the Registration area for people who are unfamiliar with the system to try their Tags on.

A “BRIEF” Punch must be used by all competitors before the event starts. Without it, some punches may return a zero score. With it, any Punch scores before the BRIEF Punch will have their scores cancelled, while subsequent Punches will score. The start time will be taken as the Course Start Time, so the actual time of using the BRIEF punch is not important. Several BRIEF Punches are usually made available to competitors as they enter the briefing area just before the event starts.

A “START” Punch may be used on Courses with a duration limit, such as a 15 – in – 23 course, when a competitor does not start at the scheduled Course Start Time. Its purpose is to allow time-on-course to be measured from the START Punch instead of the Course Start Time. You will not need this Punch except for duration-limited courses.

One or more “FINISH” Punches must be used to record the finish time of each competitor. When a person returns to the administration area, either during the event for a visit, or near the end of the event to finish, they should use a FINISH Punch. If they go back out on the course they should re-use a FINISH Punch on their subsequent return.

A “DEPART” Punch is used for people who have returned during an event and who wish to go out again. While not strictly necessary, it allows a measure of the time spent in the administration area. This is a *requirement* in Courses with a duration limit, such as a 15 – in – 23, as it allows accurate measurement of the time spent on-course. It is suggested that you use DEPART Punches for all courses, as it gets people used to using them and the Punches themselves can be analysed to see if a missing person has gone back onto the course.

A “GROUP-” Punch allows that punch to be grouped with another punch, so they both score the same value. This is useful where several punches may be desired at one place, such as close-in check-points, or for redundancy in major events. Thus a “97” punch can be grouped with a “23” punch, so either will score 20 points, but both will register as the same punch, preventing multiple scoring. It is not necessary to change the value of a GROUP punch. This is automatic.

See section 4.1.2 below for more details on using GROUP punches.

The LAP punch allows all punches already scored, to be re-used, adding to the total score. It is useful for events where a given route forms a Lap, such as a cycle course. The lap can be repeated a number of times, scoring extra points each time.
You would place a high-valued CP at mid-lap, and use a LAP punch when each lap is completed.

4.1.2 Grouping Punches at busy checkpoints.


Checkpoints close to the start of a course may have many visitors in a short time. To alleviate bottlenecks, you may have additional Punches at these checkpoints.

You may use more than one Punch if they all have the same punch number (eg. all numbered 31) but not if they just have the same point value, because someone could punch all of them to get extra points. Instead, each "group" of Punches need to be made equivalent to just one of the group.

For example, if checkpoint 21 had Punches 33, 78, and 80 also in the same place, then these extra three checkpoints 33, 78, and 80 must all have the same score value as 21, and all four Punches must be mutually exclusive.


To achieve this, the extra Punches can be "grouped" with a "GROUP" status.

In the EVENT SETUP - PUNCH values window, select the first Punch 33, and scroll through the STATUS options until "GROUP-" appears.




Note that a white box also appears with "Group Master Punch" written above it.

Type 21 (the number of the main Punch for this Group) into the box, as shown above. Then scroll up one line, and you will see the Group status is listed as G-21 for Punch 33.



Repeat this procedure for Punches 78 and 80.




You may also make Punch 21 as a G-21 group member but this is not necessary.

Note that you should *NOT* edit the Punch values or names! Do not group STATUS punches either, such as BRIEF or FINISH.

5 ERASING PUNCHES – THE "PROGRAM PUNCHES" WINDOW.

Before placing Punches in the field, they must be "programmed". This erases data from previous events, loads the Event Reference Time, and controls how the internal red light behaves before and after the event. These details should have already been set from the EVENT SETUP Window.

From the System Manager, click the "PROGRAM PUNCHES" button.




Choose the **"New Event"** option to program your punches. Place all the Punches in the Reader, one at a time. You may have to wait up to five seconds for each Punch.

As each Punch is inserted, its clock is set, and its battery condition measured. If the battery condition is below a thresh-hold, or the clock setting is not accurate, a flashing display will result. You can ignore the warning and live with the error, or reset the clock by clicking the "Correct the error" button.

The **Default Option** is "**Reconfirm**". This allows you to re-insert already-programmed Punches to observe their settings. No re-programming occurs, but the battery condition is shown and the time error displayed. The Punch Clock is read to an accuracy of 0.06 seconds. If the error compared with your computer clock is greater than the thresh-hold set in the "Advanced >>>" screen, the display will flash. You are given the option of correcting the Punch Clock.

This Clock-adjustment is very useful for synchronising all the "FINISH" Punches on the day of the event, to correct any clock drift since they were originally programmed.



The "Reconfirm" display when a tolerance error is detected.

6 PREPARING TAGS – THE "ERASE TAGS" WINDOW.

Again, self-explanatory options are available from this window. Once an option is chosen the Tags are placed into the Reader unit to operate the function automatically.



"**New Event**" will **Erase Tag Memory**. This is the most likely use of this Window. It is the default Option when the Window is opened.

"**Read Status**" does not alter the Tag in any way, but it displays the memory usage, the Tag ID code, and the Course Restriction in the Tag.

"**Verify Erasure**" checks that the Tag is erased.

7 ASSIGNING A TAG CODE TO A PERSON.


– USING THE EVENTENTRIES.XLS SPREADSHEET.

This spreadsheet contains programs (called Macros) which will assign Tags to people or teams, check many of the other files which contain course information and categories, and create Tagnums.txt.

The spreadsheet MUST be in the event folder for each event, along with Tagnums.txt.


If you created a workspace using RogaineSCORE from C:\Program files\Navlight Rogaine Scoring, then the spreadsheet should exist in your event folder, probably re-named to the namne of the event folder.

Open it, and it should look like this.




Note the Security warning. This is Windows 7. Other versions of Windows may give a different warning about Macros, and you must Accept them.

Click on the “Options...” button next to the Security warning. You get this ---.



Click on “Enable” and click OK at the bottom of the window.


The “Security Warning” should disappear, leaving the big orange button. Click on the orange button. It should change momentarily to a yellow button.



This button lasts about a second, and then disappears to show the Macro control buttons.

The yellow button appears momentarily every time you SAVE the spreadsheet. This is unavoidable. Blame Microsoft.

These are the Macro control buttons.



The HELP button gives extensive information about using the spreadsheet. The fundamentals are:


- Each team must have a numerical team number entered in Column “B”. Only the first line of each team needs the number, but it can go on every line.
- Each team should have a Category, which matches the categories in your Event Setup. Multiple categories are allowed, such as J,M or J,W or F,X. Standard categories such as MSV do not need the sub-categories MV and M; this should be handled in your Event Setup – Categories.
- The name of each PERSON in the team MUST be listed on a separate line. Commas are not allowed! A three-person team will need three lines. A team name is optional, and is entered on the first line only.
- The Course for each team must match the course names you created in your Event Setup. These may be typically 24 Hr, 12 Hr, 6 Hr, but can be anything as long as they match your Event setup EXACTLY, including spaces.
- A handicap is an optional point value which will be added to the team’s final score. Negative values are allowed.

This is an example of how entries should look.




When you have most, or all, of the people entered, you can click on "Assign Tags –". At this stage, you will be asked how many tags per team you want, and the words in cell C1 above will change to reflect your choice. Once made, it cannot be changed unless you "remove all Tags".

An error check is performed, so you will get a message screen also:



Click OK, and Tags will be assigned.



Like any spreadsheet, you can move people around, add more to a team (by adding a line to the team where the active cell is), change courses and categories, and move Tag ID codes to different people or teams.

Whenever you click “Assign Tags”, only those people or teams who need more tags will be assigned.

NO ALREADY-ASSIGNED TAGS WILL BE ALTERED.

Finally, you must click “Write Tagnums.txt” and save your spreadsheet. You can repeat this as often as you need, to handle late entries, withdrawals etc.


7.1 Changing the number of tags per team.

When the spreadsheet first opens, the cell C1 may say “2 TAGS/TEAM”. This is the default option, but for championship events you will need 1 Tag per person, and for very large events you may have only 1 Tag per team.

As long as NO tags have been assigned, you will be given the choice when you click “Assign Tags-”. Once any Tags have been assigned, the choice is fixed and cannot be changed unless you click “Remove all Tags”. Then you can re-assign, and the options will be offered again.

7.2 Printing Tag lists.

Click the “Print and more...” button.



The choices are self-explanatory. Click your choices, and then click PRINT.

7.3 Loading and Saving Tagnums.txt.

Whenever you open the spreadsheet, your existing Tagnums.txt is loaded automatically, but ONLY THE TAG ID CODES ARE USED. Other information is ignored, since the spreadsheet is the master holder of all the other information.


You re-create Tagnums.txt by clicking the yellow “Write Tagnums.txt” button. This writes Tagnums.txt with all the information from your spreadsheet. All un-used tag ID codes are also saved, so your Tagnums.txt file still holds all your tags.



MAKE SURE YOU WRITE TAGNUMS.TXT before closing, if you wish to update the original.

7.4 Saving your spreadsheet.


When you SAVE or CLOSE the spreadsheet, the big orange button re-appears –



This is unavoidable, because the saved file must show this button on re-opening. Just click the orange button. It changes to yellow for a second then disappears.


8 ADVANCED SCORING – THE "READ TAGS" WINDOW.

When the READ TAGS button is clicked the window below opens. (Note: A simpler scoring window may be available.)



8.1 Scoring the Tags.

When ready, simply insert Tags and the score will display in the window. The course number is found from the Tagnums file already created, and this selects the appropriate scoring options. The displayed score will include late penalties and disqualification.



Note the “progress bar”, showing the proportion of Team 14 that has been scored.

When the Tag is removed the display continues to show the last score read.


Two text files are saved; one is an image of the download from the Tag and is in a “RawTags” directory. The other is the one of interest and is saved in “ScoredTags” directory as “105____ ABAG.txt” or something similar. The “ABAG” is the Tag ID, and the 105 in this example is the team number which was assigned to that Tag.

This file is also copied into a sub-directory which has been given the course name. Thus all the Tags for Course 24 are in the “Course 24” directory, along with a “Course 24 ScoreSummary.txt” file and, eventually, a “Course 24 RESULTS.txt” file.

8.1.1 Printing the Tag data.

The scored Tag file gives a summary of the score for that Tag and could be printed out to give to the team. If the “PRINT TAGS” checkbox is ticked when the Tag is scored, the file will be sent directly to the system default printer as well as being saved. If you forgot to check the “PRINT TAGS” checkbox and you want a printout, you can re-score the Tag as described further on. You do not need the actual tag for this; it is done from the information saved in the “Rawtags” Directory.

When the “PRINT TAGS” checkbox is ticked, another control appears underneath it called “PRINT OPTIONS”. This brings up another window which allows you to set Font size, paper size, orientation etc. for your printout.




8.1.2 Team Withdrawal.

A team may withdraw from a course after they have started it; perhaps because of injury problems or requesting transport home.

They must use a FINISH punch, and their Tags should be scored as usual. This is an important safety feature for ensuring that all teams have returned.

Because they have not finished late, they will not show as Disqualified, and they will have a non-zero score.

To correct this, re-score any one of the Tags, and type “withdrawn” in the Manual Score box –the one which shows Nil. As soon as you type “with” the score will show zero.



SAVE, then PRINT. The last few lines of the team printout will show this:

270 Points Scored.
No Time Penalty.
Withdrawn. Manual adjustment.

FINAL SCORE = 0 Withdrawn.

8.1.3 Partial Team Withdrawal.

If some people in a team need to withdraw through exhaustion or injury, and the remainder of the team wish to continue and you allow it, follow the procedure above for the withdrawn people, but instead of typing "withdrawn" which affects the whole team, type "ignore". SAVE. This can be done before the whole team returns and is scored.

8.2 Handling errors – Adjustments to Scores.

You may wish to adjust someone's score manually, perhaps because of a missed punch or incorrect Finish time. This is done by re-scoring the already saved Tag information.

Note that the **best way** of handling an incorrect or non-existent Finish Time or a missed Punch is as described below. This is better than merely adding a number to the score.


For all manual re-scoring, you should click the "SHOW in WINDOW" box, and either turn off "PRINT TAGS" or turn the dummy printer on (from the TOOLS…Debug.. menu). You can leave PRINT TAGS on, but you will get a team printout for each tag you re-score within a team.

Manual re-scoring involves two steps; firstly, double-click the Tag you want to make the desired modification as described below. If the displayed results are what you want, you MUST click SAVE to incorporate and print the modified team result.

CAUTION: *Inserting a Tag while in "Re-score" mode will not read that tag, so do not insert tags for normal reading. A RawTag file may be generated but its scored file may not be correct.*

Click the " Re-score > > " button to open the re-score window. It looks something like this:


The Manual Re-scoring extension.



Select the Tag number from the file listbox, and click “Rescore selected Tag” or, alternatively, double-click the desired Tag.

Hint: To aid in finding the Tag number in the listbox, you may type the TadID code (eg. AWAF), or the team number, into the Search… box. The tag will be highlighted in the listbox. Alternatively, re-inserting the Tag in the Reader will do the same thing. You may also use the scrollbars to scroll through the list.

When a tag is re-scored, the window looks something like this,



and the SCORE Window will show the existing scoring for that Tag.

If a Punch has failed, there will be many teams (and many more Tags) which will need to be corrected. In this case it is better to "add a Punch" to the Teams which you believe qualify, instead of finding and adjusting each Tag. This is done using the 'PUNCH failure.." button.

Note: When any adjustment is made **and saved** from the Re-score extension, the adjustment is recorded in the scored file for that Tag. (In the ScoredTags sub-directory.) If the Tag is opened for re-scoring at a later time, the previous adjustments will show automatically.

8.2.1 Manual modifications to Finish Time.

If someone forgot to use a "FINISH" Punch, or they used it later than their actual return, then manually re-score the Tag. Click "Alter Finish time - " and a Date-Time Picker will appear.



Set the finish time you think correct. You will note that the displayed results change every time you alter the finish time, even by a minute. Alterations made by typing directly into the Date-Time Picker will update automatically after about one second, while alterations made by clicking the Min and Hr buttons will update immediately.


When the finish time is correct, click "SAVE".

8.2.2 Handling a damaged or mis-placed Punch.

There are two methods of providing a score adjustment for people who claim that a Punch wasn't working, or was miss-placed. The best method is to wait until all Tags have been scored, and then use the re-scoring window to add the lost Punches to all teams at once.

After Tags have been scored:

Click the Re-score >> button to show the list of scored Tags. Choose some or all of the Tags to be re-scored from the list box (one per team is enough) then click "PUNCH failure..".



A new Window will open –



The selected Teams will appear in the big textbox. You can enter more team numbers directly into this box, with comma separators as shown.

Enter the desired Punch number (or numbers, separated by a comma) in the small textbox, then click OK. All the tags belonging to the listed Teams will have their scores modified by the value of the Punch. The extra points are included in the "Points Scored" line.

Added Punches can be deleted, either by using the REMOVE button for many Tags, or the "Delete manual editing" button if re-scoring an individual tag. (Click SAVE to keep the change for this individual Tag.)

8.2.3 Direct numerical adjustment.

This should be a last resort. You are better to credit missed punches and adjust finish times rather than this rough-shod approach.

Note: Negative numbers can be entered.

8.2.4 Lost Tags.

If a team says that one of their tags stopped working or was **LOST**, and you believe them, you can automatically create a RawTags file, and allocate a manual score equivalent to the rest of the team.

Score all the valid team punches first, then from the "TEAM Scoring..." Menu, click "Lost TAG". A window appears.




Enter the team number, and then click "ACCEPT". The rest is automatic.

If the team number you enter has already completely scored, you will get a message "There are no un-scored tags in team 7."

8.3 Printing the results – Overall and Section Winners.

When all Tags have been scored, or enough for interim results, click the "PRINT RESULTS…" button. This allows printing of the complete results, and a summary of the three winning teams in each section.

A window like this will appear.




Note that the printing is *always* sent to the computer's *default system printer*. Use your system Control Panel to ensure the default printer is the one you have connected. Select the Courses you want results for, and check or uncheck the - to PRINTER box, then click PRINT. A yellow flash saying "DONE" appears momentarily. The PRINTER... menu allows you to change font size etc.

8.4 Finding out who hasn't returned.

At any stage during the scoring of Tags as people return, you can find out which Tags remain unscored. You will be in the Tag Reader window. There are two ways of doing this.

8.4.1 From the TOOLS… Menu.

Click "TOOLS… - Find unscored teams." from the menu bar. The Score Display window will show partially scored teams, as shown in this example:



This shows the team number, the un-scored Tag code, and all the Tag codes for that team.


The un-scored tags are collected into Course order, with the first Course displayed being the course of the last Tag scored. This means that towards the end of a 6-hour course you can find who hasn't returned from that course, without being swamped by all of the teams still out on a longer course.

Note that Tags without team numbers do not show using this method. To find them you must use the next method, printing the ScoredTags course.

9 A SIMPLE SCORING WINDOW.

There is a simple scoring window which is intended to make scoring easier, but less versatile. When you start RogaineSCORE on event day, you will be asked if you want to open this window. Most people don't.

If you decide not to, you can skip this chapter.



This Window is purely a user-interface to all of the screens and functions described in this Manual. It has reduced functionality in that some of your options and choices have been fixed to the most probable use. For example, you can't inhibit print-outs as Tags are scored.

It lists all the Courses in the event, as shown above. Each Course line has three boxes, Course name, Start time, and Finish time. These boxes change their back-ground colour to show what is happening:


- The appropriate COURSE box goes yellow as a Tag is read.
- The START TIME box flashes yellow for 5 minutes before Start time.
- The FINISH TIME box goes red after the finish time, up to disqualification time.

There is a live TUTORIAL with extensive examples. You will need a Reader and a Tag. You can run the tutorial at any time, even during an event.

You can revert to the normal screens from the OPTIONS… Menu bar by clicking "Show ADVANCED Scoring window". The simple screen will still be visible and will work in unison with the usual screen.



The Window is opened from the start-up screen, using the FILE.. Menu.




The "Today's Event" simple window will also open automatically on the event day.

9.1 Using the simple Window.

9.1.1 Scoring.

This is straightforward. Just read Tags as the teams finish.



The back-ground of the Course, Start time, and Finish Time boxes changes as the event progresses.

1. The Course box goes yellow while a Tag is inserted, highlighting the Course which the Tag is on.
2. The Start Time box flashes yellow in the 15 minutes prior to Course Start Time, to remind you of the need to have a BRIEFING talk to competitors and make sure that they have ALL used a BRIEF Punch before the start.

3. Both the Start and Finish time boxes are coloured green while a course is in progress, and the Finish box colours red after the finish time, up to the disqualification time for that Course.

A Team printout will occur automatically when all the Tags in a team are scored.


9.1.2 Adjusting the FINISH Punch clocks.

Before the first Course finishes, it is a good idea to check the clocks in the Finish Punches; firstly, to make sure they are still roughly correct, and secondly, to synchronise them exactly to the right time (within a fraction of a second). This is important for teams with the same scores, where ranking is based on finish time and they may have used different finish punches.

Click the "Click HERE to synchronise the FINISH PUNCH CLOCKS".



Instructions appear, which are self-explanatory.



9.1.3 Updating from your spreadsheet.

Click the purple button to update your team data from the spreadsheet. The process is fairly automatic, provided that the event setup has been properly linked to the spreadsheet, and any changes to it have been correctly saved as a tab-delimited text file in the "TeamData" sub-folder.

You may get a message saying that the spreadsheet file has not changed, and you will have a choice of re-doing the Tagnums file or not. The choice is arbitrary.

When updating is finished, there is a "Ding" and a yellow "SPLASH" message saying "FINISHED".

9.1.4 Printing results.

You can get a RESULTS printout at any time, by double-clicking the Course box of the course you want. (Note: If networking to other computers, you must re-score ALL first. See Section **Error! Reference source not found.**

This gives both a complete Results and a Winners printout, but only for the chosen course. To get results for all courses, you must double-click each Course box in turn.

9.2 Complaints.

Complaints about scored results are best dealt with after most of the scoring is complete, and you are not so busy. It is a good idea to keep a written Log of complaints, with team number and complaint entered into it.

The things you can do fall into four choices:

1. Adding a missed Punch.
2. Correcting a low score because someone missed a BRIEF Punch.
3. Adjusting a FINISH time because someone forgot to use a FINISH punch.
4. Adding or subtracting a score manually for any other reason.

When you click the "complaints" button you get this Window:




Choose which alteration you wish to make, and then insert and remove the Tag which needs correcting. A new set of instructions will appear, telling you how to make the alteration.

NOTE: With alterations, you will normally see the effect of the changes in the SCORE Window. Except for a lost Punch, the changes will not take place until you **click the "SAVE"** button.


9.2.1 A missed Punch.

The most likely complaint will be about a punch which has been miss-placed, lost, or in the wrong place. Chances are there will be several teams affected, and that is why it's best to do them all at once, after scoring has finished.


Choose the ADD Punches option as shown above, then re-read any Tag from one of the complaining teams. Remove the Tag and The display looks like this:



In addition, the Advanced scoring Window shows:



Click the PUNCH failure Button to open the Punch Failure window as described in Section 6.3.3 of this Manual.




Enter the punch you want to add in the top box, and all the teams you want to credit with this punch in the bottom box. The example above will add Punch 67 to teams 7, 13, 27, and 35.

Click OK. Each Tag in all the teams will be re-scored automatically.

Resume normal scoring by clicking the yellow "Click here to resume NORMAL scoring" button.

9.2.2 Altering a FINISH time.

As before, choose your option: in this case, the FINISH time option. Re-read the Tag you want to alter and remove it to get this message:



The advanced window shows this:



After selecting the desired Finish time, click "SAVE" as before.

9.2.3 Adding a MANUAL score or with-drawing a team.

As before, choose your option: in this case, the MANUAL option. Re-read the Tag you want to alter and remove it to get this message:

As a last resort, you can over-ride all scoring with a Manual addition.
Enter the score you want to add in the Nil box. Negative numbers are allowed.
The effect of the changes shows immediately in the white SCORE Window.
When the result is what you want, click the SAVE button, or CANCEL to go back.

... and the Advanced Scoring Window looks in part like this:



Enter the Manual adjustment you want in the small box. The SCORE window immediately shows the effect of the change, and the SAVE Button appears.

As before, you must click SAVE to keep the alteration.

10 THE "READ PUNCHES" WINDOW.


This is not normally required, but may be useful if a team is overdue. All it does is to download the Punch record of the tags registered with it, and a timestamp within 8 minutes of each Tag insertion. Open the window and simply plug each Punch into the Reader in turn. The Tags are identified only by their internal Code, not team number.

10.1 Checking the "BRIEF" Punches before Event start.

Every person with a Tag is required to use a "BRIEF" Punch before the event starts. This can be checked by reading all the "BRIEF" Punches in the READ PUNCHES window in the normal way.

When the last BRIEF Punch is read, a display window will open automatically, showing which teams have not had all their Tags briefed. To avoid unused Tags from a permanently numbered set from showing, only Tags which have a competition category assigned to them will show.

If the READ TAGS – PRINT RESULTS window has been opened, and the Include Names from File option has been set up, the un-briefed team number display will also show the name of at least one team member from each team.



The automatic display when the last BRIEF Punch is read.

This display window will disappear automatically when another Punch is read, or when the window is closed.

11 ADDING/DELETING NEW TAGS AND PUNCHES.

New Punches must be added to the PunchNums.txt file. This is done from the EVENT SETUP window, PUNCH Values button, and FUNCTION… ADD NEW PUNCHES from the menu. If you have an entire set you wish to combine, look at the Reference Manual or use the TOOLS menu from PROGRAM PUNCHES.

Insert the new punches into the reader. You will need to assign a Points value to the new Punches in the PunchNums.txt file.

```
OMB     73      70
PMB     29      20
QMB
RMB     90      90
```

Note that the newly added Punch, QMB, does not have a Label or a Points value given to it. You must do this. You might, for example, decide to label this Punch 99, with a points value of 90. After modification the file will look like this:

```
OMB     73      70
PMB     29      20
QMB     99      90
RMB     90      90
```

It is possible to have more than one Punch with the same label. This usually occurs if you are combining two sets of Punches so that you can have two punches at each checkpoint, for speed and redundancy.

New Tags are added to the Tagnums.txt file simply by erasing them for a new event.

Deleting Tags requires hand-editing of the Tagnums.txt files, and deleting the entire line with the 4 letter internal ID Code on it. An alternative method is to delete the wholeTagnums.txt file, and create a new one by erasing all your Tags for a new event.


Punches and Tags from other sets may be handled in bulk. See sections 4.2 (combining Punches from other sets) and 5.1 (Combining Tags from other sets) in the Reference Manual, or look at the Menu items in PROGRAM PUNCHES and READ TAGS windows.

11. FILE MANAGEMENT FEATURES.

11.1.1 Saving and Reloading whole events.

After scoring an event, you may want to archive all the setup files, all the RawTag files, and all the results files for future reference. You may also wish to re-load this information at a later date, for further scrutiny or for experimentation.

To allow this, an EVENT… Menu exists in the menu bar of the main Window. From this, you can save an event, load a previous event, or create a new event (which eradicates any existing event information).



To SAVE your event the first time, you must click Save As… and the load/save Window will open.



Now type in the name of your event, (Hardys Hollow) and click SAVE. After saving, the name of the main Window will change to this new Event name. Every time you re-start RogaineSCORE, this event name will appear until you either re-load another event, or click the New… Menu item.

Once a name exists, the Save menu is valid, and you can continue to save your event by clicking Save. From Version 44 onwards, a serial number is added to the filename, and is incremented each time you save. Thus "Hardys Hollow" will become "Hardys Hollow(01)", "Hardys Hollow(02)", "Hardys Hollow(03)", etc.

This is useful to keep a record of your event files, such as Tagnums and Course information, as you develop you event and before the event is scored. Remember that the saved record is only as

good as the last time it was saved. If you are certain that you don't want to increase the serial number you must use Save As…

Note that whenever you quit RogaineSCORE, your current data is not lost. It will re-load when you restart the program. It is only lost if you modify it or load a new or other event.

The archive files are text files with the extension .ach and are stored in a subdirectory called Archive.

To LOAD an existing event, click Load… from the Menu bar. The load/save window will open but this time the SAVE button is a LOAD button. Use the down-arrow beside the textbox to see all the saved events. Click on the one you want, then click LOAD.



Note: The Load and New operations involve file and directory deletion, and may take a few seconds. Also, if any text files from the subdirectories are open in Notepad for example, a delete will not be possible. You will get a system error message and RogaineSCORE will unload. If this happens, close the file and re-start the program. Very occasionally you may have to either log off, or re-start your computer, if the problem persists.

11.2 "CHAINED" and "TOTAL" Courses – combining several courses.

Separate, individual courses can be combined or linked into a collective event by setting up either a "Chain" or "Total" course. Some people can enter each individual course on its own, while other people can enter for a combination of several courses.

Those who enter a collection of courses will still be scored and ranked in the results for each individual course, but will also be given an overall score and ranking for the whole collection. It's like "adding the scores". If they are disqualified in one course (for being too late) they can still achieve scores in the other courses.

People entered in "chained" or "total" courses must ***not*** be re-entered in each individual course by the event organisers – this will happen automatically.

WHAT IS THE DIFFERENCE between Chained and Total courses?

"Chained" results should be used when the same team must compete in several courses. "Total" results are used if the same Course can be run at different times, but by different teams, and you need a combined result. "Total" courses can also be used instead of "chained" courses to add a team's results over several courses, but this is not as convenient or as safe.

In Chain courses, results with the same Tag ID are added. In Total courses, results with the same Competitor's NAMES are added. This difference has the following consequences:

- **Chained** courses. These are used where the same team must compete in several courses. The competitors use the **same TAG** throughout the entire event. They must be scored as they finish each individual course, and they must use a BRIEF Punch before the start of the next course. The Tag must **NOT** be erased. The Tag ID is used as the link to extract the scores from each set of course results.
  Because the Tag is not erased between courses, it, and its Rawtag file, contain the entire event record, enabling a results re-construction if all scored records are deleted for some reason. The competitor's names are extracted from the Tagnums file and can be changed during the event, if required.
- **Total** courses. These are used when a Course can be run at different times; for example, the same 6-hour course can be offered on a Saturday and again on a Sunday, but teams can compete only once. **Tags are erased** between courses and can be re-used for different teams on the second day. For this reason, re-constructing the results from the Tags or their Rawtag files is impossible, and each course should be "saved" before erasing the Tags.

  If any teams have **identical names** for their members, the results from the different courses will be added together. This has the same effect as a "chained" course, but it requires exactly identical names, and results reconstruction is not possible from the Tag records.

  If Tags are not re-used and not erased, results re-construction is possible from the Tag records.

11.2.1 Setting up the individual courses.

This is no different from any other course setup. You decide on start and finish times for each course, penalty points etc. and a course name. Create the courses as described in section 3.2 .

The only thing you must do, is to ensure that the end of one course occurs before the start of the next one. You will get a warning message when you try to combine the courses if there is an over-lap.

A typical example would be to have a 6 hour course on a Saturday, another one on the Sunday, and perhaps a third one during the night.


Course name	Start	Finish
First6	1:00 PM Sat	7:00 PM Sat
Mid6	9:00 PM Sat	3:00AM Sun
Last6	6:00 AM Sun	12:00 PM Sun

11.2.2 CHAINING the courses. Checkpoint re-use.

After you have created the individual courses with their own start and finish times, use the EVENT SETUP - COURSE Data again to create a new Course.


The first five letters of the new course name MUST be "Chain" so you should call the chained courses Chain, Chain1, ChainFence or similar.

When you type Chain in the Course name box, a new frame opens –



The upper list box "Courses available" shows all the courses you have created. Select the ones you want for this chained course by double-clicking on them in the order they run. They will appear in the bottom box, "Courses in chained event". You can also drag-and-drop them into the bottom box.


To remove entries from the bottom box, double-click them.



Note that you can allow checkpoints to be re-used over all courses, or accept the default of not permitting them to be re-used. This default means that if checkpoint 37 is used on course First6 by a team, they will not get any more credit for it by re-scoring it on a later course.

The Course START and FINISH times for Chain courses have no meaning. They can be left at whatever they were when you typed Chain in the Course box.

You can have several chained courses within the same event. For example, you may want another course called ChainTwo which includes only the First6 and Last6 courses.



11.2.3 TOTAL course setup.


The procedure for setting up a "total" course is identical to a "chain" course, as outlined above. The only difference is that the first five letters of the course name must be "total" instead of "chain". (Case-insensitive.)

You will also not have the option of checkpoint re-use: checkpoints will be re-usable by default.

11.2.4 How to enter people.

Teams always choose a course in any event where there is more than one course. For Chained courses, you assign the name of the Chain course. Do **NOT** also try to enter the teams in the respective courses within the chain course.

Here is a sample from the TAGS to TEAMS Window. This is normally downloaded from a spreadsheet, but can be assigned within this window.



TagID	TEAM	CLASS	COURSE
AWAH	1	UV,XSV	24Hr
AAAG	2	XV	First6
AWAJ	2	XV	First6
AAAH	3	XV	ChainT
AWAK	3	XV	ChainTwo
AAAJ	4	X,F	Last6
AWAL	4	X,F	Last6
AAAK	5	MSV	24Hr

In this example, team 2 is entered in the First6 course, team 4 in the Last6, and team 3 is in ChainTwo which means they are also competing in First6 and Last6, as determined in the Event

Setup, and will be scored and placed in those courses as well as getting an overall ranking for both courses.

11.2.5 Chain Courses use the same Tags.

Teams in Chain courses will use the same Tag throughout the whole event. It is ***essential*** that they use the BRIEF and FINISH Punches on **EACH** course!

As they finish each course, their tags must be read. They should get a printout of their score for that course in the normal way, but do NOT remove their Tags.

The Tag must **not** be erased between courses.

Note: if someone forgets to use a brief or finish punch, or forgets to get their Tags read after a course, it is still possible to score them using the re-score process, but it can be complicated. Good course management should ensure that everyone uses the BRIEF and FINISH punches, and are scored promptly at the end of each course.

11.2.6 Either-day (total) courses.

There are occasions where a 6-hour course is offered on both a Saturday and a Sunday, with teams choosing to do the course on either day but not both. They are still competing among the teams from both days, so the final scores from both days must be combined for a final result.

If Tags are not required to be re-used, you can create a Chain course linking both courses, as in the example above where a First6 and Last6 were chained together in a ChainTwo course.

Teams enter the ChainTwo course but will only score in one of them. They will be given Zero score for the other, but the final result, when ChainTwo Results are printed, will include their sum.

Alternatively, you can set up a "total" course. Teams on the second Course **must** be issued with tags which have not been used previously, and they **must** have previously unused team numbers. Each course **must** have a different name, for example 6hrDay1 and 6hrDay2. Teams are entered in their appropriate course, not in a "Total" course.

The procedure for setting up a "total" course is similar to a "chain" course, as outlined above. The only difference is that the first five letters of the course name must be "total" instead of "chain". (Case-insensitive.)

You will be given the option of using or not using Tags from earlier courses. (The Common Checkpoints box above changes.) The default is Tags can NOT be re-used. If you need to re-use them, click "Can be re-used". A file explorer dialogue will open and you must choose the path to the second event folder.

If tags **ARE to be re-used**, then they must be erased between courses. The second course **MUST** be run as an entirely separate event, in its own event folder.


11.2.7 Other "total" courses.

Note that if tags must be re-used because of shortages, the second course **MUST** be run as an entirely separate event, in its own event folder. You may want to combine the results of several courses, but after the event has been set up and you have re-used Tags between the separate courses. "Chain" course summaries rely on having the same Tag ID's so you cannot use a "chain" course.

Instead, you can set up a “total” course, which combines the results of the separate courses, but based on competitor’s names instead of their Tag IDs to create their totals. Teams with IDENTICAL competitor’s names will have their course totals added together into a final overall result.

11.2.8 Getting the results.

As with all courses, you use the “Print Results” Window to show the results for any Course. Chained and Total courses are no different. You can get the results for individual courses within the chain, (eg. Last6), or you can get the overall result by printing the Chain or Total course.



The Finish time shown in the results is the finish time for their last course.


11.2.9 Re-scoring chained Tags.

Tags are scored using their entire Punch record. When a Tag has more than one course on it, it is necessary to define the boundary between courses in the record.

This is attempted automatically. If the individual courses have been scored as they finished (as they should be) then the scored history will determine the boundaries.

If there are no scored records, then an algorithm attempts to determine the boundaries. This algorithm uses Punch Time and Punch Status as a guide; in particular, it looks for a FINISH/BRIEF boundary.


In all cases, the Display window shows the last Course scored.



A green button appears saying “Score previous Chain course.”



Click on the green button to see each previous Course in the Display window.



As usual, you can alter the finish time on any course, award manual points, add missing Punches, and alter the BRIEF line. You must SAVE the change, and optionally PRINT it. (Clicking the Nil Button above will show the SAVE Button, and clicking this will change it to PRINT button.)

Caution: Altering the BRIEF line on a Chain course implies that the line you choose is the start of that Course. You have changed the boundary between courses, and when you SAVE the change, you will get a warning that the previous course has changed and must be SAVED. The previous course, suitably modified, will show in the Display window. You must SAVE it, or re-score the original Course and move the BRIEF line back to the original position.

Note: A manually inserted BRIEF in a chained course cannot be removed by the "Remove Manual editing" button.

Note: If a previous course shows zero score because a BRIEF line has been moved into it at the end, inserting a Manual BRIEF in this previous course at its start will over-ride the BRIEF at the end, and the score will be restored.