Nhill 2.1

Français : README.md

Named in tribute to Napoleon Hill. Multi-business commercial management suite for traders and SMEs: three applications on one secure server.

Application	For	Platforms
Nhill Business	traders, entrepreneurs, SMEs: sales (quotes, orders, invoices, credit notes), customers and suppliers, products and stock, purchases, expenses, payments, reports, team and "who did what" log, subscription	Windows, Linux, Android
Nhill POS	cashiers: till sessions, split-payment sales, controlled discounts, returns, 58/80 mm receipts, closing with difference, X/Z reports	Windows, Linux
Nhill Console	Nhill's creators (private): server setup, businesses, subscriptions, plans and prices, payment providers, support, audit	Windows, Linux

- **Server**: C++17, `/api/v1` API, PostgreSQL 15+ (Supabase or self-hosted), isolation of businesses through forced row-level security, no database credentials in the applications.
- **Applications**: C++17 / Qt 6 Quick (QML), one code base; French and English; CDF, USD, EUR... exact amounts, never added across currencies.
- **Nhill is not invoicing software certified by the DRC tax authority (DGI)**: its documents are management documents (see docs/en/legal-parameters.md).

State of version 2.1.0 (27 October 2026, branch `release/2.1.0`)

Item	Real state	Evidence
Build + tests (common 22, server 100 including 16 for the forgotten password, setup, client)	passed on Ubuntu 24.04 and Debian 13	GitHub Actions, branches `ci-results/ci`, `ci-results/deb-*`
"Remember me" (QtKeychain)	real test passed: Windows Credential Manager (CI Windows Server 2022), Keystore of an Android 11 emulator, Secret Service on Linux; not yet on a real phone or user computer	`ci-results/windows`, `ci-results/android-keychain`, `ci-results/ci`
`.deb` packages (4 per distribution)	built for **Ubuntu 24.04** and native **Debian 13**; installed then removed in clean containers	`ci-results/deb-*`, `ci-results/install-*`
Windows installers (NSIS, 3 applications)	built (MSVC 2022, Qt 6.5.3, static QtKeychain); silent install and uninstall of Nhill POS and Nhill Business tested on Windows Server 2022 (CI runner)	`ci-results/windows`
Android APK (Nhill Business, arm64-v8a)	built with QtKeychain; **signed with a debug key** (installable, not publishable); not tested on a real device	`ci-results/android`
Website + form backend	24 pages checked; backend tests on SQLite and PostgreSQL 16	`ci-results/site-backend-postgresql`
Code signing (Authenticode, Android release key)	**not done** — certificates to acquire	—

Item	Real state	Evidence
External audit, penetration test	**not done**	security audit

Details, limitations and human actions: validation report.

Quick start (development, Linux)

```
scripts/install-deps-linux.sh --with-packaging --with-docs --yes
scripts/build-linux.sh                                          # build + tests
NH_DEV_STATE=/tmp/nhdev scripts/dev/dev-stack.sh start build    # throwaway PostgreSQL + API
127.0.0.1:8080
python3 scripts/dev/seed-demo.py --email demo@example.cd        # DEMO business
NHILL_SERVER=http://127.0.0.1:8080 build/client/nhill-business
```

Building every deliverable: build guide (`scripts/build-all.sh`, or GitHub Actions on a `release/**` branch).

Documentation

Document	EN	FR
User guide	docs/en/user-guide.md	docs/fr/guide-utilisateur.md
Installation	docs/en/installation-guide.md	docs/fr/guide-installation.md
Configuration	docs/en/configuration-guide.md	docs/fr/guide-configuration.md
Development	docs/en/developer-guide.md	docs/fr/guide-developpement.md
Build and release	docs/en/build-guide.md	docs/fr/guide-compilation.md
Security	docs/en/security.md	docs/fr/securite.md
Legal parameters	docs/en/legal-parameters.md	docs/fr/parametres-legaux.md
Changelog	docs/en/changelog.md	docs/fr/changelog.md
Technical, UI/UX, security audits	docs/en/01…03	docs/fr/01…03
Validation report	docs/en/validation-report.md	docs/fr/rapport-validation.md
Website	website/README.en.md	website/README.md
Legal file (DRC, 19 templates)	legal/en/	legal/fr/
Commercial file (Kinshasa)	marketing/en/	marketing/fr/

Every Markdown document has its generated PDF (`docs/pdf/`, `legal/pdf/`, `marketing/pdf/`, `README.pdf`, `README.en.pdf`) produced by `scripts/build-docs-pdf.sh`. The 0.1.0 reference documents are kept in French in `docs/*.md` (technical, API, backup, compliance…).

Repository layout

```
common/      shared C++ library (amounts, codes, validation, portable 128-bit integer)
server/      C++17 API (http, services, setup, jobs, pdf), country profiles, translations
client/      Qt 6 applications: src/, qml/Nhill/{Ui,Business,Console,Pos}, i18n/, android/
db/          migrations 0001–0011 (digests checked)
tests/       common, server (throwaway PostgreSQL), client, standalone test tool
packaging/   Debian, Windows (NSIS, MinGW), Android
scripts/     build, verification, release, QA, i18n, development
website/     FR/EN marketing website and form backend
docs/ legal/ marketing/   documentation, legal and commercial files (FR/EN, MD + PDF)
.github/     CI workflows (tests, Linux packages, Windows, Android, documentation and website)
```

Licence

Project code: proprietary (licence to be defined by the creators). Dependencies: `docs/licences-dependances.md` (Qt under LGPL v3: dynamic linking and notice required).