

OrganizationAIUsageDaily	
id PK	String
organizationid	String
date	DateTime
requestCount	Int
promptTokens	Int
completionTokens	Int
totalTokens	Int
estimatedCostUsd	Float
createdAt	DateTime
updatedAt	DateTime

AIUsageEvent	
id PK	String
organizationid	String
userid	String
conversationid	String
messageid	String
operation	String
provider	String
model	String
promptTokens	Int
completionTokens	Int
totalTokens	Int
estimatedCostUsd	Float
isEstimated	Boolean
metadata	Json
createdAt	DateTime

User	
id PK	String
name	String
email U	String
passwordHash	String
emailVerifiedAt	DateTime
createdAt	DateTime
updatedAt	DateTime

Organization	
id PK	String
name	String
slug U	String
plan	String
createdAt	DateTime
updatedAt	DateTime

RefreshToken	
id PK	String
userid FK	String
tokenHash	String
revokedAt	DateTime
expiresAt	DateTime
createdAt	DateTime
updatedAt	DateTime

EmailVerificationToken	
id PK	String
userid FK	String
tokenHash U	String
expiresAt	DateTime
usedAt	DateTime
createdAt	DateTime

PasswordResetToken	
id PK	String
userid FK	String
tokenHash U	String
expiresAt	DateTime
usedAt	DateTime
createdAt	DateTime

OrganizationMember	
id PK	String
userid FK	String
organizationid FK	String
role	UserRole E
createdAt	DateTime
updatedAt	DateTime

OrganizationInvite	
id PK	String
organizationid FK	String
email	String
role	UserRole E
tokenHash U	String
invitedByUserId FK	String
expiresAt	DateTime
acceptedAt	DateTime
revokedAt	DateTime
createdAt	DateTime
updatedAt	DateTime

AuditLog	
id PK	String
userid FK	String
organizationid FK	String
action	String
metadata	Json
createdAt	DateTime

KnowledgeSource	
id PK	String
organizationid FK	String
createdByUserId FK	String
type	KnowledgeSourceType E
name	String
status	KnowledgeSourceStatus E
url	String
filePath	String
storageProvider	String
storageKey	String
storageBucket	String
storageRegion	String
mediaType	String
sizeBytes	Int
metadata	Json
createdAt	DateTime
updatedAt	DateTime

Conversation	
id PK	String
organizationid FK	String
userid FK	String
title	String
metadata	Json
createdAt	DateTime
updatedAt	DateTime

UserNotificationPreference	
id PK	String
userid FK	String
organizationid FK	String
eventKey	String
emailEnabled	Boolean
slackEnabled	Boolean
createdAt	DateTime
updatedAt	DateTime

OrganizationIntegration	
id PK	String
organizationid FK	String
provider	IntegrationProvider E
name	String
status	IntegrationStatus E
config	Json
encryptedCredentials	String
createdByUserId	String
updatedByUserId	String
lastUsedAt	DateTime
createdAt	DateTime
updatedAt	DateTime

IntegrationExecutionLog	
id PK	String
organizationid FK	String
integrationid	String
provider	IntegrationProvider E
toolName	String
status	String
request	Json
response	Json
error	String
createdAt	DateTime

OrganizationAIProvider	
id PK	String
organizationid FK	String
provider	AIProvider E
encryptedApiKey	String
keyLastFour	String
model	String
isDefault	Boolean
lastTestedAt	DateTime
createdAt	DateTime
updatedAt	DateTime

Document	
id PK	String
organizationid FK	String
sourceid FK	String
title	String
contentHash	String
metadata	Json
createdAt	DateTime
updatedAt	DateTime

Message	
id PK	String
organizationid FK	String
conversationid FK	String
userid FK	String
role	MessageRole E
content	String
sources	Json
metadata	Json
createdAt	DateTime

DocumentChunk	
id PK	String
organizationid FK	String
documentid FK	String
chunkIndex	Int
chunkText	String
tokenCount	Int
embeddingid	String
embedding	String
embeddingProvider	String
embeddingModel	String
embeddingDimensions	Int
embeddedAt	DateTime
metadata	Json
createdAt	DateTime
updatedAt	DateTime

AgentRun	
id PK	String
externalRunid	String
organizationid FK	String
userid FK	String
conversationid FK	String
messageid FK	String
status	AgentRunStatus E
question	String
standaloneQuestion	String
answer	String
agentsUsed	Json
citations	Json
trage	Json
retrievalReview	Json
diagnostic	Json
resolution	Json
qa	Json
metadata	Json
grounded	Boolean
confidence	String
needsEscalation	Boolean
escalationReason	String
provider	String
model	String
promptVersion	String
fallbackUsed	Boolean
providerErrors	Json
startedAt	DateTime
completedAt	DateTime
createdAt	DateTime
updatedAt	DateTime

AgentStep	
id PK	String
agentRunid FK	String
agentName	String
status	String
provider	String
model	String
latencyMs	Int
input	Json
output	Json
error	String
createdAt	DateTime

AgentToolCall	
id PK	String
agentRunid FK	String
toolCallid	String
toolName	String
toolCategory	String
requiresApproval	Boolean
status	String
approvalStatus	AgentToolApprovalStatus E
reason	String
latencyMs	Int
input	Json
output	Json
error	String
approvedByUserId	String
rejectedByUserId	String
approvedAt	DateTime
rejectedAt	DateTime
executedAt	DateTime
createdAt	DateTime
updatedAt	DateTime

Ticket	
id PK	String
organizationid FK	String
subject	String
description	String
customerName	String
customerEmail	String
status	TicketStatus E
priority	TicketPriority E
confidence	String
summary	String
assigneed FK	String
createdByUserId FK	String
agentRunid FK	String
conversationid	String
metadata	Json
createdAt	DateTime
updatedAt	DateTime

OrganizationAIUsageDaily	
id ⚡	String
organizationid	String
date	DateTime
requestCount	Int
promptTokens	Int
completionTokens	Int
totalTokens	Int
estimatedCostUsd	Float
createdAt	DateTime
updatedAt	DateTime

AIUsageEvent	
id ⚡	String
organizationid	String
userid	String
conversationid	String
messageid	String
operation	String
provider	String
model	String
promptTokens	Int
completionTokens	Int
totalTokens	Int
estimatedCostUsd	Float
isEstimated	Boolean
metadata	Json
createdAt	DateTime

User	
id ⚡	String
name	String
email ⚡	String
passwordHash	String
emailVerifiedAt	DateTime
createdAt	DateTime
updatedAt	DateTime

Organization	
id ⚡	String
name	String
slug ⚡	String
plan	String
createdAt	DateTime
updatedAt	DateTime

RefreshToken	
id ⚡	String
userid ⚡	String
tokenHash	String
revokedAt	DateTime
expiresAt	DateTime
createdAt	DateTime
updatedAt	DateTime

EmailVerificationToken	
id ⚡	String
userid ⚡	String
tokenHash ⚡	String
expiresAt	DateTime
usedAt	DateTime
createdAt	DateTime

PasswordResetToken	
id ⚡	String
userid ⚡	String
tokenHash ⚡	String
expiresAt	DateTime
usedAt	DateTime
createdAt	DateTime

OrganizationMember	
id ⚡	String
userid ⚡	String
organizationid ⚡	String
role	UserRole E
createdAt	DateTime
updatedAt	DateTime

OrganizationInvite	
id ⚡	String
organizationid ⚡	String
email	String
role	UserRole E
tokenHash ⚡	String
invitedByUserId ⚡	String
expiresAt	DateTime
acceptedAt	DateTime
revokedAt	DateTime
createdAt	DateTime
updatedAt	DateTime

AuditLog	
id ⚡	String
userid ⚡	String
organizationid ⚡	String
action	String
metadata	Json
createdAt	DateTime

KnowledgeSource	
id ⚡	String
organizationid ⚡	String
createdByUserId ⚡	String
type	KnowledgeSourceType E
name	String
status	KnowledgeSourceStatus E
url	String
filePath	String
storageProvider	String
storageKey	String
storageBucket	String
storageRegion	String
mimeType	String
sizeBytes	Int
metadata	Json
createdAt	DateTime
updatedAt	DateTime

Conversation	
id ⚡	String
organizationid ⚡	String
userid ⚡	String
title	String
metadata	Json
createdAt	DateTime
updatedAt	DateTime

UserNotificationPreference	
id ⚡	String
userid ⚡	String
organizationid ⚡	String
eventKey	String
emailEnabled	Boolean
slackEnabled	Boolean
createdAt	DateTime
updatedAt	DateTime

OrganizationIntegration	
id ⚡	String
organizationid ⚡	String
provider	IntegrationProvider E
name	String
status	IntegrationStatus E
config	Json
encryptedCredentials	String
createdByUserId	String
updatedByUserId	String
lastUsedAt	DateTime
createdAt	DateTime
updatedAt	DateTime

IntegrationExecutionLog	
id ⚡	String
organizationid ⚡	String
integrationid	String
provider	IntegrationProvider E
toolName	String
status	String
request	Json
response	Json
error	String
createdAt	DateTime

OrganizationAIProvider	
id ⚡	String
organizationid ⚡	String
provider	AIProvider E
encryptedApiKey	String
keyLastFour	String
model	String
isDefault	Boolean
lastTestedAt	DateTime
createdAt	DateTime
updatedAt	DateTime

Document	
id ⚡	String
organizationid ⚡	String
sourceid ⚡	String
title	String
contentHash	String
metadata	Json
createdAt	DateTime
updatedAt	DateTime

Message	
id ⚡	String
organizationid ⚡	String
conversationid ⚡	String
userid ⚡	String
role	MessageRole E
content	String
sources	Json
metadata	Json
createdAt	DateTime

DocumentChunk	
id ⚡	String
organizationid ⚡	String
documentid ⚡	String
chunkIndex	Int
chunkText	String
tokenCount	Int
embeddingid	String
embedding	String
embeddingProvider	String
embeddingModel	String
embeddingDimensions	Int
embeddedAt	DateTime
metadata	Json
createdAt	DateTime
updatedAt	DateTime

AgentRun	
id ⚡	String
externalRunid	String
organizationid ⚡	String
userid ⚡	String
conversationid ⚡	String
messageid ⚡	String
status	AgentRunStatus E
question	String
standaloneQuestion	String
answer	String
agentsUsed	Json
citations	Json
triage	Json
retrievalReview	Json
diagnostic	Json
resolution	Json
qa	Json
metadata	Json
grounded	Boolean
confidence	String
needsEscalation	Boolean
escalationReason	String
provider	String
model	String
promptVersion	String
fallbackUsed	Boolean
providerErrors	Json
startedAt	DateTime
completedAt	DateTime
createdAt	DateTime
updatedAt	DateTime

AgentStep	
id ⚡	String
agentRunid ⚡	String
agentName	String
status	String
provider	String
model	String
latencyMs	Int
input	Json
output	Json
error	String
createdAt	DateTime

AgentToolCall	
id ⚡	String
agentRunid ⚡	String
toolCallid	String
toolName	String
toolCategory	String
requiresApproval	Boolean
status	String
approvalStatus	AgentToolApprovalStatus E
reason	String
latencyMs	Int
input	Json
output	Json
error	String
approvedByUserId	String
rejectedByUserId	String
approvedAt	DateTime
rejectedAt	DateTime
executedAt	DateTime
createdAt	DateTime
updatedAt	DateTime

Ticket	
id ⚡	String
organizationid ⚡	String
subject	String
description	String
customerName	String
customerEmail	String
status	TicketStatus E
priority	TicketPriority E
confidence	String
summary	String
assigned ⚡	String
createdByUserId ⚡	String
agentRunid ⚡	String
conversationid	String
metadata	Json
createdAt	DateTime
updatedAt	DateTime

```
Enum UserRole {
    OWNER
    ADMIN
    SUPPORT_AGENT
    DEVELOPER
    VIEWER
}
```

```
Enum KnowledgeSourceType {
    FILE
    URL
    GITHUB
    MARKDOWN
    TEXT
}
```

```
Enum KnowledgeSourceStatus {
    PENDING
    PROCESSING
    COMPLETED
    FAILED
}
```

```
Enum MessageRole {
    USER
    ASSISTANT
    SYSTEM
}
```

```
Enum AgentRunStatus {
    RUNNING
    COMPLETED
    COMPLETED_WITH_GUARDRAIL_WARNING
    FAILED
}
```

```
Enum AgentToolApprovalStatus {
    NOT_REQUIRED
    PENDING
    APPROVED
    REJECTED
    EXECUTED
    FAILED
}
```

```
Enum IntegrationProvider {
    SLACK_WEBHOOK
    TICKETING_WEBHOOK
    GENERIC_WEBHOOK
}
```

```
Enum IntegrationStatus {
    ACTIVE
    DISABLED
}
```

```
Enum AiLlmProvider {
    OPENROUTER
    GROQ
    GEMINI
}
```

```
Enum TicketStatus {
    OPEN
    PENDING
    ESCALATED
    RESOLVED
    CLOSED
}
```

```
Enum TicketPriority {
    LOW
    MEDIUM
    HIGH
    URGENT
}
```