
3.00mm
63.00mm
32.00mm
38.00mm
69.00mm
M3 D=3.2mm
CAN485 DevBoard V1
Designed By WeAct Studio
ESP32 Based
RS485
A/+
B/-
G1
OFF ON 120Ω
OFF ON PUPD
CAN
H
L
G2
OFF ON
120Ω
18
1
GPIO0
NRST
GPIO4
USB
POWER
GND
VIN
5~36V
TF Card
WeAct
Studio
V1.1


WeAct Studio
V1.1
TF Card
5~36V
VIN
GND
POWER
USB
LCEDA
EasyEDA
GPIO4
GPIO0
NRST
1
18
120Ω
OFF ON
CAN
G2
L
H
OFF ON PUPD
G1
B/-
A/+
RS485
OFF ON 120Ω
CAN485 DevBoard V1
Designed By WeAct Studio ESP32 Based

USB
POWER
GND
VIN
TF Card
CS - GPIO13
SCK - GPIO14
MOSI - GPIO15
MISO - GPIO2
Voltage
VIN - GPIO36
RS485
DE - GPIO17
RO - GPIO21
DI - GPIO22
CAN
RX - GPIO26
TX - GPIO27
PUPD
120Ω
RS485
G1
B/-
A/+
120Ω
CAN
G2
L
H