



DELICATE-COURIER- PLUGIN-SETUP-GUIDE

WooCommerce Plugin Setup Guide

Nissi Ngandu
nissi.ngandum@gmail.com | nissingandu@icloud.com

Overview

This guide walks you through installing and configuring the Delicate Courier Platform plugin on a WooCommerce store. The plugin enables:

- Live shipping rates at checkout (via Shiplogic)
- Automatic order sync to the Delicate Courier Platform
- Real-time shipment tracking updates

Requirements

Before starting, ensure the following:

Requirement	Minimum Version
WordPress	5.8+
WooCommerce	6.0+
PHP	7.4+
SSL	Required (https)
Permalinks	Must NOT be "Plain"

Credentials You'll Receive

You will be provided with the following credentials. **Do not share these publicly.**

Credential	Description
Platform API Key	Authenticates order sync to the platform
Shiplogic API Key	Fetches live shipping rates at checkout
Store ID	Your unique store identifier
Webhook Secret	Validates incoming webhooks from the platform
Provider ID	Courier provider identifier (e.g., 35)
Account ID	Shiplogic account number
Service Level Code	Shipping service type (e.g., STD)

You will also receive **Collection Address** details:

- Company Name
- Street Address
- Suburb
- City
- Province
- Postal Code
- GPS Coordinates (Latitude & Longitude)
- Contact Name
- Contact Phone
- Contact Email

Step 1: Install the Plugin

1. Log in to WordPress Admin
2. Navigate to **Plugins** → **Add New** → **Upload Plugin**
3. Upload the delicate-courier-platform.zip file
4. Click **Install Now**
5. Click **Activate**

☒ You should now see "Delicate Courier" under the WooCommerce menu.

Step 2: Configure Plugin Settings

Navigate to **WooCommerce** → **Delicate Courier**

Section 1: API Configuration

Field	What to Enter
Platform API Key	<i>Provided credential</i>
Shiplogic API Key	<i>Provided credential</i>
Store ID	<i>Provided credential</i>
Webhook Secret	<i>Provided credential</i>

Section 2: Shiplogic Account Settings

Field	What to Enter
Provider ID	<i>Provided credential</i>
Account ID	<i>Provided credential</i>
Service Level Code	<i>Provided credential</i> (usually <u>STD</u>)

Section 3: Collection Address

Field	What to Enter
Company Name	<i>Provided by client</i>
Street Address	<i>Provided by client</i>
Suburb	<i>Provided by client</i>
City	<i>Provided by client</i>
Province	<i>Select from dropdown</i>
Postal Code	<i>Provided by client</i>
Country Code	ZA
Latitude	<i>Provided by client</i>
Longitude	<i>Provided by client</i>

Section 4: Collection Contact

Field	What to Enter
Contact Name	<i>Provided by client</i>
Phone Number	<i>Provided by client</i> (include +27)
Email Address	<i>Provided by client</i>

Section 5: Automation

Setting	Recommended
Auto-sync Orders	☒ Enabled
Auto-complete on Delivery	☐ Disabled (unless requested)
Debug Mode	☒ Enabled (for initial testing, disable later)

Click "Save Settings"

Step 3: Add Shipping Method to Zone

1. Navigate to **WooCommerce** → **Settings** → **Shipping**
2. Click on your shipping zone (e.g., "South Africa") or create one
3. Click **Add shipping method**
4. Select **Delicate Courier**
5. Click **Add shipping method**

The shipping method is now active for that zone.

Step 4: Verify Permalinks

Important: The plugin requires pretty permalinks to receive webhooks.

1. Navigate to **Settings** → **Permalinks**
 2. Ensure it is NOT set to "Plain"
 3. Recommended: "Post name" (`/%postname%/`)
 4. Click **Save Changes**
-

Step 5: Run Connection Tests

Navigate back to **WooCommerce** → **Delicate Courier**

Run each test in order:

Test	Expected Result
1. Test Platform Connection	✓ Connected to Delicate Courier Platform successfully!
2. Test Shiplogic Rates	✓ Shiplogic Rates Connected! Found STD rate: R[amount]
3. Test Order Submission	✓ Order submission working! Platform Order ID: [ID]
4. Test Webhook Endpoint	✓ Webhook endpoint is accessible and working!

All 4 tests must pass before going live.

Step 6: Test Checkout Flow

1. Add a product to cart (ensure product has weight set)
 2. Go to Checkout
 3. Enter a valid South African address
 4. Verify "Delicate Courier" shipping option appears with a rate
 5. Complete a test order
 6. Confirm order syncs (check order notes for "Order synced to platform")
-

Webhook URLs (For Reference)

These are auto-generated and displayed in the plugin settings. You don't need to configure them, but for reference:

Endpoint	URL
Webhook URL	<code>https://[store-domain]/wp-json/delicate-courier/v1/webhook</code>
Health Check	<code>https://[store-domain]/wp-json/delicate-courier/v1/health</code>

Troubleshooting

No shipping rates at checkout

- Verify Shiplogic API Key is correct
- Check product has weight set (edit product → Shipping tab)
- Confirm shipping zone includes customer's location
- Run "Test Shiplogic Rates" and check Debug Log

Orders not syncing

- Verify "Auto-sync Orders" is enabled
- Check Platform API Key and Store ID are correct
- Ensure order uses Delicate Courier shipping method
- Run "Test Order Submission" and check Debug Log

Webhooks failing

- Verify permalinks are NOT set to "Plain"
- Check for security plugins that may block REST API
- Ensure SSL certificate is valid
- Run "Test Webhook Endpoint"

Debug Log

The Debug Log at the bottom of the settings page shows recent activity. Use this to diagnose issues.

To disable Debug Mode after testing:

1. Navigate to **WooCommerce** → **Delicate Courier**
2. Scroll to the **Automation** section
3. Uncheck **Debug Mode**
4. Click **Save Settings**

This stops logging and improves performance in production.

Post-Setup Checklist

Task	Status
Plugin installed and activated	☐
All settings configured	☐
Shipping zone configured	☐
Permalinks verified (not Plain)	☐
Test 1: Platform Connection passed	☐
Test 2: Shiplogic Rates passed	☐
Test 3: Order Submission passed	☐
Test 4: Webhook Endpoint passed	☐
Test checkout shows shipping rate	☐
Test order synced to platform	☐
Debug Mode disabled	☐

Support

For any issues during setup, contact:

Nissi Ngandu (Developer)

 nissi.ngandum@gmail.com

 nissingandu@icloud.com