

Chunky Scrunchie

BEGINNER SEWING PATTERN · MAKES 1

Materials

- Fabric strip, 5in x 26in — quilting cotton is easiest to start with; jersey, satin or velvet once you're confident
- Elastic, $\frac{5}{8}$ in wide, cut to 10in
- Matching thread
- Sewing machine (or needle for hand-sewing)
- Safety pin or bodkin
- Pins, scissors, iron

$\frac{1}{4}$ yard is plenty. A fat quarter won't work — it's only 22in long, and you need 26in.

Key Numbers

Fabric strip	5in x 26in
Elastic length	10in ($\frac{5}{8}$ in wide)
Seam allowance	$\frac{1}{2}$ in
Finished size	2in band · ~3in loop

What's in this pattern

1. This page — materials & sizes

2. Pattern piece & measurements


3. Step-by-step sewing instructions

A soft, oversized scrunchie made from one fabric strip and one piece of elastic — no fussy pattern tracing required.

Dragon Ink and Thread · dragoninkandthread.com

Pattern Piece — Fabric Strip

This pattern is just one rectangle — skip the tracing! Measure and cut directly with a ruler and rotary cutter (or scissors). Made using the **burrito method**.



CUT 1 PIECE
5in × 26in

Not diagram-to-scale accurate? That's fine — the shape above is scaled down to fit this page. Always cut using the labeled inch measurements, not by measuring the picture.

Sewing Instructions

Burrito method – 10 steps, about 20 minutes.

- 1 Cut one fabric strip, 5in x 26in.
- 2 Fold the strip in half widthwise (short ends together), right sides facing. Sew the short ends with a ½in seam to form a loop. Press the seam open.
- 3 Lay the loop flat with the seam centered, right side facing up.
- 4 Fold both long raw edges in to meet at the center, encasing the seam inside – this rolled-up bundle is the "burrito."
- 5 Pin the long edge and sew with a ½in seam a few inches at a time, reaching inside to pull some of the bunched inner fabric through as you go – this turns the tube right side out from within.
- 6 Keep repeating: sew a bit, pull more of the inner layer out, realign the raw edges, sew again – until you're within about 2in of your starting stitches.
- 7 Backstitch and stop, leaving that 2in gap open. Reach through it and pull the rest of the fabric out to fully turn the tube right side out. Press.
- 8 Attach a safety pin to the 10in elastic and thread it through the gap and all the way around the tube.
- 9 Overlap the elastic ends by ½in and stitch securely to join into a loop, then push the joined elastic inside the tube.
- 10 Tuck the raw edges of the gap in and topstitch closed. Scrunch the fabric evenly around the elastic. Done!