

File Edit Run Settings Tools Help



Run speed at max (no interaction)

Edit Execute

mips2.asm

```
1 li $v0, 5 # service read integer
2 syscall # invoke system call
3 add $a0, $v0, $zero # We should do this step because the system call requires printed value must be placed in $a0 and because t
4 li $v0, 1 # service print integer
5 syscall # invoke system call
```

Line: 5 Column: 29 ☒ Show Line Numbers

Mars Messages Run I/O

Clear

Error in C:\Users\bpbbp\OneDrive\Máy tính\MIPS\mips2.asm line 2: Runtime exception at 0x00400010: invalid integer input

Step: execution terminated with errors.

Registers Coproc 1 Coproc 0

Name	Number	Value
\$8 (vaddr)	8	0x00000000
\$12 (status)	12	0x0000ff11
\$13 (cause)	13	0x00000000
\$14 (epc)	14	0x00000000



```
> lab-03@0.0.0 start
> node ./bin/www
```

```
GET /hello 200 6.140 ms - 2
```

```
GET / 404 13.665 ms - 1113
```

```
PS C:\Users\bpbbpb\OneDrive\Máy tính\Lab 03> npm start
```

```
> lab-03@0.0.0 start
> node ./bin/www
```

```
Category: biographies
```

```
Type: paperback
```

