
Semantic Indexing

Anant Bhardwaj
Ekaterina Ob'yedkova
Ravi Netravali

ANANTB@CSAIL.MIT.EDU
KATYA_@MIT.EDU
RAVINET@MIT.EDU

1. Introduction

Majority of information retrieval and web search use the inverted index as the backbone for their keyword based search. Unfortunately, inverted index fail to capture the semantic of the language and thus keyword based approach can only go as far as giving the relevant hits. We propose semantic indexing scheme which can encode natural languages without losing semantic relationships.

The proposed semantic encoding would involve parsing of each sentence, deriving its semantic model and storing the encoded representation. Matthew Fay and Jodyann Coley in his work SemanticSQL have attempted to encode natural language in SQL. While SemanticSQL can encode simple sentences, it fails to encode and accurately recover the semantic information from the stored representation for complex sentences. We aim to build a model that can derive semantic structure from complex sentences and a new schema which can accurately store the derived semantic model. In the following paragraph we illustrate different cases their system currently can not handle and propose a new semantic model which incorporates them.

1. Probabilistic Parsing

Our system would incorporate a probabilistic sentence parser which would allow the system to intelligently identify the part-of-speech of previously unknown words and appropriately encode them.

2. Multiple Adverbs and Prepositional Phrases

The current implementation only allows a single occurrence of location, adverb, and instrument phrases. Our system would allow sentences such as *John slept under the tree in the park* to be understood, and the question "Where did John sleep?" would return *under the tree in the park*.

3. Noun Phrases with Relative Classes, and Time

- (a) *Show me all the states with population greater than 1 million.*
- (b) *Show me all the widgets that were selected yesterday.*

4. Either-Or and Neither-Nor

- (a) *Josh ate either bread or apple (exclusive)*
- (b) *Josh didn't eat either bread or apple (negation, inclusive)*
- (c) *Josh ate neither bread nor apple (inclusive).*

5. Intersective vs. Non-Intersective Adjectives

Intersective Adjectives:

- (a) *The car is a red Volkswagen.*
- (b) *Grace is a hairy brown dog.*
- (c) *We drove up yet another serpentine mountain road.*

Non-Intersective Adjectives:

- (a) *Viktor is a former Catholic.*
- (b) *The alleged thief has arrived in court.*

6. Complex Causality

The current implementation only allows a primitive causality of 'if then' kind. Expanding it to more complex causality mapping would allow us handle complex causality.

- (a) *Anna told Alex to return the chair because it was broken.*
- (b) *They moved here because of the work.*
- (c) *Because John is tired we decided to stay at home.*
- (d) *We can leave after the rain stops.*
- (e) *If Mary finishes her homework and the weather is good then Mary will go for a walk.*

Relating events based on time:

- (a) *Did John come home after the fire alarm went off?*

7. Conjunctions and Disjunctions

- (a) *Depending on the weather, John will go for a walk or watch a movie.*

8. Quantifiers

For instance, we would be able to answer questions like:

- (a) *How many times have John watched the movie?*
 (b) *How much milk have John got in the fridge?*
 (c) *Is there any milk in the fridge?*

We will also develop an infrastructure which can store the encoded semantic model for the types of sentences described above. This infrastructure would allow natural language query through our web interface and a REST Query interface so that other applications, regardless of the programming language they use, can build upon our system.

2. Schema

Events	Event-Patients
id	id
	event_id
	patient_id(object_id)
Actions	Event-Instruments
id	id
action	event_id
	instrument_id(object_id)
Objects	Event-Beneficiaries
id	id
object	event_id
	beneficiary_id(object_id)
Adjectives	Event-Locations
id	id
adjective	event_id
	location_id(object_id)
Adverbs	Event-Adjectives
id	id
adverb	event_id
	object_id
	adjective_id
Tenses	Event-Adverbs
id	id
tense	event_id
	action_id
	adverb_id
Event-Actions	
id	
event_id	
action_id	
tense_id	
Event-Agents	
id	
event_id	
agent_id(object_id)	