

Clisonix Legal PDF Bundle

Combined PDF for DPMA / WIPO / counsel handoff

Generated from docs\legal\de

docs/legal/de/DE_CERTIFICATION_ROADMAP_CLISONIX.md

Source type: md

Germany Certification and Compliance Roadmap

Document type: Certification planning pack for Germany and EU market readiness

Date: 2026-05-09

Legal Note

This is an engineering and governance preparation roadmap, not legal certification advice.

1. Recommended Certification Tracks

Track A (Immediate, broad trust baseline)

ISO/IEC 27001 (ISMS)

ISO/IEC 27701 (privacy extension) optional but recommended

VAPT + secure SDLC evidence package

Track B (AI governance)

ISO/IEC 42001 (AI management system)

EU AI Act readiness dossier (risk classification, human oversight, logging, post-market monitoring)

Track C (German cloud/public-sector credibility)

BSI C5 attestation preparation (if cloud/SaaS target includes DE enterprise or public-sector buyers)

Track D (if healthcare workflow is intended)

Medical device pre-assessment under MDR + IEC 62304 + ISO 14971 + ISO 13485 path

Clinical safety and performance documentation as required by device class

2. What Your Current Stack Already Supports

Runtime security profiles and policy actions:

`sdist/clx-ai/clx/security/monitor.py` line 15

`sdist/clx-ai/clx/security/monitor.py` line 162

Traceable processing pipeline with security gates:

sdist/clx-ai/clx/core.py line 61

sdist/clx-ai/clx/core.py line 108

Metrics and event logging in CLX.I:

clx_i_service.py line 58

clx_i_service.py line 68

clx_i_service.py line 153

clx_i_service.py line 170

No-fake-data and atomic persistence controls:

sdist/clx-ai/examples/ecosystem_ops_10min.py line 8

sdist/clx-ai/examples/ecosystem_ops_10min.py line 68

3. Certification Deliverables to Prepare

ISMS (ISO 27001)

Information security policy set.

Asset inventory and data flow map.

Risk register and treatment plan.

Access control, key management, incident response SOPs.

Logging, monitoring, backup/restore evidence.

Internal audit reports + management review minutes.

AI Governance (ISO 42001 / EU AI Act readiness)

AI system inventory and intended-use statements.

Risk management records per model/service.

Data governance and provenance records.

Performance monitoring, drift detection, and override procedures.

Transparency notices and human oversight procedures.

BSI C5 readiness

Control mapping from your existing controls to C5 domains.

Evidence collection matrix (technical + organizational).

Gap closure plan with owners and deadlines.

4. 90-Day Execution Plan

Days 1-30

Define scope boundary (which services and environments).

Build unified control matrix (27001 + 42001 + C5 overlap).

Start evidence repository and naming convention.

Days 31-60

Complete risk assessment and policy baseline.

Run tabletop incident exercise and access review.

Close high-risk technical gaps (auth, logs, backup, monitoring).

Days 61-90

Internal pre-audit and corrective actions.

Select certification body / audit partner.

Freeze evidence package and schedule stage-1 audit.

5. Germany-Specific Practical Next Steps

Engage a DE-based Patentanwalt for patent filing finalization.

Engage a DE/EU certification body for ISO 27001 scoping call.

Run a legal screening for EU AI Act role (provider/deployer/importer).

If health claims are planned, run MDR classification with notified-body strategy early.

6. Priority Order (Recommended)

Patent filing draft finalization (to secure priority date).

ISO 27001 groundwork (improves trust and procurement readiness).

ISO 42001 + AI Act documentation layer.

BSI C5 mapping for enterprise/public-sector opportunities.

This roadmap follows secure SDLC practices and includes VAPT checkpoints before release.

The package is distributed as an sdist and validated in CI for reproducible builds.

Legal review with a Patentanwalt is required before filing and publication, based on counsel advice.

```
{  
  "cSpell.words": [  
    "VAPT",  
    "SDLC",  
    "sdist",  
    "Patentanwalt"  
  ]  
}
```

docs/legal/de/DE_CLAIM_TO_EVIDENCE_MATRIX_WWWMMM_NDB_STIGMA.csv

Source type: csv

event	evidence_file	evidence_line	notes
ation from ndb_score ndb_delta ndb_threshold	docs/legal/de/DE_PATENT_TELEMETRY_ADDENDUM_NODE1_2026-05-09.md	45	Claim relev
monitor learning and policy gate	sdist/clx-ai/clx/core.py	47	Security mo
monitor learning and policy gate	sdist/clx-ai/clx/core.py	61	Core proces
monitor learning and policy gate	sdist/clx-ai/clx/core.py	108	Policy decis
ate method flow	docs/legal/de/DE_PATENT_APPLICATION_DRAFT_WWWMMM_NDB_STIGMA.md	66	Independen
edian std over sliding window	sdist/clx-ai/clx/security/monitor.py	92	Baseline thr
edian std over sliding window	sdist/clx-ai/clx/security/monitor.py	117	Baseline ar
cator influences severity	sdist/clx-ai/clx/security/monitor.py	143	Route mism
es configurable reduction	sdist/clx-ai/clx/security/monitor.py	162	Policy action
ta supports de-escalation	docs/legal/de/DE_PATENT_TELEMETRY_ADDENDUM_NODE1_2026-05-09.md	37	Delta interp
s policy control signal	docs/legal/de/DE_PATENT_TELEMETRY_ADDENDUM_NODE1_2026-05-09.md	49	Tide-condit
s operation acceptance	docs/legal/de/DE_PATENT_TELEMETRY_ADDENDUM_NODE1_2026-05-09.md	52	Stigma-gov
ields for audit	docs/legal/de/DE_PATENT_TELEMETRY_ADDENDUM_NODE1_2026-05-09.md	55	Event-drive
d before execution path	sdist/clx-ai/clx/core.py	47	Pipeline pla
quires minimum sample count	sdist/clx-ai/clx/security/monitor.py	22	Minimum sa
severity elevation	sdist/clx-ai/clx/security/monitor.py	147	Escalation f
downstream runtime path	sdist/clx-ai/clx/core.py	108	Policy gate
anaglyphic form interference	clx_i_service.py	122	Scoring pat
e imprint is stored and reused	clx_i_service.py	139	Stigma-link
re-threshold comparison	docs/legal/de/DE_PATENT_TELEMETRY_ADDENDUM_NODE1_2026-05-09.md	26	Runtime su
w-threshold score admit submit operation	docs/legal/de/DE_PATENT_TELEMETRY_ADDENDUM_NODE1_2026-05-09.md	19	Event trace
cs contribute to state classification	docs/legal/de/DE_PATENT_TELEMETRY_ADDENDUM_NODE1_2026-05-09.md	13	Status metr
litable path persisted per decision	docs/legal/de/DE_PATENT_TELEMETRY_ADDENDUM_NODE1_2026-05-09.md	19	Timestamp

docs/legal/de/DE_DPMA_ATTORNEY_HANDOFF_TEMPLATE.md

Source type: md

DPMA Attorney Handoff Template

Purpose: counsel-ready structure for German patent filing preparation

Jurisdiction: Germany (DPMA)

Date: 2026-05-09

0. Administrative Header

Working title: [insert final title]

Inventor(s): [full legal names, addresses]

Applicant: [legal entity + address]

Contact: [IP coordinator]

Planned filing date: [yyyy-mm-dd]

Public disclosure before filing: [yes/no + date]

1. Invention Summary (One Page)

Technical domain

Problem addressed

Short solution statement

Practical technical effect

Primary embodiments

2. Technical Background and Prior Approaches

Known approaches in anomaly detection/API security

Gaps in endpoint-specific baseline systems

Why existing methods do not solve the same technical problem

3. Detailed Description

3.1 System Architecture

Processing pipeline overview

Security monitor placement

Runtime decision points

3.2 Algorithmic Flow

Input request + endpoint ID

Resonance ndb acquisition

Baseline arming and update

Signature detection

Policy action mapping

Enforcement in core pipeline

3.3 Embodiments

Embodiment A: endpoint baseline firewall

Embodiment B: stigma-level resonance telemetry service

Embodiment C: high-ops no-fake-data learning cycle

4. Claim Drafting Workspace

Independent Claim A (Method)

[insert final legal text]

Independent Claim B (System)

[insert final legal text]

Independent Claim C (Computer Program Product)

[insert final legal text]

Dependent Claims

baseline window variants

threshold variants

route-match coupling

throttle coefficient variants

5. Technical Effect and Measurable Outcomes

latency impact

false positive / false negative behavior

stability under endpoint drift

service-level behavior under anomaly bursts

6. Enablement Evidence (Code Anchors)

sdist/clx-ai/clx/core.py line 47

sdist/clx-ai/clx/core.py line 61

sdist/clx-ai/clx/core.py line 108

sdist/clx-ai/clx/security/monitor.py line 15

sdist/clx-ai/clx/security/monitor.py line 92

sdist/clx-ai/clx/security/monitor.py line 117

sdist/clx-ai/clx/security/monitor.py line 143

sdist/clx-ai/clx/security/monitor.py line 162

clx_i_service.py line 122

clx_i_service.py line 270

clx_i_service.py line 272

7. Priority and Disclosure Log

first implementation date:

first internal demonstration date:

first external/public disclosure date:

repositories/tags/commits:

8. Filing Strategy Notes

DPMA direct filing preferred for priority

PCT decision checkpoint: within 12 months

trade-secret carveouts retained unless required for enablement

9. Attachments Checklist

DE_PATENT_APPLICATION_DRAFT_WWWMMM_NDB_STIGMA.md

DE_NOVELTY_MATRIX_WWWMMM_NDB_STIGMA.md

DE_EVIDENCE_INDEX_WWWMMM_NDB_STIGMA.md

DE_PATENT_TELEMETRY_ADDENDUM_NODE1_2026-05-09.md

DE_EN_CLAIMS_WWWMMM_NDB_STIGMA_v1.md

DE_CLAIM_TO_EVIDENCE_MATRIX_WWWMMM_NDB_STIGMA.csv

evidence freeze bundle and hash manifest

benchmark/test artifacts

docs/legal/de/DE_EN_CLAIMS_WWWMMM_NDB_STIGMA_v1.md

Source type: md

DE + EN Claim Set (Working v1)

Document type: Bilingual claim drafting workspace

Jurisdiction focus: DE (DPMA) with EN parallel text for counsel workflow

Date: 2026-05-09

Legal Note

This draft is technical support material and not legal advice. Final wording must be validated by a registered patent attorney.

Independent Claims

Claim 1 (Method)

DE: Computerimplementiertes Verfahren zur Sicherheitsklassifikation von Anfragen, umfassend: (i) Empfangen einer Anfrage mit Endpunktkennung, (ii) Erfassen eines Resonanzwertes in Nanodezibel, (iii) Führung einer endpunktspezifischen Historie, (iv) Berechnung einer Baseline bei Erfüllung einer Mindeststichprobe, (v) Ermittlung einer Abweichung zwischen Resonanzwert und Baseline, (vi) Zuordnung eines Schweregrades anhand mindestens zweier Nanodezibel-Schwellen, und (vii) Auswahl einer Laufzeitrichtlinie aus allow, monitor, throttle oder block.

EN: A computer-implemented method for request security classification comprising: (i) receiving a request with an endpoint identifier, (ii) obtaining a resonance value in nanodecibel units, (iii) maintaining endpoint-specific history, (iv) computing a baseline when a minimum sample condition is met, (v) determining deviation between resonance and baseline, (vi) assigning severity using at least two nanodecibel thresholds, and (vii) selecting a runtime policy from allow, monitor, throttle, or block.

Claim 2 (System)

DE: System mit API-Laufzeitdienst, Sicherheitsmonitor, Lernkomponente und Richtlinien-Gate, eingerichtet zur Ausführung des Verfahrens nach Anspruch 1.

EN: A system comprising an API runtime service, security monitor, learning component, and policy gate configured to perform the method of claim 1.

Claim 3 (Computer Program Product)

DE: Nichtfluchtiges computerlesbares Medium mit Instruktionen, die bei Ausführung das Verfahren nach Anspruch 1 bewirken.

EN: A non-transitory computer-readable medium storing instructions that, when executed, cause performance of the method of claim 1.

Dependent Claims

Claim 4

DE: Verfahren nach Anspruch 1, wobei die Baseline Mittelwert, Median und Standardabweichung in einem gleitenden Fenster umfasst.

EN: The method of claim 1, wherein the baseline includes mean, median, and standard deviation over a sliding window.

Claim 5

DE: Verfahren nach Anspruch 1, wobei die Schweregradzuordnung zusätzlich einen Route-Match-Indikator umfasst.

EN: The method of claim 1, wherein severity assignment further uses a route-match indicator.

Claim 6

DE: Verfahren nach Anspruch 1, wobei throttle eine konfigurierbare Verkehrsreduktionskomponente umfasst.

EN: The method of claim 1, wherein throttle includes a configurable traffic reduction factor.

Claim 7

DE: Verfahren nach Anspruch 1, wobei ein negativer ndb_delta-Wert zur Risikodeeskalation genutzt wird.

EN: The method of claim 1, wherein a negative ndb_delta is used for risk de-escalation.

Claim 8

DE: Verfahren nach Anspruch 1, wobei ein Tide-Zustand als zusätzliches Steuerungssignal für Richtlinienumschaltung genutzt wird.

EN: The method of claim 1, wherein a tide state is used as an additional control signal for policy switching.

Claim 9

DE: Verfahren nach Anspruch 1, wobei stigma_level die Freigabe von Endpunktaktionen steuert.

EN: The method of claim 1, wherein stigma_level controls endpoint action admission.

Claim 10

DE: Verfahren nach Anspruch 1, wobei Ereignisse strukturierte Felder endpoint, action, stigma_level, ndb_score und outcome enthalten.

EN: The method of claim 1, wherein events contain structured fields endpoint, action, stigma_level, ndb_score, and outcome.

Claim 11

DE: System nach Anspruch 2, wobei der Sicherheitsmonitor in einer Kernverarbeitungspipeline vor dem Ausführungspfad angeordnet ist.

EN: The system of claim 2, wherein the security monitor is positioned in a core processing pipeline before execution.

Claim 12

DE: System nach Anspruch 2, wobei baseline arming erst nach Erreichen einer Mindestanzahl von Endpunktpuben erfolgt.

EN: The system of claim 2, wherein baseline arming occurs only after reaching a minimum endpoint sample count.

Claim 13

DE: System nach Anspruch 2, wobei unmatched-route-Anfragen bei aktivierter Baseline eine erhöhte Schwere erhalten.

EN: The system of claim 2, wherein unmatched-route requests receive elevated severity after baseline arming.

Claim 14

DE: System nach Anspruch 2, wobei block den nachgelagerten Laufzeitpfad hart unterbindet.

EN: The system of claim 2, wherein block hard-stops downstream runtime execution.

Claim 15

DE: Verfahren nach Anspruch 1, wobei Nanodezibelwerte aus einer anaglyphen Forminterferenzmetrik abgeleitet werden.

EN: The method of claim 1, wherein nanodecibel values are derived from an anaglyphic form-interference metric.

Claim 16

DE: Verfahren nach Anspruch 15, wobei eine Noise-Trace-Memory-Imprint-Komponente (Stigma) zur Verhaltensnachverfolgung gespeichert wird.

EN: The method of claim 15, wherein a noise-trace memory imprint component (stigma) is stored for behavioral traceability.

Claim 17

DE: Verfahren nach Anspruch 1, wobei high_risk aus dem Vergleich von ndb_score und ndb_threshold bestimmt wird.

EN: The method of claim 1, wherein high_risk is determined by comparing ndb_score and ndb_threshold.

Claim 18

DE: Verfahren nach Anspruch 1, wobei bei low tide und ndb_score unter Schwellwert submit-Operationen zugelassen werden.

EN: The method of claim 1, wherein submit operations are admitted under low tide and ndb_score below threshold.

Claim 19

DE: System nach Anspruch 2, wobei active_peers, avg_latency_ms, bandwidth_kbps und load als Telemetrieparameter in die Betriebsklassifikation einfließen.

EN: The system of claim 2, wherein active_peers, avg_latency_ms, bandwidth_kbps, and load are telemetry parameters used in operating-state classification.

Claim 20

DE: Computerprogrammprodukt nach Anspruch 3, wobei ein auditierbarer Ereignispfad mit Zeitstempeln für jede Policy-Entscheidung persistiert wird.

EN: The computer program product of claim 3, wherein an auditable timestamped event path is persisted for each policy decision.

docs/legal/de/DE_EVIDENCE_INDEX_WWWMMM_NDB_STIGMA.md

Source type: md

Germany Evidence Index

Document type: Evidence map for attorney packet and priority support

Date: 2026-05-09

A. Core Security Runtime

CLX core integration of security monitor:

`sdist/clx-ai/clx/core.py` line 47

`sdist/clx-ai/clx/core.py` line 61

`sdist/clx-ai/clx/core.py` line 108

Security monitor algorithm blocks:

`sdist/clx-ai/clx/security/monitor.py` line 15

`sdist/clx-ai/clx/security/monitor.py` line 22

`sdist/clx-ai/clx/security/monitor.py` line 23

`sdist/clx-ai/clx/security/monitor.py` line 92

`sdist/clx-ai/clx/security/monitor.py` line 117

`sdist/clx-ai/clx/security/monitor.py` line 143

`sdist/clx-ai/clx/security/monitor.py` line 147

`sdist/clx-ai/clx/security/monitor.py` line 162

B. CLX.I Stigma and ndb Pipeline

Service mode and request model:

`clx_i_service.py` line 38

`clx_i_service.py` line 83

`clx_i_service.py` line 84

Scoring and conversion:

`clx_i_service.py` line 122

`clx_i_service.py` line 139

`clx_i_service.py` line 270

`clx_i_service.py` line 272

API endpoint and response output fields:

`clx_i_service.py` line 244

`clx_i_service.py` line 303

`clx_i_service.py` line 304

clx_i_service.py line 306

Mirror and selflearning events:

clx_i_service.py line 153

clx_i_service.py line 170

clx_i_service.py line 171

clx_i_service.py line 180

C. High-Ops Learning Evidence

Explicit no-fake-data statement:

sdist/clx-ai/examples/ecosystem_ops_10min.py line 8

Reliability and ingestion mechanics:

sdist/clx-ai/examples/ecosystem_ops_10min.py line 68

sdist/clx-ai/examples/ecosystem_ops_10min.py line 83

sdist/clx-ai/examples/ecosystem_ops_10min.py line 130

sdist/clx-ai/examples/ecosystem_ops_10min.py line 247

Atomic cycle reporting:

sdist/clx-ai/examples/ecosystem_ops_10min.py line 499

sdist/clx-ai/examples/ecosystem_ops_10min.py line 500

sdist/clx-ai/examples/ecosystem_ops_10min.py line 534

sdist/clx-ai/examples/ecosystem_ops_10min.py line 535

D. Existing Internal IP Position

docs/legal/WWWMMM_IP_MEMO.md line 3

docs/legal/WWWMMM_IP_MEMO.md line 25

docs/legal/WWWMMM_IP_MEMO.md line 34

docs/legal/WWWMMM_IP_MEMO.md line 47

docs/legal/WWWMMM_IP_MEMO.md line 68

E. Suggested Attachments for Attorney Handoff

Source snapshot archive with commit hash manifest.

Runtime traces showing block/throttle/allow transitions.

Benchmark outputs of detection behavior across baseline maturity.

Disclosure timeline with first implementation and first public release tags.

F. Node 1 Telemetry Addendum (2026-05-09)

Runtime status metrics and ndB state interpretation:

docs/legal/de/DE_PATENT_TELEMETRY_ADDENDUM_NODE1_2026-05-09.md line 13

docs/legal/de/DE_PATENT_TELEMETRY_ADDENDUM_NODE1_2026-05-09.md line 26

docs/legal/de/DE_PATENT_TELEMETRY_ADDENDUM_NODE1_2026-05-09.md line 32

Claim relevance mapping based on measured node behavior:

docs/legal/de/DE_PATENT_TELEMETRY_ADDENDUM_NODE1_2026-05-09.md line 45

docs/legal/de/DE_PATENT_TELEMETRY_ADDENDUM_NODE1_2026-05-09.md line 49

docs/legal/de/DE_PATENT_TELEMETRY_ADDENDUM_NODE1_2026-05-09.md line 52

docs/legal/de/DE_PATENT_TELEMETRY_ADDENDUM_NODE1_2026-05-09.md line 55

docs/legal/de/DE_NOVELTY_MATRIX_WWWMMM_NDB_STIGMA.m d

Source type: md

Germany Novelty Matrix

Document type: Internal novelty and inventive-step working matrix

Jurisdiction: Germany / EPC-style reasoning support

Date: 2026-05-09

Scoring Key

Novelty confidence: Low / Medium / High

Inventive step confidence: Low / Medium / High

Risk: likelihood that prior art could read on claim elements

Candidate A: Endpoint-specific nanodecibel baseline firewall

Core Elements

Endpoint-local historical resonance profiles.

Baseline arming threshold.

Multi-threshold ndb deviation logic.

Action mapping to allow/monitor/throttle/block.

Runtime inline block gate in AI query path.

Evidence

sdist/clx-ai/clx/core.py line 47

sdist/clx-ai/clx/core.py line 61

sdist/clx-ai/clx/core.py line 108

sdist/clx-ai/clx/security/monitor.py line 15

sdist/clx-ai/clx/security/monitor.py line 92

sdist/clx-ai/clx/security/monitor.py line 117

sdist/clx-ai/clx/security/monitor.py line 143

sdist/clx-ai/clx/security/monitor.py line 162

Prior-Art Overlap (General Classes)

Generic anomaly detection systems: overlap medium.

API gateway rate limiting and WAF rules: overlap medium.

Endpoint-specific resonance ndb policy coupling: overlap low.

Assessment

Novelty confidence: Medium-High

Inventive step confidence: Medium

Main risk: prior art in adaptive API anomaly throttling if claims are too broad.

Mitigation: claim ndb-specific endpoint baseline plus staged policy mapping and integration points.

Candidate B: Stigma-level multimodal resonance scoring and response control

Core Elements

Stigma levels as constrained response policy selector.

Resonance score computed from prompt-output features.

Conversion to decibel and nanodecibel metrics.

Mirror/selflearning event persistence with request-level metadata.

Evidence

clx_i_service.py line 83

clx_i_service.py line 122

clx_i_service.py line 129

clx_i_service.py line 139

clx_i_service.py line 153

clx_i_service.py line 170

clx_i_service.py line 244

clx_i_service.py line 270

clx_i_service.py line 272

Prior-Art Overlap (General Classes)

Prompt safety levels: overlap medium.

Generic quality scoring: overlap medium.

Explicit stigma-level + ndb telemetry coupling: overlap low-medium.

Assessment

Novelty confidence: Medium

Inventive step confidence: Medium

Main risk: framing looks like policy parameterization unless tied to technical system effects.

Mitigation: emphasize measurable runtime control, telemetry semantics, and endpoint security integration.

Candidate C: No-fake-data high-ops learning with deterministic confidence + atomic checkpoints

Core Elements

Learning only from successful real payloads.

Deterministic dynamic confidence scoring.

Multi-source probe catalog (local/git/live API).

Atomic report and snapshot persistence.

Evidence

sdist/clx-ai/examples/ecosystem_ops_10min.py line 8
sdist/clx-ai/examples/ecosystem_ops_10min.py line 68
sdist/clx-ai/examples/ecosystem_ops_10min.py line 83
sdist/clx-ai/examples/ecosystem_ops_10min.py line 130
sdist/clx-ai/examples/ecosystem_ops_10min.py line 247
sdist/clx-ai/examples/ecosystem_ops_10min.py line 499

Assessment

Novelty confidence: Medium

Inventive step confidence: Low-Medium

Main risk: many elements may be seen as engineering best practice.

Mitigation: protect mostly as trade secret or narrow claims tied to specific pipeline coupling.

Provisional Filing Recommendation

File Candidate A as primary patent family.

Keep Candidate B as continuation/divisional option if claim budget allows.

Keep Candidate C as documentation and trade-secret support unless attorney finds strong claim angle.

docs/legal/de/DE_ONLY_CONSERVATIVE_CLAIMS_WWWMMM_NDB_STIGMA_v1.md

Source type: md

DE-Only Conservative Claims (Working v1)

Dokumenttyp: Anspruchssatz (konservativ) für DPMA-Abstimmung

Fokus: Klare technische Wirkung, reduzierte spekulative Formulierung

Datum: 2026-05-09

Rechtlicher Hinweis

Dieses Dokument ist technische Vorarbeit und keine Rechtsberatung. Endfassung nur durch zugelassenen Patentanwalt.

Unabhängige Ansprüche

Anspruch 1 (Verfahren)

Computerimplementiertes Verfahren zur Sicherheitsklassifikation von API-Anfragen, umfassend:

- Empfangen einer Anfrage mit Endpunktkennung;
- Ermitteln eines Resonanzwertes in Nanodezibel;
- Speichern endpunktspezifischer Historienwerte;
- Berechnen einer Baseline nach Erreichen einer Mindestanzahl von Historienwerten;
- Bestimmen einer Abweichung zwischen Resonanzwert und Baseline;
- Zuordnen eines Schweregrades anhand mindestens zweier Schwellwerte; und
- Auswählen einer Laufzeitrichtlinie aus allow, monitor, throttle oder block.

Anspruch 2 (System)

System mit API-Laufzeitdienst, Sicherheitsmonitor, Lernkomponente und Richtlinien-Gate, eingerichtet zur Durchführung des Verfahrens nach Anspruch 1.

Anspruch 3 (Computerprogrammprodukt)

Nichtfluchtiges computerlesbares Medium mit Instruktionen, die bei Ausführung das Verfahren nach Anspruch 1 bewirken.

Abhängige Ansprüche

Anspruch 4

Verfahren nach Anspruch 1, wobei die Baseline Mittelwert, Median und Standardabweichung in einem gleitenden Fenster umfasst.

Anspruch 5

Verfahren nach Anspruch 1, wobei die Schweregradzuordnung einen Route-Match-Indikator berücksichtigt.

Anspruch 6

Verfahren nach Anspruch 1, wobei throttle eine konfigurierbare Verkehrsreduktionskomponente umfasst.

Anspruch 7

Verfahren nach Anspruch 1, wobei ein negativer ndb_delta-Wert für eine Risikodeeskalation genutzt wird.

Anspruch 8

Verfahren nach Anspruch 1, wobei ein Tide-Zustand als zusätzliches Steuerungssignal für Richtlinienumschaltung verwendet wird.

Anspruch 9

Verfahren nach Anspruch 1, wobei ein stigma_level die Freigabe von Endpunktaktionen beeinflusst.

Anspruch 10

Verfahren nach Anspruch 1, wobei Ereignisse strukturierte Felder endpoint, action, stigma_level, ndb_score und outcome enthalten.

Anspruch 11

System nach Anspruch 2, wobei der Sicherheitsmonitor in einer Kernverarbeitungsipeline vor dem Ausführungspfad angeordnet ist.

Anspruch 12

System nach Anspruch 2, wobei baseline arming erst nach Erreichen einer Mindestanzahl von Endpunktproben erfolgt.

Anspruch 13

System nach Anspruch 2, wobei unmatched-route-Anfragen bei aktivierter Baseline mit erhöhter Schwere bewertet werden.

Anspruch 14

System nach Anspruch 2, wobei block den nachgelagerten Laufzeitpfad unterbindet.

Anspruch 15

Verfahren nach Anspruch 1, wobei active_peers, avg_latency_ms, bandwidth_kbps und load zur Betriebsklassifikation herangezogen werden.

Abstimmungsnotizen für Patentanwalt

Terminologie in der Endfassung vereinheitlichen (Nanodezibel/ndB).

Produktnamen in den Ansprüchen vermeiden, nur technische Merkmale verwenden.

Trade-Secret-Bestandteile (Parameter-Tuning) in der Beschreibung begrenzen.

docs/legal/de/DE_PATENT_APPLICATION_DRAFT_WWWMMM_NDB_STIGMA.md

Source type: md

Germany Patent Draft Package

Document type: Draft invention disclosure for DPMA filing preparation

Jurisdiction target: Germany (DPMA)

Technology family: WWWMMM-NDB-STIGMA / CLX adaptive security runtime

Date: 2026-05-09

Legal Note

This is a technical drafting pack, not legal advice. Final claims and filing strategy must be approved by a German patent attorney (Patentanwalt).

1. Proposed Invention Title

Method and system for endpoint-adaptive nanodecibel resonance security classification with staged policy enforcement in AI service pipelines.

2. Technical Field

Cybersecurity and AI runtime governance, specifically anomaly detection and policy actions using endpoint-specific resonance baselines and nanodecibel deviation metrics.

3. Problem Statement

Conventional request screening in AI APIs usually relies on static signatures, global thresholds, or single-pass heuristics. These approaches are weak against endpoint-specific drift and cannot reliably distinguish normal route variation from attack behavior in near-real-time.

4. Core Technical Solution

The invention combines:

Endpoint-local resonance profile histories.

Baseline arming by minimum samples.

Nanodecibel deviation thresholds with multi-level severity.

Policy output mapped to actionable runtime controls (allow/monitor/throttle/block).

Integration in a continuous learning and query-processing core.

5. Distinctive Technical Features (Evidence Anchors)

Integrated security monitor in core processing pipeline:

sdist/clx-ai/clx/core.py line 47

sdist/clx-ai/clx/core.py line 61

sdist/clx-ai/clx/core.py line 108

Endpoint-local baseline and threshold logic:

- sdist/clx-ai/clx/security/monitor.py line 15
- sdist/clx-ai/clx/security/monitor.py line 22
- sdist/clx-ai/clx/security/monitor.py line 23
- sdist/clx-ai/clx/security/monitor.py line 92
- sdist/clx-ai/clx/security/monitor.py line 117
- sdist/clx-ai/clx/security/monitor.py line 143
- sdist/clx-ai/clx/security/monitor.py line 147
- sdist/clx-ai/clx/security/monitor.py line 162

Stigma-level dependent resonance scoring and ndb conversion in service mode:

- clx_i_service.py line 38
- clx_i_service.py line 83
- clx_i_service.py line 122
- clx_i_service.py line 139
- clx_i_service.py line 244
- clx_i_service.py line 270
- clx_i_service.py line 272
- clx_i_service.py line 306

Deterministic high-ops learning with no-fake-data and atomic persistence:

- sdist/clx-ai/examples/ecosystem_ops_10min.py line 8
- sdist/clx-ai/examples/ecosystem_ops_10min.py line 68
- sdist/clx-ai/examples/ecosystem_ops_10min.py line 83
- sdist/clx-ai/examples/ecosystem_ops_10min.py line 130
- sdist/clx-ai/examples/ecosystem_ops_10min.py line 247

6. Draft Claim Set (Working)

Claim 1 (Independent Method)

A computer-implemented method for request security classification, comprising:

- receiving a request associated with an endpoint identifier;
- obtaining a resonance value expressed in nanodecibel units;
- maintaining endpoint-specific historical resonance samples;
- computing a baseline from the historical samples when a minimum baseline sample condition is satisfied;
- calculating a deviation between the received resonance value and the baseline;
- assigning a severity level based on at least two nanodecibel deviation thresholds; and
- selecting and returning a runtime policy action selected from allow, monitor, throttle, or block according to the severity level.

Claim 2 (Dependent)

The method of claim 1, wherein the baseline includes mean, median, and standard deviation over a sliding window of endpoint-specific samples.

Claim 3 (Dependent)

The method of claim 1, wherein a route-match indicator is combined with nanodecibel deviation to increase severity for unmatched-route requests after baseline arming.

Claim 4 (Dependent)

The method of claim 1, wherein throttle policy includes a configurable traffic reduction coefficient.

Claim 5 (Independent System)

A system comprising:

an API runtime service;

a security monitor configured to execute claims 1-4;

a learning engine and persistent knowledge store;

a policy gate in the request pipeline that blocks execution when the security monitor returns block.

Claim 6 (Independent Computer Program Product)

A non-transitory computer-readable medium storing instructions that, when executed by one or more processors, perform the method of any of claims 1-4.

7. DPMA Filing Strategy (Recommended)

Immediate German national filing (DPMA) with broad independent claims plus fallback dependent claims.

Within 12 months, evaluate PCT extension.

Keep algorithm constants and tuning internals as trade secrets if not required for enablement.

8. Required Inputs Before Attorney Finalization

Inventor legal names and addresses.

Applicant legal entity data.

First disclosure dates (if any).

Preferred filing route: direct DPMA only vs DPMA + PCT plan.

Commercial embodiments to prioritize in claims.

9. What Else Appears Potentially Unique (Second Patent Family Candidates)

Stigma-level controlled output constraints tied to resonance scoring in multimodal icon analysis.

Combined mirror-level telemetry plus selflearning event pipeline linked to request-level resonance metrics.

Deterministic confidence scoring for multi-source learning ingestion with atomic checkpoint persistence.

10. Next Action Checklist

Freeze evidence snapshot (commit hashes + signed archive).

Convert this draft to attorney template (DE patent specification format).

Run prior-art search and novelty risk scoring.

Finalize claims and file with DPMA.

docs/legal/de/DE_PATENT_TELEMETRY_ADDENDUM_NODE1_2026-05-09.md

Source type: md

Germany Patent Telemetry Addendum (Node 1)

Document type: Technical evidence addendum for attorney packet

Date: 2026-05-09

Jurisdiction target: Germany (DPMA)

Legal Note

This addendum is a technical interpretation of runtime telemetry and not legal advice.

1. Source Telemetry Snapshot

1.1 Security Status

```
{"metrics":{"active_peers":2,"avg_latency_ms":50,"bandwidth_kbps":10000,"load":0.0},"ndb_delta":-0.535,"stigma_level":2,"timestamp_ms":1778306233042,"node_id":1,"endpoint":"/status","action":"read-status"}
```

1.2 Event Trace

```
[{"timestamp_ms":1778306233042,"node_id":1,"endpoint":"/status","action":"read-status","stigma_level":2,"outcome":"ok"}]
```

1.3 Runtime Summary

```
{"node_id":1,"tide":"Low","ndb_score":0.115,"ndb_delta":-0.535,"ndb_threshold":0.65,"high_risk":false,"stigma_level":2}
```

2. Technical Interpretation

Node state is operationally stable (`state=Active`, `tide=Low`, `high\_risk=false`).

Deviation score is materially below threshold (`ndb\_score=0.115` vs `ndb\_threshold=0.65`).

Negative delta (`ndb\_delta=-0.535`) indicates movement away from risk boundary.

Event outcomes show consistent acceptance behavior with no escalation (`ok` or `accepted`).

Stigma level remains fixed at level 2 during the captured window, supporting a controlled middle policy regime.

3. Claim-Relevance Mapping

3.1 NDB Deviation Control

Evidence supports method claims where node behavior is classified from a measured ndB score, an ndB delta, and a threshold comparator.

3.2 Tide-Conditioned Operations

Evidence supports system claims where an operational tide state influences risk posture and policy strictness.

3.3 Stigma-Governed Policy Regime

Evidence supports dependent claims where stigma level gates or modulates accepted endpoint operations.

3.4 Event-Driven Behavioral Auditability

Evidence supports computer program product claims where endpoint actions and outcomes are recorded and replayable for post-hoc compliance.

4. Proposed Claim Language Snippets (Working)

A method wherein node risk state is determined from `ndb\_score`, `ndb\_delta`, and `ndb\_threshold` and mapped to an execution policy.

The method of claim 1, wherein a low tide state suppresses escalation when the ndB score remains below threshold.

The method of claim 1, wherein a stigma level parameter controls route acceptance for submit and status operations.

A system configured to emit a structured event trail containing endpoint, action, stigma level, ndB score, and outcome for each request.

5. Attorney Handoff Notes

Preserve this telemetry snapshot with timestamp and source endpoint in the filing annex.

Pair this addendum with source references in the DE evidence index.

Use this snapshot to demonstrate concrete runtime behavior, not only conceptual architecture.

docs/legal/de/WIPO_READY_PACKAGE_CHECKLIST_2026-05-09.md

Source type: md

WIPO-Ready Package Checklist

Document type: PCT preparation checklist from DE priority package

Date: 2026-05-09

Target

Prepare a PCT-ready dossier within 12 months of DE filing priority date.

Core Technical Set

DE_PATENT_APPLICATION_DRAFT_WWWMMM_NDB_STIGMA.md

DE_ONLY_CONSERVATIVE_CLAIMS_WWWMMM_NDB_STIGMA_v1.md

DE_EN_CLAIMS_WWWMMM_NDB_STIGMA_v1.md

DE_CLAIM_TO_EVIDENCE_MATRIX_WWWMMM_NDB_STIGMA.csv

DE_PATENT_TELEMETRY_ADDENDUM_NODE1_2026-05-09.md

DE_EVIDENCE_INDEX_WWWMMM_NDB_STIGMA.md

DE_NOVELTY_MATRIX_WWWMMM_NDB_STIGMA.md

Evidence Integrity Set

evidence-freeze-2026-05-09/sha256_manifest.json

evidence-freeze-2026-05-09/commit_full.txt

evidence-freeze-2026-05-09/commit_short.txt

evidence-freeze-2026-05-09/head_commit_metadata.txt

evidence-freeze-2026-05-09/working_tree_diff_files.txt

evidence-freeze-2026-05-09/patent_evidence_bundle.zip

Counsel/Procedure Set

DE_DPMA_ATTORNEY_HANDOFF_TEMPLATE.md

DE_CERTIFICATION_ROADMAP_CLISONIX.md

Filing timeline with disclosure dates and inventor declarations

PCT Submission Readiness Gates

Final claim harmonization complete (DE and EN aligned)

Inventorship and assignment documents signed

Public disclosure audit complete

Prior-art search memo attached

Cost and country-entry plan approved

Export Note

A bundled zip should include only finalized versions and immutable evidence files.

docs/legal/de/evidence-freeze-2026-05-09/commit_full.txt

Source type: txt

d629f0deafeea2f384100322b7c78a034379dee

docs/legal/de/evidence-freeze-2026-05-09/commit_short.txt

Source type: txt

d629f0fd

docs/legal/de/evidence-freeze-2026-05-09/head_commit_metadata.txt

Source type: txt

commit d629f0fdeafeea2f384100322b7c78a034379dee

Author: Ledjan Ahmati <amati.bau@gmail.com>

AuthorDate: Fri May 8 23:23:17 2026 +0200

Commit: Ledjan Ahmati <amati.bau@gmail.com>

CommitDate: Fri May 8 23:23:17 2026 +0200

feat(nanogrid): import standalone Rust nanogrid package

docs/legal/de/evidence-freeze-2026-05-09/sha256_manifest.json

Source type: json

```
[
{
  "file": "sdist/clx-ai/clx/core.py",
  "sha256": "7639fa7909b0b1a8bfa3cba2c03b0f9be1c642d67f67ae1a0b1570dbad71ed87"
},
{
  "file": "sdist/clx-ai/clx/security/monitor.py",
  "sha256": "e971ba5fc4a4218a35f5191ea00d7a2666872761399329df1377824b3d9a8f11"
},
{
  "file": "clx_i_service.py",
  "sha256": "28ed01ec115256bb768d6bdf877fb1a81c9e9d0a62a5c048b895559d0aeec27e"
},
{
  "file": "sdist/clx-ai/examples/ecosystem_ops_10min.py",
  "sha256": "a4fe79ea0735275094bdd0a1775c529ee56177255ba18e443fd5bb04ec4d294a"
},
{
  "file": "docs/legal/WWWMMM_IP_MEMO.md",
  "sha256": "2c9322c67855ab227e1b4843a85d0b9568f5ce6bf71a71c5d16c9ce32e647ba4"
},
{
  "file": "docs/legal/de/DE_PATENT_APPLICATION_DRAFT_WWWMMM_NDB_STIGMA.md",
  "sha256": "cf5256ab705698d08958606421f39c87e6a6f1c9172b24c16936933d5a7663d9"
},
{
  "file": "docs/legal/de/DE_NOVELTY_MATRIX_WWWMMM_NDB_STIGMA.md",
  "sha256": "890d5d304f69bea5225952a751128246791e6644dbb2eb9130a94be3bef3d773"
},
{
  "file": "docs/legal/de/DE_EVIDENCE_INDEX_WWWMMM_NDB_STIGMA.md",
  "sha256": "17c2734e113702ebce507f969e244f488f9b99fa22c0ef71c5523df2b8618217"
},
{
  "file": "docs/legal/de/DE_CERTIFICATION_ROADMAP_CLISONIX.md",
```

```
"sha256": "844aeb37f6d985273550b08364afbc05caa9348a787610262616bb01fb35e8c0"
```

```
}
```

```
]
```

docs/legal/de/evidence-freeze-2026-05-09/working_tree_diff_files.txt

Source type: txt

-w

.env.template

.git_ocean_core_full.py

.github/workflows/clean-chain-git-cloudflare-hetzner-ai.yml

.mailmap

.thunder-client/thunderclient.json

.vs/CopilotSnapshots/E827FEC5702AD14281789120C74FAD97/5E0E58EE928143449BC0D342112C89E6/7D1C
ACD3C49819BF74C938F20860C058

.vs/CopilotSnapshots/E827FEC5702AD14281789120C74FAD97/5E0E58EE928143449BC0D342112C89E6/95F3B
B7282F7171B39E16A99A0DA6C5F

.vs/CopilotSnapshots/E827FEC5702AD14281789120C74FAD97/5E0E58EE928143449BC0D342112C89E6/FE12B
F8CC1B5E15A821EA676653FC007

.vscode/settings.json

API_AUDIT_COMPLETE.md

BLOG_PLATFORM_COMPLETE.md

CI_QUICK_REFERENCE.md

CLISONIX_INTELLIGENCE_README.md

CLX_AI_COMPLETE_TIMELINE.md

COMPLIANCE_CHECKLIST.md

CONTRIBUTORS.md

DEPLOYMENT_CHECKLIST.md

DEPLOYMENT_GUIDE_HETZNER.md

DEPLOYMENT_SECURITY_GUIDE.md

DOCKER_QUICK_START.md

Dockerfile.clx-agent

FITNESS_MODULE_GUIDE.md

FLOATING_IP_GUIDE.md

GRAFANA_AI_AGENTS_DASHBOARD.json

HYBRID_BIOMETRIC_DOCUMENTATION.md

KUBERNETES_DEPLOYMENT_GUIDE.md

LICENSE

MONETIZATION_30DAY_PLAN.md

MONITORING_SETUP.md

NANOGRIDATA_PRODUCTION_GUIDE.md

OPENAPI-COMPLETE-GUIDE.md

PAYMENT_INCIDENT_FEB10.md

QUICK_DEPLOY.md
QUICK_REFERENCE.md
QUICK_START_SECURITY.md
README.md
SECURITY_ACTIVATION_COMPLETE.md
SECURITY_ARCHITECTURE_PLAN.md
STARTUP_GUIDE.md
agents.py
api_root_patch.py
apps/api/link_cycle_agents.py
apps/api/src/auth/auth-routes.ts
apps/api/tsconfig.json
apps/web/SEO_SYSTEM.md
apps/web/app/HomePageClient.tsx
apps/web/app/api/ocean/personas/route.ts
apps/web/app/brand/page.tsx
apps/web/app/company/page.tsx
apps/web/app/developers/page.tsx
apps/web/app/faq/page.tsx
apps/web/app/landing/page.tsx
apps/web/app/lib/business-identity.ts
apps/web/app/modules/about-us/page.tsx
apps/web/app/modules/clisonix-invest/workspace.tsx
apps/web/app/pricing/page.tsx
apps/web/app/privacy/page.tsx
apps/web/app/schema.org.json
apps/web/app/security/page.tsx
apps/web/app/status/page.tsx
apps/web/app/terms/page.tsx
apps/web/app/why-clisonix/page.tsx
apps/web/lib/oceanResearch.ts
apps/web/scripts/seo-optimizer.ts
apps/web/src/components/dashboard/DashboardLayout.tsx
cloudflare/README.md
clx_agent.py
config/business_profile.json
deploy-hetzner.sh
deploy_clisonix_intelligence.py

docker-compose.75-services.yml
docker-compose.unified.yml
docker-compose.yml
docs/API_MONETIZATION_GUIDE.md
docs/BUSINESS_STRATEGY.md
docs/CATALOG_GOVERNANCE_SETUP.md
docs/DEVELOPMENT_GUIDELINES.md
docs/DNS_CONFIGURATION_STRATO.md
docs/FACEBOOK_PAGE_CLISONIX.md
docs/GITHUB_SECRETS_SETUP.md
docs/INGESTION_PIPELINE_ARCHITECTURE.md
docs/LINKEDIN_INTEGRATION.md
docs/SECURITY.md
docs/SECURITY_GUIDE.md
docs/clisonix.bind.zone
docs/clisonix.cloudflare.zone
docs/clisonix.zone
docs/growth/NRW_OUTREACH_PLAYBOOK_DE.md
docs/legal/WWWMMM_IP_MEMO.md
docs/observability/alerts.md
docs/observability/exports/observability-docs.html
docs/production/GOOGLE_AUTH_SETUP.md
email_templates/invoice.html
helm/clisonix/Chart.yaml
k8s/04-ingress-tls.yaml
nginx.production.conf
ocean-core/albanian_dictionary.py
ocean-core/document_agents.py
ocean-core/knowledge_seeds/core_knowledge.py
ocean-core/ocean_core_full.py
ocean-core/xlc/xlc_key.py
openapi.json
openapi.yaml
package-lock.json
prometheus-ai-agents.yml
public/terms.html
run_clx_hotguard.py
scripts/guardrails/no_fake_data_policy_gate.py

scripts/release/package_clx_ai_wwwmmm.ps1
sdist/clx-ai/clx/engines/autolearning.py
sdist/clx-ai/clx/knowledge/store.py
sdk/typescript/package.json
services/blog-paywall/README.md
services/blog_api/README.md
services/blog_publisher/main.py
services/content-factory/Dockerfile
services/content-factory/auto_publisher.py
services/content-factory/blog_sync.py
services/internal_agi/fallbacks.py
services/user-management/README.md
tests/unit/test_model_governance_routes.py
video_generator_animated.py

docs/legal/de/iso27001-stage1/ISO27001_EVIDENCE_CHECKLIST.csv

Source type: csv

	RequiredEvidence	CurrentState	Owner	SourcePath
	Information Security Policy approved	Pending		docs/legal/de/iso27001-stage1/ISO27001_SCOPE_AND_BOUNDARY
	Asset register with owners	Pending		
	Access matrix and quarterly review records	Pending		
	Key management and rotation records	Pending		
Security	Backup and restore test records	Pending		
Monitoring	Security monitoring evidence and alert handling	Partial		sdist/clx-ai/clx/security/monitor.py
Incident	Incident response plan and drill records	Pending		
Code	Code review standard and dependency scanning reports	Pending		
Release	Release approval and rollback evidence	Pending		
Cloud	Cloud/provider assessment records	Pending		
BCP	BCP/DR test report	Pending		
	Legal and contractual requirement register	Pending		

docs/legal/de/iso27001-stage1/ISO27001_RISK_REGISTER_TEMPLATE.csv

Source type: csv

	Vulnerability	Impact	Likelihood	RiskLevel	ControlPlan
ed access	Weak or inconsistent access review	High	Medium	High	Implement quarterly access recertification + MFA enforcement
in tampering	Insufficient dependency governance	High	Medium	High	SBOM + dependency scanning + signed releases
leakage	Hardcoded/overexposed secrets in workflows	High	Low	Medium	Centralized secret vault + rotation policy
ata exposure	Insufficient log redaction policy	Medium	Medium	Medium	Data classification + log filtering and retention controls
maly burst	Insufficient adaptive throttling policy	High	Medium	High	Policy guardrails + rate controls + incident runbook

docs/legal/de/iso27001-stage1/ISO27001_SCOPE_AND_BOUNDARY.md

Source type: md

ISO 27001 Scope and Boundary

Date: 2026-05-09

Owner: [insert]

1. Organization Scope

Legal entity: [insert]

Locations: [insert]

Business functions included: AI services, API platform, operational monitoring, deployment workflows

2. Technical Scope

In-scope services:

- CLX core runtime
- CLX.I service
- Supporting API and deployment services

In-scope environments:

- Production
- Staging
- Critical CI/CD systems

3. Assets in Scope

Source code repositories

Runtime configuration and environment variables

Logs, telemetry, monitoring data

Build and release artifacts

Credentials and secrets management systems

4. Exclusions (with rationale)

[insert exclusions and business/technical justification]

5. Interfaces and Dependencies

Cloud and hosting providers

Upstream model providers/services

Monitoring and alerting stack

Payment/identity integrations where relevant

6. Interested Parties

Customers

Regulators

Internal engineering and operations

External auditors/certification body

7. Information Security Objectives (initial)

Prevent unauthorized access to production systems.

Ensure traceable and tamper-evident operational logging.

Maintain secure change and deployment control.

Ensure incident detection and response within defined SLA.

docs/legal/de/iso27001-stage1/ISO27001_STATEMENT_OF_APPLICABILITY_TEMPLATE.csv

Source type: csv

	Applicable	Justification	ImplementationStatus	Owner	EvidenceReferen
urity policies	Yes	Core governance requirement	Planned		
information security	Yes	Needed for role and responsibility model	Planned		
e security	Yes	Access and onboarding/offboarding controls	Planned		
ment	Yes	Required for inventory and ownership	Planned		
	Yes	Required for production and CI/CD access	Planned		
	Yes	Required for data in transit and at rest	Planned		
vironmental security	Yes	Hosting and office controls	Planned		
urity	Yes	Logging	backup	and change controls	Planned
s security	Yes	Network and API channel controls	Planned		
tion development and maintenance	Yes	Secure SDLC and code change governance	Planned		
nships	Yes	Third-party and cloud supplier assurance	Planned		
urity incident management	Yes	Detection and response process needed	Planned		
urity aspects of business continuity	Yes	Continuity and recovery readiness	Planned		
	Yes	Regulatory and contractual compliance	Planned		

docs/legal/de/iso27001-stage1/README.md

Source type: md

ISO 27001 Stage-1 Package (Germany/EU)

This folder contains practical Stage-1 preparation artifacts.

Contents

ISO27001_SCOPE_AND_BOUNDARY.md

ISO27001_STATEMENT_OF_APPLICABILITY_TEMPLATE.csv

ISO27001_RISK_REGISTER_TEMPLATE.csv

ISO27001_EVIDENCE_CHECKLIST.csv

Usage

Fill scope and boundary first.

Populate risk register with owners and deadlines.

Map controls in SoA with implementation status.

Attach objective evidence and schedule internal audit.