

Playlist Controller

Playlist 1

Dashboard

About

Beethoven Sonatas


Song	Artist
Piano Sonata No. 3	Beethoven
Piano Sonata No. 7	Beethoven
Piano Sonata No. 10	Beethoven

Beethoven Concertos

Song	Artist
Piano Concerto No. 0	
Piano Concerto No. 4	
Piano Concerto No. 6	

Playlist 1

Revised Dashboard



- Shows summary list of playlists

Playlist 1		Dashboard	About
Beethoven Sonatas			
Total Duration: 35			
View			
Beethoven Concertos			
Total Duration: 23			
View			
Beethoven Variations			
Total Duration: 67			
View			

Beethoven Sonatas

Total Duration: 35

[View](#)

Beethoven Concertos

Total

[View](#)

Be

Total

[View](#)

Beethoven Sonatas

Song

Artist

Piano Sonata No. 3

Beethoven

Piano Sonata No. 7

Beethoven

Piano Sonata No. 10

Beethoven

- Full playlist displayed when 'View' selected

Dashboard.hbs

```
{{> menu id="dashboard"}}

{{#each playlists}}
  <section class="ui segment">
    <h2 class="ui header">
      {{title}}
    </h2>
    <table class="ui table">
      <thead>
        <tr>
          <th>Song</th>
          <th>Artist</th>
        </tr>
      </thead>
      <tbody>
        {{#each songs}}
          <tr>
            <td>
              {{title}}
            </td>
            <td>
              {{artist}}
            </td>
          </tr>
        {{/each}}
      </tbody>
    </table>
  </section>
{{/each}}
```

No change to controller

```
const dashboard = {
  index(request, response) {
    logger.info('dashboard rendering');
    const viewData = {
      title: 'Playlist Dashboard',
      playlists: playlistCollection,
    };
    logger.info('about to render', playlistCollection);
    response.render('dashboard', viewData);
  },
};
```

```
{{> menu id="dashboard"}}

{{#each playlists}}
  <section class="ui segment">
    <h2 class="ui header">
      {{title}}
    </h2>
    <p> Total Duration: {{duration}} </p>
    <a href="/playlist/{{id}}"> View </a>
  </section>
{{/each}}
```

Revised dashboard.hbs

```
{{> menu id="dashboard"}}
```

```
{{#each playlists}}
```

```
<section class="ui segment">
```

```
<h2 class="ui header">
```

```
  {{title}}
```

```
</h2>
```

```
<p>Total Duration: {{duration}} </p>
```

```
<a href="/playlist/{{id}}"> View </a>
```

```
</section>
```


```
{{/each}}
```

```
3
```

Dashboard View



New Route

- New Route not initially supported



```
router.get('/', start.index);  
router.get('/dashboard', dashboard.index);  
router.get('/about', about.index);
```

- Error message when link pressed



Introducing a new view

- Typically need 3 things:
 - Controller
 - View
 - Route

controller:
playlist.js

```
'use strict';

const logger = require('../utils/logger');
const playlistCollection = require('../models/playlist-store.js');

const playlist = {
  index(request, response) {
    const viewData = {
      title: 'Playlist',
    };
    response.render('playlist', viewData);
  },
};

module.exports = playlist;
```

view:
playlist.hbs

```
{{> menu}}


<section class="ui center aligned middle aligned segment">
  <h2 class="ui header">
    {{playlist.title}}
  </h2>
</section>
```

route:
routes.js

```
router.get('/playlist/:id', playlist.index);
```

Controller

- In order to display the correct playlist, we need to extract the id from the url.



```
index(request, response) {  
  const playlistId = request.params.id;  
  logger.debug('Playlist id = ', playlistId);  
  
  const viewData = {  
    title: 'Playlist',  
  };  
  
  response.render('playlist', viewData);  
}
```


Revised Model

- playlistStore is an object with 2 methods:
 - retrieve all playlists from store
 - retrieve a specific playlist by it's id from the store.

```
const playlistStore = {  
  playlistCollection: require('./playlist-store.json').playlistCollection,  
  
  getAllPlaylists() {  
    return this.playlistCollection;  
  },  
  
  getPlaylist(id) {  
    return _.find(this.playlistCollection, { id: id });  
  },  
  
};
```

*Dont worry about how
this is implemented for
the moment!*

Revised playlist Controller

- Retrieve playlist ID in request
- Get playlist matching this id and insert into viewData
- Pass **viewData** to to the view (containing the playlist)

```
const playlistStore = require('../models/playlist-store');

const playlist = {
  index(request, response) {

    const playlistId = request.params.id;
    logger.debug('Playlist id = ', playlistId);

    const viewData = {
      title: 'Playlist',
      playlist: playlistStore.getPlaylist(playlistId),
    };

    response.render('playlist', viewData);
  },
};
```

Revised Playlist View

```
index(request, response) {  
  
  const playlistId = request.params.id;  
  logger.debug('Playlist id = ', playlistId);  
  
  const viewData = {  
    title: 'Playlist',  
    playlist: playlistStore.getPlaylist(playlistId),  
  };  
  
  response.render('playlist', viewData);  
}
```

Beethoven Sonatas	
Song	Artist
Piano Sonata No. 3	Beethoven
Piano Sonata No. 7	Beethoven
Piano Sonata No. 10	Beethoven

```
<table class="ui table">  
  <thead>  
    <tr>  
      <th>Song</th>  
      <th>Artist</th>  
    </tr>  
  </thead>  
  <tbody>  
    {{#each playlist.songs}}  
      <tr>  
        <td>  
          {{title}}  
        </td>  
        <td>  
          {{artist}}  
        </td>  
      </tr>  
    {{/each}}  
  </tbody>  
</table>
```

listsongs.hbs

playlist.hbs

```
{{> menu}}  
  
<section class="ui center aligned middle aligned segment">  
  <h2 class="ui header">  
    {{playlist.title}}  
  </h2>  
  {{> listsongs}}  
</section>
```