
Sessions UX

## **New Views**


index.hbs

Playlist 4	Signup	Login
Sign up or Log in		

signup.hbs



login.hbs



## <u>welcome</u>

welcomemenu.hbs

```
<nav class="ui menu">
  <header class="ui header item"> <a href="/"> Playlist 4 </a></header>
  <div class="right menu">
        <a id="signup" class="item" href="/signup"> Signup </a>
        <a id="login" class="item" href="/login"> Login </a>
        </div>
        </nav>

<script>
        $("#{{id}}").addClass("active item");
        </script>
```

```
Playlist 4

Signup Login

Sign up or Log in...
```

# Signup Form


#### Playlist 4 Signup Login Register {{> welcomemenu id="signup"}} First Name <form class="ui stacked segment form" action="/register" method="POST"> First Name <h3 class="ui header">Register</h3> <div class="two fields"> Email <div class="field"> <label>First Name</label> homer@simpson.com <input placeholder="First Name" type="text" name="firstName" autofocus required> </div> Password <div class="field"> <label>Last Name</label> <input placeholder="Last Name" type="text" name="lastName" required > </div> Submit </div> <div class="field"> <label>Email</label> <input placeholder="Email" type="text" name="email" required > </div> <div class="field"> <label>Password</label> <input type="password" name="password" required > </div> <button class="ui blue submit button">Submit

</form>

# Login Form

#### Playlist 4 Signup Login Log-in Email {{> welcomemenu id='login' }} homer@simpson.com <form class="ui stacked segment form" action="/authenticate" method="POST"> Password <h3 class="ui header">Log-in</h3> <div class="field"> <label>Email</label> <input placeholder="Email" name="email" autofocus required > </div> Login <div class="field"> <label>Password</label> <input type="password" name="password" required > </div> <button class="ui blue submit button">Login</button> </form>

### Routes I



### Accounts Controller

```
index(request, response) {
 const viewData = {
  title: 'Login or Signup',
                                                  accounts.js
 };
 response.render('index', viewData);
```

### routes.js

```
router.get('/', accounts.index);
                                                                    signup(request, response) {
                                                                     const viewData = {
router.get('/signup', accounts.signup);
                                                                      title: 'Login to the Service',
                                                                     response.render('signup', viewData);
router.get('/login', accounts.login);
```

accounts.js

```
login(request, response) {
 const viewData = {
  title: 'Login to the Service',
 response.render('login', viewData);
```


accounts.js

### Routes - II



routes.js

```
router.post('/register', accounts.register);
router.post('/authenticate', accounts.authenticate);
```



Check to see if a given email/password is known to the application