Styling your web app

Add your own CSS styles

- Create a file in the public/stylesheets directory

- Add your custom CSS styles to this file

```
+ New File

☐ assets
controllers/about.js
controllers/dashboard.js
controllers/playlist.js
controllers/start.js
models/playlist-store.js
models/playlist-store.json
public/stylesheets/style.css        ⌄
public/client.js
utils/logger.js
views/layouts/main.hbs
views/partials/listplaylists.hbs
views/partials/listsongs.hbs
views/partials/menu.hbs
views/about.hbs
views/dashboard.hbs
views/index.html
views/playlist.hbs
views/start.hbs
⚿ .env
```

Add your own CSS styles

- Link to /stylesheets/style.css in layouts/main.hbs file

```html
<!DOCTYPE html>
<html>
  <head>
    <meta charset="utf-8">
    <title> {{title}} </title>
    <meta charset="UTF-8">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/semantic-ui/2.4.1/semantic.min.css" type="text/css">
    <link rel="stylesheet" type="text/css" href="/stylesheets/style.css">
  </head>
  <body>
    <section class="ui container">
      {{{body}}}
    </section>
    <script type="text/javascript" src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
    <script type="text/javascript" src="https://cdnjs.cloudflare.com/ajax/libs/semantic-ui/2.4.1/semantic.min.js"></script>
    <script type="text/javascript" src="/client.js"></script>
  </body>
</html>
```

Add your own CSS styles

rb-styled-playlist ⌄ 👓 Show Live

👤 Share ◀	
Logs	
+ New File	

📦 assets
*controllers/*about.js
*controllers/*dashboard.js
*controllers/*playlist.js
*controllers/*start.js
*models/*playlist-store.js
*models/*playlist-store.json
public/stylesheets/style.css ⌄
*public/*client.js
*utils/*logger.js
*views/layouts/*main.hbs
*views/partials/*listplaylists.hbs

```css
1⌄ body {
2      background-color:lightblue;
3  }
4
5⌄ .ui.table thead th {
6      background-color:navy;
7      color:white;
8  }
9
10
```

Add your own CSS styles

- To target elements that use SemanticUI classes, use the class names in your CSS file.

- For example, this CSS:

```css
.ui.table thead th {
    background-color:navy;
    color:white;
}
```

- Will target these th cells:

```html
<table class="ui fixed table">
    <thead>
        <tr>
            <th>Song</th>
            <th>Artist</th>
            <th></th>
        </tr>
    </thead>
```

CSS/SemanticUI references:

- https://semantic-ui.com/

- https://www.w3schools.com/css/

- https://cssreference.io/

- https://css-tricks.com/snippets/

Link to styled-playlist repository

- Import from GitHub: rbirney/styled-playlist