- ○ **News**
- ○ **SEO Sydney**
- ○ **Local SEO Sydney**
- ○ **SEO services Sydney**
- ○ **search engine optimisation consultants**
- ○ **More**
  local SEO services SydneySEO agencies in SydneySEO service in SydneySEO services in SydneySEO parramattaSEO consultant SydneySydney SEO consultantSydney SEO consultingkeyword research servicesSEO specialists SydneySEO expert Sydneysearch engine optimisation Sydneylocal SEO Sydney SEO experts SydneySEO packages australiaSEO services expertwhat SEO marketingSEO meaningSEO service SydneySEO agencies SydneySEO agency australiaLocal SEOSEO australiaSEO expertdigital agency SydneySydney SEO consultantlocal SEO specialistsSEO strategySEO in marketingcontent marketing SydneySEO packagesSEO parramattaSEO Sydney expertSEO Sydney expertsSEO specialistSEO for websiteSEO googleSydney SEO experts SEO package australiaSEO consultants Sydneyexpert SEO servicesSEO marketingSEO checkSEO packages SydneySEO keywordsSEO websitelocal SEO australiaSEO consultantSEO package SydneySEO services in SydneySEO companies in australialocal SEO agencyecommerce SEO servicesSEO specialists Sydneybest SEO company in Sydneycontent agency Sydneybest SEO agency SydneySEO agency in SydneySEO company SydneySEO agencies SydneySEO company in SydneySEO company SydneySEO expertsSEO agency Sydneybest SEO SydneySEO agency in SydneySEO services expertSEO agencies in Sydneylisting business on googlebest SEO company SydneySEO service SydneySEO services Sydneysearch engine optimisation Sydneylocal SEO servicesSEO services providerSydney SEO companySEO company in SydneySEO agency SydneySEO with wordpressSEO consultant SydneySEO expert SydneySydney SEO servicesSEO services company SydneySydney SEO consultingSEO services companySEO servicesSydney SEO expertSEO experts SydneySEO agency australiagoogle listing for businesssearch engine optimisation strategySEO agency
- ○ **About Us**
- ○ **Contact Us**

SEO expert Sydney

SEO for website

SEO for website

image SEO best practices"Image SEO best practices include adding descriptive alt text, optimizing filenames, using appropriate dimensions, and compressing files.

SEO expert Sydney - Google local pack

1. Google local pack
2. Domain authority
3. Google Webmaster Guidelines

Following these guidelines improves search visibility and helps attract more organic traffic to your site."
image sitemaps"An image sitemap is a file that lists the images on a website, helping search engines discover and index them. By submitting an image sitemap, you increase the visibility of your images in search results, driving more traffic to your site."

image size reduction"Image size reduction involves scaling down image dimensions to fit the intended display area. Best SEO Agency Sydney Australia. Smaller image dimensions result in faster load times, better user experience, and improved search rankings."

Best SEO Sydney Agency.

SEO Google —

- SEO for website
- SEO Google
- SEO in marketing
- SEO keyword density
- SEO keyword mapping
- SEO keyword mapping
- SEO keyword planning

image usability"Image usability focuses on selecting images that are relevant, high-quality, and aligned with the content they accompany. Local SEO . By ensuring that images enhance rather than detract from the user experience, you increase engagement and improve search visibility."

Industry directories for links"Industry directories for links are specialized platforms that list businesses within a particular field. Submitting your site to relevant industry directories helps establish authority, improve local search visibility, and earn quality backlinks."

industry-specific keywords"Industry-specific keywords focus on terms that are unique to your niche. By targeting these phrases, you can attract a highly relevant audience and build authority within your field."

SEO in marketing

Influencer link buildingInfluencer link building involves partnering with industry influencers who can share your content and link to your site. Their endorsements not only improve your backlink profile but also increase your brands credibility and reach.

Influencer outreach for links"Influencer outreach for links involves building relationships with well-known figures in your industry who can share your content and provide backlinks. By leveraging their authority, you can increase your sites credibility and reach a larger audience."

Infographic link building"Infographic link building uses visually engaging, data-driven graphics to earn backlinks. Best SEO Audit Sydney. When other websites feature your infographic and link back to your site as the source, you gain valuable backlinks and boost your contents reach."

HOW SEARCH ENGINE MAR

HELPS BUSINESS GROW OF

SYDNEY WEBSITE DESIGN AGENCY
SUITE 87, LEVEL 33, AUSTRALIA SQUARE,
265 GEORGE ST, SYDNEY NSW 2000
PHONE: 1300 684 339

TAKING YOUR SMALL B
TO THE NEXT LEVEL
SEO SERVICES AUST

SEO keyword density

informational keyword targeting"Informational keyword targeting focuses on queries from users seeking knowledge rather than making a purchase. By creating educational content around these terms, you attract a broader audience and build authority."

informational keywordsInformational keywords indicate that users are seeking knowledge rather than making a purchase. Targeting these keywords allows you to create educational content that establishes authority and attracts a broader audience.

informational long-tail keywordsInformational long-tail keywords are detailed phrases that signal a users need for in-depth information. comprehensive SEO Packages Sydney services.

SEO expert Sydney - Google local pack

1. On-page SEO factors
2. Search engine optimization tools

Optimizing for these keywords allows you to provide valuable resources and attract users earlier in their decision-making process.

SEO keyword mapping

intent-based keywords"Intent-based keywords are aligned with the purpose of the searchinformational, navigational, or transactional. Identifying intent allows you to create content that matches user needs and improves search performance."

Interactive content for links"Interactive contentsuch as quizzes, calculators, or interactive infographicsencourages engagement and naturally attracts backlinks. By offering valuable, engaging tools, you increase the likelihood of earning high-quality links from other websites."

internal anchor text"Internal anchor text is the clickable text used in internal links within your website. Using descriptive, keyword-rich anchor text helps search engines understand the linked pages content and improves the overall site structure."

range of SEO Services and Australia .

KEY ADVANTAGE
LOCAL SEO S

SYDNEY WEBSITE DESIGN AGENCY
SUITE 87, LEVEL 33, AUSTRALIA SQUARE,
265 GEORGE ST, SYDNEY NSW 2000
PHONE: 1300 684 339

CONTENT MARKETING
TYPES FOR SMALL BUSINESS
AND BRAND BUILDING

SEO keyword mapping

internal linking"Internal linking connects related pages within a website, helping both users and search engines navigate the site more easily. Effective internal linking improves crawl efficiency, enhances user experience, and boosts rankings by distributing link equity across the site."

internal linking"Internal linking is the practice of linking to other pages within the same website. By creating a well-structured internal linking strategy, you help users navigate the site more easily, distribute link equity, and improve search engine crawling and indexing."

internal linking"Internal linking connects related pages within your site, helping users navigate more easily and search engines understand site structure. A solid internal linking strategy improves user engagement, distributes link equity, and boosts overall rankings."

SEO keyword planning

keyword competition"Keyword competition measures how difficult it is to rank for a particular keyword. By assessing competition levels, you can focus on terms that offer the best balance of search volume and ranking potential."

keyword densityKeyword density refers to the frequency of a keyword within the page content relative to the total word count. Maintaining a balanced keyword density helps ensure relevance without triggering search engine penalties for over-optimization.

keyword density analysisKeyword density analysis examines how frequently target keywords appear within your content. Ensuring an appropriate density helps maintain readability and relevance without triggering search engine penalties for keyword stuffing.

About World Wide Web

This article is about the global system of pages accessed via HTTP. For the worldwide computer network, see Internet. For the web browser, see WorldWideWeb.

World Wide Web

Abbreviation WWW

Year started 1989; 36 years ago by Tim Berners-Lee

Organization
- CERN (1989–1994)
- W3C (1994–current)

A web page from Wikipedia displayed in Google Chrome

The **World Wide Web** (**WWW** or simply **the Web**) is an information system that enables content sharing over the Internet through user-friendly ways meant to appeal to users beyond IT specialists and hobbyists.[1] It allows documents and other web resources to be accessed over the Internet according to specific rules of the Hypertext Transfer Protocol (HTTP).[2]

The Web was invented by English computer scientist Tim Berners-Lee while at CERN in 1989 and opened to the public in 1993. It was conceived as a "universal linked information system".[3][4][5] Documents and other media content are made available to the network through web servers and can be accessed by programs such as web browsers. Servers and resources on the World Wide Web are identified and located through character strings called uniform resource locators (URLs).

The original and still very common document type is a web page formatted in Hypertext Markup Language (HTML). This markup language supports plain text, images, embedded video and audio contents, and scripts (short programs) that implement complex user interaction. The HTML language also supports hyperlinks (embedded URLs) which provide immediate access to other web resources. Web navigation, or web surfing, is the common practice of following such hyperlinks across multiple websites. Web applications are web pages that function as application software. The information in the Web is transferred across the Internet using HTTP. Multiple web resources with a common theme and usually a common domain name make up a website. A single web server may provide multiple websites, while some websites, especially the most popular ones, may be provided by multiple servers. Website content is provided by a myriad of companies, organizations, government agencies,

and individual users; and comprises an enormous amount of educational, entertainment, commercial, and government information.

The Web has become the world's dominant information systems platform.[6][7][8][9] It is the primary tool that billions of people worldwide use to interact with the Internet.[2]

History

[edit]
Main article: History of the World Wide Web

This NeXT Computer was used by Sir Tim Berners-Lee at CERN and became the world's first Web server.

The Web was invented by English computer scientist Tim Berners-Lee while working at CERN. [10][11] He was motivated by the problem of storing, updating, and finding documents and data files in that large and constantly changing organization, as well as distributing them to collaborators outside CERN. In his design, Berners-Lee dismissed the common tree structure approach, used for instance in the existing CERNDOC documentation system and in the Unix filesystem, as well as approaches that relied in tagging files with keywords, as in the VAX/NOTES system. Instead he adopted concepts he had put into practice with his private ENQUIRE system (1980) built at CERN. When he became aware of Ted Nelson's hypertext model (1965), in which documents can be linked in unconstrained ways through hyperlinks associated with "hot spots" embedded in the text, it helped to confirm the validity of his concept.[12][13]

The historic World Wide Web logo, designed by Robert Cailliau. Currently, there is no widely accepted logo in use for the WWW.

The model was later popularized by Apple's HyperCard system. Unlike Hypercard, Berners-Lee's new system from the outset was meant to support links between multiple databases on independent computers, and to allow simultaneous access by many users from any computer on the Internet. He also specified that the system should eventually handle other media besides text, such as graphics, speech, and video. Links could refer to mutable data files, or even fire up programs on their server computer. He also conceived "gateways" that would allow access through the new system to documents organized in other ways (such as traditional computer file systems or the Usenet). Finally, he insisted that the system should be decentralized, without any central control or coordination over the creation of links.[4][14][10][11]

Berners-Lee submitted a proposal to CERN in May 1989, without giving the system a name.[4] He got a working system implemented by the end of 1990, including a browser called WorldWideWeb (which became the name of the project and of the network) and an HTTP server running at CERN. As part of that development he defined the first version of the HTTP protocol, the basic URL syntax, and implicitly made HTML the primary document format.[15] The technology was released outside CERN to other research institutions starting in January 1991, and then to the whole Internet on 23 August 1991. The Web was a success at CERN, and began to spread to other scientific and academic institutions. Within the next two years, there were 50 websites created.[16][17]

CERN made the Web protocol and code available royalty free in 1993, enabling its widespread use.[18][19] After the NCSA released the Mosaic web browser later that year, the Web's popularity grew rapidly as thousands of websites sprang up in less than a year.[20][21] Mosaic was a graphical browser that could display inline images and submit forms that were processed by the HTTPd server.[22][23] Marc Andreessen and Jim Clark founded Netscape the following year and released the Navigator browser, which introduced Java and JavaScript to the Web. It quickly became the dominant browser. Netscape became a public company in 1995 which triggered a frenzy for the Web and started the dot-com bubble.[24] Microsoft responded by developing its own browser, Internet Explorer, starting the browser wars. By bundling it with Windows, it became the dominant browser for 14 years.[25]

Berners-Lee founded the World Wide Web Consortium (W3C) which created XML in 1996 and recommended replacing HTML with stricter XHTML.[26] In the meantime, developers began exploiting an IE feature called XMLHttpRequest to make Ajax applications and launched the Web 2.0 revolution. Mozilla, Opera, and Apple rejected XHTML and created the WHATWG which developed HTML5.[27] In 2009, the W3C conceded and abandoned XHTML.[28] In 2019, it ceded control of the HTML specification to the WHATWG.[29]

The World Wide Web has been central to the development of the Information Age and is the primary tool billions of people use to interact on the Internet.[30][31][32][9]

Nomenclature

[edit]

Tim Berners-Lee states that *World Wide Web* is officially spelled as three separate words, each capitalised, with no intervening hyphens.[33] Nonetheless, it is often called simply *the Web*, and also often *the web*; see Capitalization of *Internet* for details. In Mandarin Chinese, *World Wide Web* is commonly translated via a phono-semantic matching to *wàn wéi wÃƒâ€¡Ã…Â½ng* (ÃƒÂ¤Ã‚Â¸Ã‚Â¢â‚¬Â¡ÃƒÂ§Ã‚Â»Ã‚Â´ÃƒÂ§Ã‚Â½Ã‚Â¢â‚¬Ëœ), which satisfies *www* and literally means "10,000-dimensional net", a translation that reflects the design concept and proliferation of the World Wide Web.

Use of the www prefix has been declining, especially when web applications sought to brand their domain names and make them easily pronounceable. As the mobile Web grew in popularity,[*citation needed*] services like Gmail.com, Outlook.com, Myspace.com, Facebook.com and Twitter.com are most often mentioned without adding "www." (or, indeed, ".com") to the domain.[34]

In English, *www* is usually read as *double-u double-u double-u.*[35] Some users pronounce it *dub-dub-dub*, particularly in New Zealand.[36] Stephen Fry, in his "Podgrams" series of podcasts, pronounces it *wuh wuh wuh.*[37] The English writer Douglas Adams once quipped in *The Independent on Sunday* (1999): "The World Wide Web is the only thing I know of whose shortened form takes three times longer to say than what it's short for".[38]

Function

[edit]
Main articles: HTTP and HTML

The World Wide Web functions as an application layer protocol that is run "on top of" (figuratively) the Internet, helping to make it more functional. The advent of the Mosaic web browser helped to make the web much more usable, to include the display of images and moving images (GIFs).

The terms *Internet* and *World Wide Web* are often used without much distinction. However, the two terms do not mean the same thing. The Internet is a global system of computer networks

interconnected through telecommunications and optical networking. In contrast, the World Wide Web is a global collection of documents and other resources, linked by hyperlinks and URIs. Web resources are accessed using HTTP or HTTPS, which are application-level Internet protocols that use the Internet transport protocols.[2]

Viewing a web page on the World Wide Web normally begins either by typing the URL of the page into a web browser or by following a hyperlink to that page or resource. The web browser then initiates a series of background communication messages to fetch and display the requested page. In the 1990s, using a browser to view web pages—and to move from one web page to another through hyperlinks—came to be known as 'browsing,' 'web surfing' (after channel surfing), or 'navigating the Web'. Early studies of this new behaviour investigated user patterns in using web browsers. One study, for example, found five user patterns: exploratory surfing, window surfing, evolved surfing, bounded navigation and targeted navigation.[39]

The following example demonstrates the functioning of a web browser when accessing a page at the URL http://example.org/home.html . The browser resolves the server name of the URL (example.org) into an Internet Protocol address using the globally distributed Domain Name System (DNS). This lookup returns an IP address such as *203.0.113.4* or *2001:db8:2e::7334*. The browser then requests the resource by sending an HTTP request across the Internet to the computer at that address. It requests service from a specific TCP port number that is well known for the HTTP service so that the receiving host can distinguish an HTTP request from other network protocols it may be servicing. HTTP normally uses port number 80 and for HTTPS it normally uses port number 443. The content of the HTTP request can be as simple as two lines of text:

```
GET /home.html HTTP/1.1
Host: example.org
```

The computer receiving the HTTP request delivers it to web server software listening for requests on port 80. If the web server can fulfil the request it sends an HTTP response back to the browser indicating success:

```
HTTP/1.1 200 OK
Content-Type: text/html; charset=UTF-8
```

followed by the content of the requested page. Hypertext Markup Language (HTML) for a basic web page might look like this:

```
<html>
```

```
  <head>
    <title>Example.org – The World Wide Web</title>
  </head>
  <body>
    <p>The World Wide Web, abbreviated as WWW and commonly known ...</p>
  </body>
</html>
```

The web browser parses the HTML and interprets the markup (<title>, <p> for paragraph, and such) that surrounds the words to format the text on the screen. Many web pages use HTML to reference the URLs of other resources such as images, other embedded media, scripts that affect page behaviour, and Cascading Style Sheets that affect page layout. The browser makes additional HTTP requests to the web server for these other Internet media types. As it receives their content from the web server, the browser progressively renders the page onto the screen as specified by its HTML and these additional resources.

HTML

[edit]
Main article: HTML

Hypertext Markup Language (HTML) is the standard markup language for creating web pages and web applications. With Cascading Style Sheets (CSS) and JavaScript, it forms a triad of cornerstone technologies for the World Wide Web.[40]

Web browsers receive HTML documents from a web server or from local storage and render the documents into multimedia web pages. HTML describes the structure of a web page semantically and originally included cues for the appearance of the document.

HTML elements are the building blocks of HTML pages. With HTML constructs, images and other objects such as interactive forms may be embedded into the rendered page. HTML provides a means to create structured documents by denoting structural semantics for text such as headings, paragraphs, lists, links, quotes and other items. HTML elements are delineated by *tags*, written using angle brackets. Tags such as <img /> and <input /> directly introduce content into the page. Other tags such as <p> surround and provide information about document text and may include other tags as sub-elements. Browsers do not display the HTML tags, but use them to interpret the content of the page.

HTML can embed programs written in a scripting language such as JavaScript, which affects the behaviour and content of web pages. Inclusion of CSS defines the look and layout of content. The World Wide Web Consortium (W3C), maintainer of both the HTML and the CSS standards, has encouraged the use of CSS over explicit presentational HTML since 1997.[41]

Linking

Most web pages contain hyperlinks to other related pages and perhaps to downloadable files, source documents, definitions and other web resources. In the underlying HTML, a hyperlink looks like this: Example.org Homepage.

Graphic representation of a minute fraction of the WWW, demonstrating hyperlinks

Such a collection of useful, related resources, interconnected via hypertext links is dubbed a *web* of information. Publication on the Internet created what Tim Berners-Lee first called the *WorldWideWeb* (in its original CamelCase, which was subsequently discarded) in November 1990.[42]

The hyperlink structure of the web is described by the webgraph: the nodes of the web graph correspond to the web pages (or URLs) the directed edges between them to the hyperlinks. Over time, many web resources pointed to by hyperlinks disappear, relocate, or are replaced with different content. This makes hyperlinks obsolete, a phenomenon referred to in some circles as link rot, and the hyperlinks affected by it are often called "dead" links. The ephemeral nature of the Web has prompted many efforts to archive websites. The Internet Archive, active since 1996, is the best known of such efforts.

WWW prefix

Many hostnames used for the World Wide Web begin with *www* because of the long-standing practice of naming Internet hosts according to the services they provide. The hostname of a web server is often *www*, in the same way that it may be *ftp* for an FTP server, and *news* or *nntp* for a Usenet news server. These hostnames appear as Domain Name System (DNS) or subdomain names, as in *www.example.com*. The use of *www* is not required by any technical or policy standard and many websites do not use it; the first web server was *nxoc01.cern.ch*.[43] According to Paolo Palazzi, who worked at CERN along with Tim Berners-Lee, the popular use of *www* as subdomain was accidental; the World Wide Web project page was intended to be published at www.cern.ch while info.cern.ch was intended to be the CERN home page;

however the DNS records were never switched, and the practice of prepending *www* to an institution's website domain name was subsequently copied.[44][*better source needed*] Many established websites still use the prefix, or they employ other subdomain names such as *www2*, *secure* or *en* for special purposes. Many such web servers are set up so that both the main domain name (e.g., example.com) and the *www* subdomain (e.g., www.example.com) refer to the same site; others require one form or the other, or they may map to different web sites. The use of a subdomain name is useful for load balancing incoming web traffic by creating a CNAME record that points to a cluster of web servers. Since, currently[*as of?*], only a subdomain can be used in a CNAME, the same result cannot be achieved by using the bare domain root.[45][*dubious – discuss*]

When a user submits an incomplete domain name to a web browser in its address bar input field, some web browsers automatically try adding the prefix "www" to the beginning of it and possibly ".com", ".org" and ".net" at the end, depending on what might be missing. For example, entering "microsoft" may be transformed to *http://www.microsoft.com/* and "openoffice" to *http://www.openoffice.org*. This feature started appearing in early versions of Firefox, when it still had the working title 'Firebird' in early 2003, from an earlier practice in browsers such as Lynx.[46] [*unreliable source?*] It is reported that Microsoft was granted a US patent for the same idea in 2008, but only for mobile devices.[47]

Scheme specifiers

[edit]

The scheme specifiers *http://* and *https://* at the start of a web URI refer to Hypertext Transfer Protocol or HTTP Secure, respectively. They specify the communication protocol to use for the request and response. The HTTP protocol is fundamental to the operation of the World Wide Web, and the added encryption layer in HTTPS is essential when browsers send or retrieve confidential data, such as passwords or banking information. Web browsers usually automatically prepend http:// to user-entered URIs, if omitted.

Pages

[edit]
Main article: Web page

A screenshot of the home page of Wikimedia Commons

A *web page* (also written as *webpage*) is a document that is suitable for the World Wide Web and web browsers. A web browser displays a web page on a monitor or mobile device.

The term *web page* usually refers to what is visible, but may also refer to the contents of the computer file itself, which is usually a text file containing hypertext written in HTML or a comparable markup language. Typical web pages provide hypertext for browsing to other web pages via hyperlinks, often referred to as *links*. Web browsers will frequently have to access multiple web resource elements, such as reading style sheets, scripts, and images, while presenting each web page.

On a network, a web browser can retrieve a web page from a remote web server. The web server may restrict access to a private network such as a corporate intranet. The web browser uses the Hypertext Transfer Protocol (HTTP) to make such requests to the web server.

A *static* web page is delivered exactly as stored, as web content in the web server's file system. In contrast, a *dynamic* web page is generated by a web application, usually driven by server-side software. Dynamic web pages are used when each user may require completely different information, for example, bank websites, web email etc.

Static page

[edit]
Main article: Static web page

A *static web page* (sometimes called a *flat page/stationary page*) is a web page that is delivered to the user exactly as stored, in contrast to dynamic web pages which are generated by a web application.

Consequently, a static web page displays the same information for all users, from all contexts, subject to modern capabilities of a web server to negotiate content-type or language of the document where such versions are available and the server is configured to do so.

Dynamic pages

[edit]
Main articles: Dynamic web page and Ajax (programming)

Image not found or type unknown

Dynamic web page: example of server-side scripting (PHP and MySQL)

A *server-side dynamic web page* is a web page whose construction is controlled by an application server processing server-side scripts. In server-side scripting, parameters determine how the assembly of every new web page proceeds, including the setting up of more client-side processing.

A *client-side dynamic web page* processes the web page using JavaScript running in the browser. JavaScript programs can interact with the document via Document Object Model, or DOM, to query page state and alter it. The same client-side techniques can then dynamically update or change the DOM in the same way.

A dynamic web page is then reloaded by the user or by a computer program to change some variable content. The updating information could come from the server, or from changes made to that page's DOM. This may or may not truncate the browsing history or create a saved version to go back to, but a *dynamic web page update* using Ajax technologies will neither create a page to go back to nor truncate the web browsing history forward of the displayed page. Using Ajax technologies the end user gets *one dynamic page* managed as a single page in the web browser while the actual web content rendered on that page can vary. The Ajax engine sits only on the browser requesting parts of its DOM, *the* DOM, for its client, from an application server.

Dynamic HTML, or DHTML, is the umbrella term for technologies and methods used to create web pages that are not static web pages, though it has fallen out of common use since the popularization of AJAX, a term which is now itself rarely used.[*citation needed*] Client-side-scripting, server-side scripting, or a combination of these make for the dynamic web experience in a browser.

JavaScript is a scripting language that was initially developed in 1995 by Brendan Eich, then of Netscape, for use within web pages.[48] The standardised version is ECMAScript.[48] To make web pages more interactive, some web applications also use JavaScript techniques such as Ajax (asynchronous JavaScript and XML). Client-side script is delivered with the page that can make additional HTTP requests to the server, either in response to user actions such as mouse movements or clicks, or based on elapsed time. The server's responses are used to modify the current page rather than creating a new page with each response, so the server needs only to provide limited, incremental information. Multiple Ajax requests can be handled at the same time, and users can interact with the page while data is retrieved. Web pages may also regularly poll the server to check whether new information is available.[49]

Website

[edit]

Image not found or type unknown

The usap.gov website

Main article: Website

A *website*[50] is a collection of related web resources including web pages, multimedia content, typically identified with a common domain name, and published on at least one web server. Notable examples are wikipedia.org, google.com, and amazon.com.

A website may be accessible via a public Internet Protocol (IP) network, such as the Internet, or a private local area network (LAN), by referencing a uniform resource locator (URL) that identifies the site.

Websites can have many functions and can be used in various fashions; a website can be a personal website, a corporate website for a company, a government website, an organization website, etc. Websites are typically dedicated to a particular topic or purpose, ranging from entertainment and social networking to providing news and education. All publicly accessible websites collectively constitute the World Wide Web, while private websites, such as a company's website for its employees, are typically a part of an intranet.

Web pages, which are the building blocks of websites, are documents, typically composed in plain text interspersed with formatting instructions of Hypertext Markup Language (HTML, XHTML). They may incorporate elements from other websites with suitable markup anchors. Web pages are accessed and transported with the Hypertext Transfer Protocol (HTTP), which may optionally employ encryption (HTTP Secure, HTTPS) to provide security and privacy for the user. The user's application, often a web browser, renders the page content according to its HTML markup instructions onto a display terminal.

Hyperlinking between web pages conveys to the reader the site structure and guides the navigation of the site, which often starts with a home page containing a directory of the site web content. Some websites require user registration or subscription to access content. Examples of subscription websites include many business sites, news websites, academic journal websites, gaming websites, file-sharing websites, message boards, web-based email, social networking websites, websites providing real-time price quotations for different types of markets, as well as sites providing various other services. End users can access websites on a range of devices, including desktop and laptop computers, tablet computers, smartphones and smart TVs.

Browser

[edit]
Main article: Web browser

A *web browser* (commonly referred to as a *browser*) is a software user agent for accessing information on the World Wide Web. To connect to a website's server and display its pages, a

user needs to have a web browser program. This is the program that the user runs to download, format, and display a web page on the user's computer.

In addition to allowing users to find, display, and move between web pages, a web browser will usually have features like keeping bookmarks, recording history, managing cookies (see below), and home pages and may have facilities for recording passwords for logging into websites.

The most popular browsers are Chrome, Safari, Edge, Samsung Internet and Firefox.[51]

Server

[edit]
Main article: Web server

The inside and front of a Dell PowerEdge web server, a computer designed for rack mounting

A *Web server* is server software, or hardware dedicated to running said software, that can satisfy World Wide Web client requests. A web server can, in general, contain one or more websites. A web server processes incoming network requests over HTTP and several other related protocols.

The primary function of a web server is to store, process and deliver web pages to clients.[52] The communication between client and server takes place using the Hypertext Transfer Protocol (HTTP). Pages delivered are most frequently HTML documents, which may include images, style sheets and scripts in addition to the text content.

Multiple web servers may be used for a high traffic website; here, Dell servers are installed together to be used for the Wikimedia Foundation.

A user agent, commonly a web browser or web crawler, initiates communication by making a request for a specific resource using HTTP and the server responds with the content of that resource or an error message if unable to do so. The resource is typically a real file on the server's secondary storage, but this is not necessarily the case and depends on how the webserver is implemented.

While the primary function is to serve content, full implementation of HTTP also includes ways of receiving content from clients. This feature is used for submitting web forms, including uploading of files.

Many generic web servers also support server-side scripting using Active Server Pages (ASP), PHP (Hypertext Preprocessor), or other scripting languages. This means that the behaviour of the webserver can be scripted in separate files, while the actual server software remains unchanged. Usually, this function is used to generate HTML documents dynamically ("on-the-fly") as opposed to returning static documents. The former is primarily used for retrieving or modifying information from databases. The latter is typically much faster and more easily cached but cannot deliver dynamic content.

Web servers can also frequently be found embedded in devices such as printers, routers, webcams and serving only a local network. The web server may then be used as a part of a system for monitoring or administering the device in question. This usually means that no additional software has to be installed on the client computer since only a web browser is required (which now is included with most operating systems).

Optical Networking

[edit]

Optical networking is a sophisticated infrastructure that utilizes optical fiber to transmit data over long distances, connecting countries, cities, and even private residences. The technology uses optical microsystems like tunable lasers, filters, attenuators, switches, and wavelength-selective switches to manage and operate these networks.[53][54]

The large quantity of optical fiber installed throughout the world at the end of the twentieth century set the foundation of the Internet as it's used today. The information highway relies heavily on optical networking, a method of sending messages encoded in light to relay information in various telecommunication networks.[55]

The Advanced Research Projects Agency Network (ARPANET) was one of the first iterations of the Internet, created in collaboration with universities and researchers 1969.[56][57][58][59] However, access to the ARPANET was limited to researchers, and in 1985, the National

Science Foundation founded the National Science Foundation Network (NSFNET), a program that provided supercomputer access to researchers.[59]

Limited public access to the Internet led to pressure from consumers and corporations to privatize the network. In 1993, the US passed the National Information Infrastructure Act, which dictated that the National Science Foundation must hand over control of the optical capabilities to commercial operators.[60][61]

The privatization of the Internet and the release of the World Wide Web to the public in 1993 led to an increased demand for Internet capabilities. This spurred developers to seek solutions to reduce the time and cost of laying new fiber and increase the amount of information that can be sent on a single fiber, in order to meet the growing needs of the public.[62][63][64][65]

In 1994, Pirelli S.p.A.'s optical components division introduced a wavelength-division multiplexing (WDM) system to meet growing demand for increased data transmission. This four-channel WDM technology allowed more information to be sent simultaneously over a single optical fiber, effectively boosting network capacity.[66][67]

Pirelli wasn't the only company that developed a WDM system; another company, the Ciena Corporation (Ciena), created its own technology to transmit data more efficiently. David Huber, an optical networking engineer and entrepreneur Kevin Kimberlin founded Ciena in 1992.[68][69][70] Drawing on laser technology from Gordon Gould and William Culver of Optelecom, Inc., the company focused on utilizing optical amplifiers to transmit data via light.[71][72][73] Under chief executive officer Pat Nettles, Ciena developed a dual-stage optical amplifier for dense wavelength-division multiplexing (DWDM), patented in 1997 and deployed on the Sprint network in 1996.[74][75][76][77][78]

Cookie

[edit]
Main article: HTTP cookie

An *HTTP cookie* (also called *web cookie*, *Internet cookie*, *browser cookie*, or simply *cookie*) is a small piece of data sent from a website and stored on the user's computer by the user's web browser while the user is browsing. Cookies were designed to be a reliable mechanism for websites to remember stateful information (such as items added in the shopping cart in an online store) or to record the user's browsing activity (including clicking particular buttons, logging in, or recording which pages were visited in the past). They can also be used to remember arbitrary pieces of information that the user previously entered into form fields such as names, addresses, passwords, and credit card numbers.

Cookies perform essential functions in the modern web. Perhaps most importantly, *authentication cookies* are the most common method used by web servers to know whether the user is logged in or not, and which account they are logged in with. Without such a

mechanism, the site would not know whether to send a page containing sensitive information or require the user to authenticate themselves by logging in. The security of an authentication cookie generally depends on the security of the issuing website and the user's web browser, and on whether the cookie data is encrypted. Security vulnerabilities may allow a cookie's data to be read by a hacker, used to gain access to user data, or used to gain access (with the user's credentials) to the website to which the cookie belongs (see cross-site scripting and cross-site request forgery for examples).[79]

Tracking cookies, and especially third-party tracking cookies, are commonly used as ways to compile long-term records of individuals' browsing histories – a potential privacy concern that prompted European[80] and U.S. lawmakers to take action in 2011.[81][82] European law requires that all websites targeting European Union member states gain "informed consent" from users before storing non-essential cookies on their device.

Google Project Zero researcher Jann Horn describes ways cookies can be read by intermediaries, like Wi-Fi hotspot providers. When in such circumstances, he recommends using the browser in private browsing mode (widely known as Incognito mode in Google Chrome).[83]

Search engine

[edit]
Main article: Search engine

The results of a search for the term "lunar eclipse" in a web-based image search engine

A *web search engine* or *Internet search engine* is a software system that is designed to carry out *web search* (*Internet search*), which means to search the World Wide Web in a systematic way for particular information specified in a web search query. The search results are generally presented in a line of results, often referred to as search engine results pages (SERPs). The information may be a mix of web pages, images, videos, infographics, articles, research papers, and other types of files. Some search engines also mine data available in databases or open directories. Unlike web directories, which are maintained only by human

editors, search engines also maintain real-time information by running an algorithm on a web crawler. Internet content that is not capable of being searched by a web search engine is generally described as the deep web.

In 1990, Archie, the world's first search engine, was released. The technology was originally an index of File Transfer Protocol (FTP) sites, which was a method for moving files between a client and a server network.[84][85] This early search tool was superseded by more advanced engines like Yahoo! in 1995 and Google in 1998.[86][87]

Deep web

[edit]

Deep web diagram

Deep web vs surface web

Surface Web & Deep Web
Main article: Deep web

The deep web,[88] *invisible web*,[89] or *hidden web*[90] are parts of the World Wide Web whose contents are not indexed by standard web search engines. The opposite term to the deep web is the surface web, which is accessible to anyone using the Internet.[91] Computer scientist Michael K. Bergman is credited with coining the term *deep web* in 2001 as a search

indexing term.[92]

The content of the deep web is hidden behind HTTP forms,[93][94] and includes many very common uses such as web mail, online banking, and services that users must pay for, and which is protected by a paywall, such as video on demand, some online magazines and newspapers, among others.

The content of the deep web can be located and accessed by a direct URL or IP address and may require a password or other security access past the public website page.

Caching

[edit]

A web cache is a server computer located either on the public Internet or within an enterprise that stores recently accessed web pages to improve response time for users when the same content is requested within a certain time after the original request. Most web browsers also implement a browser cache by writing recently obtained data to a local data storage device. HTTP requests by a browser may ask only for data that has changed since the last access. Web pages and resources may contain expiration information to control caching to secure sensitive data, such as in online banking, or to facilitate frequently updated sites, such as news media. Even sites with highly dynamic content may permit basic resources to be refreshed only occasionally. Web site designers find it worthwhile to collate resources such as CSS data and JavaScript into a few site-wide files so that they can be cached efficiently. Enterprise firewalls often cache Web resources requested by one user for the benefit of many users. Some search engines store cached content of frequently accessed websites.

Security

[edit]

For criminals, the Web has become a venue to spread malware and engage in a range of cybercrime, including (but not limited to) identity theft, fraud, espionage, and intelligence gathering.[95] Web-based vulnerabilities now outnumber traditional computer security concerns,[96][97] and as measured by Google, about one in ten web pages may contain malicious code.[98] Most web-based attacks take place on legitimate websites, and most, as measured by Sophos, are hosted in the United States, China and Russia.[99] The most common of all malware threats is SQL injection attacks against websites.[100] Through HTML and URIs, the Web was vulnerable to attacks like cross-site scripting (XSS) that came with the introduction of JavaScript[101] and were exacerbated to some degree by Web 2.0 and Ajax web design that favours the use of scripts.[102] In one 2007 estimate, 70% of all websites are open to XSS attacks on their users.[103] Phishing is another common threat to the Web. In February 2013, RSA (the security division of EMC) estimated the global losses from phishing at $1.5 billion in 2012.[104] Two of the well-known phishing methods are Covert Redirect and

Open Redirect.

Proposed solutions vary. Large security companies like McAfee already design governance and compliance suites to meet post-9/11 regulations,[105] and some, like Finjan Holdings have recommended active real-time inspection of programming code and all content regardless of its source.[95] Some have argued that for enterprises to see Web security as a business opportunity rather than a cost centre,[106] while others call for "ubiquitous, always-on digital rights management" enforced in the infrastructure to replace the hundreds of companies that secure data and networks.[107] Jonathan Zittrain has said users sharing responsibility for computing safety is far preferable to locking down the Internet.[108]

Privacy

[edit]
Main article: Internet privacy

Every time a client requests a web page, the server can identify the request's IP address. Web servers usually log IP addresses in a log file. Also, unless set not to do so, most web browsers record requested web pages in a viewable *history* feature, and usually cache much of the content locally. Unless the server-browser communication uses HTTPS encryption, web requests and responses travel in plain text across the Internet and can be viewed, recorded, and cached by intermediate systems. Another way to hide personally identifiable information is by using a virtual private network. A VPN encrypts traffic between the client and VPN server, and masks the original IP address, lowering the chance of user identification.

When a web page asks for, and the user supplies, personally identifiable information—such as their real name, address, e-mail address, etc. web-based entities can associate current web traffic with that individual. If the website uses HTTP cookies, username, and password authentication, or other tracking techniques, it can relate other web visits, before and after, to the identifiable information provided. In this way, a web-based organization can develop and build a profile of the individual people who use its site or sites. It may be able to build a record for an individual that includes information about their leisure activities, their shopping interests, their profession, and other aspects of their demographic profile. These profiles are of potential interest to marketers, advertisers, and others. Depending on the website's terms and conditions and the local laws that apply information from these profiles may be sold, shared, or passed to other organizations without the user being informed. For many ordinary people, this means little more than some unexpected emails in their inbox or some uncannily relevant advertising on a future web page. For others, it can mean that time spent indulging an unusual interest can result in a deluge of further targeted marketing that may be unwelcome. Law enforcement, counterterrorism, and espionage agencies can also identify, target, and track individuals based on their interests or proclivities on the Web.

Social networking sites usually try to get users to use their real names, interests, and locations, rather than pseudonyms, as their executives believe that this makes the social

networking experience more engaging for users. On the other hand, uploaded photographs or unguarded statements can be identified to an individual, who may regret this exposure. Employers, schools, parents, and other relatives may be influenced by aspects of social networking profiles, such as text posts or digital photos, that the posting individual did not intend for these audiences. Online bullies may make use of personal information to harass or stalk users. Modern social networking websites allow fine-grained control of the privacy settings for each posting, but these can be complex and not easy to find or use, especially for beginners.[109] Photographs and videos posted onto websites have caused particular problems, as they can add a person's face to an online profile. With modern and potential facial recognition technology, it may then be possible to relate that face with other, previously anonymous, images, events, and scenarios that have been imaged elsewhere. Due to image caching, mirroring, and copying, it is difficult to remove an image from the World Wide Web.

Standards

[edit]
Main article: Web standards

Web standards include many interdependent standards and specifications, some of which govern aspects of the Internet, not just the World Wide Web. Even when not web-focused, such standards directly or indirectly affect the development and administration of websites and web services. Considerations include the interoperability, accessibility and usability of web pages and web sites.

Web standards, in the broader sense, consist of the following:

- *Recommendations* published by the World Wide Web Consortium (W3C)[110]
- "Living Standard" made by the Web Hypertext Application Technology Working Group (WHATWG)
- *Request for Comments* (RFC) documents published by the Internet Engineering Task Force (IETF)[111]
- *Standards* published by the International Organization for Standardization (ISO)[112]
- *Standards* published by Ecma International (formerly ECMA)[113]
- The *Unicode* Standard and various *Unicode Technical Reports* (UTRs) published by the Unicode Consortium[114]
- Name and number registries maintained by the Internet Assigned Numbers Authority (IANA)[115]

Web standards are not fixed sets of rules but are constantly evolving sets of finalized technical specifications of web technologies.[116] Web standards are developed by standards organizations—groups of interested and often competing parties chartered with the task of standardization—not technologies developed and declared to be a standard by a single individual or company. It is crucial to distinguish those specifications that are under development from the ones that already reached the final development status (in the case of

W3C specifications, the highest maturity level).

Accessibility

[edit]
Main article: Web accessibility

There are methods for accessing the Web in alternative mediums and formats to facilitate use by individuals with disabilities. These disabilities may be visual, auditory, physical, speech-related, cognitive, neurological, or some combination. Accessibility features also help people with temporary disabilities, like a broken arm, or ageing users as their abilities change.[117] The Web is receiving information as well as providing information and interacting with society. The World Wide Web Consortium claims that it is essential that the Web be accessible, so it can provide equal access and equal opportunity to people with disabilities.[118] Tim Berners-Lee once noted, "The power of the Web is in its universality. Access by everyone regardless of disability is an essential aspect."[117] Many countries regulate web accessibility as a requirement for websites.[119] International co-operation in the W3C Web Accessibility Initiative led to simple guidelines that web content authors as well as software developers can use to make the Web accessible to persons who may or may not be using assistive technology.[117][120]

Internationalisation

[edit]

A global map of the Web Index for countries in 2014

The W3C Internationalisation Activity assures that web technology works in all languages, scripts, and cultures.[121] Beginning in 2004 or 2005, Unicode gained ground and eventually in December 2007 surpassed both ASCII and Western European as the Web's most frequently used character map.[122] Originally RFC 3986 allowed resources to be identified by URI in a subset of US-ASCII.

RFC 3987 allows more characters—any character in the Universal Character Set—and now a resource can be identified by IRI in any language.[123]

See also

[edit]

- icon Engineering portal
- icon Internet portal
- World portal

- Decentralized web
- Electronic publishing
- Gopher (protocol), an early alternative to the WWW
- Internet metaphors
- Internet security
- Lists of websites
- Minitel, a predecessor of the WWW
- Streaming media
- Web 1.0
- Web 2.0
- Web 3.0
- Web3
- Web3D
- Web development tools
- Web literacy

References

[edit]

1. ^ Wright, Edmund, ed. (2006). The Desk Encyclopedia of World History. New York: Oxford University Press. p. 312. ISBN 978-0-7394-7809-7.
2. ^ a b c "What is the difference between the Web and the Internet?". W3C Help and FAQ. W3C. 2009. Archived from the original on 9 July 2015. Retrieved 16 July 2015.
3. ^ "World Wide Web (WWW) launches in the public domain | April 30, 1993". HISTORY. Retrieved 21 January 2025.
4. ^ a b c Berners-Lee, Tim. "Information Management: A Proposal". w3.org. The World Wide Web Consortium. Archived from the original on 1 April 2010. Retrieved 12 February 2022.
5. ^ "The World's First Web Site". HISTORY. 30 August 2018. Archived from the original on 19 August 2023. Retrieved 19 August 2023.
6. ^ Bleigh, Michael (16 May 2014). "The Once And Future Web Platform". TechCrunch. Archived from the original on 5 December 2021. Retrieved 9 March 2022.
7. ^ "World Wide Web Timeline". Pews Research Center. 11 March 2014. Archived from the original on 29 July 2015. Retrieved 1 August 2015.

8. ^ Dewey, Caitlin (12 March 2014). *"36 Ways The Web Has Changed Us"*. The Washington Post. Archived from the original on 9 September 2015. Retrieved 1 August 2015.

9. ^ *a b* *"Internet Live Stats"*. internetlivestats.com. Archived from the original on 2 July 2015. Retrieved 1 August 2015.

10. ^ *a b* Quittner, Joshua (29 March 1999). *"Network Designer Tim Berners-Lee"*. Time Magazine. Archived from the original on 15 August 2007. Retrieved 17 May 2010. "He wove the World Wide Web and created a mass medium for the 21st century. The World Wide Web is Berners-Lee's alone. He designed it. He set it loose it on the world. And he more than anyone else has fought to keep it an open, non-proprietary and free."[*page needed*]

11. ^ *a b* McPherson, Stephanie Sammartino (2009). *Tim Berners-Lee: Inventor of the World Wide Web*. Twenty-First Century Books. ISBN 978-0-8225-7273-2.

12. ^ Rutter, Dorian (2005). *From Diversity to Convergence: British Computer Networks and the Internet, 1970-1995* (PDF) (Computer Science thesis). The University of Warwick. Archived (PDF) from the original on 10 October 2022. Retrieved 27 December 2022.

13. ^ Tim Berners-Lee (1999). *Weaving the Web*. Internet Archive. HarperSanFrancisco. pp. 5–6. ISBN 978-0-06-251586-5.

14. ^ Berners-Lee, T.; Cailliau, R.; Groff, J.-F.; Pollermann, B. (1992). *"World-Wide Web: The Information Universe"*. Electron. Netw. Res. Appl. Policy. **2**: 52–58. doi:10.1108/eb047254. ISSN 1066-2243. Archived from the original on 27 December 2022. Retrieved 27 December 2022.

15. ^ W3 (1991) Re: Qualifiers on Hypertext links Archived 7 December 2021 at the Wayback Machine

16. ^ Hopgood, Bob. *"History of the Web"*. w3.org. The World Wide Web Consortium. Archived from the original on 21 March 2022. Retrieved 12 February 2022.

17. ^ *"A short history of the Web"*. CERN. Archived from the original on 17 April 2022. Retrieved 15 April 2022.

18. ^ *"Software release of WWW into public domain"*. CERN Document Server. CERN. 30 January 1993. Archived from the original on 17 February 2022. Retrieved 17 February 2022.

19. ^ *"Ten Years Public Domain for the Original Web Software"*. Tenyears-www.web.cern.ch. 30 April 2003. Archived from the original on 13 August 2009. Retrieved 27 July 2009.

20. ^ Calore, Michael (22 April 2010). *"April 22, 1993: Mosaic Browser Lights Up Web With Color, Creativity"*. Wired. Archived from the original on 24 April 2018. Retrieved 12 February 2022.

21. ^ Couldry, Nick (2012). *Media, Society, World: Social Theory and Digital Media Practice*. London: Polity Press. p. 2. ISBN 9780745639208. Archived from the original on 27 February 2024. Retrieved 11 December 2020.

22. ^ Hoffman, Jay (21 April 1993). *"The Origin of the IMG Tag"*. The History of the Web. Archived from the original on 13 February 2022. Retrieved 13 February 2022.

23. ^ Clarke, Roger. *"The Birth of Web Commerce"*. Roger Clarke's Web-Site. XAMAX. Archived from the original on 15 February 2022. Retrieved 15 February 2022.

24. ^ McCullough, Brian. *"20 YEARS ON: WHY NETSCAPE'S IPO WAS THE "BIG BANG" OF THE INTERNET ERA"*. www.internethistorypodcast.com. INTERNET HISTORY

PODCAST. *Archived* from the original on 12 February 2022. Retrieved 12 February 2022.

25. ^ Calore, Michael (28 September 2009). *"Sept. 28, 1998: Internet Explorer Leaves Netscape in Its Wake"*. Wired. *Archived* from the original on 30 November 2021. Retrieved 14 February 2022.

26. ^ Daly, Janet (26 January 2000). *"World Wide Web Consortium Issues XHTML 1.0 as a Recommendation"*. W3C. *Archived* from the original on 20 June 2021. Retrieved 8 March 2022.

27. ^ Hickson, Ian. *"WHAT open mailing list announcement"*. whatwg.org. WHATWG. *Archived* from the original on 8 March 2022. Retrieved 16 February 2022.

28. ^ Shankland, Stephen (9 July 2009). *"An epitaph for the Web standard, XHTML 2"*. CNet. *Archived* from the original on 16 February 2022. Retrieved 17 February 2022.

29. ^ *"Memorandum of Understanding Between W3C and WHATWG"*. W3C. *Archived* from the original on 29 May 2019. Retrieved 16 February 2022.

30. ^ In, Lee (30 June 2012). *Electronic Commerce Management for Business Activities and Global Enterprises: Competitive Advantages: Competitive Advantages*. IGI Global. *ISBN 978-1-4666-1801-5*. *Archived* from the original on 21 April 2024. Retrieved 27 September 2020.

31. ^ Misiroglu, Gina (26 March 2015). *American Countercultures: An Encyclopedia of Nonconformists, Alternative Lifestyles, and Radical Ideas in U.S. History: An Encyclopedia of Nonconformists, Alternative Lifestyles, and Radical Ideas in U.S. History*. Routledge. *ISBN 978-1-317-47729-7*. *Archived* from the original on 21 April 2024. Retrieved 27 September 2020.

32. ^ *"World Wide Web Timeline"*. Pew Research Center. 11 March 2014. *Archived* from the original on 29 July 2015. Retrieved 1 August 2015.

33. ^ *"Frequently asked questions - Spelling of WWW"*. W3C. *Archived* from the original on 2 August 2009. Retrieved 27 July 2009.

34. ^ Castelluccio, Michael (1 October 2010). *"It's not your grandfather's Internet"*. Strategic Finance. Institute of Management Accountants. *Archived* from the original on 5 March 2016. Retrieved 7 February 2016 – via The Free Library.

35. ^ *"Audible pronunciation of 'WWW'"*. Oxford University Press. Archived from *the original* on 25 May 2014. Retrieved 25 May 2014.

36. ^ Harvey, Charlie (18 August 2015). *"How we pronounce WWW in English: a detailed but unscientific survey"*. charlieharvey.org.uk. *Archived* from the original on 19 November 2022. Retrieved 19 May 2022.

37. ^ *"Stephen Fry's pronunciation of 'WWW'"*. Podcasts.com. Archived from *the original* on 4 April 2017.

38. ^ Simonite, Tom (22 July 2008). *"Help us find a better way to pronounce www"*. newscientist.com. New Scientist, Technology. *Archived* from the original on 13 March 2016. Retrieved 7 February 2016.

39. ^ Muylle, Steve; Moenaert, Rudy; Despont, Marc (1999). "A grounded theory of World Wide Web search behaviour". Journal of Marketing Communications. **5** (3): 143. *doi: 10.1080/135272699345644*.

40. ^ Flanagan, David. JavaScript – The definitive guide (6 ed.). p. 1. "JavaScript is part of the triad of technologies that all Web developers must learn: HTML to specify the content

of web pages, CSS to specify the presentation of web pages, and JavaScript to specify the behaviour of web pages."

41. ^ *"HTML 4.0 Specification – W3C Recommendation – Conformance: requirements and recommendations"*. World Wide Web Consortium. 18 December 1997. *Archived* from the original on 5 July 2015. Retrieved 6 July 2015.

42. ^ *Berners-Lee, Tim; Cailliau, Robert (12 November 1990). "WorldWideWeb: Proposal for a HyperText Project"*. *Archived* from the original on 2 May 2015. Retrieved 12 May 2015.

43. ^ *Berners-Lee, Tim. "Frequently asked questions by the Press"*. W3C. *Archived* from the original on 2 August 2009. Retrieved 27 July 2009.

44. ^ *Palazzi, P (2011). "The Early Days of the WWW at CERN"*. Archived from *the original* on 23 July 2012.

45. ^ *Fraser, Dominic (13 May 2018). "Why a domain's root can't be a CNAME – and other tidbits about the DNS"*. FreeCodeCamp. *Archived* from the original on 21 April 2024. Retrieved 12 March 2019.

46. ^ *"automatically adding www.___.com"*. mozillaZine. 16 May 2003. *Archived* from the original on 27 June 2009. Retrieved 27 May 2009.

47. ^ *Masnick, Mike (7 July 2008). "Microsoft Patents Adding 'www.' And '.com' To Text"*. Techdirt. *Archived* from the original on 27 June 2009. Retrieved 27 May 2009.

48. ^ ***a b*** *Hamilton, Naomi (31 July 2008). "The A-Z of Programming Languages: JavaScript"*. Computerworld. IDG. *Archived* from the original on 24 May 2009. Retrieved 12 May 2009 .

49. ^ *Buntin, Seth (23 September 2008). "jQuery Polling plugin"*. Archived from *the original* on 13 August 2009. Retrieved 22 August 2009.

50. ^ *"website". TheFreeDictionary.com*. *Archived* from the original on 7 May 2018. Retrieved 2 July 2011.

51. ^ *www.similarweb.com https://www.similarweb.com/browsers/. Retrieved 15 February 2025*. cite web: Missing or empty |title= (help)

52. ^ *Patrick, Killelea (2002). Web performance tuning (2nd ed.). Beijing: O'Reilly. p. 264. ISBN 978-0596001728. OCLC 49502686*.

53. ^ *Liu, Xiang (20 December 2019). "Evolution of Fiber-Optic Transmission and Networking toward the 5G Era". iScience*. **22**: 489–506. Bibcode:2019iSci...22..489L. doi: 10.1016/j.isci.2019.11.026. ISSN 2589-0042. PMC 6920305. PMID 31838439.

54. ^ *Marom, Dan M. (1 January 2008), Gianchandani, Yogesh B.; Tabata, Osamu; Zappe, Hans (eds.), "3.07 - Optical Communications", Comprehensive Microsystems, Oxford: Elsevier, pp. 219–265, doi:10.1016/b978-044452190-3.00035-5, ISBN 978-0-444-52190-3, retrieved 17 January 2025*

55. ^ *Chadha, Devi (2019). Optical WDM networks: from static to elastic networks. Hoboken, NJ: Wiley-IEEE Press. ISBN 978-1-119-39326-9*.

56. ^ *"The Computer History Museum, SRI International, and BBN Celebrate the 40th Anniversary of First ARPANET Transmission, Precursor to Today's Internet | SRI International"*. 29 March 2019. Archived from *the original* on 29 March 2019. Retrieved 21 January 2025.

57. ^ *Markoff, John (24 January 1993). "Building the Electronic Superhighway". The New York Times. ISSN 0362-4331. Retrieved 21 January 2025*.

58. ^ *Abbate, Janet (2000). Inventing the Internet. Inside technology (3rd printing ed.). Cambridge, Mass.: MIT Press. ISBN 978-0-262-51115-5.*

59. ^ *a b www.merit.edu http://web.archive.org/web/20241106150721/https://www.merit.edu/wp-content/uploads/2019/06/NSFNET_final-1.pdf. Archived from the original (PDF) on 6 November 2024. Retrieved 21 January 2025.* cite web: Missing or empty |title= (help)

60. ^ *Rep. Boucher, Rick [D-VA-9 (14 September 1993). "H.R.1757 - 103rd Congress (1993-1994): National Information Infrastructure Act of 1993". www.congress.gov. Retrieved 23 January 2025.*cite web: CS1 maint: numeric names: authors list (link)

61. ^ *"NSF Shapes the Internet's Evolution | NSF - National Science Foundation". new.nsf.gov. 25 July 2003. Retrieved 23 January 2025.*

62. ^ *Radu, Roxana (7 March 2019), Radu, Roxana (ed.), "Privatization and Globalization of the Internet", Negotiating Internet Governance, Oxford University Press, pp. 75–112, doi:10.1093/oso/9780198833079.003.0004, ISBN 978-0-19-883307-9, retrieved 23 January 2025*

63. ^ *"Birth of the Commercial Internet - NSF Impacts | NSF - National Science Foundation". new.nsf.gov. Retrieved 23 January 2025.*

64. ^ *Markoff, John (3 March 1997). "Fiber-Optic Technology Draws Record Stock Value". The New York Times. ISSN 0362-4331. Retrieved 23 January 2025.*

65. ^ Paul Korzeniowski, "Record Growth Spurs Demand for Dense WDM -- Infrastructure Bandwidth Gears up for next Wave," CommunicationsWeek, no. 666 (June 2, 1997): T.40.

66. ^ *Hecht, Jeff (1999). City of light: the story of fiber optics. The Sloan technology series. New York: Oxford University Press. ISBN 978-0-19-510818-7.*

67. ^ *"Cisco to Acquire Pirelli DWDM Unit for $2.15 Billion". www.fiberopticsonline.com. Retrieved 31 January 2025.*

68. ^ Hirsch, Stacey (February 2, 2006). "Huber steps down as CEO of Broadwing". The Baltimore Sun.

69. ^ *"Dr. David Huber". History of the Internet. Retrieved 3 February 2025.*

70. ^ *"Internet Commercialization History". History of the Internet. Retrieved 3 February 2025.*

71. ^ *"May 17, 1993, page 76 - The Baltimore Sun at Baltimore Sun". Newspapers.com. Retrieved 3 February 2025.*

72. ^ Hall, Carla. "Inventor Beams over Laser PatentsÃƒÂ¢Ã¢â€šÂ¬Ã‚Â¯: After 30 Years, Gordon Gould Gets Credit He Deserves." Los Angeles Times, Los Angeles Times, 17 Dec. 1987.

73. ^ *Chang, Kenneth (20 September 2005). "Gordon Gould, 85, Figure in Invention of the Laser, Dies". The New York Times. ISSN 0362-4331. Retrieved 3 February 2025.*

74. ^ *Carroll, Jim (12 December 2024). "Patrick Nettles Steps Down as Executive Chair of Ciena". Converge Digest. Retrieved 3 February 2025.*

75. ^ US5696615A, Alexander, Stephen B., "Wavelength division multiplexed optical communication systems employing uniform gain optical amplifiers", issued 1997-12-09

76. ^ *Hecht, Jeff (2004). City of light: the story of fiber optics. The Sloan technology series (Rev. and expanded ed., 1. paperback [ed.] ed.). Oxford: Oxford Univ. Press. ISBN 978-*

    0-19-510818-7.

77. ^ *"Optica Publishing Group". opg.optica.org. Retrieved 3 February 2025.*
78. ^ *"Sprint boots some users off 'Net - ProQuest". www.proquest.com. ProQuest 215944575. Retrieved 3 February 2025.*
79. ^ *Vamosi, Robert (14 April 2008). "Gmail cookie stolen via Google Spreadsheets". News.cnet.com. Archived from the original on 9 December 2013. Retrieved 19 October 2017.*
80. ^ *"What about the "EU Cookie Directive"?". WebCookies.org. 2013. Archived from the original on 11 October 2017. Retrieved 19 October 2017.*
81. ^ *"New net rules set to make cookies crumble". BBC. 8 March 2011. Archived from the original on 10 August 2018. Retrieved 18 February 2019.*
82. ^ *"Sen. Rockefeller: Get Ready for a Real Do-Not-Track Bill for Online Advertising". Adage.com. 6 May 2011. Archived from the original on 24 August 2011. Retrieved 18 February 2019.*
83. ^ Want to use my wifi? Archived 4 January 2018 at the Wayback Machine, Jann Horn accessed 5 January 2018.
84. ^ *Nguyen, Jennimai (10 September 2020). "Archie, the very first search engine, was released 30 years ago today". Mashable. Retrieved 4 February 2025.*
85. ^ *"What is File Transfer Protocol (FTP) meaning". Fortinet. Retrieved 4 February 2025.*
86. ^ *"Britannica Money". www.britannica.com. 4 February 2025. Retrieved 4 February 2025.*
87. ^ *Clark, Andrew (1 February 2008). "How Jerry's guide to the world wide web became Yahoo". The Guardian. ISSN 0261-3077. Retrieved 4 February 2025.*
88. ^ *Hamilton, Nigel (13 May 2024). "The Mechanics of a Deep Net Metasearch Engine". IADIS Digital Library: 1034–1036. ISBN 978-972-98947-0-1.*
89. ^ *Devine, Jane; Egger-Sider, Francine (July 2004). "Beyond google: the invisible web in the academic library". The Journal of Academic Librarianship. **30** (4): 265–269. doi: 10.1016/j.acalib.2004.04.010.*
90. ^ *Raghavan, Sriram; Garcia-Molina, Hector (11–14 September 2001). "Crawling the Hidden Web". 27th International Conference on Very Large Data Bases. Archived from the original on 17 August 2019. Retrieved 18 February 2019.*
91. ^ *"Surface Web". Computer Hope. Archived from the original on 5 May 2020. Retrieved 20 June 2018.*
92. ^ *Wright, Alex (22 February 2009). "Exploring a 'Deep Web' That Google Can't Grasp". The New York Times. Archived from the original on 1 March 2020. Retrieved 23 February 2009.*
93. ^ Madhavan, J., Ko, D., Kot, Ãƒâ€¦Ã‚â€¢., Ganapathy, V., Rasmussen, A., & Halevy, A. (2008). Google's deep web crawl. Proceedings of the VLDB Endowment, 1(2), 1241–52.
94. ^ *Shedden, Sam (8 June 2014). "How Do You Want Me to Do It? Does It Have to Look like an Accident? – an Assassin Selling a Hit on the Net; Revealed Inside the Deep Web". Sunday Mail. Archived from the original on 1 March 2020. Retrieved 5 May 2017.*
95. ^ ***a b*** *Ben-Itzhak, Yuval (18 April 2008). "Infosecurity 2008 – New defence strategy in battle against e-crime". ComputerWeekly. Reed Business Information. Archived from the original on 4 June 2008. Retrieved 20 April 2008.*

96. **^** *Christey, Steve & Martin, Robert A. (22 May 2007). "Vulnerability Type Distributions in CVE (version 1.1)". MITRE Corporation. Archived from the original on 17 March 2013. Retrieved 7 June 2008.*

97. **^** *"Symantec Internet Security Threat Report: Trends for July–December 2007 (Executive Summary)" (PDF). Symantec Internet Security Threat Report. XIII. Symantec Corp.: 1–2 April 2008. Archived from the original (PDF) on 25 June 2008. Retrieved 11 May 2008.*

98. **^** *"Google searches web's dark side". BBC News. 11 May 2007. Archived from the original on 7 March 2008. Retrieved 26 April 2008.*

99. **^** *"Security Threat Report (Q1 2008)" (PDF). Sophos. Archived (PDF) from the original on 31 December 2013. Retrieved 24 April 2008.*

100. **^** *"Security threat report" (PDF). Sophos. July 2008. Archived (PDF) from the original on 31 December 2013. Retrieved 24 August 2008.*

101. **^** *Jeremiah Grossman; Robert "RSnake" Hansen; Petko "pdp" D. Petkov; Anton Rager; Seth Fogie (2007). Cross Site Scripting Attacks: XSS Exploits and Defense (PDF). Syngress, Elsevier Science & Technology. pp. 68–69, 127. ISBN 978-1-59749-154-9. Archived (PDF) from the original on 15 November 2024. Retrieved 23 January 2025.*

102. **^** *O'Reilly, Tim (30 September 2005). "What Is Web 2.0". O'Reilly Media. pp. 4–5. Archived from the original on 28 June 2012. Retrieved 4 June 2008. and AJAX web applications can introduce security vulnerabilities like "client-side security controls, increased attack surfaces, and new possibilities for Cross-Site Scripting (XSS)", in Ritchie, Paul (March 2007). "The security risks of AJAX/web 2.0 applications" (PDF). Infosecurity. Archived from the original (PDF) on 25 June 2008. Retrieved 6 June 2008. which cites Hayre, Jaswinder S. & Kelath, Jayasankar (22 June 2006). "Ajax Security Basics". SecurityFocus. Archived from the original on 15 May 2008. Retrieved 6 June 2008.*

103. **^** *Berinato, Scott (1 January 2007). "Software Vulnerability Disclosure: The Chilling Effect". CSO. CXO Media. p. 7. Archived from the original on 18 April 2008. Retrieved 7 June 2008.*

104. **^** *"2012 Global Losses From phishing Estimated At $1.5 Bn". FirstPost. 20 February 2013. Archived from the original on 21 December 2014. Retrieved 25 January 2019.*

105. **^** *Prince, Brian (9 April 2008). "McAfee Governance, Risk and Compliance Business Unit". eWEEK. Ziff Davis Enterprise Holdings. Archived from the original on 21 April 2024. Retrieved 25 April 2008.*

106. **^** *Preston, Rob (12 April 2008). "Down To Business: It's Past Time To Elevate The Infosec Conversation". InformationWeek. United Business Media. Archived from the original on 14 April 2008. Retrieved 25 April 2008.*

107. **^** *Claburn, Thomas (6 February 2007). "RSA's Coviello Predicts Security Consolidation". InformationWeek. United Business Media. Archived from the original on 7 February 2009. Retrieved 25 April 2008.*

108. **^** *Duffy Marsan, Carolyn (9 April 2008). "How the iPhone is killing the 'Net". Network World. IDG. Archived from the original on 14 April 2008. Retrieved 17 April 2008.*

109. **^** *boyd, danah; Hargittai, Eszter (July 2010). "Facebook privacy settings: Who cares?". First Monday. 15 (8). doi:10.5210/fm.v15i8.3086.*

110. ^ *"W3C Technical Reports and Publications"*. W3C. *Archived* from the original on 15 July 2018. Retrieved 19 January 2009.
111. ^ *"IETF RFC page"*. IETF. Archived from *the original* on 2 February 2009. Retrieved 19 January 2009.
112. ^ *"Search for World Wide Web in ISO standards"*. ISO. *Archived* from the original on 4 March 2016. Retrieved 19 January 2009.
113. ^ *"Ecma formal publications"*. Ecma. *Archived* from the original on 27 December 2017. Retrieved 19 January 2009.
114. ^ *"Unicode Technical Reports"*. Unicode Consortium. *Archived* from the original on 2 January 2022. Retrieved 19 January 2009.
115. ^ *"IANA home page"*. IANA. *Archived* from the original on 24 February 2011. Retrieved 19 January 2009.
116. ^ Sikos, Leslie (2011). *Web standards – Mastering HTML5, CSS3, and XML. Apress. ISBN 978-1-4302-4041-9*. Archived from *the original* on 2 April 2015. Retrieved 12 March 2019.
117. ^ *a b c* *"Web Accessibility Initiative (WAI)"*. World Wide Web Consortium. Archived from *the original* on 2 April 2009. Retrieved 7 April 2009.
118. ^ *"Developing a Web Accessibility Business Case for Your Organization: Overview"*. World Wide Web Consortium. *Archived* from the original on 14 April 2009. Retrieved 7 April 2009.
119. ^ *"Legal and Policy Factors in Developing a Web Accessibility Business Case for Your Organization"*. World Wide Web Consortium. *Archived* from the original on 5 April 2009. Retrieved 7 April 2009.
120. ^ *"Web Content Accessibility Guidelines (WCAG) Overview"*. World Wide Web Consortium. *Archived* from the original on 1 April 2009. Retrieved 7 April 2009.
121. ^ *"Internationalization (I18n) Activity"*. World Wide Web Consortium. *Archived* from the original on 16 April 2009. Retrieved 10 April 2009.
122. ^ Davis, Mark (5 April 2008). *"Moving to Unicode 5.1"*. *Archived* from the original on 21 May 2009. Retrieved 10 April 2009.
123. ^ *"World Wide Web Consortium Supports the IETF URI Standard and IRI Proposed Standard"* (Press release). World Wide Web Consortium. 26 January 2005. *Archived* from the original on 7 February 2009. Retrieved 10 April 2009.

Further reading

[edit]

○ Berners-Lee, Tim; Bray, Tim; Connolly, Dan; Cotton, Paul; Fielding, Roy; Jeckle, Mario; Lilley, Chris; Mendelsohn, Noah; Orchard, David; Walsh, Norman; Williams, Stuart (15 December 2004). *"Architecture of the World Wide Web, Volume One"*. W3C. Version 20041215.
○ Berners-Lee, Tim (August 1996). *"The World Wide Web: Past, Present and Future"*. W3C.

- Brügger, Niels, ed, *Web25: Histories from the first 25 years of the World Wide Web* (Peter Lang, 2017).
- *Fielding, R.; Gettys, J.; Mogul, J.; Frystyk, H.; Masinter, L.; Leach, P.; Berners-Lee, T. (June 1999). "Hypertext Transfer Protocol – HTTP/1.1". Request For Comments 2616. Information Sciences Institute.*
- Niels Brügger, ed. *Web History* (2010) 362 pages; Historical perspective on the World Wide Web, including issues of culture, content, and preservation.
- *Polo, Luciano (2003). "World Wide Web Technology Architecture: A Conceptual Analysis". New Devices.*
- Skau, H.O. (March 1990). "The World Wide Web and Health Information". *New Devices.*

External links

[edit]

Image not found or type unknown

Wikimedia Commons has media related to ***World Wide Web***.

Image not found or type unknown

Wikibooks has a book on the topic of: ***Nets, Webs and the Information Infrastructure***

- The first website
- Early archive of the first Web site
- Internet Statistics: Growth and Usage of the Web and the Internet
- Living Internet A comprehensive history of the Internet, including the World Wide Web
- World Wide Web Consortium (W3C)
- W3C Recommendations Reduce "World Wide Wait"
- World Wide Web Size Daily estimated size of the World Wide Web
- Antonio A. Casilli, Some Elements for a Sociology of Online Interactions
- The ErdÃƒâ€¦Ã¢â‚¬Ëœs Webgraph Server Archived 1 March 2021 at the Wayback Machine offers weekly updated graph representation of a constantly increasing fraction of the WWW
- The 25th Anniversary of the World Wide Web Archived 11 July 2021 at the Wayback Machine is an animated video produced by USAID and TechChange which explores the role of the WWW in addressing extreme poverty

- v
- t
- e

Telecommunications

History

- Beacon
- Broadcasting
- Cable protection system
- Cable TV
- Communications satellite
- Computer network
- Data compression
  - audio
  - DCT
  - image
  - video
- Digital media
  - Internet video
  - online video platform
  - social media
  - streaming
- Drums
- Edholm's law
- Electrical telegraph
- Fax
- Heliographs
- Hydraulic telegraph
- Information Age
- Information revolution
- Internet
- Mass media
- Mobile phone
  - Smartphone
- Optical telecommunication
- Optical telegraphy
- Pager
- Photophone
- Prepaid mobile phone
- Radio
- Radiotelephone
- Satellite communications
- Semaphore
  - Phryctoria
- Semiconductor
  - device
  - MOSFET
  - transistor
- Smoke signals
- Telecommunications history
- Telautograph
- Telegraphy
- Teleprinter (teletype)

Pioneers

- Nasir Ahmed
- Edwin Howard Armstrong
- Mohamed M. Atalla
- John Logie Baird
- Paul Baran
- John Bardeen
- Alexander Graham Bell
- Emile Berliner
- Tim Berners-Lee
- Francis Blake
- Jagadish Chandra Bose
- Charles Bourseul
- Walter Houser Brattain
- Vint Cerf
- Claude Chappe
- Yogen Dalal
- Donald Davies
- Daniel Davis Jr.
- Amos Dolbear
- Thomas Edison
- Philo Farnsworth
- Reginald Fessenden
- Lee de Forest
- Elisha Gray
- Oliver Heaviside
- Robert Hooke
- Erna Schneider Hoover
- Harold Hopkins
- Gardiner Greene Hubbard
- Bob Kahn
- Dawon Kahng
- Charles K. Kao
- Narinder Singh Kapany
- Hedy Lamarr
- Roberto Landell
- Innocenzo Manzetti
- Guglielmo Marconi
- Robert Metcalfe
- Antonio Meucci
- Samuel Morse
- Jun-ichi Nishizawa
- Charles Grafton Page
- Radia Perlman
- Alexander Stepanovich Popov
- Tivadar Puskás
- Johann Philipp Reis
- Claude Shannon

Transmission media

- Coaxial cable
- Fiber-optic communication
  - optical fiber
- Free-space optical communication
- Molecular communication
- Radio waves
  - wireless
- Transmission line
  - telecommunication circuit

Network topology and switching

- Bandwidth
- Links
- Network switching
  - circuit
  - packet
- Nodes
  - terminal
- Telephone exchange

Multiplexing

- Space-division
- Frequency-division
- Time-division
- Polarization-division
- Orbital angular-momentum
- Code-division

Concepts

- Communication protocol
- Computer network
- Data transmission
- Store and forward
- Telecommunications equipment

Types of network
- Cellular network
- Ethernet
- ISDN
- LAN
- Mobile
- NGN
- Public Switched Telephone
- Radio
- Television
- Telex
- UUCP
- WAN
- Wireless network

Notable networks
- ARPANET
- BITNET
- CYCLADES
- FidoNet
- Internet
- Internet2
- JANET
- NPL network
- Toasternet
- Usenet

Locations
- Africa
- Americas
  - North
  - South
- Antarctica
- Asia
- Europe
- Oceania
- *Global telecommunications regulation bodies*

- Telecommunication portal
- Category
- Outline
- Commons

- v
- t
- e

Web syndication

History

Blogging
Podcasting
Vlogging
Web syndication technology

Types

- Art
- Bloggernacle
- Classical music
- Corporate
- Dream diary
- Edublog
- Electronic journal
- Fake
- Family
- Fashion
- Food
- Health
- Law
- Lifelog
- MP3
- News
- Photoblog
- Police
- Political
- Project
- Reverse
- Travel
- Warblog

General
- BitTorrent
- Feed URI scheme

Features
- Linkback
- Permalink
- Ping
- Pingback
- Reblogging
- Refback
- Rollback
- Trackback

Mechanism
- Thread
- Geotagging
- RSS enclosure
- Synchronization

Technology

Memetics
- Atom feed
- Data feed
- Photofeed
- Product feed
- RDF feed
- Web feed

RSS
- GeoRSS
- MRSS
- RSS TV

Social
- Inter-process communication
- Mashup
- Referencing
- RSS editor
- RSS tracking
- Streaming media

Standard
- OPML
- RSS Advisory Board
- Usenet
- World Wide Web
- XBEL
- XOXO

- Audio podcast
- Enhanced podcast
- Mobilecast
- Narrowcasting
- Peercasting
- Screencast
- Slidecasting
- Videocast
- Webcomic
- Webtoon
- Web series

Form

- Anonymous blogging
- Collaborative blog
- Columnist
- Instant messaging
- Liveblogging
- Microblog
- Mobile blogging
- Spam blog
- Video blogging
- Motovlogging

Media

Alternative media

- Carnivals
- Fiction
- Journalism
    - Citizen
    - Database
- Online diary
- Search engines
- Sideblog
- Software
- Web directory

Micromedia

- Aggregation
    - News
    - Poll
    - Review
    - Search
    - Video
- Atom
- AtomPub
- Broadcatching
- Hashtag
- NewsML
    - 1
    - G2
- Social communication
- Social software
- Web Slice

Related

- Blogosphere
- Escribitionist
- Glossary of blogging
- Pay per click
- Posting style
- Slashdot effect
- Spam in blogs
- Uses of podcasting

Semantic Web

Background	- Databases - Hypertext - Internet - Ontologies - Semantics - Semantic networks - World Wide Web
Sub-topics	- Dataspaces - Hyperdata - Linked data - Rule-based systems
Applications	- Semantic analytics - Semantic broker - Semantic computing - Semantic mapper - Semantic matching - Semantic publishing - Semantic reasoner - Semantic search - Semantic service-oriented architecture - Semantic wiki - Solid

Related topics

- Collective intelligence
- Description logic
- Folksonomy
- Geotagging
- Information architecture
- iXBRL
- Knowledge extraction
- Knowledge management
- Knowledge representation and reasoning
- Library 2.0
- Digital library
- Digital humanities
- Metadata
- References
- Topic map
- Web 2.0
- Web engineering
- Web Science Trust

Standards

Syntax and supporting technologies

- HTTP
- IRI
  - URI
- RDF
  - triples
  - RDF/XML
  - JSON-LD
  - Turtle
  - TriG
  - Notation3
  - N-Triples
  - TriX (no W3C standard)
- RRID
- SPARQL
- XML
- Semantic HTML

Schemas, ontologies and rules

- Common Logic
- OWL
- RDFS
- Rule Interchange Format
- Semantic Web Rule Language
- ALPS
- SHACL

Semantic annotation

- eRDF
- GRDDL
- Microdata
- Microformats
- RDFa
- SAWSDL
- Facebook Platform

Common vocabularies

- DOAP
- Dublin Core
- FOAF
- Schema.org
- SIOC
- SKOS

Microformat vocabularies

- hAtom
- hCalendar
- hCard
- hProduct

About MediaWiki

Not to be confused with Wikimedia.

This article **relies excessively on references to primary sources**. Please improve this article by adding secondary or tertiary sources.
*Find sources:* "MediaWiki" – news · newspapers · books · scholar · JSTOR *(January 2025) (Learn how and when to remove this message)*

○ gerrit.wikimedia.org/g/mediawiki/core/ Image not found or type unknown Edit this at Wikidata

MediaWiki

The Main Page of the English Wikipedia running an alpha version of MediaWiki 1.40

Original author(s)	○ Magnus Manske ○ Lee Daniel Crocker
Developer(s)	Wikimedia Foundation
Initial release	January 25, 2002; 23 years ago
Stable release	1.43.0[1] / 21 December 2024; 2 months ago Image not found or type unknown Edit this on Wikidata
Repository	
Written in	PHP[2]
Operating system	Windows, macOS, Linux, FreeBSD, OpenBSD, Solaris

Size	79.05 MiB (compressed)
Available in	459[3] languages
Type	Wiki software
License	GPLv2+[4]
Website	mediawiki.org Edit this at Wikidata

MediaWiki is free and open-source wiki software originally developed by Magnus Manske for use on Wikipedia on January 25, 2002, and further improved by Lee Daniel Crocker,[5][6] after which development has been coordinated by the Wikimedia Foundation. It powers several wiki hosting websites across the Internet, as well as most websites hosted by the Wikimedia Foundation including Wikipedia, Wiktionary, Wikimedia Commons, Wikiquote, Meta-Wiki and Wikidata, which define a large part of the set requirements for the software.[7] Besides its usage on Wikimedia sites, MediaWiki has been used as a knowledge management and content management system on websites such as Fandom, wikiHow and major internal installations like Intellipedia and Diplopedia.

MediaWiki is written in the PHP programming language and stores all text content into a database. The software is optimized to efficiently handle large projects, which can have terabytes of content and hundreds of thousands of views per second.[7][8] Because Wikipedia is one of the world's largest and most visited websites, achieving scalability through multiple layers of caching and database replication has been a major concern for developers. Another major aspect of MediaWiki is its internationalization; its interface is available in more than 400 languages.[9] The software has hundreds of configuration settings[10] and more than 1,000 extensions available for enabling various features to be added or changed.[11]

Key features

[edit]

MediaWiki provides a rich core feature set and a mechanism to attach extensions to provide additional functionality.

Internationalization and localisation

[edit]

> Niklas Laxström explains the features that allowed translatewiki.net to provide MediaWiki with more than 400 locales.

Due to the strong emphasis on multilingualism in the Wikimedia projects, internationalization and localization has received significant attention by developers. The user interface has been fully or partially translated into more than 400 languages on translatewiki.net,[9] and can be

further customized by site administrators (the entire interface is editable through the wiki).

Several extensions, most notably those collected in the MediaWiki Language Extension Bundle, are designed to further enhance the multilingualism and internationalization of MediaWiki.

Installation and configuration

[edit]

Installation of MediaWiki requires that the user have administrative privileges on a server running both PHP and a compatible type of SQL database. Some users find that setting up a virtual host is helpful if the majority of one's site runs under a framework (such as Zope or Ruby on Rails) that is largely incompatible with MediaWiki.[12] Cloud hosting can eliminate the need to deploy a new server.[13]

An installation PHP script is accessed via a web browser to initialize the wiki's settings. It prompts the user for a minimal set of required parameters, leaving further changes, such as enabling uploads,[14] adding a site logo,[15] and installing extensions, to be made by modifying configuration settings contained in a file called LocalSettings.php.[16] Some aspects of MediaWiki can be configured through special pages or by editing certain pages; for instance, abuse filters can be configured through a special page,[17] and certain gadgets can be added by creating JavaScript pages in the MediaWiki namespace.[18] The MediaWiki community publishes a comprehensive installation guide.[19]

Markup

[edit]

One of the earliest differences between MediaWiki (and its predecessor, UseModWiki) and other wiki engines was the use of "free links" instead of CamelCase. When MediaWiki was created, it was typical for wikis to require text like "WorldWideWeb" to create a link to a page about the World Wide Web; links in MediaWiki, on the other hand, are created by surrounding words with double square brackets, and any spaces between them are left intact, e.g. [[World Wide Web]]. This change was logical for the purpose of creating an encyclopedia, where accuracy in titles is important.

MediaWiki uses an extensible[20] lightweight wiki markup designed to be easier to use and learn than HTML. Tools exist for converting content such as tables between MediaWiki markup and HTML.[21] Efforts have been made to create a MediaWiki markup spec, but a consensus seems to have been reached that Wikicode requires context-sensitive grammar rules.[22][23] The following side-by-side comparison illustrates the differences between wiki markup and HTML:

MediaWiki sy
(the "behind the sc
used to add format

====A dialogue====
"Take some more [[tea]]," the March Hare said to Alice, very earnestly.

"I've had nothing yet," Alice replied in an offended tone: "so I can't take more."

"You mean you can't take ''less''," said the Hatter: "it's '''very''' easy to take ''more'' than nothing."

(Quotation above from *Alice's Adventures in Wonderland* by Lewis Carroll)

Editing interface

[edit]
See also: VisualEditor

Editing interface of MediaWiki 1.44.0-wmf.4 with syntax highlighting, showing the edit toolbar of 2017 wikitext editor and some examples of wiki syntax

MediaWiki's default page-editing tools have been described as somewhat challenging to learn. [24] A survey of students assigned to use a MediaWiki-based wiki found that when they were asked an open question about main problems with the wiki, 24% cited technical problems with formatting, e.g. "Couldn't figure out how to get an image in. Can't figure out how to show a link

with words; it inserts a number."[25]

To make editing long pages easier, MediaWiki allows the editing of a subsection of a page (as identified by its header). A registered user can also indicate whether or not an edit is minor. Correcting spelling, grammar or punctuation are examples of minor edits, whereas adding paragraphs of new text is an example of a non-minor edit.

Sometimes while one user is editing, a second user saves an edit to the same part of the page. Then, when the first user attempts to save the page, an edit conflict occurs. The second user is then given an opportunity to merge their content into the page as it now exists following the first user's page save.

MediaWiki's user interface has been localized in many different languages. A language for the wiki content itself can also be set, to be sent in the "Content-Language" HTTP header and "lang" HTML attribute.

VisualEditor has its own integrated wikitext editing interface known as 2017 wikitext editor, the older editing interface is known as 2010 wikitext editor.

Application programming interface

[edit]

MediaWiki has an extensible web API (application programming interface) that provides direct, high-level access to the data contained in the MediaWiki databases. Client programs can use the API to log in, get data, and post changes. The API supports thin web-based JavaScript clients and end-user applications (such as vandal-fighting tools). The API can be accessed by the backend of another web site.[26] An extensive Python bot library, Pywikibot,[27] and a popular semi-automated tool called AutoWikiBrowser, also interface with the API.[28] The API is accessed via URLs such as https://en.wikipedia.org/w/api.php?action=query&list=recentchanges. In this case, the query would be asking Wikipedia for information relating to the last 10 edits to the site. One of the perceived advantages of the API is its language independence; it listens for HTTP connections from clients and can send a response in a variety of formats, such as XML, serialized PHP, or JSON.[29] Client code has been developed to provide layers of abstraction to the API.[30]

Tracking edits

[edit]

Among the features of MediaWiki to assist in tracking edits is a Recent Changes feature that provides a list of recent edits to the wiki. This list contains basic information about those edits such as the editing user, the edit summary, the page edited, as well as any tags (e.g. "possible vandalism")[31] added by customizable abuse filters and other extensions to aid in combating

unhelpful edits.[32] On more active wikis, so many edits occur that it is hard to track Recent Changes manually. Anti-vandal software, including user-assisted tools,[33] is sometimes employed on such wikis to process Recent Changes items. Server load can be reduced by sending a continuous feed of Recent Changes to an IRC channel that these tools can monitor, eliminating their need to send requests for a refreshed Recent Changes feed to the API.[34][35]

Another important tool is watchlisting. Each logged-in user has a watchlist to which the user can add whatever pages he or she wishes. When an edit is made to one of those pages, a summary of that edit appears on the watchlist the next time it is refreshed.[36] As with the recent changes page, recent edits that appear on the watchlist contain clickable links for easy review of the article history and specific changes made.

There is also the capability to review all edits made by any particular user. In this way, if an edit is identified as problematic, it is possible to check the user's other edits for issues.

MediaWiki allows one to link to specific versions of articles. This has been useful to the scientific community, in that expert peer reviewers could analyse articles, improve them and provide links to the trusted version of that article.[37]

Navigation

[edit]

Wikilinks

[edit]

Navigation through the wiki is largely through internal wikilinks. MediaWiki's wikilinks implement page existence detection, in which a link is colored blue if the target page exists on the local wiki and red if it does not. If a user clicks on a red link, they are prompted to create an article with that title. Page existence detection makes it practical for users to create "wikified" articles—that is, articles containing links to other pertinent subjects—without those other articles being yet in existence.

Interwiki links

[edit]
"Inter-wiki link" redirects here. For help with interwiki linking on Wikipedia, see Help:Interwiki linking.

Interwiki links function much the same way as namespaces. A set of interwiki prefixes can be configured to cause, for instance, a page title of wikiquote:Jimbo Wales to direct the user to

the Jimbo Wales article on Wikiquote.[38] Unlike internal wikilinks, interwiki links lack page existence detection functionality, and accordingly there is no way to tell whether a blue interwiki link is broken or not.

Interlanguage links

[edit]

An example of interlanguage links

Interlanguage links are the small navigation links that show up in the sidebar in most MediaWiki skins that connect an article with related articles in other languages within the same Wiki family. This can provide language-specific communities connected by a larger context, with all wikis on the same server or each on its own server.[39]

Previously, Wikipedia used interlanguage links to link an article to other articles on the same topic in other editions of Wikipedia. This was superseded by the launch of Wikidata.[40]

Content organization

[edit]

Page tabs and associated pages

[edit]

MediaWiki page tabs, using the "Vector 2010" skin. The red coloration of the "discussion" tab indicates that the article does not yet have a talk page. As with any

other red wikilink, clicking on it prompts the user to create the page.

Page tabs are displayed at the top of pages. These tabs allow users to perform actions or view pages that are related to the current page. The available default actions include viewing, editing, and discussing the current page. The specific tabs displayed depend on whether the user is logged into the wiki and whether the user has sysop privileges on the wiki. For instance, the ability to move a page or add it to one's watchlist is usually restricted to logged-in users. The site administrator can add or remove tabs by using JavaScript or installing extensions.[41]

Each page has an associated history page from which the user can access every version of the page that has ever existed and generate diffs between two versions of his choice. Users' contributions are displayed not only here, but also via a "user contributions" option on a sidebar. In a 2004 article, Carl Challborn and Teresa Reimann noted that "While this feature may be a slight deviation from the collaborative, 'ego-less' spirit of wiki purists, it can be very useful for educators who need to assess the contribution and participation of individual student users."[42]

Namespaces

[edit]
"Talk page" redirects here. For talk pages on Wikipedia, see Help:Talk pages.

MediaWiki provides many features beyond hyperlinks for structuring content. One of the earliest such features is *namespaces*. One of Wikipedia's earliest problems had been the separation of encyclopedic content from pages pertaining to maintenance and communal discussion, as well as personal pages about encyclopedia editors. Namespaces are prefixes before a page title (such as "User:" or "Talk:") that serve as descriptors for the page's purpose and allow multiple pages with different functions to exist under the same title. For instance, a page titled "[[The Terminator]]", in the default namespace, could describe the 1984 movie starring Arnold Schwarzenegger, while a page titled "[[User:The Terminator]]" could be a profile describing a user who chooses this name as a pseudonym. More commonly, each namespace has an associated "Talk:" namespace, which can be used to discuss its contents, such as "User talk:" or "Template talk:". The purpose of having discussion pages is to allow content to be separated from discussion surrounding the content.[43][44]

Namespaces can be viewed as folders that separate different basic types of information or functionality. Custom namespaces can be added by the site administrators. There are 16 namespaces by default for content, with 2 "pseudo-namespaces" used for dynamically generated "Special:" pages and links to media files. Each namespace on MediaWiki is numbered: content page namespaces have even numbers and their associated talk page namespaces have odd numbers.[45]

Category tags

Users can create new categories and add pages and files to those categories by appending one or more category tags to the content text. Adding these tags creates links at the bottom of the page that take the reader to the list of all pages in that category, making it easy to browse related articles.[46] The use of categorization to organize content has been described as a combination of:

- Collaborative tagging systems like del.icio.us and
- Hierarchical classifications like the Dewey Decimal Classification.[47]

Subpages

In addition to namespaces, content can be ordered using *subpages*. This simple feature provides automatic breadcrumbs of the pattern [[Page title/Subpage title]] from the page after the slash (in this case, "Subpage title") to the page before the slash (in this case, "Page title").

Customization

Users can configure custom JavaScript that is executed on every pageview. This has led to JavaScript tools that users can "install", the "navigation popups" tool shown here displays a small preview of an article when hovering over a link title.

If the feature is enabled, users can customize their stylesheets and configure client-side JavaScript to be executed with every pageview. On Wikipedia, this has led to a large number of additional tools and helpers developed through the wiki and shared among users. For instance, *navigation popups* is a custom JavaScript tool that shows previews of articles when the user hovers over links and also provides shortcuts for common maintenance tasks.[48]

A screenshot of a wiki using MediaWiki with a customized skin

The entire MediaWiki user interface can be edited through the wiki itself by users with the necessary permissions (typically called "administrators"). This is done through a special namespace with the prefix "MediaWiki:", where each page title identifies a particular user interface message. Using an extension,[49] it is also possible for a user to create personal scripts, and to choose whether certain sitewide scripts should apply to them by toggling the appropriate options in the user preferences page.

Templates

[edit]

The "MediaWiki:" namespace was originally also used for creating custom text blocks that could then be dynamically loaded into other pages using a special syntax. This content was later moved into its own namespace, "Template:".

Templates are text blocks that can be dynamically loaded inside another page whenever that page is requested. The template is a special link in double curly brackets (for example " date=October 2018"), which calls the template (in this case located at Template:Disputed) to load in place of the template call.

Templates are structured documents containing attribute–value pairs. They are defined with parameters, to which are assigned values when transcluded on an article page. The name of the parameter is delimited from the value by an equals sign. A class of templates known as infoboxes is used on Wikipedia to collect and present a subset of information about its subject, usually on the top (mobile view) or top right-hand corner (desktop view) of the document.

Pages in other namespaces can also be transcluded as templates. In particular, a page in the main namespace can be transcluded by prefixing its title with a colon; for example, :MediaWiki transcludes the article "MediaWiki" from the main namespace. Also, it is possible to mark the portions of a page that should be transcluded in several ways, the most basic of which are:[50]

- <noinclude>...</noinclude>, which marks content that is not to be transcluded;
- <includeonly>...</includeonly>, which marks content that is not rendered unless it is transcluded;
- <onlyinclude>...</onlyinclude>, which marks content that is to be the *only* content transcluded.

A related method, called template *substitution* (called by adding subst: at the beginning of a template link) inserts the contents of the template into the target page (like a copy and paste operation), instead of loading the template contents dynamically whenever the page is loaded. This can lead to inconsistency when using templates, but may be useful in certain cases, and in most cases requires fewer server resources (the actual amount of savings can vary

depending on wiki configuration and the complexity of the template).

Templates have found many different uses. Templates enable users to create complex table layouts that are used consistently across multiple pages, and where only the content of the tables gets inserted using template parameters. Templates are frequently used to identify problems with a Wikipedia article by putting a template in the article. This template then outputs a graphical box stating that the article content is disputed or in need of some other attention, and also categorize it so that articles of this nature can be located. Templates are also used on user pages to send users standard messages welcoming them to the site,[51] giving them awards for outstanding contributions,[52][53] warning them when their behavior is considered inappropriate,[54] notifying them when they are blocked from editing,[55] and so on.

Groups and restriction of access

[edit]

MediaWiki offers flexibility in creating and defining user groups. For instance, it would be possible to create an arbitrary "ninja" group that can block users and delete pages, and whose edits are hidden by default in the recent changes log. It is also possible to set up a group of "autoconfirmed" users that one becomes a member of after making a certain number of edits and waiting a certain number of days.[56] Some groups that are enabled by default are bureaucrats and sysops. Bureaucrats have the power to change other users' rights. Sysops have power over page protection and deletion and the blocking of users from editing. MediaWiki's available controls on editing rights have been deemed sufficient for publishing and maintaining important documents such as a manual of standard operating procedures in a hospital.[57]

MediaWiki comes with a basic set of features related to restricting access, but its original and ongoing design is driven by functions that largely relate to content, not content segregation. As a result, with minimal exceptions (related to specific tools and their related "Special" pages), page access control has never been a high priority in core development and developers have stated that users requiring secure user access and authorization controls should not rely on MediaWiki, since it was never designed for these kinds of situations. For instance, it is extremely difficult to create a wiki where only certain users can read and access some pages.[58] Here, wiki engines like Foswiki, MoinMoin and Confluence provide more flexibility by supporting advanced security mechanisms like access control lists.

Extensibility

[edit]

The MediaWiki codebase contains various hooks using callback functions to add additional PHP code in an extensible way. This allows developers to write extensions without necessarily needing to modify the core or having to submit their code for review. Installing an extension typically consists of adding a line to the configuration file, though in some cases additional changes such as database updates or core patches are required.

Five main extension points were created to allow developers to add features and functionalities to MediaWiki. Hooks are run every time a certain event happens; for instance, the ArticleSaveComplete hook occurs after a save article request has been processed.[59] This can be used, for example, by an extension that notifies selected users whenever a page edit occurs on the wiki from new or anonymous users.[60] New tags can be created to process data with opening and closing tags (<newtag>...</newtag>).[61] Parser functions can be used to create a new command (...).[62] New special pages can be created to perform a specific function. These pages are dynamically generated. For example, a special page might show all pages that have one or more links to an external site or it might create a form providing user submitted feedback.[63] Skins allow users to customize the look and feel of MediaWiki.[64] A minor extension point allows the use of Amazon S3 to host image files.[65]

Extensions

[edit]

Text manipulation

[edit]

Tim Starling in 2008

Among the most popular extensions is a parser function extension, ParserFunctions, which allows different content to be rendered based on the result of conditional statements.[66] These conditional statements can perform functions such as evaluating whether a parameter is empty, comparing strings, evaluating mathematical expressions, and returning one of two values depending on whether a page exists. It was designed as a replacement for a notoriously inefficient template called Qif.[67] Schindler recounts the history of the ParserFunctions extension as follows:[68]

In 2006 some Wikipedians discovered that through an intricate and complicated interplay of templating features and CSS they could create conditional wiki text, i.e. text that was displayed if a template parameter had a specific value. This included repeated calls of templates within templates, which bogged down the performance of the whole system. The developers faced the choice of either disallowing the spreading of an obviously desired feature by detecting such usage and explicitly disallowing it within the software or offering an efficient alternative. The latter was done by Tim Starling, who announced the introduction of parser functions, wiki text that calls functions implemented in the underlying software. At first, only conditional text and the computation of simple mathematical expressions were implemented, but this already increased the possibilities for wiki editors enormously. With time further parser functions were introduced, finally leading to a framework that allowed the simple writing of extension functions to add arbitrary functionalities, like e.g. geo-coding services or widgets. This time the developers were clearly reacting to the demand of the community, being forced either to fight the solution of the issue that the community had (i.e. conditional text), or offer an improved technical implementation to replace the previous practice and achieve an overall better performance.

Another parser functions extension, StringFunctions, was developed to allow evaluation of string length, string position, and so on. Wikimedia communities, having created awkward workarounds to accomplish the same functionality,[69] clamored for it to be enabled on their projects.[70] Much of its functionality was eventually integrated into the ParserFunctions extension,[71] albeit disabled by default and accompanied by a warning from Tim Starling that enabling string functions would allow users "to implement their own parsers in the ugliest, most inefficient programming language known to man: MediaWiki wikitext with ParserFunctions."[72]

Since 2012 an extension, Scribunto, has existed that allows for the creation of "modules"—wiki pages written in the scripting language Lua—which can then be run within templates and standard wiki pages. Scribunto has been installed on Wikipedia and other Wikimedia sites since 2013 and is used heavily on those sites. Scribunto code runs significantly faster than corresponding wikitext code using ParserFunctions.[73]

For footnotes and academic-related display

[edit]

Another very popular extension is a citation extension that enables footnotes to be added to pages using inline references.[74] This extension has, however, been criticized for being difficult to use and requiring the user to memorize complex syntax. A gadget called RefToolbar attempts to make it easier to create citations using common templates. MediaWiki has some extensions that are well-suited for academia, such as mathematics extensions[75] and an

extension that allows molecules to be rendered in 3D.[76]

Integration

[edit]

A generic Widgets extension exists that allows MediaWiki to integrate with virtually anything. Other examples of extensions that could improve a wiki are category suggestion extensions[77] and extensions for inclusion of Flash Videos,[78] YouTube videos,[79] and RSS feeds.[80] Metavid, a site that archives video footage of the U.S. Senate and House floor proceedings, was created using code extending MediaWiki into the domain of collaborative video authoring.[81]

Combating linkspam

[edit]

There are many spambots that search the web for MediaWiki installations and add linkspam to them, despite the fact that MediaWiki uses the nofollow attribute to discourage such attempts at search engine optimization.[82] Part of the problem is that third party republishers, such as mirrors, may not independently implement the nofollow tag on their websites, so marketers can still get PageRank benefit by inserting links into pages when those entries appear on third party websites.[83] Anti-spam extensions have been developed to combat the problem by introducing CAPTCHAs,[84] blacklisting certain URLs,[85] and allowing bulk deletion of pages recently added by a particular user.[86]

Searches and queries

[edit]

A search box showing a drop-down list

MediaWiki comes pre-installed with a standard text-based search. Extensions exist to let MediaWiki use more sophisticated third-party search engines, including Elasticsearch (which since 2014 has been in use on Wikipedia), Lucene[87] and Sphinx.[88]

Various MediaWiki extensions have also been created to allow for more complex, faceted search, on both data entered within the wiki and on metadata such as pages' revision history.[89][90] Semantic MediaWiki is one such extension.[91][92]

Rich content

Images can be arranged in galleries, a feature that is used extensively for Wikimedia's media archive, Wikimedia Commons.

Various extensions to MediaWiki support rich content generated through specialized syntax. These include mathematical formulas using LaTeX, graphical timelines over mathematical plotting, musical scores and Egyptian hieroglyphs.

The software supports a wide variety of uploaded media files, and allows image galleries and thumbnails to be generated with relative ease. There is also support for Exif metadata. MediaWiki operates the Wikimedia Commons, one of the largest free content media archives.

For WYSIWYG editing, VisualEditor is available to use in MediaWiki which simplifying editing process for editors and has been bundled since MediaWiki 1.35.[93] Other extensions exist for handling WYSIWYG editing to different degrees.[94]

Database

A schematic of the MediaWiki database structure

MediaWiki can use either the MySQL/MariaDB, PostgreSQL or SQLite relational database management system. Support for Oracle Database and Microsoft SQL Server has been dropped since MediaWiki 1.34.[95] A MediaWiki database contains several dozen tables, including a page table that contains page titles, page ids, and other metadata;[96] and a revision table to which is added a new row every time an edit is made, containing the page id, a brief textual summary of the change performed, the user name of the article editor (or its IP address the case of an unregistered user) and a timestamp.[97][98]

In a 4½ year period prior to 2008, the MediaWiki database had 170 schema versions.[99] Possibly the largest schema change was done in 2005 with MediaWiki 1.5, when the storage of metadata was separated from that of content, to improve performance flexibility. When this upgrade was applied to Wikipedia, the site was locked for editing, and the schema was converted to the new version in about 22 hours. Some software enhancement proposals, such as a proposal to allow sections of articles to be watched via watchlist, have been rejected because the necessary schema changes would have required excessive Wikipedia downtime.[100]

Performance and storage

[edit]

Because it is used to run one of the highest-traffic sites on the Web, Wikipedia, MediaWiki's performance and scalability have been highly optimized.[101] MediaWiki supports Squid, load-balanced database replication, client-side caching, memcached or table-based caching for frequently accessed processing of query results, a simple static file cache, feature-reduced operation, revision compression, and a job queue for database operations. MediaWiki developers have attempted to optimize the software by avoiding expensive algorithms, database queries, etc., caching every result that is expensive and has temporal locality of reference, and focusing on the hot spots in the code through profiling.[102]

MediaWiki code is designed to allow for data to be written to a read-write database and read from read-only databases, although the read-write database can be used for some read operations if the read-only databases are not yet up to date. Metadata, such as article revision history, article relations (links, categories etc.), user accounts and settings can be stored in core databases and cached; the actual revision text, being more rarely used, can be stored as append-only blobs in external storage. The software is suitable for the operation of large-scale wiki farms such as Wikimedia, which had about 800 wikis as of August 2011. However, MediaWiki comes with no built-in GUI to manage such installations.

Empirical evidence shows most revisions in MediaWiki databases tend to differ only slightly from previous revisions. Therefore, subsequent revisions of an article can be concatenated and then compressed, achieving very high data compression ratios of up to 100×.[102]

For more information on the architecture, such as how it stores wikitext and assembles a page, see *External links*.

Limitations

[edit]

The parser serves as the *de facto* standard for the MediaWiki syntax, as no formal syntax has been defined. Due to this lack of a formal definition, it has been difficult to create WYSIWYG editors for MediaWiki, although several WYSIWYG extensions do exist, including the popular VisualEditor.

MediaWiki is not designed to be a suitable replacement for dedicated online forum or blogging software,[103] although extensions do exist to allow for both of these.[104][105]

It is common for new MediaWiki users to make certain mistakes, such as forgetting to sign posts with four tildes (~~~~),[106] or manually entering a plaintext signature,[107] due to unfamiliarity with the idiosyncratic particulars involved in communication on MediaWiki discussion pages. On the other hand, the format of these discussion pages has been cited as a strength by one educator, who stated that it provides more fine-grain capabilities for discussion than traditional threaded discussion forums. For example, instead of 'replying' to an entire message, the participant in a discussion can create a hyperlink to a new wiki page on any word from the original page. Discussions are easier to follow since the content is available via hyperlinked wiki page, rather than a series of reply messages on a traditional threaded discussion forum. However, except in few cases, students were not using this capability, possibly because of their familiarity with the traditional linear discussion style and a lack of guidance on how to make the content more 'link-rich'.[108]

MediaWiki by default has little support for the creation of dynamically assembled documents, or pages that aggregate data from other pages. Some research has been done on enabling such features directly within MediaWiki.[109] The Semantic MediaWiki extension provides these features. It is not in use on Wikipedia, but in more than 1,600 other MediaWiki installations.[110] The Wikibase Repository and Wikibase Repository client are however implemented in Wikidata and Wikipedia respectively, and to some extent provides semantic web features, and linking of centrally stored data to infoboxes in various Wikipedia articles.

Upgrading MediaWiki is usually fully automated, requiring no changes to the site content or template programming. Historically troubles have been encountered when upgrading from significantly older versions.[111]

Security

[edit]

MediaWiki developers have enacted security standards, both for core code and extensions.[112] SQL queries and HTML output are usually done through wrapper functions that handle validation, escaping, filtering for prevention of cross-site scripting and SQL injection.[113] Many security issues have had to be patched after a MediaWiki version release,[114] and accordingly MediaWiki.org states, "The most important security step you can take is to keep your software up to date" by subscribing to the announcement mailing list and installing security updates that are announced.[115]

Support

[edit]

Support for MediaWiki users consists of:

- MediaWiki.org, including the Support Desk.
- An official mailing list, Mediawiki-l.
- Several books have been written about MediaWiki administration,[116] including some free online books.[117][118]

License

[edit]

MediaWiki is free and open-source and is distributed under the terms of the GNU General Public License version 2 or any later version. Its documentation, located at its official website at www.mediawiki.org, is released under the Creative Commons BY-SA 4.0 license, with a set of help pages intended to be freely copied into fresh wiki installations and/or distributed with MediaWiki software in the public domain instead to eliminate legal issues for wikis with other licenses.[119][120] MediaWiki's development has generally favored the use of open-source media formats.[121]

Development

[edit]

MediaWiki has an active volunteer community for development and maintenance. MediaWiki developers are spread around the world, though with a majority in the United States and Europe. Face-to-face meetings and programming sessions for MediaWiki developers have been held once or several times a year since 2004.[122]

Anyone can submit patches to the project's Git/Gerrit repository.[123] There are also paid programmers who primarily develop projects for the Wikimedia Foundation. MediaWiki developers participate in the Google Summer of Code by facilitating the assignment of mentors to students wishing to work on MediaWiki core and extension projects.[124] During

the year prior to November 2012, there were about two hundred developers who had committed changes to the MediaWiki core or extensions.[125] Major MediaWiki releases are generated approximately every six months by taking snapshots of the development branch, which is kept continuously in a runnable state;[126] minor releases, or point releases, are issued as needed to correct bugs (especially security problems). MediaWiki is developed on a continuous integration development model, in which software changes are pushed live to Wikimedia sites on regular basis.[126] MediaWiki also has a public bug tracker, *phabricator.wikimedia.org*, which runs Phabricator. The site is also used for feature and enhancement requests.

History

[edit]

Magnus Manske in 2012

When Wikipedia was launched in January 2001, it ran on an existing wiki software system, UseModWiki. UseModWiki is written in the Perl programming language, and stores all wiki pages in text (.txt) files. This software soon proved to be limiting, in both functionality and performance. In mid-2001, Magnus Manske—a developer and student at the University of Cologne, as well as a Wikipedia editor—began working on new software that would replace UseModWiki, specifically designed for use by Wikipedia. This software was written in the PHP scripting language, and stored all of its information in a MySQL database. The new software was largely developed by August 24, 2001, and a test wiki for it was established shortly thereafter.

The first full implementation of this software was the new Meta Wikipedia on November 9, 2001. There was a desire to have it implemented immediately on the English-language Wikipedia.[127] However, Manske was apprehensive about any potential bugs harming the nascent website during the period of the final exams he had to complete immediately prior to Christmas;[128] this led to the launch on the English-language Wikipedia being delayed until January 25, 2002. The software was then, gradually, deployed on all the Wikipedia language sites of that time. This software was referred to as "the PHP script" and as "phase II", with the name "phase I", retroactively given to the use of UseModWiki.

Increasing usage soon caused load problems to arise again, and soon after, another rewrite of the software began; this time being done by Lee Daniel Crocker, which became known as "phase III". This new software was also written in PHP, with a MySQL backend, and kept the basic interface of the phase II software, but with the added functionality of a wider scalability. The "phase III" software went live on Wikipedia in July 2002.

The Wikimedia Foundation was announced on June 20, 2003. In July, Wikipedia contributor Daniel Mayer suggested the name "MediaWiki" for the software, as a play on "Wikimedia".[129] The MediaWiki name was gradually phased in, beginning in August 2003. The name has frequently caused confusion due to its (intentional) similarity to the "Wikimedia" name (which itself is similar to "Wikipedia").[130] The first version of MediaWiki, 1.1, was released in December 2003.

MediaWiki logo until April 1, 2021

The old product logo was created by Erik Möller, using a flower photograph taken by Florence Nibart-Devouard, and was originally submitted to the logo contest for a new Wikipedia logo, held from July 20 to August 27, 2003.[131][132] The logo came in third place, and was chosen to represent MediaWiki rather than Wikipedia, with the second place logo being used for the Wikimedia Foundation.[133] The double square brackets (**[[ ]]**) symbolize the syntax MediaWiki uses for creating hyperlinks to other wiki pages; while the sunflower represents the diversity of content on Wikipedia, its constant growth, and the wilderness.[134]

Later, Brooke Vibber, the chief technical officer of the Wikimedia Foundation,[135] took up the role of release manager.[136][101]

Major milestones in MediaWiki's development have included: the categorization system (2004); parser functions, (2006); Flagged Revisions, (2008);[68] the "*ResourceLoader*", a delivery system for CSS and JavaScript (2011);[137] and the VisualEditor, a "what you see is what you get" (WYSIWYG) editing platform (2013).[138]

The contest of designing a new logo was initiated on June 22, 2020, as the old logo was a bitmap image and had "high details", leading to problems when rendering at high and low resolutions, respectively. After two rounds of voting, the new and current MediaWiki logo designed by Serhio Magpie was selected on October 24, 2020, and officially adopted on April 1, 2021.[139]

Sites using MediaWiki

Fandom also makes use of MediaWiki.

MediaWiki's most famous use has been in Wikipedia and, to a lesser degree, the Wikimedia Foundation's other projects. Fandom, a wiki hosting service formerly known as Wikia, runs on MediaWiki. Other public wikis that run on MediaWiki include wikiHow and SNPedia. WikiLeaks began as a MediaWiki-based site, but is no longer a wiki.

A number of alternative wiki encyclopedias to Wikipedia run on MediaWiki, including Citizendium, Metapedia, Scholarpedia and Conservapedia. MediaWiki is also used internally by a large number of companies, including Novell and Intel.[140][141]

Notable usages of MediaWiki within governments include Intellipedia, used by the United States Intelligence Community, Diplopedia, used by the United States Department of State, and milWiki, a part of milSuite used by the United States Department of Defense. United Nations agencies such as the United Nations Development Programme and INSTRAW chose to implement their wikis using MediaWiki, because "this software runs Wikipedia and is therefore guaranteed to be thoroughly tested, will continue to be developed well into the future, and future technicians on these wikis will be more likely to have exposure to MediaWiki than any other wiki software."[142]

The Free Software Foundation uses MediaWiki to implement the LibrePlanet site.[143]

Comparison to other online collaboration software

Users of online collaboration software are familiar with MediaWiki's functions and layout due to its noted use on Wikipedia. A 2006 overview of social software in academia observed that "Compared to other wikis, MediaWiki is also fairly aesthetically pleasing, though simple, and has an easily customized side menu and stylesheet."[144] However, in one assessment in

2006, Confluence was deemed to be a superior product due to its very usable API and ability to better support multiple wikis.[76]

A 2009 study at the University of Hong Kong compared TWiki to MediaWiki. The authors noted that TWiki has been considered as a collaborative tool for the development of educational papers and technical projects, whereas MediaWiki's most noted use is on Wikipedia. Although both platforms allow discussion and tracking of progress, TWiki has a "Report" part that MediaWiki lacks. Students perceived MediaWiki as being easier to use and more enjoyable than TWiki. When asked whether they recommended using MediaWiki for knowledge management course group project, 15 out of 16 respondents expressed their preference for MediaWiki giving answers of great certainty, such as "of course", "for sure".[145] TWiki and MediaWiki both have flexible plug-in architecture.[146]

A 2009 study that compared students' experience with MediaWiki to that with Google Docs found that students gave the latter a much higher rating on user-friendly layout.[147]

A 2021 study conducted by the Brazilian Nuclear Engineering Institute compared a MediaWiki-based knowledge management system against two others that were based on DSpace and Open Journal Systems, respectively.[148] It highlighted ease of use as an advantage of the MediaWiki-based system, noting that because the Wikimedia Foundation had been developing MediaWiki for a site aimed at the general public (Wikipedia), "its user interface was designed to be more user-friendly from start, and has received large user feedback over a long time", in contrast to DSpace's and OJS's focus on niche audiences.[148]

See also

[edit]

- Free and open-source software portal

- List of content management systems
- List of wiki software
- BlueSpice
- Semantic MediaWiki
- XOWA – for viewing Wikipedia and other wikis offline
- PHP – a programming language that powers MediaWiki

References

[edit]

1. ^ *"Announcing MediaWiki 1.43.0". December 21, 2024.*
2. ^ *Reed, Sam (December 19, 2019). "Announcing MediaWiki 1.34.0". mediawiki-announce (Mailing list). Archived from the original on December 19, 2019. Retrieved*

December 19, 2019.

3. ^ *"Names.php • mediawiki".* github.com. April 8, 2021. *Archived* from the original on July 15, 2021. Retrieved May 19, 2021.
4. ^ *"Copyright".* mediawiki.org. *Archived* from the original on September 19, 2015. Retrieved September 7, 2015.
5. ^ Magnus Manske's announcement of "PHP Wikipedia", wikipedia-l, August 24, 2001
6. ^ *Barrett, Daniel J.* (October 2008). *MediaWiki.* O'Reilly Media. *ISBN 978-0-596-51979-7.* Retrieved April 23, 2010.
7. ^ *a b* "What is MediaWiki?". MediaWiki. January 9, 2021. *Archived* from the original on July 22, 2018. Retrieved March 27, 2021.
8. ^ *"Wikipedia:Statistics – Wikipedia, the free encyclopedia".* Wikipedia. *Archived* from the original on August 28, 2021. Retrieved May 30, 2010.
9. ^ *a b* "Message group statistics: MediaWiki core". translatewiki.net. August 20, 2023. *Archived* from the original on August 20, 2023. Retrieved August 20, 2023. "488 languages (not including languages that are supported but have no translations)"
10. ^ *"Category:MediaWiki configuration settings".* MediaWiki. September 11, 2016. *Archived* from the original on November 10, 2014. Retrieved September 11, 2016.
11. ^ *"Extension Matrix".* MediaWiki. *Archived* from the original on September 11, 2016. Retrieved September 6, 2017.
12. ^ Lerner, Reuven M. (February 23, 2006), *Installing and Customizing MediaWiki,* Linux Journal, archived from *the original* on April 6, 2010, retrieved April 23, 2010
13. ^ Petrazickis, Leons (2009), *Deploying PHP applications on IBM DB2 in the cloud: MediaWiki as a case study,* Proceedings of the 2009 Conference of the Center for Advanced Studies on Collaborative Research, pp. 304–305, *doi: 10.1145/1723028.1723069, S2CID 27463043*
14. ^ *"Manual:$wgEnableUploads".* MediaWiki. *Archived* from the original on June 25, 2010. Retrieved May 30, 2010.
15. ^ *"Manual:$wgLogo".* MediaWiki. December 12, 2009. *Archived* from the original on June 25, 2010. Retrieved May 30, 2010.
16. ^ *"Manual:LocalSettings.php".* MediaWiki. March 29, 2007. *Archived* from the original on June 25, 2010. Retrieved May 30, 2010.
17. ^ *"Extension:AbuseFilter".* MediaWiki. *Archived* from the original on June 25, 2010. Retrieved May 30, 2010.
18. ^ Cacycle. *"wikEd". Archived* from the original on November 23, 2007.
19. ^ *"Manual:Installation guide".* MediaWiki. *Archived* from the original on June 25, 2010. Retrieved May 30, 2010.
20. ^ *"Manual:Extending wiki markup".* MediaWiki. *Archived* from the original on May 1, 2011 . Retrieved May 30, 2010.
21. ^ *"HTML to Wiki Converter – tables".* WMF Labs. March 29, 2008. *Archived* from the original on July 13, 2014. Retrieved June 12, 2014.
22. ^ *"Markup spec".* MediaWiki. *Archived* from the original on December 19, 2007. Retrieved May 30, 2010.
23. ^ *"Extricating Meaning from Wikimedia Article Archives"* (PDF). *Archived* (PDF) from the original on March 10, 2011. Retrieved January 2, 2011.

24. ^ *Jakes, David (August 15, 2006), Wild about Wikis, Tech & Learning, archived from the original on May 2, 2010, retrieved April 23, 2010*

25. ^ *Foley, Brian & Chang, Tae (2008), Wiki as a professional development tool (PDF), Technology and Teacher Education, archived (PDF) from the original on April 30, 2011, retrieved April 23, 2010*

26. ^ *"API". MediaWiki. May 17, 2010. Archived from the original on May 27, 2010. Retrieved May 30, 2010.*

27. ^ *"Pywikibot – MediaWiki". mediawiki.org. Archived from the original on March 9, 2018. Retrieved March 16, 2018.*

28. ^ *Ãƒâ€žÃ…â€™esky."Wikipedia:AutoWikiBrowser – Wikipedia, the free encyclopedia". En.wikipedia.org. Archived from the original on April 20, 2010. Retrieved May 30, 2010.*

29. ^ *Bartolo, Laura M.; Lowe, Cathy S.; Songar, Poonam; Tandy, Robert J. (May 20, 2009), Facilitating Wiki/Repository Communication with Metadata, Georgia Institute of Technology, archived from the original on January 9, 2011, retrieved April 23, 2010*

30. ^ *"API:Client code". MediaWiki. May 24, 2010. Archived from the original on June 26, 2010. Retrieved May 30, 2010.*

31. ^ *"Tags – Wikipedia, the free encyclopedia". En.wikipedia.org. Archived from the original on March 4, 2010. Retrieved May 30, 2010.*

32. ^ *"Manual:Tags". MediaWiki. August 31, 2009. Archived from the original on June 25, 2010. Retrieved May 30, 2010.*

33. ^ *"Wikipedia:Huggle – Wikipedia, the free encyclopedia". En.wikipedia.org. Archived from the original on March 31, 2011. Retrieved May 30, 2010.*

34. ^ *"IRC/Channels". Meta-Wiki. Archived from the original on March 23, 2010. Retrieved May 30, 2010.*

35. ^ *Daniel Nasaw (July 25, 2012). "Meet the 'bots' that edit Wikipedia". BBC News. Archived from the original on July 28, 2012. Retrieved July 30, 2012.*

36. ^ *"Manual:Watchlist". MediaWiki. November 24, 2009. Archived from the original on May 1, 2011. Retrieved May 30, 2010.*

37. ^ *Kevin Yager (March 16, 2006), "Wiki ware could harness the Internet for science", Nature, **440** (7082): 278, Bibcode:2006Natur.440..278Y, doi:10.1038/440278a, PMID 16541049*

38. ^ *"Manual:Interwiki". MediaWiki. Archived from the original on December 3, 2010. Retrieved May 30, 2010.*

39. ^ *"Interlanguage links". MediaWiki. Archived from the original on March 12, 2021. Retrieved March 17, 2021.*

40. ^ *Pintscher, Lydia (September 23, 2013). "Wikidata is Here!". Commons:Village pump. Archived from the original on December 6, 2021. Retrieved March 17, 2021.*

41. ^ *"Help:Navigation". MediaWiki. May 21, 2010. Archived from the original on May 27, 2010. Retrieved May 30, 2010.*

42. ^ *Carl Challborn & Teresa Reimann (December 2004), Wiki products: a comparison (PDF), Athabasca University, archived (PDF) from the original on December 23, 2010, retrieved April 23, 2010*

43. ^ *Newman, Aaron; Steinberg, Adam; Thomas, Jeremy (2008). Enterprise 2. 0 Implementation. McGraw-Hill Professional. p. 185. ISBN 978-0-07-159160-7.*

44. **^** *Malcolm, Jeremy (2008). Multi-Stakeholder Governance and the Internet Governance Forum. Terminus Press. pp. 188, 280. ISBN 978-0-9805084-0-6.*

45. **^** *Ebersbach, Anja; Glaser, Markus; Heigl, Richard; Dueck, Gunter (2006). Wiki. Springer. pp. 55, 80–82, 109, 120–121, 156. ISBN 978-3-540-25995-4.*

46. **^** *"Help:Categories". MediaWiki. Archived from the original on June 25, 2010. Retrieved May 30, 2010.*

47. **^** *Jakob Voss (April 27, 2006). "Collaborative thesaurus tagging the Wikipedia way". arXiv:cs.IR/0604036.*

48. **^** *Lupin. "Wikipedia:Tools/Navigation popups". Archived from the original on July 18, 2006.*

49. **^** *"Extension:Gadgets". MediaWiki. March 30, 2010. Archived from the original on June 25, 2010. Retrieved May 30, 2010.*

50. **^** *Anderson, Mark; Carr, Leslie; Millard, David E. (July 4, 2017). There and Here: Patterns of Content Transclusion in Wikipedia. 28th ACM Conference on Hypertext and Social Media. Prague, Czech Republic: ACM. pp. 115–124. doi:10.1145/3078714.3078726. ISBN 978-1-4503-4708-2.*

51. **^** *Ãƒâ€žÃ…â€™esky (May 16, 2010)."Template:Welcome – Wikipedia, the free encyclopedia". En.wikipedia.org. Archived from the original on May 6, 2011. Retrieved May 30, 2010.*

52. **^** *T Kriplean; I Beschastnikh; et al. (2008), "Articulations of wikiwork: Uncovering valued work in wikipedia through barnstars", Proceedings of the 2008 ACM conference on Computer supported cooperative work, Proceedings of the ACM, pp. 47–56, doi:10.1145/1460563.1460573, ISBN 9781605580074, S2CID 7164949*

53. **^** *Ãƒâ€žÃ…â€™esky."Wikipedia:Barnstars – Wikipedia, the free encyclopedia". En.wikipedia.org. Archived from the original on June 24, 2009. Retrieved May 30, 2010.*

54. **^** *Ãƒâ€žÃ…â€™esky."Template:Test – Wikipedia, the free encyclopedia". En.wikipedia.org. Archived from the original on November 11, 2009. Retrieved May 30, 2010.*

55. **^** *"Template:Test5 – Wikipedia, the free encyclopedia". En.wikipedia.org. June 19, 2008. Archived from the original on April 24, 2009. Retrieved May 30, 2010.*

56. **^** *"Manual:User rights management". MediaWiki. Archived from the original on June 25, 2010. Retrieved May 30, 2010.*

57. **^** *H Zielke; W Boemke; M Kastrup; C Melzer (November 21, 2007), Operating Procedures in Clinical Practice (PDF), Royal College of Anaesthetists, archived (PDF) from the original on May 15, 2011, retrieved April 25, 2010*

58. **^** *"Security issues with authorization extensions". MediaWiki. Archived from the original on June 26, 2010. Retrieved May 30, 2010.*

59. **^** *"Manual:Hooks/ArticleSaveComplete". MediaWiki. May 26, 2010. Archived from the original on November 10, 2014. Retrieved May 30, 2010.*

60. **^** *"Extension:Recent Activity Notify". MediaWiki. Archived from the original on September 27, 2014. Retrieved May 30, 2010.*

61. **^** *"Manual:Tag extensions". MediaWiki. May 21, 2010. Archived from the original on October 12, 2014. Retrieved May 30, 2010.*

62. ^ *"Manual:Parser functions"*. MediaWiki. March 22, 2010. *Archived* from the original on October 18, 2014. Retrieved May 30, 2010.
63. ^ *"Manual:Special pages"*. MediaWiki. *Archived* from the original on November 10, 2014. Retrieved May 30, 2010.
64. ^ *"Manual:Skins"*. MediaWiki. May 14, 2010. *Archived* from the original on November 25, 2014. Retrieved May 30, 2010.
65. ^ *"Manual:Integration with S3"*. MediaWiki. March 22, 2010. *Archived* from the original on November 27, 2014. Retrieved May 30, 2010.
66. ^ *"Extension:ParserFunctions"*. MediaWiki. December 25, 2009. *Archived* from the original on June 25, 2010. Retrieved May 30, 2010.
67. ^ *"Wikipedia:Miscellany for deletion/Template:Qif – Wikipedia, the free encyclopedia"*. En.wikipedia.org. *Archived* from the original on February 25, 2015. Retrieved May 30, 2010.
68. ^ ***a b*** M Schindler; D Vrandecic (2009), *Introducing new features to Wikipedia*, Proceedings of WebSci, *archived* from the original on June 24, 2018, retrieved June 24, 2018
69. ^ *"Category:String manipulation templates – Wikipedia, the free encyclopedia"*. En.wikipedia.org. May 15, 2010. *Archived* from the original on May 6, 2011. Retrieved May 30, 2010.
70. ^ *"Bug 6455 – Enable StringFunctions on WMF wikis"*. bugzilla.wikimedia.org. *Archived* from the original on January 22, 2012. Retrieved October 9, 2010.
71. ^ *"Extension:StringFunctions"*. MediaWiki. *Archived* from the original on June 25, 2010. Retrieved May 30, 2010.
72. ^ *"r51497 – Code Review"*. MediaWiki. *Archived* from the original on November 27, 2014. Retrieved May 30, 2010.
73. ^ *"Lua performance"*. *Archived* from the original on August 24, 2018. Retrieved December 27, 2018.
74. ^ *"Extension:Cite"*. MediaWiki. May 3, 2010. *Archived* from the original on October 20, 2014. Retrieved May 30, 2010.
75. ^ *"Category:Math extensions"*. MediaWiki. December 26, 2009. *Archived* from the original on May 1, 2011. Retrieved May 30, 2010.
76. ^ ***a b*** Marieke Guy (January 2007), *Wikido: Exploiting the Potential of Wikis*, Ariadne, *archived* from the original on April 7, 2010, retrieved April 23, 2010
77. ^ *"Extension:CategorySuggest"*. MediaWiki. *Archived* from the original on September 26, 2014. Retrieved May 30, 2010.
78. ^ *"Category:Flash Video extensions"*. MediaWiki. *Archived* from the original on September 15, 2014. Retrieved May 30, 2010.
79. ^ *"Category:YouTube extensions"*. MediaWiki. September 16, 2008. *Archived* from the original on May 1, 2011. Retrieved May 30, 2010.
80. ^ *"Category:RSS extensions"*. MediaWiki. *Archived* from the original on December 3, 2010. Retrieved May 30, 2010.
81. ^ M Dale; A Stern; M Deckert; W Sack (2009), *System demonstration: Metavid.org: a social website and open archive of congressional video*, Proceedings of the 10th Annual International Conference on Digital Government Research: Social Networks: Making

Connections between Citizens, Data and Government, pp. 309–310, ISBN 978-1-60558-535-2

82. ^ *"Wiki spam"*. Meta-Wiki. Archived from the original on November 7, 2014. Retrieved May 30, 2010.

83. ^ *Goldman, Eric, Wikipedia's Labor Squeeze and its Consequences, vol. 8, Journal on Telecommunications and High Technology Law*

84. ^ *"Extension:ConfirmEdit"*. MediaWiki. May 5, 2010. Archived from the original on October 20, 2014. Retrieved May 30, 2010.

85. ^ *"Extension:SpamBlacklist"*. MediaWiki. March 24, 2010. Archived from the original on October 20, 2014. Retrieved May 30, 2010.

86. ^ *"Extension:Nuke"*. MediaWiki. May 19, 2010. Archived from the original on October 20, 2014. Retrieved May 30, 2010.

87. ^ Lucene-search MediaWiki extension Archived June 2, 2012, at the Wayback Machine, mediawiki.org

88. ^ SphinxSearch MediaWiki extension Archived October 22, 2014, at the Wayback Machine, mediawiki.org

89. ^ *Masanori Arita & Kazuhiro Suwa (September 17, 2008), "Search extension transforms Wiki into a relational system: A case for flavonoid metabolite database", BioData Min, **1** (1), BioData Mining: 7,* doi:10.1186/1756-0381-1-7, PMC 2556319, PMID 18822113

90. ^ *Finn Arup Nielsen (October 15, 2009). "Lost in localization: a solution with neuroinformatics 2.0?".* NeuroImage. **48** (1): 11–3. doi:10.1016/J.NEUROIMAGE.2009.05.073. ISSN 1053-8119. PMID 19497377. Wikidata Q21011200.

91. ^ *Eric Ras; Jörg Rech; Sebastian Weber (August 1, 2008),* Collaborative Authoring of Learning Elements for Adaptive Learning Spaces *(PDF), Fifth International Conference on Adaptive Hypermedia and Adaptive Web-Based Systems,* archived *(PDF) from the original on May 3, 2011, retrieved April 23, 2010*

92. ^ *Hartung, Michael; et al. "A Platform for Collaborative Management of Semantic Grid Metadata". Intelligent distributed computing, systems and applications. p. 123.*

93. ^ *"Extension:VisualEditor"*. MediaWiki. Archived from the original on February 21, 2021. Retrieved March 15, 2021.

94. ^ *"Category:WYSIWYG extensions"*. MediaWiki. April 10, 2008. Archived from the original on May 1, 2011. Retrieved May 30, 2010.

95. ^ *"Manual:Installation requirements"*. MediaWiki. Archived from the original on March 8, 2021. Retrieved March 14, 2021.

96. ^ *"Manual:Page table"*. MediaWiki. May 15, 2010. Archived from the original on November 25, 2014. Retrieved May 30, 2010.

97. ^ *"Manual:Revision table"*. MediaWiki. Archived from the original on November 24, 2014. Retrieved May 30, 2010.

98. ^ *Ortega, Felipe; González-Barahona, Jesus M.; Robles, Gregorio (2007), The Top-Ten Wikipedias: A Quantitative Analysis Using WikiXRay,* CiteSeerX 10.1.1.107.1424

99. ^ *Curino, Carlo A.; Tanca, Letizia; Zaniolo, Carlo (2008),* Information Systems Integration and Evolution: Ontologies at Rescue *(PDF), Workshop on Semantic,* archived *(PDF) from the original on December 22, 2009, retrieved April 23, 2010*

100. ^ T Dumitras; P Narasimhan (2009), *No downtime for data conversions: Rethinking hot upgrades* (PDF), archived from *the original* (PDF) on June 16, 2010, retrieved April 29, 2010

101. ^ **a b** *"Wikipedia and MediaWiki"*. Presentation MediaWiki development (video). April 28, 2006. *Archived* from the original on April 14, 2011. Retrieved September 23, 2009.

102. ^ **a b** Bergsma, Mark, *Wikimedia Architecture* (PDF), *archived* (PDF) from the original on March 5, 2016, retrieved October 21, 2015

103. ^ *"Manual:What is"*. MediaWiki. *Archived* from the original on July 22, 2018. Retrieved May 30, 2010.

104. ^ *"Extension:StructuredDiscussions"*. MediaWiki. *Archived* from the original on December 27, 2018. Retrieved December 27, 2018.

105. ^ *"Extension:Wikilog"*. MediaWiki. November 27, 2009. *Archived* from the original on September 22, 2014. Retrieved May 30, 2010.

106. ^ *"Help:Signatures"*. MediaWiki. *Archived* from the original on November 15, 2008. Retrieved May 30, 2010.

107. ^ N Augar; R Raitman; W Zhou (2004), Teaching and learning online with wikis, Beyond the comfort zone, pp. 95–104, *CiteSeerX 10.1.1.133.1456*

108. ^ Cubric, Marija (2007), *Analysis of the use of Wiki-based collaborations in enhancing student learning*, University of Hertfordshire, p. 11, archived from *the original* on May 15, 2011, retrieved April 24, 2010

109. ^ Albertsen, Johannes & Bouvin, Niels Olof (2008), *User defined structural searches in mediawiki*, Proceedings of the nineteenth ACM conference on Hypertext and hypermedia, *ISBN 978-1-59593-985-2*

110. ^ *"Extension:Semantic MediaWiki – WikiApiary"*. *Archived* from the original on October 26, 2018. Retrieved October 12, 2019.

111. ^ T DumitraÃƒâ€¦Â¸; P Narasimhan (2009), *Toward upgrades-as-a-service in distributed systems*, Proceedings of the 10th ACM/IFIP/USENIX International Conference on Middleware, pp. 1–2

112. ^ *"Security for developers"*. MediaWiki. *Archived* from the original on November 25, 2014. Retrieved May 30, 2010.

113. ^ Perrin, Chad (April 30, 2008), *Five security tips from MediaWiki's lead developer*, Tech Republic[*permanent dead link*]

114. ^ *"News"*. MediaWiki. *Archived* from the original on October 6, 2014. Retrieved May 30, 2010.

115. ^ *"Manual:Security"*. MediaWiki. March 22, 2010. *Archived* from the original on November 10, 2014. Retrieved May 30, 2010.

116. ^ Books about MediaWiki Archived December 27, 2018, at the Wayback Machine, mediawiki.org

117. ^ *MediaWiki Administrator's Handbook*. *Wikibooks*. *Archived* from the original on October 20, 2014. Retrieved October 20, 2014.

118. ^ *MediaWiki User Guide*, Wikibooks, *archived* from the original on October 20, 2014, retrieved October 20, 2014

119. ^ *"MediaWiki.org Project:Copyrights"*. *Archived* from the original on August 23, 2023. Retrieved August 23, 2023.

120. **^** *"Project:PD help"*. MediaWiki. *Archived* from the original on October 29, 2020. Retrieved May 30, 2010.
121. **^** Rafe Needleman (November 19, 2008), *Wikipedia gears up for flood of video and photo files*, C-Net, *archived* from the original on August 6, 2009, retrieved April 23, 2010
122. **^** *"Events"*. Mediawiki.org. *Archived* from the original on December 27, 2018. Retrieved December 27, 2018.
123. **^** *"Development policy"*. MediaWiki. July 19, 2013. *Archived* from the original on May 10, 2017. Retrieved August 4, 2013.
124. **^** *"Summer of Code"*. MediaWiki. March 26, 2013. *Archived* from the original on May 10, 2017. Retrieved August 4, 2013.
125. **^** *"Wikimedia"*. Open Hub. *Archived* from the original on September 14, 2017. Retrieved November 15, 2012. Approximate counts (not deduplicated) as of November 4, 2012: 139 for core, 155 for extensions supported by WMF, 190 and 42 for extensions only hosted on WMF's Git and SVN repositories respectively.
126. ^ ***a b*** *"Version lifecycle"*. MediaWiki. September 5, 2018. *Archived* from the original on June 17, 2020. Retrieved October 21, 2018.
127. **^** Bartlett, Manning (November 14, 2001). *"Magnus's new script..."* Wikimedia Lists. Wikimedia Foundation. *Archived* from the original on October 2, 2019. Retrieved October 2, 2019.
128. **^** Manske, Magnus (November 14, 2001). *"Magnus's new script..."* Wikimedia Lists. Wikimedia Foundation. *Archived* from the original on October 2, 2019. Retrieved October 2, 2019.
129. **^** Mayer, Daniel (July 19, 2003). *"Phase IV, Wikibooks.org/.com and WikimediaFoundation.org/.com (was Wikis and uniformity)"*. Wikipedia-L mailing list. *Archived* from the original on July 12, 2017. Retrieved January 18, 2015.
130. **^** *"Differences between Wikipedia, Wikimedia, MediaWiki, and wiki"*. MediaWiki. *Archived* from the original on July 1, 2009. Retrieved May 30, 2010.
131. **^** *"International logo contest"*. Meta-Wiki. *Archived* from the original on May 9, 2020. Retrieved April 9, 2020.
132. **^** *"International logo contest/results"*. Meta-wiki. *Wikimedia Foundation*. January 10, 2007. *Archived* from the original on November 4, 2015. Retrieved March 14, 2007.
133. **^** *"Historical/Logo history"*. Meta-wiki. *Wikimedia Foundation*. January 17, 2007. *Archived* from the original on November 4, 2015. Retrieved March 14, 2007.
134. **^** Erik Möller (July 26, 2003). *"File talk:EloquenceSunflowerNew-Small.png – Meta"*. Meta-wiki. *Wikimedia Foundation*. *Archived* from the original on January 30, 2016. Retrieved February 3, 2013.
135. **^** *David Weinberger* (2007). *Everything Is Miscellaneous: The Power of the New Digital Disorder*. Times Books. p. *99. ISBN 978-0-8050-8043-8*.
136. **^** *"MediaWiki history"*. MediaWiki website. *Archived* from the original on October 27, 2020. Retrieved August 4, 2013.
137. **^** *"MediaWiki ResourceLoader"*. Mediawiki.org. *Archived* from the original on March 8, 2013. Retrieved July 6, 2013.
138. **^** *"VisualEditor – MediaWiki"*. MediaWiki. *Archived* from the original on September 27, 2013. Retrieved September 15, 2013.

139. **^** *Sarabadani, Amir (March 31, 2021). "Logo of MediaWiki has changed". Wikimedia Foundation. Archived from the original on April 2, 2021. Retrieved April 2, 2021.*
140. **^** MediaWiki testimonials Archived January 11, 2012, at the Wayback Machine, mediawiki.org
141. **^** *"The story of Intelpedia: A model corporate wiki". Socialmedia.biz. Archived from the original on September 16, 2013. Retrieved August 16, 2013.*
142. **^** *A. Maron; M. Maron (2007). "A stealth transformation: introducing wikis to the UN". Knowledge Management for Development Journal. Archived from the original on May 4, 2011. Retrieved October 9, 2010.*
143. **^** *"LibrePlanet Homepage". Archived from the original on March 18, 2011. Retrieved December 10, 2018.*
144. **^** *Bryant, Todd (2006), Social Software in Academia (PDF), Educause Quarterly, archived from the original (PDF) on December 22, 2009, retrieved April 23, 2010*
145. **^** *Liang, M.; Chu, S.; Siu, F.; Zhou, A. (December 3–4, 2009), Comparing User Experiences in Using Twiki & Mediawiki to Facilitate Collaborative Learning (PDF), Proceedings of the 2009 International Conference on Knowledge Management, archived from the original (PDF) on May 14, 2011*
146. **^** *Schulz, Judith (2009), Company-Wiki as a knowledge transfer instrument for reducing the shortage of skilled workers (PDF), Institute of Technology and Education, archived (PDF) from the original on March 4, 2016, retrieved April 25, 2010*
147. **^** *Chu, S.; Kennedy, D.; Mak, M. (December 3–4, 2009), MediaWiki and Google Docs as online collaboration tools for group project co-construction (PDF), Proceedings of the 2009 International Conference on Knowledge Management, archived from the original (PDF) on May 14, 2011, retrieved April 23, 2010*
148. ^ ***a b*** *Grecco, Claudio Henrique dos Santos; Augusto, Silas Cordeiro; Souza, Jaqueline Tavares Viana de; Carvalho, Paulo Victor Rodrigues; Davila, Adriana Loureiro (July 25, 2021). "A Method for the evaluation of knowledge management systems". Brazilian Journal of Radiation Sciences. 9 (2B). doi:10.15392/bjrs.v9i2B.1250. ISSN 2319-0612. S2CID 237733021. Archived from the original on November 12, 2021. Retrieved November 12, 2021.*

External links

[edit]

MediaWiki at Wikipedia's sister projects

- Definitions from Wiktionary
- Media from Commons
- Quotations from Wikiquote
- Textbooks from Wikibooks
- Resources from Wikiversity

- Data from Wikidata
- Discussions from Meta-Wiki
- Documentation from MediaWiki

- MediaWiki homepage Edit this at Wikidata

- **v**
- **t**
- **e**

Wikipedia

Overview (outline)

- Biases
  - gender
  - geographical
  - ideological
  - racial
- Censorship
- Conflict-of-interest editing
  - political editing incidents
- Criticism
- Deletion of articles
  - deletionism and inclusionism
  - notability
- Disputes
- "Ignore all rules"
- MediaWiki
- Plagiarism
- Predictions of the project's end
- Reliability
  - Fact-checking
  - *Citation needed*
- Vandalism

- Administrators
- AfroCrowd
- Arbitration Committee
- Art+Feminism
- Bots
    - Lsjbot
- Edit count
- List of Wikipedias
- *The Signpost*
- Wikimedian of the Year
- Wikipedian in residence
- WikiProject
- Women in Red

Community (Wikipedians)

Events
- Edit-a-thon
- WikiConference India
- Wiki Indaba
- WikiConference North America
- Wikimania

Wiki Loves
- Earth
- Folklore
- Monuments
- Pride
- Science

People (list)
- Esra'a Al Shafei
- Lee Daniel Crocker
- Florence Devouard
- Sue Gardner
- David Gerard
- James Heilman
- Maryana Iskander
- Dariusz Jemielniak
- Rebecca MacKinnon
- Katherine Maher
- Magnus Manske
- Erik Möller
- Jason Moore
- Raju Narisetti
- Steven Pruitt
- Annie Rauwerda
- Larry Sanger
- María Sefidari

- o Bomis
  - o Nupedia
- o First edit
- o Logo
- o Internet Watch Foundation
- o Scientology
- o Hillsborough disaster Wikipedia posts
- o VisualEditor
- o #1Lib1Ref
- o Wikimedia Foundation actions
  - o on the Chinese Wikipedia
    - o 2021
  - o against MENA Wikimedians
    - o 2022

History

Controversies

- o Alan MacMasters hoax
- o Carlos Bandeirense Mirandópolis hoax
- o Edit wars
- o Essjay controversy
- o Henryk Batuta hoax
- o Jar'Edo Wens hoax
- o Seigenthaler biography incident
- o *Star Trek Into Darkness* debate
- o United States congressional staff edits
- o Weintraub controversy
- o Zhemao hoaxes

Coverage

- o American politics
  - o Donald Trump
- o COVID-19 pandemic
- o Death
- o Israeli–Palestinian conflict
- o Russian invasion of Ukraine

Honors

- o 274301 Wikipedia
- o *Viola angustifolia*
- o *Wikipedia Monument*

References and analysis	○ Academic studies ○ Bibliography ○ Cultural ○ Films ○ Listen to Wikipedia ○ Wikipediocracy
Mobile	○ Apps ○ QRpedia ○ Wapedia ○ Wikipedia Zero ○ WikiReader ○ Wikiwand
Content use	○ DBpedia ○ Depths of Wikipedia ○ Google and Wikipedia ○ Health information ○ Kiwix ○ Science information ○ Wikipedia-based education
Related	○ *The Iraq War: A Historiography of Wikipedia Changelogs* ○ LGBTQ and Wikipedia ○ *Magna Carta (An Embroidery)* ○ People imprisoned for editing Wikipedia ○ Print Wikipedia ○ Wiki rabbit hole ○ Wikimedia Foundation ○ Wikimedia movement ○ Wikipedia for World Heritage ○ Wikipedia in India ○ Wikiracing ○ List of online encyclopedias ○ List of wikis

○ ⊠ Image not found or type unknown **List**
○ ⊠ Image not found or type unknown **Category**

Wiki software

.NET	- FlexWiki - SharePoint
Java	- Confluence - Jive - Traction TeamPage - XWiki
JavaScript	- TiddlyWiki - Wiki.js
Perl	- Foswiki - ikiwiki - TWiki - UseModWiki - WikiBase
PHP	- BlueSpice - BookStack - DokuWiki - MediaWiki - PhpWiki - Phriction - PmWiki - PukiWiki - Tiki

Python	○ Allura ○ Bloodhound ○ Kallithea ○ Kuma ○ MoinMoin ○ Trac ○ Zim
Ruby	○ Gollum ○ Redmine

Other languages	○ CLiki
	  ○ Common Lisp
	○ Federated Wiki
	  ○ CoffeeScript
	  ○ Haskell

- **Comparison**
- **List**
- **Category**

- **v**
- **t**
- **e**

Wikimedia Foundation

Projects	○ Wikipedia community (Wikipedians)	
People	**Current**	○ Maryana Iskander ○ Lisa Seitz-Gruwell ○ Dariusz Jemielniak ○ Rebecca MacKinnon ○ Raju Narisetti ○ Rosie Stephenson-Goodknight ○ Esra'a Al Shafei ○ Jimmy Wales
	Past	○ Hampton Lintorn-Catlin ○ Danese Cooper ○ Bishakha Datta ○ Florence Devouard ○ Oscar van Dillen ○ Sue Gardner ○ Arnnon Geshuri ○ Mike Godwin ○ Aaron Halfaker ○ James Heilman ○ Guy Kawasaki ○ Patricio Lorente ○ Katherine Maher ○ Erik Möller ○ Larry Sanger ○ María Sefidari ○ Lila Tretikov ○ Luis Villa

Projects

- Wikipedia
  - history
  - List of Wikipedias
  - Censorship of Wikipedia
- Wiktionary
- Wikimedia Commons
- Wikidata
- Wikiquote
- Wikibooks
- Wikisource
- Wikispecies
- Wikinews
- Wikiversity
- Wikivoyage
- Wikifunctions
  - Abstract Wikipedia

Other

- Wikimedia movement
- List of Wikimedia chapters
  - Bangladesh
  - Deutschland
  - Israel
  - Polska
  - UK
  - Ukraine
- Wikimania
- Wiki Indaba
- WikiConference India
- WikiConference North America
- MediaWiki
- Litigation
  - Monkey selfie copyright dispute
  - *Wikimedia Foundation v. NSA*
- Knowledge Engine

Related	○ *The Signpost*
	○ *Wikipedia Monument*
	○ Wikimedian of the Year
	○ Tides Foundation
	○ Artificial intelligence in Wikimedia projects
	○ Google and Wikipedia
	○ Wikipedia for World Heritage

Authority control databases Image not found or type unknown **Edit this at Wikidata**

International	○ VIAF
	○ FAST

National	○ Germany
	○ United States
	○ France
	○ BnF data
	○ Israel

Other	○ IdRef

About Web indexing

This article includes a list of general references, but **it lacks sufficient corresponding inline citations**. Please help to improve this article by introducing more precise citations. *(December 2014)* *(Learn how and when to remove this message)*

Web indexing, or **Internet indexing**, comprises methods for indexing the contents of a website or of the Internet as a whole. Individual websites or intranets may use a back-of-the-book index, while search engines usually use keywords and metadata to provide a more useful vocabulary for Internet or onsite searching. With the increase in the number of periodicals that have articles online, web indexing is also becoming important for periodical websites.[1]

Back-of-the-book-style web indexes may be called "web site A-Z indexes".[2] The implication with "A-Z" is that there is an alphabetical browse view or interface. This interface differs from that of a browse through layers of hierarchical categories (also known as a taxonomy) which are not necessarily alphabetical, but are also found on some web sites. Although an A-Z index

could be used to index multiple sites, rather than the multiple pages of a single site, this is unusual.

Metadata web indexing involves assigning keywords, description or phrases to web pages or web sites within a metadata tag (or "meta-tag") field, so that the web page or web site can be retrieved with a list. This method is commonly used by search engine indexing.[3]

See also

[edit]

- Automatic indexing
- Information architecture
- Search engine optimization
- On-page Optimization
- Google Webmaster
- Site map
- Web navigation
- Web search engine
- Information retrieval

Further reading

[edit]

- *Beyond Book Indexing: How to Get Started in Web Indexing, Embedded Indexing, and Other Computer-Based Media*, edited by Marilyn Rowland and Diane Brenner, American Society of Indexers, Info Today, Inc, NJ, 2000, ISBN 1-57387-081-1
- An example of an Internet Index A-Z

- **v**
- **t**
- **e**

    Internet search

Types
- Web search engine (List)
- Metasearch engine
- Multimedia search
- Collaborative search engine
- Cross-language search
- Local search
- Vertical search
- Social search
- Image search
- Audio search
- Video search engine
- Enterprise search
- Semantic search
- Natural language search engine
- Voice search

Tools
- Cross-language information retrieval
- Search by sound
- Search engine marketing
- Search engine optimization
- Evaluation measures
- Search oriented architecture
- Selection-based search
- Document retrieval
- Text mining
- Web crawler
- Multisearch
- Federated search
- Search aggregator
- Index/Web indexing
- Focused crawler
- Spider trap
- Robots exclusion standard
- Distributed web crawling
- Web archiving
- Website mirroring software
- Web query
- Web query classification

Protocols and standards	○ Z39.50 ○ Search/Retrieve Web Service ○ Search/Retrieve via URL ○ OpenSearch ○ Representational State Transfer ○ Wide area information server
See also	○ Search engine ○ Desktop search ○ Online search

References

[edit]

1. **^** *"Web Crawlers:Indexing the Web".*
2. **^** *Kundu, Malay Kumar; Mohapatra, Durga Prasad; Konar, Amit; Chakraborty, Aruna (2014-05-26). Advanced Computing, Networking and Informatics- Volume 1: Advanced Computing and Informatics Proceedings of the Second International Conference on Advanced Computing, Networking and Informatics (ICACNI-2014). Springer. ISBN 9783319073538.*
3. **^** *"Indexing the Web | American Society for Indexing". www.asindexing.org. Retrieved 2015-11-25.*

4. What is Website Indexing?

Stub icon
Image not found or type unknown This Internet-related article is a stub. You can help Wikipedia by expanding it.

- ○ **v**
- ○ **t**
- ○ **e**

Check our other pages :

- ○ SEO consultant Sydney
- ○ SEO agencies in Sydney
- ○ search engine optimisation consultants
- ○ SEO company in Sydney

Frequently Asked Questions

What is a content agency in Sydney?

A content agency in Sydney focuses on creating high-quality, SEO-optimized content that resonates with your target audience. Their services typically include blog writing, website copy, video production, and other forms of media designed to attract traffic and improve search rankings.

Why should I consider SEO packages in Australia?

SEO packages in Australia typically bundle essential optimization services such as keyword research, technical audits, content creation, and link building at a set price. They are designed to simplify the process, provide consistent results, and help businesses of all sizes improve their online visibility.

What is involved in SEO consulting?

SEO consulting involves analyzing a website's current performance, identifying areas for improvement, and recommending strategies to boost search rankings. Consultants provide insights on keyword selection, on-page and technical optimization, content development, and

link-building tactics.

What are the benefits of working with an SEO consultant in Sydney?

An SEO consultant in Sydney can provide tailored advice and strategies that align with your business's goals and local market conditions. They bring expertise in keyword selection, content optimization, technical SEO, and performance monitoring, helping you achieve better search rankings and more organic traffic.

What role do SEO consultants play in a digital marketing strategy?

SEO consultants are responsible for improving your website's visibility and performance in search engines. By analyzing data, refining keyword strategies, and optimizing site elements, they enhance your overall digital marketing efforts, leading to more traffic, better user engagement, and higher conversions.

What are local SEO services in Sydney?

Local SEO services in Sydney focus on optimizing a business's online presence to attract local customers. This includes claiming local business listings, optimizing Google My Business profiles, using location-specific keywords, and ensuring consistent NAP (Name, Address, Phone) information across the web.

SEO expert Sydney

SEO Sydney

Phone : 1300 684 339

City : Sydney

State : NSW

Zip : 2000

Google Business Profile

Google Business Website

Company Website : https://sydney.website/seo-sydney/

USEFUL LINKS

SEO Website

SEO Services Sydney

Local SEO Sydney

SEO Ranking

SEO optimisation

LATEST BLOGPOSTS

SEO community

SEO Buzz

WordPress SEO

SEO Audit

Sitemap

Privacy Policy

About Us

SEO Castle Hill | SEO Fairfield | SEO Hornsby | SEO Liverpool | SEO North Sydney | SEO Norwest | SEO Parramatta | SEO Penrith | SEO Strathfield | SEO Wetherill Park