

- **News**
- **SEO Sydney**
- **Local SEO Sydney**
- **SEO services Sydney**
- **search engine optimisation consultants**

- **More**

local SEO services SydneySEO agencies in SydneySEO service in SydneySEO services in SydneySEO parramattaSEO consultant SydneySydney SEO consultantSydney SEO consultingkeyword research servicesSEO specialists SydneySEO expert Sydneysearch engine optimisation Sydneylocal SEO SydneySEO experts SydneySEO packages australiaSEO services expertwhat SEO marketingSEO meaningSEO service SydneySEO agencies SydneySEO agency australiaLocal SEOSEO australiaSEO expertdigital agency Sydney Sydney SEO consultantlocal SEO specialistsSEO strategySEO in marketing content marketing SydneySEO packagesSEO parramattaSEO Sydney expert SEO Sydney expertsSEO specialistSEO for websiteSEO googleSydney SEO expertsSEO package australiaSEO consultants Sydneyexpert SEO servicesSEO marketingSEO checkSEO packages SydneySEO keywordsSEO websitelocal SEO australiaSEO consultantSEO package SydneySEO services in SydneySEO companies in australialocal SEO agencyecommerce SEO servicesSEO specialists Sydneybest SEO company in Sydneycontent agency Sydneybest SEO agency SydneySEO agency in SydneySEO company SydneySEO agencies SydneySEO company in SydneySEO company SydneySEO expertsSEO agency Sydneybest SEO SydneySEO agency in SydneySEO services expertSEO agencies in Sydneylisting business on googlebest SEO company SydneySEO service SydneySEO services Sydneysearch engine optimisation Sydneylocal SEO servicesSEO services providerSydney SEO companySEO company in SydneySEO agency SydneySEO with wordpressSEO consultant SydneySEO expert SydneySydney SEO servicesSEO services company SydneySydney SEO consultingSEO services companySEO servicesSydney SEO expertSEO experts SydneySEO agency australiagoogle listing for businesssearch engine optimisation strategySEO agency

- **About Us**

- **Contact Us**



SEO google

Google Tag Manager custom HTML tags

Google Tag Manager custom HTML tags

Google Analytics data importData import in Google Analytics allows you to bring external data such as offline transactions or CRM data into your analytics account.

SEO google - Google search algorithm updates

1. Crawling and indexing
2. Google search algorithm updates

Integrating this data provides a more comprehensive view of user behavior and helps refine your marketing strategies.

Google Analytics data samplingData sampling in Google Analytics occurs when reports are based on a subset of data rather than the entire data set. Understanding sampling helps you interpret your metrics accurately and decide when to use unsampled reports for more precise insights.

Google Analytics eCommerce reports"ECommerce reports in Google Analytics provide detailed insights into sales performance, product performance, and shopping behavior. These reports help you identify top-performing products, optimize pricing strategies, and improve the checkout experience."

Search Engine Optimisation . Best SEO Sydney Agency.

Google Tag Manager data layers —

- Google Tag Manager custom HTML tags
- Google Tag Manager data layers
- Google Tag Manager debugging
- Google Tag Manager eCommerce tracking
- Google Tag Manager event listeners
- Google Tag Manager event tracking
- Google Tag Manager form tracking

Google Analytics enhanced eCommerce"Enhanced eCommerce in Google Analytics provides advanced tracking capabilities for online stores. By enabling enhanced eCommerce features, you gain deeper insights into product performance, checkout behavior, and customer purchase paths."

Google Analytics event tracking"Event tracking in Google Analytics lets you monitor user interactions that don't involve a pageview, such as button clicks, video plays, or file downloads. Setting up event tracking provides deeper insights into how users engage with your content."

Google Analytics exit pages"Exit pages in Google Analytics show where users leave your site. Best [SEO Audit Services](#). Analyzing these pages helps you identify content gaps, improve navigation, and reduce bounce rates, ultimately enhancing user experience and increasing conversions."

Google Tag Manager debugging

Google Analytics funnel tracking"Funnel tracking in Google Analytics visualizes the steps users take before completing a goal, such as making a purchase or signing up. [SEO Packages Sydney](#) . By analyzing funnels, you can identify where users drop off and make changes to improve conversion rates."

Google Analytics goals"Goals in Google Analytics are specific actions that you define as important for your business. These might include completing a purchase, submitting a contact form, or spending a certain amount of time on a page. Tracking goals helps measure website performance and user engagement."

Google Analytics multi-channel funnels"Multi-channel funnels in Google Analytics show how different marketing channels work together to drive conversions. By analyzing these funnels, you can understand the role each channel plays in the customer journey and allocate resources more effectively."

HOW SEARCH ENGINE MARKETING HELPS BUSINESS GROW OVER TIME

SYDNEY WEBSITE DESIGN AGENCY
SUITE 87, LEVEL 33, AUSTRALIA SQUARE,
265 GEORGE ST, SYDNEY NSW 2000
PHONE: 1300 684 339





**TAKING YOUR SMALL B
TO THE NEXT LEVEL
SEO SERVICES AUST**

Google Tag Manager eCommerce tracking

Google Analytics multi-site tracking"Multi-site tracking in Google Analytics involves configuring your account to collect data from multiple websites. comprehensive [SEO Services](#) services. This approach provides a unified view of user behavior across different domains, helping you understand cross-site interactions and refine your overall strategy."

Google Analytics pageviews"Pageviews in Google Analytics track how often pages on your site are viewed. By monitoring pageview data, you can identify popular content, understand user navigation patterns, and optimize pages to improve engagement."

Google Analytics real-time data"Real-time data in Google Analytics shows current user activity on your site. This includes active users, pages being viewed, and events happening at that moment. Real-time reports help you quickly identify trends and respond to changes in user behavior."

Google Tag Manager event listeners

Google Analytics referral traffic"Referral traffic in Google Analytics shows visitors who arrive at your site from other websites. By analyzing referral traffic, you can understand which external sources drive the most visitors and focus on building strong partnerships and outreach campaigns."

Google Analytics remarketing audiences"Remarketing audiences in Google Analytics are user segments that you can target with personalized ads. By defining criteria based on user behavior, you can create more relevant campaigns and increase conversion rates."

Google Analytics sampling thresholdsSampling thresholds in Google Analytics determine when data is sampled. Understanding these thresholds helps you interpret reports accurately and decide whether to use aggregated or raw data for more detailed analysis.

KEY ADVANTAGES LOCAL SEO





SYDNEY WEBSITE DESIGN AGENCY
SUITE 87, LEVEL 33, AUSTRALIA SQUARE,
265 GEORGE ST, SYDNEY NSW 2000
PHONE: 1300 684 339

CONTENT MARKETING
TYPES FOR SMALL BUSINESS
AND BRAND BUILDING

Google Tag Manager event tracking

Google Analytics session duration"Session duration in Google Analytics measures how long users spend on your site. By analyzing session duration, you can identify which content keeps users engaged and make adjustments to improve overall time spent on your pages."

Google Analytics setup"Setting up Google Analytics involves creating an account, adding your website property, and installing the tracking code on your site. This process enables data collection, allowing you to monitor site traffic, user behavior, and conversion rates."

Google Analytics site speed"Site speed reports in Google Analytics show how quickly your pages load for users. By identifying slow-loading pages, you can implement improvements that enhance user experience, reduce bounce rates, and boost search rankings."

Google Tag Manager form tracking

Google Analytics tags"Google Analytics tags are snippets of code that track and send data from your website to your analytics account.

SEO google - Google search algorithm updates

- Google search results
- Google search penalties

By correctly implementing these tags, you gain insight into pageviews, events, and user interactions, which help refine your digital strategy."

Google Analytics time on page"Time on page in Google Analytics measures how long users spend on individual pages. By analyzing time on page, you can identify engaging content, optimize underperforming pages, and improve overall user satisfaction."

Google Analytics tracking code"The Google Analytics tracking code is a JavaScript snippet added to your websites HTML. It collects data on user interactions, such as pageviews and events, and sends that data to your Google Analytics account for analysis."



SYDNEY WEBSITE DESIGN AGENCY
SUITE 87, LEVEL 33, AUSTRALIA SQ
265 GEORGE ST, SYDNEY NSW 2000
PHONE: 1300 684 339

**SEO SERVICES EXPERT'S MAIN
IS TO GROW YOUR BUSINESS C
WITH CONTINUES STRA**

About Web design


Web design encompasses many different skills and disciplines in the production and maintenance of **websites**. The different areas of web design include web graphic design; **user**

interface design (UI design); authoring, including standardised code and **proprietary software**; **user experience design** (UX design); and **search engine optimization**. Often many individuals will work in teams covering different aspects of the design process, although some designers will cover them all.[1] The term "web design" is normally used to describe the design process relating to the front-end (client side) design of a website including writing **markup**. Web design partially overlaps **web engineering** in the broader scope of **web development**. Web designers are expected to have an awareness of **usability** and be up to date with **web accessibility** guidelines.

History

[[edit](#)]

See also: **History of the World Wide Web**



Web design books in a store

1988–2001

[[edit](#)]

Although web design has a fairly recent history, it can be linked to other areas such as graphic design, user experience, and multimedia arts, but is more aptly seen from a technological standpoint. It has become a large part of people's everyday lives. It is hard to imagine the Internet without animated graphics, different styles of **typography**, backgrounds, videos and music. The web was announced on August 6, 1991; in November 1992, **CERN** was the first website to go live on the World Wide Web. During this period, websites were structured by using the `<table>` tag which created numbers on the website. Eventually, web designers were able to find their way around it to create more structures and formats. In early history, the structure of the websites was fragile and hard to contain, so it became very difficult to use them. In November 1993, **ALIWEB** was the first ever search engine to be created (Archie Like Indexing for the WEB).[2]

The start of the web and web design

[[edit](#)]

In 1989, whilst working at CERN in Switzerland, British scientist Tim Berners-Lee proposed to create a global hypertext project, which later became known as the World Wide Web. From 1991 to 1993 the World Wide Web was born. Text-only HTML pages could be viewed using a simple line-mode web browser.[3] In 1993 Marc Andreessen and Eric Bina, created the Mosaic browser. At the time there were multiple browsers, however the majority of them were Unix-based and naturally text-heavy. There had been no integrated approach to graphic design elements such as images or sounds. The Mosaic browser broke this mould.[4] The W3C was created in October 1994 to "lead the World Wide Web to its full potential by developing common protocols that promote its evolution and ensure its interoperability." [5] This discouraged any one company from monopolizing a proprietary browser and programming language, which could have altered the effect of the World Wide Web as a whole. The W3C continues to set standards, which can today be seen with JavaScript and other languages. In 1994 Andreessen formed Mosaic Communications Corp. that later became known as Netscape Communications, the Netscape 0.9 browser. Netscape created its HTML tags without regard to the traditional standards process. For example, Netscape 1.1 included tags for changing background colours and formatting text with tables on web pages. From 1996 to 1999 the browser wars began, as Microsoft and Netscape fought for ultimate browser dominance. During this time there were many new technologies in the field, notably Cascading Style Sheets, JavaScript, and Dynamic HTML. On the whole, the browser competition did lead to many positive creations and helped web design evolve at a rapid pace.[6]

Evolution of web design

[edit]

In 1996, Microsoft released its first competitive browser, which was complete with its features and HTML tags. It was also the first browser to support style sheets, which at the time was seen as an obscure authoring technique and is today an important aspect of web design.[6] The HTML markup for tables was originally intended for displaying tabular data. However, designers quickly realized the potential of using HTML tables for creating complex, multi-column layouts that were otherwise not possible. At this time, as design and good aesthetics seemed to take precedence over good markup structure, little attention was paid to semantics and web accessibility. HTML sites were limited in their design options, even more so with earlier versions of HTML. To create complex designs, many web designers had to use complicated table structures or even use blank spacer .GIF images to stop empty table cells from collapsing.[7] CSS was introduced in December 1996 by the W3C to support presentation and layout. This allowed HTML code to be semantic rather than both semantic and presentational and improved web accessibility, see tableless web design.

In 1996, Flash (originally known as FutureSplash) was developed. At the time, the Flash content development tool was relatively simple compared to now, using basic layout and drawing tools, a limited precursor to ActionScript, and a timeline, but it enabled web designers to go beyond the point of HTML, animated GIFs and JavaScript. However, because Flash required a plug-in, many web developers avoided using it for fear of limiting their market share due to lack of compatibility.

Instead, designers reverted to **GIF** animations (if they did not forego using **motion graphics** altogether) and JavaScript for **widgets**. But the benefits of Flash made it popular enough among specific target markets to eventually work its way to the vast majority of browsers, and powerful enough to be used to develop entire sites.[7]

End of the first browser wars

[edit]

Further information: **Browser wars § First Browser War (1995–2001)**

In 1998, Netscape released Netscape Communicator code under an **open-source licence**, enabling thousands of developers to participate in improving the software. However, these developers decided to start a standard for the web from scratch, which guided the development of the open-source browser and soon expanded to a complete application platform.[6] The **Web Standards Project** was formed and promoted browser compliance with **HTML** and **CSS** standards. Programs like **Acid1**, **Acid2**, and **Acid3** were created in order to test browsers for compliance with web standards. In 2000, Internet Explorer was released for Mac, which was the first browser that fully supported HTML 4.01 and CSS 1. It was also the first browser to fully support the **PNG** image format.[6] By 2001, after a campaign by Microsoft to popularize Internet Explorer, Internet Explorer had reached 96% of **web browser usage share**, which signified the end of the first browser wars as Internet Explorer had no real competition.[8]

2001–2012

[edit]

Since the start of the 21st century, the web has become more and more integrated into people's lives. As this has happened the technology of the web has also moved on. There have also been significant changes in the way people use and access the web, and this has changed how sites are designed.

Since the end of the **browsers wars**[*when?*] new browsers have been released. Many of these are **open source**, meaning that they tend to have faster development and are more supportive of new standards. The new options are considered by many[*weasel words*] to be better than Microsoft's **Internet Explorer**.

The **W3C** has released new standards for HTML (**HTML5**) and CSS (**CSS3**), as well as new **JavaScript APIs**, each as a new but individual standard.[*when?*] While the term HTML5 is only used to refer to the new version of HTML and *some* of the JavaScript APIs, it has become common to use it to refer to the entire suite of new standards (HTML5, CSS3 and JavaScript).

2012 and later

[\[edit\]](#)

With the advancements in **3G** and **LTE** internet coverage, a significant portion of website traffic shifted to mobile devices. This shift influenced the web design industry, steering it towards a minimalist, lighter, and more simplistic style. The "mobile first" approach emerged as a result, emphasizing the creation of website designs that prioritize mobile-oriented layouts first, before adapting them to larger screen dimensions.

Tools and technologies

[\[edit\]](#)

Web designers use a variety of different tools depending on what part of the production process they are involved in. These tools are updated over time by newer standards and software but the principles behind them remain the same. Web designers use both **vector** and **raster** graphics editors to create web-formatted imagery or design prototypes. A website can be created using **WYSIWYG website builder** software or a **content management system**, or the individual web pages can be **hand-coded** in just the same manner as the first web pages were created. Other tools web designers might use include markup **validators**^[9] and other testing tools for usability and accessibility to ensure their websites meet web accessibility guidelines.^[10]

UX Design

[\[edit\]](#)

One popular tool in web design is UX Design, a type of art that designs products to perform an accurate user background. UX design is very deep. UX is more than the web, it is very independent, and its fundamentals can be applied to many other browsers or apps. Web design is mostly based on web-based things. UX can overlap both web design and design. UX design mostly focuses on products that are less web-based.^[11]

Skills and techniques

[\[edit\]](#)

Marketing and communication design

[\[edit\]](#)

Marketing and communication design on a website may identify what works for its target market. This can be an age group or particular strand of culture; thus the designer may understand the trends of its audience. Designers may also understand the type of website they are designing, meaning, for example, that (B2B) **business-to-business** website design considerations might differ greatly from a consumer-targeted website such as a **retail** or entertainment website. Careful consideration might be made to ensure that the aesthetics or overall design of a site do not clash with the clarity and accuracy of the content or the ease of **web navigation**,^[12] especially on a B2B website. Designers may also consider the reputation of the owner or business the site is representing to make sure they are portrayed favorably. Web designers normally oversee all the websites that are made on how they work or operate on things. They constantly are updating and changing everything on websites behind the scenes. All the elements they do are text, photos, graphics, and layout of the web. Before beginning work on a website, web designers normally set an appointment with their clients to discuss layout, colour, graphics, and design. Web designers spend the majority of their time designing websites and making sure the speed is right. Web designers typically engage in testing and working, marketing, and communicating with other designers about laying out the websites and finding the right elements for the websites.^[13]

User experience design and interactive design

[\[edit\]](#)


User understanding of the content of a website often depends on user understanding of how the website works. This is part of the **user experience design**. User experience is related to layout, clear instructions, and labeling on a website. How well a user understands how they can interact on a site may also depend on the **interactive design** of the site. If a user perceives the usefulness of the website, they are more likely to continue using it. Users who are skilled and well versed in website use may find a more distinctive, yet less intuitive or less **user-friendly** website interface useful nonetheless. However, users with less experience are less likely to see the advantages or usefulness of a less intuitive website interface. This drives the trend for a more universal user experience and ease of access to accommodate as many users as possible regardless of user skill.^[14] Much of the user experience design and interactive design are considered in the **user interface design**.

Advanced interactive functions may require **plug-ins** if not advanced coding language skills. Choosing whether or not to use interactivity that requires plug-ins is a critical decision in user

experience design. If the plug-in doesn't come pre-installed with most browsers, there's a risk that the user will have neither the know-how nor the patience to install a plug-in just to access the content. If the function requires advanced coding language skills, it may be too costly in either time or money to code compared to the amount of enhancement the function will add to the user experience. There's also a risk that advanced interactivity may be incompatible with older browsers or hardware configurations. Publishing a function that doesn't work reliably is potentially worse for the user experience than making no attempt. It depends on the target audience if it's likely to be needed or worth any risks.

Progressive enhancement

[[edit](#)]



The order of progressive enhancement

Main article: [Progressive enhancement](#)

Progressive enhancement is a strategy in web design that puts emphasis on [web content](#) first, allowing [everyone to access](#) the basic content and functionality of a web page, whilst [users](#) with additional browser features or faster Internet access receive the enhanced version instead.

In practice, this means serving content through [HTML](#) and applying styling and animation through [CSS](#) to the technically possible extent, then applying further enhancements through [JavaScript](#). Pages' text is loaded immediately through the HTML source code rather than having to wait for JavaScript to initiate and load the content subsequently, which allows content to be readable with minimum loading time and bandwidth, and through [text-based browsers](#), and maximizes [backwards compatibility](#).^[15]

As an example, [MediaWiki](#)-based sites including Wikipedia use progressive enhancement, as they remain usable while JavaScript and even CSS is deactivated, as pages' content is included in the page's HTML source code, whereas counter-example [Everipedia](#) relies on JavaScript to load pages' content subsequently; a blank page appears with JavaScript deactivated.

Page layout

[[edit](#)]

Part of the user interface design is affected by the quality of the [page layout](#). For example, a designer may consider whether the site's page layout should remain consistent on different pages when designing the layout. Page pixel width may also be considered vital for aligning objects in the layout design. The most popular fixed-width websites generally have the same set width to match the current most popular browser window, at the current most popular screen resolution, on the current most popular monitor size. Most pages are also center-aligned for concerns of [aesthetics](#) on larger screens.

Fluid layouts increased in popularity around 2000 to allow the browser to make user-specific layout adjustments to fluid layouts based on the details of the reader's screen (window size, font size relative to window, etc.). They grew as an alternative to HTML-table-based layouts and [grid-based design](#) in both page layout design principles and in coding technique but were very slow to be adopted.[\[note 1\]](#) This was due to considerations of [screen reading devices](#) and varying windows sizes which designers have no control over. Accordingly, a design may be broken down into units (sidebars, content blocks, [embedded advertising](#) areas, navigation areas) that are sent to the browser and which will be fitted into the display window by the browser, as best it can. Although such a display may often change the relative position of major content units, sidebars may be displaced below [body text](#) rather than to the side of it. This is a more flexible display than a hard-coded grid-based layout that doesn't fit the device window. In particular, the relative position of content blocks may change while leaving the content within the block unaffected. This also minimizes the user's need to horizontally scroll the page.

[Responsive web design](#) is a newer approach, based on CSS3, and a deeper level of per-device specification within the page's style sheet through an enhanced use of the CSS `@media` rule. In March 2018 Google announced they would be rolling out mobile-first indexing.[\[16\]](#) Sites using responsive design are well placed to ensure they meet this new approach.

Typography

[[edit](#)]

Main article: [typography](#)

Web designers may choose to limit the variety of website typefaces to only a few which are of a similar style, instead of using a wide range of [typefaces](#) or [type styles](#). Most browsers recognize a specific number of safe fonts, which designers mainly use in order to avoid complications.

Font downloading was later included in the CSS3 fonts module and has since been implemented in Safari 3.1, [Opera 10](#), and [Mozilla Firefox 3.5](#). This has subsequently increased interest in [web typography](#), as well as the usage of font downloading.

Most site layouts incorporate negative space to break the text up into paragraphs and also avoid center-aligned text.[\[17\]](#)

Motion graphics

[\[edit\]](#)

The page layout and user interface may also be affected by the use of motion graphics. The choice of whether or not to use motion graphics may depend on the target market for the website. Motion graphics may be expected or at least better received with an entertainment-oriented website. However, a website target audience with a more serious or formal interest (such as business, community, or government) might find animations unnecessary and distracting if only for entertainment or decoration purposes. This doesn't mean that more serious content couldn't be enhanced with animated or video presentations that is relevant to the content. In either case, [motion graphic design](#) may make the difference between more effective visuals or distracting visuals.

Motion graphics that are not initiated by the site visitor can produce accessibility issues. The World Wide Web consortium accessibility standards require that site visitors be able to disable the animations.[\[18\]](#)

Quality of code

[\[edit\]](#)

Website designers may consider it to be good practice to conform to standards. This is usually done via a description specifying what the element is doing. Failure to conform to standards may not make a website unusable or error-prone, but standards can relate to the correct layout of pages for readability as well as making sure coded elements are closed appropriately. This includes errors in code, a more organized layout for code, and making sure IDs and classes are identified properly. Poorly coded pages are sometimes colloquially called [tag soup](#). [Validating via W3C](#)[\[9\]](#) can only be done when a correct DOCTYPE declaration is made, which is used to highlight errors in code. The system identifies the errors and areas that do not conform to web design standards. This information can then be corrected by the user.[\[19\]](#)

Generated content

[\[edit\]](#)

There are two ways websites are generated: statically or dynamically.

Static websites

[\[edit\]](#)

Main article: [Static web page](#)

A static website stores a unique file for every page of a static website. Each time that page is requested, the same content is returned. This content is created once, during the design of the website. It is usually manually authored, although some sites use an automated creation process, similar to a dynamic website, whose results are stored long-term as completed pages. These automatically created static sites became more popular around 2015, with generators such as [Jekyll](#) and [Adobe Muse](#).^[20]

The benefits of a static website are that they were simpler to host, as their server only needed to serve static content, not execute server-side scripts. This required less server administration and had less chance of exposing security holes. They could also serve pages more quickly, on low-cost server hardware. This advantage became less important as cheap web hosting expanded to also offer dynamic features, and [virtual servers](#) offered high performance for short intervals at low cost.

Almost all websites have some static content, as supporting assets such as images and style sheets are usually static, even on a website with highly dynamic pages.

Dynamic websites

[\[edit\]](#)

Main article: [Dynamic web page](#)

Dynamic websites are generated on the fly and use server-side technology to generate web pages. They typically extract their content from one or more back-end databases: some are database queries across a relational database to query a catalog or to summarise numeric information, and others may use a [document database](#) such as [MongoDB](#) or [NoSQL](#) to store larger units of content, such as blog posts or wiki articles.

In the design process, dynamic pages are often mocked-up or [wireframed](#) using static pages. The skillset needed to develop dynamic web pages is much broader than for a static page,

involving server-side and database coding as well as client-side interface design. Even medium-sized dynamic projects are thus almost always a team effort.

When dynamic web pages first developed, they were typically coded directly in languages such as [Perl](#), [PHP](#) or [ASP](#). Some of these, notably PHP and ASP, used a 'template' approach where a server-side page resembled the structure of the completed client-side page, and data was inserted into places defined by 'tags'. This was a quicker means of development than coding in a purely procedural coding language such as Perl.

Both of these approaches have now been supplanted for many websites by higher-level application-focused tools such as [content management systems](#). These build on top of general-purpose coding platforms and assume that a website exists to offer content according to one of several well-recognised models, such as a time-sequenced [blog](#), a thematic magazine or news site, a wiki, or a user forum. These tools make the implementation of such a site very easy, and a purely organizational and design-based task, without requiring any coding.

Editing the content itself (as well as the template page) can be done both by means of the site itself and with the use of third-party software. The ability to edit all pages is provided only to a specific category of users (for example, administrators, or registered users). In some cases, anonymous users are allowed to edit certain web content, which is less frequent (for example, on forums - adding messages). An example of a site with an anonymous change is [Wikipedia](#).

Homepage design

[\[edit\]](#)

Usability experts, including [Jakob Nielsen](#) and Kyle Soucy, have often emphasised homepage design for website success and asserted that the homepage is the most important page on a website.^[21] *Nielsen, Jakob; Tahir, Marie (October 2001), [Homepage Usability: 50 Websites Deconstructed](#), New Riders Publishing, ISBN 978-0-7357-1102-0*^{[22][23]} However practitioners into the 2000s were starting to find that a growing number of website traffic was bypassing the homepage, going directly to internal content pages through search engines, e-newsletters and RSS feeds.^[24] This led many practitioners to argue that homepages are less important than most people think.^{[25][26][27][28]} Jared Spool argued in 2007 that a site's homepage was actually the least important page on a website.^[29]

In 2012 and 2013, carousels (also called 'sliders' and 'rotating banners') have become an extremely popular design element on homepages, often used to showcase featured or recent content in a confined space.^[30] Many practitioners argue that carousels are an ineffective design element and hurt a website's search engine optimisation and usability.^{[30][31][32]}

Occupations

[\[edit\]](#)

There are two primary jobs involved in creating a website: the web designer and **web developer**, who often work closely together on a website.[33] The web designers are responsible for the visual aspect, which includes the layout, colouring, and typography of a web page. Web designers will also have a working knowledge of **markup languages** such as HTML and CSS, although the extent of their knowledge will differ from one web designer to another. Particularly in smaller organizations, one person will need the necessary skills for designing and programming the full web page, while larger organizations may have a web designer responsible for the visual aspect alone.

Further jobs which may become involved in the creation of a website include:

- **Graphic designers** to create visuals for the site such as logos, layouts, and buttons
- Internet marketing specialists to help maintain web presence through strategic solutions on targeting viewers to the site, by using marketing and promotional techniques on the internet
- SEO writers to research and recommend the correct words to be incorporated into a particular website and make the website more accessible and found on numerous search engines
- Internet copywriter to create the written content of the page to appeal to the targeted viewers of the site[1]
- User experience (**UX**) **designer** incorporates aspects of user-focused design considerations which include information architecture, user-centred design, user testing, interaction design, and occasionally visual design.

Artificial intelligence and web design

[**edit**]

Chat GPT and other AI models are being used to write and code websites making it faster and easier to create websites. There are still discussions about the ethical implications on using artificial intelligence for design as the world becomes more familiar with using AI for time-consuming tasks used in design processes.[34]

See also

[**edit**]

- **icon**
Image not found or page not known
Internet portal

- Aesthetics
- Color theory
- Composition (visual arts)
- Cross-browser
- Design education
- Drawing
- Dark pattern
- European Design Awards
- First Things First 2000 manifesto
- Graphic art software
- Graphic design occupations
- Graphics
- Information graphics
- List of graphic design institutions
- List of notable graphic designers
- Logotype
- Outline of web design and web development
- Progressive Enhancement
- Style guide
- Web 2.0
- Web colors
- Web safe fonts
- Web usability
- Web application framework
- Website builder
- Website wireframe

Related disciplines

[[edit](#)]

- Communication design
- Copywriting
- Desktop publishing
- Digital illustration
- Graphic design
- Interaction design
- Information design
- Light-on-dark color scheme
- Marketing communications
- Motion graphic design
- New media
- Search engine optimization (SEO)
- Technical Writer
- Typography
- User experience
- User interface design
- Web development
- Web animations

Notes

[[edit](#)]

1. [^] [<table>-based markup](#) and [spacer .GIF images](#)

References

[[edit](#)]

1. [^] **a b** Lester, Georgina. *"Different jobs and responsibilities of various people involved in creating a website"*. Arts Wales UK. Retrieved 2012-03-17.

2. ^ CPBI, Ryan Shelley. *"The History of Website Design: 30 Years of Building the Web [2022 Update]"*. www.smamarketing.net. Retrieved 2022-10-12.
3. ^ *"Longer Biography"*. Retrieved 2012-03-16.
4. ^ *"Mosaic Browser"* (PDF). Archived from *the original* (PDF) on 2013-09-02. Retrieved 2012-03-16.
5. ^ Zwicky, E.D; Cooper, S; Chapman, D.B. (2000). *Building Internet Firewalls*. United States: O'Reily & Associates. p. 804. ISBN 1-56592-871-7.
6. ^ **a b c d** Niederst, Jennifer (2006). *Web Design In a Nutshell*. United States of America: O'Reilly Media. pp. 12–14. ISBN 0-596-00987-9.
7. ^ **a b** Chapman, Cameron, *The Evolution of Web Design*, Six Revisions, archived from *the original* on 30 October 2013
8. ^ *"AMO.NET America's Multimedia Online (Internet Explorer 6 PREVIEW)"*. amo.net. Retrieved 2020-05-27.
9. ^ **a b** *"W3C Markup Validation Service"*.
10. ^ W3C. *"Web Accessibility Initiative (WAI)"*.[cite web: CS1 maint: numeric names: authors list \(link\)](#)
11. ^ *"What is Web Design?"*. The Interaction Design Foundation. Retrieved 2022-10-12.
12. ^ THORLACIUS, LISBETH (2007). *"The Role of Aesthetics in Web Design"*. *Nordicom Review*. **28** (28): 63–76. doi:10.1515/nor-2017-0201. S2CID 146649056.
13. ^ *"What is a Web Designer? (2022 Guide)"*. BrainStation®. Retrieved 2022-10-28.
14. ^ Castañeda, J.A Francisco; Muñoz-Leiva, Teodoro Luque (2007). *"Web Acceptance Model (WAM): Moderating effects of user experience"*. *Information & Management*. **44** (4): 384–396. doi:10.1016/j.im.2007.02.003.
15. ^ *"Building a resilient frontend using progressive enhancement"*. GOV.UK. Retrieved 27 October 2021.
16. ^ *"Rolling out mobile-first indexing"*. Official Google Webmaster Central Blog. Retrieved 2018-06-09.
17. ^ Stone, John (2009-11-16). *"20 Do's and Don'ts of Effective Web Typography"*. Retrieved 2012-03-19.
18. ^ World Wide Web Consortium: Understanding Web Content Accessibility Guidelines 2.2.2: Pause, Stop, Hide
19. ^ W3C QA. *"My Web site is standard! And yours?"*. Retrieved 2012-03-21.[cite web: CS1 maint: numeric names: authors list \(link\)](#)
20. ^ Christensen, Mathias Biilmann (2015-11-16). *"Static Website Generators Reviewed: Jekyll, Middleman, Roots, Hugo"*. Smashing Magazine. Retrieved 2016-10-26.
21. ^ Soucy, Kyle, *Is Your Homepage Doing What It Should?*, Usable Interface, archived from *the original* on 8 June 2012
22. ^ Nielsen, Jakob (10 November 2003), *The Ten Most Violated Homepage Design Guidelines*, Nielsen Norman Group, archived from *the original* on 5 October 2013
23. ^ Knight, Kayla (20 August 2009), *Essential Tips for Designing an Effective Homepage*, Six Revisions, archived from *the original* on 21 August 2013
24. ^ Spool, Jared (29 September 2005), *Is Home Page Design Relevant Anymore?*, User Interface Engineering, archived from *the original* on 16 September 2013
25. ^ Chapman, Cameron (15 September 2010), *10 Usability Tips Based on Research Studies*, Six Revisions, archived from *the original* on 2 September 2013

26. ^ Gócza, Zoltán, *Myth #17: The homepage is your most important page*, archived from *the original* on 2 June 2013
27. ^ McGovern, Gerry (18 April 2010), *The decline of the homepage*, archived from *the original* on 24 May 2013
28. ^ Porter, Joshua (24 April 2006), *Prioritizing Design Time: A Long Tail Approach*, User Interface Engineering, archived from *the original* on 14 May 2013
29. ^ Spool, Jared (6 August 2007), *Usability Tools Podcast: Home Page Design*, archived from *the original* on 29 April 2013
30. ^ **a b** Messner, Katie (22 April 2013), *Image Carousels: Getting Control of the Merry-Go-Round*, Usability.gov, archived from *the original* on 10 October 2013
31. ^ Jones, Harrison (19 June 2013), *Homepage Sliders: Bad For SEO, Bad For Usability*, archived from *the original* on 22 November 2013
32. ^ Laja, Peep (8 June 2019), *Image Carousels and Sliders? Don't Use Them. (Here's why.)*, CXL, archived from *the original* on 10 December 2019
33. ^ Oleksy, Walter (2001). *Careers in Web Design*. New York: The Rosen Publishing Group, Inc. pp. 9–11. ISBN 978-0-8239-3191-0.
34. ^ Visser, Larno, et al. *ChatGPT for Web Design* – *How to Use ChatGPT to Create Amazing Websites*. [First edition]., PACKT Publishing, 2023.


External links

[[edit](#)]

- [W3C consortium for web standards](#)

Web design at Wikipedia's [sister projects](#):

-  **Media** from Commons
-  **Resources** from Wikiversity

Authority control databases: **National**  **Edit this at Wikidata**

- [United States](#)
- [France](#)
- [BnF data](#)
- [Japan](#)
- [Czech Republic](#)
- [Israel](#)

- **v**
- **t**
- **e**

Design

- Outline
- Designer

Disciplines

Communication design

- Advertising
- Book design
- Brand design
- Exhibit design
- Film title design
- Graphic design
 - Motion
 - Postage stamp design
 - Print design
- Illustration
- Information design
- Instructional design
- News design
- Photography
- Retail design
- Signage / Traffic sign design
- Typography / Type design
- Video design
- Visual merchandising

Environmental design

- Architecture
- Architectural lighting design
- Building design
 - Passive solar
- Ecological design
- Environmental impact design
- Garden design
 - Computer-aided
- Healthy community design
- Hotel design
- Interior architecture
- Interior design
 - EID
- Keyline design
- Landscape architecture
 - Sustainable
- Landscape design
- Spatial design
- Urban design

- Automotive design
- Automotive suspension design
- CMF design
- Corrugated box design

Approaches

- Active
- Activity-centered
- Adaptive web
- Affective
- Brainstorming
- By committee
- By contract
- C-K theory
- Closure
- Co-design
- Concept-oriented
- Configuration
- Contextual
- Continuous
- Cradle-to-cradle
- Creative problem-solving
- Creativity techniques
- Critical
 - Design fiction
- Defensive
- Design–bid–build
- Design–build
 - architect-led
- Diffuse
- Domain-driven
- Ecological design
- Energy neutral
- Engineering design process
 - Probabilistic design
- Ergonomic
- Error-tolerant
- Evidence-based
- Fault-tolerant
- Framework-oriented
- For assembly
- For behaviour change
- For manufacturability
- For Six Sigma
- For testing
- For the environment
- For X
- Functional
- Generative
- Geodesign
- HCD
- High-level

- **Tools**
- **Intellectual property**
 - **Organizations**
 - **Awards**

Tools

- AAD
- Architectural model
- Blueprint
- Comprehensive layout
- CAD
 - CAID
 - Virtual home design software
- CAutoD
- Design quality indicator
- Electronic design automation
- Flowchart
- Mockup
- Design specification
- Prototype
- Sketch
- Storyboard
- Technical drawing
- HTML editor
- Website wireframe

Intellectual property

- Clean-room design
- Community design
- Design around
- Design infringement
- Design patent
- Fashion design copyright
- *Geschmacksmuster*
- Industrial design rights
 - European Union

Organizations

- American Institute of Graphic Arts
- Chartered Society of Designers
- Design and Industries Association
- Design Council
- International Forum Design
- Design Research Society

- European Design Award
- German Design Award

Related topics

- Agile
- Concept art
- Conceptual design
- Creative industries
- Cultural icon
- .design
- Dominant design
- Enterprise architecture
- Form factor
- Futures studies
- Indie design
- Innovation management
- Intelligent design
- Lean startup
- New product development
- OODA loop
- Philosophy of design
- Process simulation
- Reference design
- Slow design
- STEAM fields
- Unintelligent design
- Visualization
- Wicked problem
- Design attributes
 - brief
 - change
 - classic
 - competition
 - architectural
 - student
 - director
 - education
 - elements
 - engineer
 - firm
 - history
 - knowledge
 - language
 - life
 - load
 - museum
 - optimization
 - paradigm
 - principles

About Web syndication

Web syndication is making **content** available from one website to other sites. Most commonly, websites are made available to provide either summaries or full renditions of a website's recently added content. The term may also describe other kinds of content **licensing** for reuse.

Motivation

[[edit](#)]

For the subscribing sites, syndication is an effective way of adding greater depth and immediacy of information to their pages, making them more attractive to users. For the provider site, syndication increases exposure. This generates new traffic for the provider site—making syndication an easy and relatively cheap, or even free, form of advertisement.

Content syndication has become an effective strategy for link building, as **search engine optimization** has become an increasingly important topic among website owners and online marketers. Links embedded within the syndicated content are typically optimized around anchor terms that will point an optimized ^{[[clarification needed](#)]} link back to the website that the content author is trying to promote. These links tell the algorithms of the search engines that the website being linked to is an authority for the keyword that is being used as the anchor text. However the rollout of **Google Panda**'s algorithm may not reflect this authority in its **SERP** rankings based on quality scores generated by the sites linking to the authority.

The prevalence of web syndication is also of note to **online marketers**, since web surfers are becoming increasingly wary of providing personal information for marketing materials (such as signing up for a **newsletter**) and expect the ability to subscribe to a feed instead. Although the format could be anything transported over **HTTP**, such as **HTML** or **JavaScript**, it is more commonly **XML**. **Web syndication formats** include **RSS**, **Atom**,^[1] and **JSON Feed**.

History

[[edit](#)]

Main article: [History of web syndication technology](#)

Syndication first arose in earlier media such as **print**, **radio**, and **television**, allowing content creators to reach a wider audience. In the case of radio, the United States Federal government proposed a syndicate in 1924 so that the country's executives could quickly and efficiently reach the entire population.^[2] In the case of television, it is often said that "Syndication is where the real money is."^[3] Additionally, syndication accounts for the bulk of TV programming.^[4]

One predecessor of web syndication is the **Meta Content Framework** (MCF), developed in 1996 by **Ramanathan V. Guha** and others in **Apple Computer's** Advanced Technology Group.[5]

Today, millions of online publishers, including newspapers, commercial websites, and blogs, distribute their news headlines, product offers, and blog postings in the news feed.

As a commercial model

[edit]

Conventional syndication businesses such as **Reuters** and **Associated Press** thrive on the internet by offering their content to media partners on a subscription basis,[6] using business models established in earlier media forms.

Commercial web syndication can be categorized in three ways:

- by *business models*
- by *types of content*
- by *methods for selecting distribution partners*

Commercial web syndication involves partnerships between content producers and distribution outlets. There are different structures of partnership agreements. One such structure is **licensing** content, in which distribution partners pay a fee to the content creators for the right to publish the content. Another structure is ad-supported content, in which publishers share revenues derived from advertising on syndicated content with that content's producer. A third structure is free, or barter syndication, in which no currency changes hands between publishers and content producers. This requires the content producers to generate revenue from another source, such as embedded advertising or subscriptions. Alternatively, they could distribute content without remuneration. Typically, those who create and distribute content free are promotional entities, vanity publishers, or government entities.

Types of content syndicated include **RSS** or **Atom** Feeds and full content. With RSS feeds, headlines, summaries, and sometimes a modified version of the original full content is displayed on users' feed readers. With full content, the entire content—which might be text, audio, video, applications/widgets, or **user-generated content**—appears unaltered on the publisher's site.

There are two methods for selecting distribution partners. The content creator can hand-pick syndication partners based on specific criteria, such as the size or quality of their audiences. Alternatively, the content creator can allow publisher sites or users to opt into carrying the content through an automated system. Some of these automated "content marketplace" systems involve careful screening of potential publishers by the content creator to ensure that the material does not end up in an inappropriate environment.

Just as syndication is a source of profit for TV producers and radio producers, it also functions to maximize profit for Internet content producers. As the Internet has increased in size[7] it has become increasingly difficult for content producers to aggregate a sufficiently large audience to

support the creation of high-quality content. Syndication enables content creators to **amortize** the cost of producing content by licensing it across multiple publishers or by maximizing the distribution of advertising-supported content. A potential drawback for content creators, however, is that they can lose control over the presentation of their content when they syndicate it to other parties.

Distribution partners benefit by receiving content either at a discounted price, or free. One potential drawback for publishers, however, is that because the content is duplicated at other publisher sites, they cannot have an "exclusive" on the content.

For users, the fact that syndication enables the production and maintenance of content allows them to find and consume content on the Internet. One potential drawback for them is that they may run into duplicate content, which could be an annoyance.

E-commerce

[[edit](#)]

See also: **E-commerce**

Web syndication has been used to distribute product content such as feature descriptions, images, and specifications. As manufacturers are regarded as authorities and most sales are not achieved on manufacturer websites, manufacturers allow retailers or dealers to publish the information on their sites. Through syndication, manufacturers may pass relevant information to **channel partners**.^[8] Such web syndication has been shown to increase sales.^[9]

Web syndication has also been found effective as a **search engine optimization** technique.^[10]

See also

[[edit](#)]

- **RSS**
- **Atom (web standard)**
- **Broadcast syndication**
- **Content delivery platform**
- **Feed icon**
- **hAtom**
- **List of comic strip syndicates**
- **List of streaming media systems**
- **Print syndication**
- **Protection of Broadcasts and Broadcasting Organizations Treaty**
- **Push technology**
- **Software as a service**
- **Usenet**

References

[[edit](#)]

1. [^] *Hammersley, Ben (2005). [Developing Feeds with RSS and Atom](#). Sebastopol: O'Reilly. ISBN 0-596-00881-3.*
2. [^] "Offers Plan to Syndicate Programs." The New York Times. 12 Oct 1924: Special Features Radio Automobiles Page 14
3. [^] [Broadcast syndication](#)
4. [^] Museum of Broadcast Communications [Syndication Archived](#) 9 October 2009 at the [Wayback Machine](#)
5. [^] *Lash, Alex (3 October 1997). ["W3C takes first step toward RDF spec"](#). Archived from [the original](#) on 13 July 2012. Retrieved 16 February 2007.*
6. [^] *["Internet Content Syndication: Content Creation and Distribution in an Expanding Internet Universe"](#) (PDF). Internet Content Syndication Council. May 2008.*
7. [^] Netcraft.com ["Web Server Survey."](#)
8. [^] Forrester Research ["Must Haves for Manufacturer Web Sites"](#)
9. [^] Internet Retailer [More product content equals more sales at eCost.com](#)
10. [^] How to Increase Your Search Ranking [Fresh Business Thinking](#)

External links

[[edit](#)]

- Media related to [Web syndication](#) at Wikimedia Commons

- v**
- t**
- e**

[Web syndication](#)

History

[Blogging](#)
[Podcasting](#)
[Vlogging](#)
[Web syndication technology](#)

Types


- Art
- Bloggernacle
- Classical music
- Corporate
- Dream diary
- Edublog
- Electronic journal
- Fake
- Family
- Fashion
- Food
- Health
- Law
- Lifelog
- MP3
- News
- Photoblog
- Police
- Political
- Project
- Reverse
- Travel
- Warblog

Technology	General	<ul style="list-style-type: none"> ○ BitTorrent ○ Feed URI scheme
	Features	<ul style="list-style-type: none"> ○ Linkback ○ Permalink ○ Ping ○ Pingback ○ Reblogging ○ Refback ○ Rollback ○ Trackback
	Mechanism	<ul style="list-style-type: none"> ○ Thread ○ Geotagging ○ RSS enclosure ○ Synchronization
	Memetics	<ul style="list-style-type: none"> ○ Atom feed ○ Data feed ○ Photofeed ○ Product feed ○ RDF feed ○ Web feed
	RSS	<ul style="list-style-type: none"> ○ GeoRSS ○ MRSS ○ RSS TV
	Social	<ul style="list-style-type: none"> ○ Inter-process communication ○ Mashup ○ Referencing ○ RSS editor ○ RSS tracking ○ Streaming media
	Standard	<ul style="list-style-type: none"> ○ OPML ○ RSS Advisory Board ○ Usenet ○ World Wide Web ○ XBEL ○ XOXO

- Audio podcast
- Enhanced podcast
- Mobilecast
- Narrowcasting
- Peercasting
- Screencast
- Slidecasting
- Videocast
- Webcomic
- Webtoon
- Web series

Form

- Anonymous blogging
- Collaborative blog
- Columnist
- Instant messaging
- Liveblogging
- Microblog
- Mobile blogging
- Spam blog
- Video blogging
- Motovlogging



Check our other pages :

- [SEO company Sydney](#)
- [SEO parramatta](#)
- [SEO website](#)
- [SEO packages australia](#)
- [local SEO services Sydney](#)

Frequently Asked Questions

What is a content agency in Sydney?

A content agency in Sydney focuses on creating high-quality, SEO-optimized content that resonates with your target audience. Their services typically include blog writing, website copy, video production, and other forms of media designed to attract traffic and improve search rankings.

Why should I consider SEO packages in Australia?

SEO packages in Australia typically bundle essential optimization services such as keyword research, technical audits, content creation, and link building at a set price. They are designed to simplify the process, provide consistent results, and help businesses of all sizes improve their online visibility.

What is involved in SEO consulting?

SEO consulting involves analyzing a website's current performance, identifying areas for improvement, and recommending strategies to boost search rankings. Consultants provide insights on keyword selection, on-page and technical optimization, content development, and link-building tactics.

What are the benefits of working with an SEO consultant in Sydney?

An SEO consultant in Sydney can provide tailored advice and strategies that align with your business's goals and local market conditions. They bring expertise in keyword selection, content optimization, technical SEO, and performance monitoring, helping you achieve better search rankings and more organic traffic.

What role do SEO consultants play in a digital marketing strategy?

SEO consultants are responsible for improving your website's visibility and performance in search engines. By analyzing data, refining keyword strategies, and optimizing site elements, they enhance your overall digital marketing efforts, leading to more traffic, better user engagement, and higher conversions.

What are local SEO services in Sydney?

Local SEO services in Sydney focus on optimizing a business's online presence to attract local customers. This includes claiming local business listings, optimizing Google My Business profiles, using location-specific keywords, and ensuring consistent NAP (Name, Address, Phone) information across the web.

SEO google

SEO Sydney

Phone : 1300 684 339

City : Sydney

State : NSW

Zip : 2000

[Google Business Profile](#)

[Google Business Website](#)

Company Website : <https://sydney.website/seo-sydney/>

USEFUL LINKS

[SEO Website](#)

[SEO Services Sydney](#)

[Local SEO Sydney](#)

[SEO Ranking](#)

[SEO optimisation](#)

LATEST BLOGPOSTS

[SEO community](#)

[SEO Buzz](#)

[WordPress SEO](#)

[SEO Audit](#)

[Sitemap](#)

[Privacy Policy](#)

[About Us](#)

[SEO Castle Hill](#) | [SEO Fairfield](#) | [SEO Hornsby](#) | [SEO Liverpool](#) | [SEO North Sydney](#) | [SEO Norwest](#) | [SEO Parramatta](#) | [SEO Penrith](#) | [SEO Strathfield](#) | [SEO Wetherill Park](#)

Follow us