

1. An insurer has extended the ABContact entity in ContactManager with an array of Notes to capture information of about the contact over time. A developer has been asked to write a function to process all the notes for a given contact. Which code satisfies the requirement and follows best practices?

```
while ( exists ( note in anABContact.Notes ) ) {  
    ○ //do something  
}
```

```
for ( note in anABContact.Notes ) {  
    ○ //do something  
}
```

```
for ( i = 1..|anABContact.Notes.length ) {  
    ○ //do something  
}
```

```
var aNote = anABContact.Notes.firstWhere( \ note -> note.Author != null)  
○ //do something
```

2. Which statement is true about the Project Release branch for an implementation using Git?

- It is used by the implementation team to stabilize the code for a specific release
- It contains product releases from Guidewire
- It stores the current production code and is updated whenever the production system is updated
- It is used by the implementation team to develop code for a specific release

Choose 1 option.



3. An insurer has identified a new requirement for company vendor contacts in ContactManager. If the Preferred Vendor? field is set to Yes, display the new BBB Rating (Better Business Bureau) field.

Additional Info

Preferred Vendor?	<input checked="" type="radio"/> Yes <input type="radio"/> No
BBB Rating	A
Business License	

Which two configuration changes will satisfy this requirement? (Select two)




- Set the editable property of the BBB Rating field to true when the Preferred Vendor? field is No
- Enable the Post On Change property for the BBB Rating field
- Set the visible property of the BBB Rating field to true when the Preferred Vendor? field is Yes
- Call a gosu expression from the PostOnChange onChange property to set the value of the BBB Rating field
- Enable the Post On Change property for the Preferred Vendor? field

Element	Primary Value	Secondary Value	Name	Value
viewEntity	GroupParentView	Efficiently fetches information about the parent entity	entity	GroupParentView
implementsInt	com.guidewire.pl.domain.core.IEntity	com.guidewire.pl.domain.core.IEntity	primaryEntity	Group
viewEntityLink	Group	ID	desc	Efficiently fetches information about the parent entity
viewEntityLink	Parent	Parent	superTypeEntity	
			abstract	false
			displayName	
			exportable	false
			extendable	true
			final	true

What configuration is needed to add Group.GroupType to a list view using GroupParentView following best practices?

- Set the value on the input widget to GroupParentView.Group.GroupType
- Add a viewEntityType for GroupType to GroupParentView.etc
- Create a new viewEntity that includes GroupType
- Add a viewEntityType for GroupType to GroupParentView.eti



Which three statements are true about the configuration? (Select three)

- The Entry Point Signatures for each modal PCF must use the same variables
- The mode property on each PCF must match an Entity Name
- The default modal PCF will be displayed if there is no modal PCF for the entity being displayed
- Each modal PCF can be associated with only one subtype
- Each modal PCF must have the same identical set of required variables
- A modal PCF is required for each subtype in the hierarchy



6. ACME Insurance requires that addresses are validated through a postal service in all insurance products.  
Which package structure and Gosu class name follow best practice?

- ai.suite.integration.postalservice, AddressUtil.gs
- gw.webservice.postalservice, AddressUtil.gs
- acme.pc.service.postalservice, AddressUtil\_Ext.gs
- gw.suite.services.postalservice, AddressUtil\_Ext.gs

Choose 1 option.



8. A developer performed Guidewire Profiler analysis on a web service. The results showed a large Own Time (unaccounted-for time) value, but it is difficult to correlate the data with the exact section of code executed.

Which approach can help to identify what is causing the large processing time?

- Add more logging statements at the INFO level
- Create more profiler tags to block out sections of code
- Apply extra frames in the profiler output
- Use print statements to calculate the time spent in the code

Choose 1 option.

9. Which logging statement follows best practice?

- `logger.error(DisplayKey.get("Web.ContactManager.Error.GeneralException",  
e.Message))`
- `If(Logger.InfoEnabled) {  
 logger.debug("Adding '${contact.PublicID}' to ContactManager")  
}  
  
logger.info(logPrefix +  
 "[Address#AddressLine1=" + address.AddressLine1 +  
 "] [Address#City" + address.City +  
 "] [Address#State" + address.State +"]")`
- `If(Logger.DebugEnabled) {  
 logger.debug(logPrefix + someReallyExpensiveOperation())  
}`

IS DEBUG

Choose 1 option

10. An insurer wants to add a new typecode for an alternate address to a base typelist EmployeeAddress that has not been extended.

Following best practices, which step must a developer take to perform this task?

- Create an EmployeeAddress\_Ext.tti file and add a new typecode alternate
- Open the EmployeeAddress.tti and add a new typecode alternate
- Create an EmployeeAddress.tix file and add a new typecode alternate\_Ext
- Create an EmployeeAddress.ttx file and add a new typecode alternate\_Ext

Choose 1 option.



11. What are two types of Guidewire Profiler? (Select two)

- Worksheet
- Database Performance
- Entry-point
- Web
- Exit-point

Choose 2 options.

12. In the base application, there is a typelist called ContactRel in the Metadata folder that stores contact relationships. The relationships listed include Parent / Guardian, Employer, Primary Contact, Third-Party Insurer, and Collection Agency. The business analysts have requested two additional relationships: Spouse and Business Partner. Where should these relationships be added?

- ContactRel.ttx
- RelatedContactsLV.pcf
- ContactRel.tix
- ContactRel.tti

Choose 1 option

## ABContact

### Subtypes

Code	Name
ABCCompany	ABCCompany
ABCCompanyVendor	ABCCompanyVendor
ABAAutoRepairShop	ABAAutoRepairShop
ABAAutoTowingAgcy	ABAAutoTowingAgcy
ABLAWFIRM	ABLAWFIRM
ABMedicalCareOrg	ABMedicalCareOrg
ABPolicyCompany	ABPolicyCompany

How should this requirement be configured following best practices?

- Create a custom entity ABAutoRentalAgency\_Ext and add the three fields to this entity
- Create three new fields to extend the existing ABCCompanyVendor subtype
- Create ABAutoRentalAgency\_Ext as a subtype of ABCompany and add the three fields to the subtype
- Create ABAutoRentalAgency\_Ext as a subtype of ABCCompanyVendor and add the three fields to the subtype

Choose 1 option.

24°C  
Cloudy

14. A developer needs to create an interface in a customer package to handle banking services. An implementation has been identified for online credit union services.

Which interface and implementation classes adhere to the naming conventions?

- BankService\_Ext.gs, CreditUnionBankService.gs
- BankService\_Ext.gs, CreditUnionBankServiceImpl.gs
- IBankService.gs, CreditUnionBankService.gs
- BankService.gs, CreditUnionBankService.gs

Choose 1 option

15. The Marketing department wants to add information for attorneys and doctors:
- For doctors, store the name of their medical school.
- For attorneys, store the name of their law school.
- Which two data model extensions follow best practices to fulfill this requirement? (Select two)

- A varchar column on ABAttorney, named LawSchool\_Ext
- An array on ABPerson, named ProfessionalSchools\_Ext
- An entity named LawSchool\_Ext, and a foreign key to it from AB\_Attorney
- A varchar column on ABDocitor, named MedSchool\_Ext
- An entity named ProfessionalSchool\_Ext, storing the school's name and type
- An entity named MedSchool\_Ext and a foreign key to it from AB\_Docotor

Choose 2 options.

16. Which two performance issues of Guidewire core products can be analyzed using the Guidewire Profiler? (Select two)

- User interface
- Database index
- Data warehouse
- Batch process
- Client reflection

Choose 2 options.

17. ABPersonVendor is an entity in the base application. An insurer needs to add a new person vendor type for auditors. Which configuration fulfills the requirement and follows the best practices?

- Create ABAuditor\_Ext.eti with a foreign key pointing to ABPersonVendor
- Add a new column Auditor\_Ext in the entity extension ABPersonVendor.etx
- Add a new entity ABAuditor\_Ext.eti as a subtype of ABPersonVendor
- Create ABAuditor.etx as an extension of ABPersonVendor

Choose 1 option.

18. An insurer with a self-managed InsuranceSuite implementation is preparing to transition to Guidewire Cloud Platform. Which two Cloud Delivery Standards must be met before deployment? (Select two)

- Log files are written as plain text to simplify the process of troubleshooting and debugging
- Database Consistency Check data issues that prevent upgrades must be fixed
- All new typelist and entity extension names include a three-character customer-specific suffix
- Customers must be on the most current General Availability version of the product being deployed to the Cloud
- Performance tests must be developed and run for all functionality before an upgrade to the Cloud

Choose 2 options.

19. A business analyst has a new requirement for an additional filter on Desktop Activities.  
Which two options can be used to filter a query-backed ListView? (Select two)

- Create a Gosu method to loop through the ListView rows adding the rows that match the criteria
- Add a ToolbarFilterOption to the ToolbarFilter widget
- Use a Gosu standard bean filter in the filter property of a ToolbarFilterOption
- Use a Gosu standard query filter in the filter property of a ToolbarFilterOption of a ToolbarFilter widget
- Create an array of filtered values to populate the ListView

Choose 2 options.

20. An insurer has a number of employees whose names are similar, but each one has a unique employee number for identification. Displaying the employee's name as a drop-down list in the user interface must include the employee's number with the employee's name to ensure uniqueness. For example:

John Smith	3455
William Andy	3978
John Smith	4041

How can a developer satisfy this requirement following best practices?

- Enable Post On Change for name fields to modify how they display when the name is referenced
- Create a setter property in a Name enhancement class
- Define an entity name that concatenates the name fields and employee number
- Create a Displaykey that concatenates the name fields and employee number

Choose 1 option

21. Database Consistency Checks classified as 'Other data integrity expectations' in Guidewire Cloud must be addressed before deploying code into production in the Cloud.

Which two are best practices for resolving these errors? (Select two)

- Prioritize errors that are recent and occur in large numbers
- Share analysis with Guidewire Cloud Assurance for final determination
- Fix these errors regardless of age or number of offending rows
- Run the Production Data Fix Tool to correct these errors
- Schedule weekly deployments of fixes until all errors are resolved

Choose 2 options

22. Which log message output follows best practices in production?

- The account cannot be created for: Jane's Florist, phone number: (510) 555-0000, address: 112 Main Street, Livermore CA 94550.
- [Method=RenewalProcess#issueNow] [Job#JobNumber=00005678] is renewed.
- User minimalist paid the premium with the card: 4071002234567855.
- ALERT! The server went down. It must be recovered immediately.

Choose 1 option.

23. A Guidewire developer is assigned to create a new list view.

Which two objects are required for the list view to appear on the Studio canvas with no errors or red showing? (Select two)

- Add and Delete buttons
- A row
- A text cell
- A text input
- A row iterator

Choose 2 options.



24. Which GUnit base class is used for tests that involve Gosu queries in PolicyCenter?

- PCUnitTestClassBase
- GUnitTestClassBase
- SuiteDBTestClassBase
- PCServerTestClassBase

Choose 1 option.



Subjects

Code	Name
Company	Company
Person	Person
Place	Place

Which configuration steps will satisfy the requirement? (Select two)

- Create a new enhancement class for the Company entity under the insurer package
- Create a new enhancement class for the Contact entity under the gw package
- Create a getter property to calculate the years in business in a Company enhancement
- Create a function to calculate the years in business in a Company enhancement
- Create a function to calculate the years in business in a UI Helper class under the gw package
- Create a setter property to calculate the years in business in the Contact enhancement

Choose 2 options

24°C  
Cloudy



Q Search

26. The following Gosu statement is the Action part of a validation rule:

```
claim.rejectField("State", TC_PAYMENT,  
    DisplayKey.get("Rules.Validation.Claim.NotInDraft",  
        null, null))
```

It produces the following compilation error:

Gosu compiler: Wrong number of arguments to function rejectField(java.lang.String, typekey.ValidationLevel, java.lang.String, typekey.ValidationLevel, java.lang.String). Expected 5, got 3

What needs to be added to or deleted from the statement to clear the error?

- The word "State" must be replaced with a DisplayKey
- A right parenthesis must be added.
- A left parenthesis must be delete
- The two nulls must be replaced with a typekey and a string

Choose 1 option.

27. A ListView shows related Policies for a policyholder. When a user clicks a Policy Number in a text cell, the UI should Popup showing details of that specific policy. The `elementName` property in the row iterator is `currentPolicy`. What is the correct syntax to open the popup?

- Modify the Action property on the atomic widget to `PolicyPopup.go(currentPolicy)`
- Modify the Action property on the atomic widget to `PolicyPopup.push(currentPolicy)`
- Modify the `actionAvailable` property on the atomic widget to `PolicyPopup(currentPolicy)`
- Modify the `actionAvailable` property on the atomic widget to `PolicyPopup.push(currentPolicy)`

Choose 1 option.



< Previous page

29. The Officials list view in ClaimCenter displays information about an official called to the scene of a loss (for example, police, fire department, ambulance). The base product captures and displays only three fields for officials. An insurer has added additional fields but still only displays three fields. The insurer has requested a way to edit a single record in the view to view and edit all of the officials fields.

Which location type can be used to satisfy this requirement?

- Page
- Location group
- Forward
- Popup

Choose 1 option.

Which two statements are true regarding the Guidewire Cloud Assurance process? (Select two)

- Items in the Optimization Backlog must be resolved before deployment to the Cloud
- Cloud Assurance applies to both new Guidewire Cloud implementations and customer projects migrating self-managed implementations into Guidewire Cloud Platform
- Cloud Assurance does not apply to customer projects migrating self-managed implementations into Guidewire Cloud Platform
- The Optimization Backlog includes Guidewire suggestions for improvement
- Cloud Assurance applies to new Guidewire Self-managed implementations

Choose 2 options.

35. An insurer ran the DBCC checks against a copy of their PolicyCenter production database in a non-production environment to check for errors before promoting the code to production. Three errors with high counts were found in the code update and reconciliation.

What are two best practices for resolving the errors? (Select two)

- Analyze the errors to determine the root cause and correct the code responsible for the errors
- Search the Knowledge Base on the Guidewire Community for solutions to the problems found
- Identify any bad data and write a SQL script to correct the data; run the script immediately
- Promote the code to production and run the DBCCs again to see if the same errors are found
- Wait to see if error counts increase; if they increase by more than 10%, fix the errors

Choose 2 options.

36. Given this function:

```
929 private function getConnection() : Connection  
930 {  
931     try  
932     {  
933         return DriverManager.getConnection(_dbURL, _dbUsername, _dbPassword)  
934     }  
935     catch (e : Throwable)  
936     {  
937         throw new ServletException("Failed to open database " + _dbURL + " as " + _dbUsername, e)  
938     }  
939 }
```

What action will align the function with Gosu best practices?

- In line 933, change DriverManager to driverManager (camel case)
- Move left curly braces on lines 930, 932, and 936 to the end of the previous lines
- Add a comment for lines with significant code (specifically, lines 933 and 937)
- Change line 935 to read "catch (e : Exception)"

The insurer requires this information to be displayed, in this format, on every card of both the Summary and Details for every individual person contact. This information will be stored in a container to be reused on all these cards.

Which object will most efficiently meet this requirement, according to best practices?

- Input Set PCF file
- Detail View Panel
- Input set widget
- Worksheet PCF file

Choose 1 option.

38. A query is known to return 500,000 rows.

Which two are recommended to process all 500,000 rows efficiently? (Select two)

- Use `setPageSize()`
- Use a batch process for large result sets
- Use `Google Iterables`
- Sort the result by entity name
- Chunk the results into page sets

Choose 2 options.



39. An insurer wants to prevent US phone numbers from containing the string "555" in the prefix (digits 4-6). In addition to a test for country, which validation expression will accomplish this?
- `((phoneOwner.PhoneFields.NationalSubscriberNumber[4-6] as String).== '555') ? DisplayKey.get("BadPhoneNumber") : true`
  - `((phoneOwner.PhoneFields.NationalSubscriberNumber as String).contains('555')) ? DisplayKey.get("BadPhoneNumber") : null`
  - `((phoneOwner.PhoneFields.NationalSubscriberNumber[3-5] as String).equals('555')) ? DisplayKey.get("BadPhoneNumber") : null`
  - `(phoneOwner.PhoneFields.NationalSubscriberNumber[3-5].equals('555') ? DisplayKey.get("BadPhoneNumber") : true`

Choose 1 option

40. What type of Assessment Check ensures that applications have monitoring and logging frameworks in place?

- Security
- Operations
- Upgrades
- Performance



Choose 1 option.

41. An insurer wants to determine how many activities have been generated to review a denial decision with an Account Manager. A developer has written this query:

```
1 uses gw.api.database.Query  
2  
3 var queryResults = Query.make(Activity).select().toCollection().where(  
4   \ act -> act.ActivityPattern.Code == "account_denial" )
```

This query does not perform as well as it should.

Where should the results be filtered to follow best practices?

- On the application server
- In a block statement
- In the application cache
- In the database

42. The Cost entity contains the fields TotalPremium and Tax. The application needs to calculate the total cost as a sum of those two fields dynamically and wants to create a reusable solution.  
Which configuration is appropriate and efficient to achieve this task?

Create an entity enhancement and add:

- property set TotalCost\_Ext(totalCost : BigDecimal){  
    totalCost = this.TotalPremium + this.Tax  
}

- Create an entity extension and add a new field to store the total cost.

Add a getter in CostEnhancement:

- property get TotalCost\_Ext() : BigDecimal {  
    return this.TotalPremium + this.Tax  
}

- Calculate the total cost in the value property in the PCF file.

Choose 1 option

43. A developer has designed a detail view with an email address input.

What is the best practice for ensuring that only a properly formatted email address can be entered into this email address input?

- Use field-level validation for the email address
- Create an email address class with a validation method
- Create a validation rule for email addresses
- Use database validation for the email address

Choose 1 option.

The business analysts have uncovered a requirement that the Documents, History, Litigation, and Notes pages should be grouped under a single heading, to be called Legal Records.

What is the best practice for accomplishing this?

- Rearrange the order of the sidebar so that the four pages are all together, set the indent property for all four pages, and insert them above them, which reads Legal Records
- Click the gear icon in the UI, select user settings, select Sidebar, set preferences for the four pages according to the desired order
- Place the views associated with those four pages onto a single screen named Legal Records, and place that screen on the sidebar, removing the individual pages from the sidebar
- Create a location group named Legal Records, containing those four items, and add it to the sidebar, removing the individual pages from the sidebar


Choose 1 option.

45. What is a purpose of logging in Guidewire products?

- Capturing all data values entered in the user interface
- Profiling the application performance
- Recording each action taken by a user and the system
- Application troubleshooting and maintenance

Choose 1 option.





Which container type must be added between Card and Input Column?

---

- Input Set
- Detail View PCF File
- List View
- Detail View



Choose 1 option.

47. What is a benefit of archiving?

- Reorganizes and compresses the contents of the database to conserve space
- Improves application performance by reducing the size of the database
- Reindexes the contents of the database to increase data retrieval speed
- Reduces database size by permanently removing data marked for purge

Choose 1 option.

48. A developer has finished a bug fix.

Which step is needed before merging to follow best practices?

- Clone the parent branch
- Recreate the development branch
- Merge user story branch into parent branch
- Integrate parent branch to defect branch

Choose 1 option.



4. What is a commit in Git?

---

- A list of files with the changes made to each file over time
- A fixed pointer that identifies the changes to a file
- A snapshot of all of the files in a project
- A floating pointer to a stream of file changes

50. Which scenarios should database consistency checks be run in? (Select two)
- A customer created a subtype of an entity that has a required column and imported data through the user interface.
  - A customer created a new LocationRef, a folder that contains a new PCF file, Detail View, and List View.
  - A customer created their own SQL script to populate empty columns in their production database.
  - A customer extended an entity with a column that is not required and imported data for the column through the user interface.
  - A customer created a new typelist and added several new typecodes to an existing typelist.

Choose 2 options

51. An insurer wants to add a new typecode for a loan account to a base typelist, BankAccountType, extended.

Which step must a developer take to perform this task following best practices?

- Open the BankAccountType.tti and add a new typecode LoanAccount
- Create a BankAccountType.tix file and add a new typecode LoanAccount\_Ext
- Create a BankAccountType\_Ext.tti file and add a new typecode LoanAccount
- Create a BankAccountType.ttx file and add a new typecode LoanAccount\_Ext

Choose 1 option.

52. Business analysts have discovered a requirement to store a homeowner's home mortgage and HELOC account, if they have them.

Contact already has an array, "BankAccounts," which refers to the BankAccount entity. BankAccount "AccountType" which is based on a typelist called "BankAccountType."

What is best practice for resolving this requirement?

- Extend the BankAccountType typelist with typecodes for "Mortgage" and "HELOC"
- Extend the BankAccount entity with fields "Mortgage" and "HELOC"
- Extend the Contact entity with fields "Mortgage" and "HELOC"
- Extend the Contact entity with foreign keys to BankAccount, named "Mortgage" and "HELOC"



Choose 1 option

53. A developer is creating an entity for home inspections that contains a field for the inspection date. Which configuration of the file name and the field name fulfills the requirement and follows best practice?

- HomeInspection.etc, InspectionDate \_Ext
- HomeInspection \_Ext.etc, InspectionDate
- HomeInspection.eti, InspectionDate \_Ext
- HomeInspection \_Ext.eti, InspectionDate \_Ext
- HomeInspection \_Ext.eti, InspectionDate

Choose 1 option.

O var urgentActivities = claim.Activities.where(\ activity -> activity.Priority == Priority.TC\_URGENT)  
and activity.Status == TC\_OPEN)

O var activityQuery = gw.api.database.Query.make(Activity)  
activityQuery.compare(Activity#Priority, Equals, Priority.TC\_URGENT)  
activityQuery.compare(Activity#Status, Equals, TC\_OPEN)  
activityQuery.compare(Activity#Claim, Equals, claim)  
var urgentActivities = activityQuery.select()

O var activityQuery = gw.api.database.Query.make(Activity)  
activityQuery.compare(Activity#Status, Equals, TC\_OPEN)  
activityQuery.compare(Activity#Claim, Equals, claim)  
var urgentActivities = activityQuery.select()

55. Which rule is written in the correct form for a rule which sets the claim segment and leaves the ruleset?

CONDITION (claim : entity.Claim)  
return claim.Segment == null

- ACTION (claim : entity.Claim, actions : gw.rules.ACTION)  
claim.Segment == TC\_AUTO\_LOW  
actions.exitRuleset()



CONDITION (claim : entity.Claim)  
return claim.Segment == null

- ACTION (claim : entity.Claim, actions : gw.rules.ACTION)  
claim.Segment = TC\_AUTO\_LOW  
actions.exit()

56. For ABPerson contacts only, the marketing team has requested to store the name of the individual's favorite sports team. What data model extension follows best practices to fulfill this requirement?

- Add a varchar field to ABPerson named FavoriteTeam\_Ext
- Create a typelist of sports team names, and add a typekey to ABContact based on that typelist
- Create an ABSportsTeam entity and add a foreign key from ABContact to ABSportsTeam
- Add a varchar field to ABContact named FavoriteTeam\_Ext



Choose 1 option.

Talking:

57. When a user marks the InspectionComplete field and clicks Update, the user making the update and the date/time of the update need to be recorded in separate fields.

Which approach will accomplish this?

- Create a Preupdate Rule that checks for a change in the InspectionComplete field and updates the UpdatedBy and UpdatedDateTime fields
- Create an EventFired Rule that would be triggered by the change in the InspectionComplete field to update the UpdatedBy and UpdatedDateTime fields
- Enable Reflection on the InspectionComplete widget and use the value property to update the UpdatedBy and UpdatedDateTime fields
- Create a Validation Rule that checks for a change in the InspectionComplete field, which checks that the UpdatedBy and UpdatedDateTime fields are populated

action	false
editable	
id*	LossDate_Ext
label	
required	
value	DisplayKey.get("LV.Activity.Activities.LossDate_Ext") ActivityDesktopView.Claim.LossDate

Which action should be taken to configure the date cell to follow best practices?

- Configure the dateFormat property of the widget to display the date in a short format
- Use a text cell widget instead of a date cell widget and format the value as a string
- Use an existing display key rather than creating a custom display key
- Extend the view entity to include the claim loss date rather than access it from Claim

Choose 1 option.

59. This sample code uses array expansion with dot notation and has performance issues:

```
4  
5 var isOnAccountWithLinkContacts  
6   = this.Contact.AccountContacts*.Contact  
7     .AccountContact*.Account  
8       .where(\a -> a.LinkContacts).count() > 1  
9
```

What best practice is recommended to resolve the performance issues?

- Break the code into multiple queries to process each array
- Replace the .where clause with a .compare function
- Rewrite the code to use a nested for loop
- Replace the dot notation syntax with ArrayLoader syntax

60. An insurer has a number of employees who are working remotely from different locations. Displaying the employee in a drop-down list in the user interface must include the employee's location along with it. For example:

John Smith London, UK

William Andy Dublin, Ireland

Eric Andy BC, Canada


How can a developer satisfy this requirement following best practices?

- Create a displaykey that concatenates the name fields and work locations
- Create a setter property in a Name enhancement class
- Define an entity name that concatenates the name fields and work locations
- Enable Post On Change for name fields to modify how the name is displayed when referenced

Choose 1 option.



1. A developer has added Iterator (Add and Remove) buttons to the list view shown below.



What is the reason the buttons are not displayed?

- The user has disabled editing from their Options view.
- Since no records are displayed, there is nothing to Remove.
- The buttons are not properly associated with the iterator.
- Records can be added to a list only in a list-detail view.

Choose 1 option



You are screen sharing

Page 23 / 60 Flag this page

24. A8PersonVendor is an entity in the base application. An insurer needs to add a new person vendor type for auditors. Which configuration fulfills the requirement and follows the best practices?

- Create A8AuditorExt as an extension of A8PersonVendor
- Add a new column AuditorExt in the entity extension A8PersonVendorExt
- Add a new entity A8AuditorExt as a subtype of A8PersonVendor
- Create A8AuditorExt with a foreign key pointing to A8PersonVendor

Exam Timer  
2h 25m 54s

X ML Proctor625

30. Which GUnit test method adheres to the Guidewire naming standards?

- whenAssigningActivityTest
- testBulkInvoiceBatchJob
- testThatQuotesGenerated
- claimSegmentationTest

Choose 1 option.

◀ Previous page

Submit page

Exam Timer

2h 22m 46s

You are screen sharing


Exam Timer  
2h 21m 45s

31. Which statement accurately defines automated Guidewire inspections?

- Inspections enable static analysis to enforce standards and detect Gosu anti-patterns.
- All Guidewire inspections are incorporated into a plugin that can be installed in Guidewire Studio.
- Developers need to toggle on all of the inspections they want to execute against their code.
- Inspections can be modified by developers but will be used as delivered in Studio.

0 score / 0pt

1 Pending PGP



X ML PRO

```
following code sample:  
yw.transaction.Transaction.runWithNewBundle(newBundle ->  
    var targetCo = gw.api.database.Query.make(ABCompany)  
    targetCo.compare(ABCompany@Name, Equals, 'Acme Brick Co.')  
    targetCo.select().AtMostOneRow  
    var company = targetCo.select().AtMostOneRow  
    company.Notes = 'Some value'  
}  
// two items should be added to the notes
```

What two items should be added or changed to follow best practices? (Select two)

• Equals with Includes in the comparison  
• Add target(s) after the compare statement  
• Compare Notes  
• Store a

- Reject codes with trades in the comparison
  - `target0 = refBonds.add(target0)` after the compare statement
  - `bonds.setm()` after setting company Notes
  - `05740 = refBonds.add(05740)` before setting company Notes
  - Print a value for the user

15. For AllPerson contacts only, the marketing team has requested to store the name of the individual's favorite sports team.

What data model extension follows best practices to fulfill this requirement?

Create an AllSportsTeam entity and add a foreign key from AllContact to AllSportsTeam.

Add a varchar field to AllPerson named FavoriteTeam\_Ect.

Add a varchar field to AllContact named FavoriteTeam\_Ect.

Create a lookup of sports team names, and add a lookup to AllContact based on that lookup.

Create a lookup.

Exam Timer  
2h 16m 36s

54. A developer needs to run multiple GUnit test classes so that they can be run at the same time.

Which two statements are true about the included tests? (Select two)

- They must use the assertTrue() function
- They must set TestResultsDir property
- They must be in the same GUnit class
- They must have the same @Suite annotation
- They must be based on the same GUnit base class

Choose 2 options