BRICK FIRE AND EMS STATION #3
EXISTING METAL SHED
EXISTING METAL SHED
EXISTING CONCRETE BLOCK INDUSTRIAL MALL #29
BRICK INDUSTRIAL MALL #11-#25
CONCRETE BLOCK INDUSTRIAL MALL #31
CONCRETE BLOCK INDUSTRIAL MALL #33
CONCRETE BLOCK INDUSTRIAL MALL #53
GRAVEL DRIVEWAY TO FIRE AND EMS STATION
FIRE ROUTE 6.0m
OFFICE SIDE
UNIT 1
UNIT 2
UNIT 3
UNIT 4
UNIT 5
UNIT 6
UNIT 7
UNIT 8
UNIT 9
UNIT 10
UNIT 11
UNIT 12
UNIT 13
UNIT 14
N38°11'28"E 163.83
N45°07'56"W 127.14
N45°07'50"W 134.83
N45°07'50"W 148.98
N46°24'53"W 172.26
N44°46'44"E 11.85
A=39.65
N47°19'04"E
A=54.28
C=N53°12'08"E 54.25
C=N58°55'56"E
A=37.19
N61°08'05"
EXISTING 300mm WATER MAIN
EXISTING 300mm SANI SEWER
EDGE OF ASPHALT
ARMSTRONG AVENUE
EXISTING WATERMAIN CONNECTION TO BE ABANDONED
PROPOSED WATER SERVICE CONNECTION 150mm DIA PVC SDR18 PER HALTON REGION STANDARD RH409.01
PROPOSED FIRE SERVICE CONNECTION 200mm DIA PVC SDR18, TAP BY REGION OF HALTON FORCES ONLY
PROPOSED SANITARY MH OPSD 701.010
PROPOSED SANITARY SEWER CONNECTION 200mm DIA PVC SDR35, TAP BY REGION OF HALTON FORCES ONLY
EXISTING SANITARY SEWER CONNECTION TO BE REMOVED
200mm DIA FIRE SERVICE CONNECTION
150mm DIA WATER SERVICE CONNECTION
EXISTING 6" DUCTILE IRON CEMENT LINED WATERMAIN
EXISTING 8" dia. ASBESTOS CEMENT SANI SEWER @ 0.25%
PROPOSED 200mm DIA PVC SDR35 SANITARY SEWER
PROPOSED 200mm DIA PVC SDR35 SANITARY SEWER
EXISTING 6" DUCTILE IRON CEMENT LINED WATERMAIN
EXISTING 8" dia. ASBESTOS CEMENT SANI SEWER @ 0.25%