



TECHNICAL INFORMATION

RANGE	: CARNIVAL
COMPOSITION	: 100% Polyester
WIDTH	: 137 CMS / 54" + - 2%
FASTNESS	: 5+ (BS1006 (1990) WET : 5 & DRY : 4-5.
ABRASION	: In Excess of 50000 cycles (800G / 12KPA) Martindale.
MAINTENANCE	: Professional cleaning is recommended.
COLOUR MATCHING	: Batch to batch variations in shade may occur within commercial tolerances.

OPTIONAL TREATMENT

FLAMMABILITY	: BS EN 1021 - 1 : 1994 (Cigarette) BS 7176 : 1995 Low Hazard Flammability performance is dependent on the combination of material used.
SCOTCH GUARD	: AATCC - 118.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com


CARNIVAL



CARNIVAL



TECHNICAL INFORMATION



RANGE	: AMAZE
COMPOSITION	: 100% Polyester
WIDTH	: 137 CMS / 54" + - 2%
FASTNESS	: 5+ (BS1006 (1990) WET : 5 & DRY : 4-5.
ABRASION	: In Excess of 35000 cycles (800G / 12KPA) Martindale.
MAINTENANCE	: Professional cleaning is recommended.
COLOUR MATCHING	: Batch to batch variations in shade may occur within commercial tolerances.
FLAMMABILITY	: BS EN 1021 - 1 : 1994 (Cigarette) BS 7176 : 1995 Low Hazard



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com




AMAZE



AMAZE

TECHNICAL INFORMATION



RANGE : HC-HEXAGON

COMPOSITION : 100% POLYESTER

WIDTH : 140 CMS ($\pm 2\%$)

WEIGHT : 500 GLM

ABRASION RESISTANCE : 50000 CYCLES


COLOUR FASTNESS : 4

PILLING RESISTANCE : 4

MAINTENANCE : PROFESSIONAL CLEANING IS RECOMMENDED.

COLOUR MATCHING : BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED





Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com

HC-HEXAGON




HC-HEXAGON



HC - 06 HC - 07 HC - 08 HC - 09 HC - 15 HC - 16 HC - 17 HC - 18

TECHNICAL INFORMATION



RANGE : PS-CROSS

COMPOSITION : 100% POLYESTER

WIDTH : 140 CMS ($\pm 2\%$)

WEIGHT : 500 GLM

ABRASION RESISTANCE : 50000 CYCLES

COLOUR FASTNESS : 4

PILLING RESISTANCE : 4

MAINTENANCE : PROFESSIONAL CLEANING IS RECOMMENDED.

COLOUR MATCHING : BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com

PS-CROSS



PS - 01



PS - 02

PS - 03

PS - 04

PS - 05

PS - 11

PS - 12

PS - 13

PS - 14

PS - 06

PS - 07

PS - 08

PS - 09


PS - 15

PS - 16



PS - 17

PS - 18


PS-CROSS



PS - 10



TECHNICAL INFORMATION



RANGE	: WV-TWIST
COMPOSITION	: 100% POLYESTER
WIDTH	: 140 CMS ($\pm 2\%$)
WEIGHT	: 500 GLM
ABRASION RESISTANCE	: 50000 CYCLES
COLOUR FASTNESS	: 4
PILLING RESISTANCE	: 4
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING	: BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED






Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com

WV-TWIST



WV-TWIST



WV - 06

WV - 07

WV - 08

WV - 09

WV - 15


WV - 16

WV - 17

WV - 18



TECHNICAL INFORMATION



RANGE : RD-SQUARE

COMPOSITION : 100% POLYESTER

WIDTH : 140 CMS ($\pm 2\%$)

WEIGHT : 500 GLM

ABRASION RESISTANCE : 50000 CYCLES

COLOUR FASTNESS : 4

PILLING RESISTANCE : 4

MAINTENANCE : PROFESSIONAL CLEANING IS RECOMMENDED.



COLOUR MATCHING : BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED






Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com

RD-SQUARE




RD - 09 RD - 10 RD - 11 RD - 12 RD - 13 RD - 14 RD - 15 RD - 16 RD - 17 RD - 18

RD-SQUARE



RD - 17 RD - 18

TECHNICAL INFORMATION



RANGE	: RA-RHOMBUS
COMPOSITION	: 100% POLYESTER
WIDTH	: 140 CMS ($\pm 2\%$)
WEIGHT	: 500 GLM
ABRASION RESISTANCE	: 50000 CYCLES
COLOUR FASTNESS	: 4
PILLING RESISTANCE	: 4
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING	: BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED




Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com

RA-RHOMBUS



RA-RHOMBUS



RA - 06

RA - 07

RA - 08

RA - 09


RA - 15

RA - 16

RA - 17

RA - 18

TECHNICAL INFORMATION



RANGE : SE-RIBBON

COMPOSITION : 100% POLYESTER

WIDTH : 140 CMS ($\pm 2\%$)

WEIGHT : 500 GLM

ABRASION RESISTANCE : 50000 CYCLES

COLOUR FASTNESS : 4

PILLING RESISTANCE : 4

MAINTENANCE : PROFESSIONAL CLEANING IS RECOMMENDED.

COLOUR MATCHING : BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED





Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com

SE-RIBBON



SE-RIBBON



SE - 06

SE - 07

SE - 08

SE - 09


SE - 15

SE - 16

SE - 17

SE - 18

TECHNICAL INFORMATION



RANGE	: ES-CROCODILE
COMPOSITION	: 100% POLYESTER
WIDTH	: 140 CMS ($\pm 2\%$)
WEIGHT	: 500 GLM
ABRASION RESISTANCE	: 50000 CYCLES
COLOUR FASTNESS	: 4
PILLING RESISTANCE	: 4
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING	: BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED





Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com

ES-CROCODILE



ES-CROCODILE



ES - 06

ES - 07

ES - 08

ES - 09


ES - 15

ES - 16

ES - 17

ES - 18

TECHNICAL INFORMATION



RANGE : FL-FLORAL

COMPOSITION : 100% POLYESTER

WIDTH : 140 CMS ($\pm 2\%$)

WEIGHT : 500 GLM

ABRASION RESISTANCE : 50000 CYCLES

COLOUR FASTNESS : 4

PILLING RESISTANCE : 4

MAINTENANCE : PROFESSIONAL CLEANING IS RECOMMENDED.

COLOUR MATCHING : BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com

FL-FLORAL




FL - 06

FL - 07

FL - 08

FL - 09

FL-FLORAL



FL - 10

FL - 11

FL - 12

FL - 13

FL - 14


FL - 15

FL - 16

FL - 17

FL - 18

TECHNICAL INFORMATION



RANGE	: RY-CRIMSON
COMPOSITION	: 100% POLYESTER
WIDTH	: 140 CMS (\pm 2%)
WEIGHT	: 450 GLM
ABRASION RESISTANCE	: IN EXCESS OF 80000 CYCLES (800G/12 KPA) MARTINDALE & NO YARN BREAKAGE.
COLOUR FASTNESS	: 5+ (BS 1006 (1990)) WET : 5 & DRY : 4-5.
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING	: BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED




Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com




RY-CRIMSON



RY-CRIMSON



TECHNICAL INFORMATION



RANGE	: ZARA
COMPOSITION	: 100% POLYESTER
WEIGHT	: 500 GLM
WIDTH	: 137 CMS/54" +-2%
ABRASION	: IN EXCESS OF 80000 CYCLES (800G/12KPA) MARTINDALE & NO YARN BREAKAGE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021-1:1994 (CIGARETTE)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED




Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com

ZARA



ZARA



ZA - 01



ZA - 02




ZA - 03




ZA - 04




ZA - 05



ZA - 07



ZA - 10



ZA - 13



ZA - 16



ZA - 08



ZA - 11



ZA - 14



ZA - 17



ZA - 09




ZA - 12




ZA - 15

TECHNICAL INFORMATION



RANGE	: HARUKO
COMPOSITION	: 100% POLYESTER
WEIGHT	: 500 GLM
WIDTH	: 137 CMS/54" +2%
ABRASION	: IN EXCESS OF 80000 CYCLES (800G/12KPA) MARTINDALE & NO YARN BREAKAGE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021-1:1994 (CIGARETTE)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED












Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com

HARUKO



HARUKO



HO - 10

HO - 11


HO - 12

HO - 21

HO - 22

HO - 23

TECHNICAL INFORMATION



RANGE	: CANVAS
COMPOSITION	: 100% POLYESTER
WEIGHT	: 500 GLM
WIDTH	: 137 CMS/54" +-2%
ABRASION	: IN EXCESS OF 80000 CYCLES (800G/12KPA) MARTINDALE & NO YARN BREAKAGE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021-1:1994 (CIGARETTE)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com


CANVAS



CANVAS



TECHNICAL INFORMATION



RANGE	: LAUREN
COMPOSITION	: 100% POLYESTER
WEIGHT	: 500 GLM
WIDTH	: 137 CMS/54" +-2%
ABRASION	: IN EXCESS OF 80000 CYCLES (800G/12KPA) MARTINDALE & NO YARN BREAKAGE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021-1:1994 (CIGARETTE)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED




Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com


LAUREN



LAUREN



TECHNICAL INFORMATION



RANGE	: SWIFT
COMPOSITION	: 100% POLYESTER
WEIGHT	: 500 GLM
WIDTH	: 137 CMS/54" +-2%
ABRASION	: IN EXCESS OF 80000 CYCLES (800G/12KPA) MARTINDALE & NO YARN BREAKAGE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021-1:1994 (CIGARETTE)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.

COLOUR MATCHING: BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com

SWIFT



SWIFT



ST - 08

ST - 09

ST - 10


ST - 19

ST - 20

ST - 21



TECHNICAL INFORMATION



RANGE	: VINILLE
COMPOSITION	: 100% POLYESTER
WEIGHT	: 500 GLM
WIDTH	: 137 CMS/54" +-2%
ABRASION	: IN EXCESS OF 80000 CYCLES (800G/12KPA) MARTINDALE & NO YARN BREAKAGE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021-1:1994 (CIGARETTE)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com


VINILLE



VINILLE



TECHNICAL INFORMATION



RANGE	: MN-CASHMERE
COMPOSITION	: 100% POLYESTER
WEIGHT	: 550 GLM
WIDTH	: 137 CMS/54" +-2%
ABRASION	: IN EXCESS OF 50000 CYCLES (800G/12KPA) MARTINDALE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021-1:1994 (CIGARETTE)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com

MN-CASHMERE



MN-CASHMERE



MN-01 APRICOT



MN-02 SANGRIA



MN-03 COFFEE



MN-19 FAWN



MN-20 TOMATO RED



MN-21 CORN FLOWER




MN-04 WINE



MN-05 AQUAMARINE



MN-06 SLATE GREY



MN-22 GREYSTO




MN-23 DUOMO




MN-24 MUD



MN-07 CADMIUM



MN-08 DARK BROWN



MN-09 BLACK



MN-25 FUSCIA



MN-26 STONE



MN-27 PACIFIC



MN-10 DESERT



MN-11 CINNAMON



MN-12 PRUNE



MN-28 SPRING BUD




MN-29 PINK



MN-30 PEPPERMINT



MN-13 GALAXY



MN-14 PEWTER




MN-15 TWISTER



MN-31 MINK



MN-32 PRUSSIAN



MN-33 OLIVER



MN-16 MYRTLE



MN-17 STEEL




MN-18 TENNE



MN-30 PEPPERMINT

TECHNICAL INFORMATION



RANGE	: CANOPY
COMPOSITION	: 100% POLYESTER
WEIGHT	: 500 GLM
WIDTH	: 137 CMS / 54" +2%
ABRASION	: IN EXCESS OF 50000 CYCLES (800G/12KPA) MARTINDALE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021-1:1994 (CIGARETTE)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com

CANOPY



CANOPY



CY - 01



CY - 06



CY - 11



CY - 16



CY - 02



CY - 07



CY - 12



CY - 17



CY - 03



CY - 08



CY - 13



CY - 18



CY - 04



CY - 09



CY - 14



CY - 19



CY - 05



CY - 10




CY - 15



CY - 20

TECHNICAL INFORMATION



RANGE	: VIVO
COMPOSITION	: 100% POLYESTER
WEIGHT	: 400 GLM
WIDTH	: 137 CMS/54" +-2%
ABRASION	: IN EXCESS OF 40000 CYCLES (800G/12KPA) MARTINDALE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021-1:1994 (CIGARETTE)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com



VIVO



VIVO



VO-01 SEA SHELL



VO-02 FAWN



VO-03 ACORN



VO-16 TENNE



VO-17 GALAXY



VO-18 CINNAMON



VO-04 APRICOT



VO-05 RUISTE




VO-06 STEEL



VO-19 MOUSE



VO-20 DARK BROWN



VO-21 OLIVER



VO-07 PEWTER



VO-08 AMETHYST



VO-09 PURPLE



VO-22 AQUAMARINE



VO-23 AZURE



VO-24 VIOLET



VO-10 PERSIAN RED



VO-11 SANGRIA



VO-12 TOMATO RED



VO-25 BLACK



VO-26 INDIGO



VO-27 MUD



VO-13 PRUNE



VO-14 LEMON



VO-15 YELLOW



VO-28 ARSENIC



VO-29 DESERT



VO-30 CREAM GOLD

TECHNICAL INFORMATION

WN - SOFT

RANGE	: WN - SOFT
COMPOSITION	: 100% POLYESTER
WEIGHT	: 600 GLM
WIDTH	: 137 CMS/54" +2%
ABRASION	: IN EXCESS OF 100000 CYCLES (800G/12KPA) MARTINDALE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021-1:1994 (CIGARETTE)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
 Tyagi Vihar, Meerut Road, Sewa Nagar
 Ghaziabad – 201001 (U.P.) India
 Mob: - +91 9717958484
 E mail: - ashish@innovatesfabric.com
 Web: - www.innovatesfabric.com



WN - SOFT



TECHNICAL INFORMATION


RANGE	: ANGLE PRINT & QUIZ
COMPOSITION	: 100% POLYESTER
WEIGHT	: 550 GLM
WIDTH	: 137 CMS / 54" +-2%
ABRASION	: IN EXCESS OF 77,500 CYCLES (800G/12KPA) MARTINDALE (ASTM D 4966) (BASE FABRIC) & 50000+ (WITH PRINT)
COLOUR FASTNESS TO LIGHT	: ISO 105-B02 RATING: 6+
COLOUR FASTNESS TO RUBBING	: ISO 105-X12 DRY: 4-5, WET: 5
FIRE TEST	: AS1530.3 CAL 117 SECTION E ASTM E84
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING	: BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED




Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com


ANGLE PRINT




AP - 01




AP - 02




AP - 03



AP - 04




AP - 05




AP - 06




AP - 07




AP - 08




AP - 09



AP - 10




AP - 11



AP - 12


QUIZ




QZ - 01



QZ - 02




QZ - 03




QZ - 04




QZ - 05




QZ - 06



QZ - 07



QZ - 08




QZ - 09



QZ - 10



QZ - 11



QZ - 12



TECHNICAL INFORMATION


RANGE	: BROADWAY & LANDSCAPE
COMPOSITION	: 100% POLYESTER
WEIGHT	: 550 GLM
WIDTH	: 137 CMS / 54" +-2%
ABRASION	: IN EXCESS OF 77,500 CYCLES (800G/12KPA) MARTINDALE (ASTM D 4966) (BASE FABRIC) & 50000+ (WITH PRINT)
COLOUR FASTNESS TO LIGHT	: ISO 105-B02 RATING: 6+
COLOUR FASTNESS TO RUBBING	: ISO 105-X12 DRY: 4-5, WET: 5
FIRE TEST	: AS1530.3 CAL 117 SECTION E ASTM E84
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING	: BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com

BROADWAY



BY - 01




BY - 02



BY - 03



BY - 04




BY - 05



BY - 06




BY - 07



BY - 08



BY - 09



BY - 10



BY - 11



BY - 12


LANDSCAPE




LS - 01




LS - 02



LS - 03



LS - 04



LS - 05




LS - 06



LS - 07



LS - 08




LS - 09



LS - 10



LS - 11



LS - 12

TECHNICAL INFORMATION

RANGE	: CORROSION, CODE STRIPE & HONEYCOMB
COMPOSITION	: 100% POLYESTER
WEIGHT	: 550 GLM
WIDTH	: 137 CMS / 54" +-2%
ABRASION	: IN EXCESS OF 77,500 CYCLES (800G/12KPA) MARTINDALE (ASTM D 4966) (BASE FABRIC) & 50000+ (WITH PRINT)
COLOUR FASTNESS TO LIGHT	: ISO 105-B02 RATING: 6+
COLOUR FASTNESS TO RUBBING	: ISO 105-X12 DRY: 4-5, WET: 5
FIRE TEST	: AS1530.3 CAL 117 SECTION E ASTM E84
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING	: BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com

CORROSION & CODE STRIPE



CI - 01



CI - 02




CI - 03



CI - 04



CI - 05



CS - 01




CS - 02



CS - 03



CS - 04



CS - 05

HONEYCOMB



HB - 01




HB - 02



HB - 03




HB - 04



HB - 05



HB - 06



HB - 07



HB - 08




HB - 09



HB - 10

TECHNICAL INFORMATION



RANGE	: OPTRA
COMPOSITION	: 100% POLYESTER
WEIGHT	: 400 GLM
WIDTH	: 137 CMS / 54" +-2%
ABRASION	: IN EXCESS OF 50000 CYCLES (800G/12KPA) MARTINDALE (ASTM D 4966)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

OPTRA




OP - 01




OP - 02



OP - 03



OP - 04



OP - 05



OP - 06



OP - 07



OP - 08



OP - 09



OP - 10



OP - 11



OP - 12



OP - 13



OP - 14



OP - 15



OP - 16



OP - 17



OP - 18


AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com



TECHNICAL INFORMATION



RANGE	: MATRIX
COMPOSITION	: 100% POLYESTER
WIDTH	: 137 CMS/54" ± 2%
ABRASION	: IN EXCESS OF 35000 CYCLES (800G/12KPA) MARTINDALE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021 - 1 : 1994 (CIGARETTE) : BS 7176 : 1995 LOW HAZARD
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

MATRIX




AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com






TECHNICAL INFORMATION



RANGE : NV-DIASON
COMPOSITION : SURFACE – 98% PVC & 2% PU, SUBTRACT – 100% POLYESTER
WEIGHT : 600 GLM
WIDTH : 137 CMS / 54" ± 2%.
MAINTENANCE : PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING : BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

NV-DIASON




AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com



TECHNICAL INFORMATION




RANGE	: AK-CRUSH
COMPOSITION	: SURFACE – 98% PVC & 2% PU, SUBTRACT – 100% POLYESTER
WEIGHT	: 500 GLM
WIDTH	: 137 CMS / 54" ± 2%.
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING	: BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.


AK-CRUSH



AK - 01



AK - 02



AK - 03




AK - 04



AK - 05



AK - 06



AK - 07



AK - 08



AK - 09



AK - 10



AK - 11



AK - 12




AK - 13


AN ISO 9001:2015 CERTIFIED




Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com




TECHNICAL INFORMATION




GS-IRIS



GS - 02



GS - 03



GS - 04



GS - 05



GS - 06



GS - 07



GS - 08



GS - 09



GS - 10



GS - 11



GS - 12




GS - 13


AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com



TECHNICAL INFORMATION




RANGE : PR-COUSTA
COMPOSITION : SURFACE – 98% PVC & 2% PU, SUBTRACT – 100% POLYESTER
WEIGHT : 700 GLM
WIDTH : 137 CMS / 54" ± 2%.
MAINTENANCE : PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING : BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.


PR-COUSTA



PR - 01



PR - 02



PR - 03



PR - 04



PR - 05



PR - 06



PR - 07



PR - 08



PR - 09



PR - 10



PR - 11



PR - 12



PR - 13


AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com



TECHNICAL INFORMATION




VL-APOLLO




AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com



TECHNICAL INFORMATION



MD-MAVRICH



RANGE	: MD-MAVRICH
COMPOSITION	: SURFACE – 98% PVC & 2% PU, SUBTRACT – 100% POLYESTER
WEIGHT	: 700 GLM
WIDTH	: 137 CMS / 54" ± 2%.
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING	: BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.



MD - 01



MD - 02




MD - 03



MD - 04



MD - 05



MD - 06



MD - 07



MD - 08



MD - 09



MD - 10



MD - 11



MD - 12



MD - 13


AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com



TECHNICAL INFORMATION



RANGE : BW-AMERICANO
COMPOSITION : SURFACE – 98% PVC & 2% PU, SUBTRACT – 100% POLYESTER
WEIGHT : 700 GLM
WIDTH : 137 CMS / 54" ± 2%.
MAINTENANCE : PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING : BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

BW-AMERICANO



BW - 01



BW - 02



BW - 03



BW - 04



BW - 05



BW - 06



BW - 07



BW - 08



BW - 09



BW - 10



BW - 11



BW - 12



BW - 13

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com





Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar,
Ghaziabad - 201001 (U.P.) India
Mob:- + 91- 9717958484
E mail:- ashish@innovativesfabric.com
Web : - www.innovativesfabric.com