



TECHNICAL INFORMATION

RANGE	: CARNIVAL
COMPOSITION	: 100% Polyester
WIDTH	: 137 CMS / 54" + - 2%
FASTNESS	: 5+ (BS1006 (1990) WET : 5 & DRY : 4-5.
ABRASION	: In Excess of 50000 cycles (800G / 12KPA) Martindale.
MAINTENANCE	: Professional cleaning is recommended.
COLOUR MATCHING	: Batch to batch variations in shade may occur within commercial tolerances.

OPTIONAL TREATMENT

FLAMMABILITY	: BS EN 1021 - 1 : 1994 (Cigarette) BS 7176 : 1995 Low Hazard Flammability performance is dependent on the combination of material used.
SCOTCH GUARD	: AATCC - 118.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com


CARNIVAL



CARNIVAL



TECHNICAL INFORMATION



RANGE	: AMAZE
COMPOSITION	: 100% Polyester
WIDTH	: 137 CMS / 54" +- 2%
FASTNESS	: 5+ (BS1006 (1990) WET : 5 & DRY : 4-5.
ABRASION	: In Excess of 35000 cycles (800G / 12KPA) Martindale.
MAINTENANCE	: Professional cleaning is recommended.
COLOUR MATCHING	: Batch to batch variations in shade may occur within commercial tolerances.
FLAMMABILITY	: BS EN 1021 - 1 : 1994 (Cigarette) BS 7176 : 1995 Low Hazard



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com




AMAZE



AMAZE

TECHNICAL INFORMATION



RANGE : HC-HEXAGON

COMPOSITION : 100% POLYESTER

WIDTH : 140 CMS ($\pm 2\%$)

WEIGHT : 500 GLM

ABRASION RESISTANCE : 50000 CYCLES

COLOUR FASTNESS : 4

PILLING RESISTANCE : 4

MAINTENANCE : PROFESSIONAL CLEANING IS RECOMMENDED.

COLOUR MATCHING : BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED






Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com

HC-HEXAGON




HC-HEXAGON



HC-06 HC-07 HC-08 HC-09 HC-15 HC-16 HC-17 HC-18

TECHNICAL INFORMATION




RANGE : PS-CROSS
COMPOSITION : 100% POLYESTER
WIDTH : 140 CMS ($\pm 2\%$)
WEIGHT : 500 GLM
ABRASION RESISTANCE : 50000 CYCLES
COLOUR FASTNESS : 4
PILLING RESISTANCE : 4
MAINTENANCE : PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING : BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com




PS-CROSS



PS-CROSS



PS - 10



PS - 06

PS - 07

PS - 08

PS - 09


PS - 15

PS - 16

PS - 17

PS - 18

TECHNICAL INFORMATION




RANGE	: WV-TWIST
COMPOSITION	: 100% POLYESTER
WIDTH	: 140 CMS ($\pm 2\%$)
WEIGHT	: 500 GLM
ABRASION RESISTANCE	: 50000 CYCLES
COLOUR FASTNESS	: 4
PILLING RESISTANCE	: 4
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING	: BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com

WV-TWIST





WV - 06

WV - 07

WV - 08

WV - 09

WV-TWIST



WV - 10

WV - 11

WV - 12

WV - 13

WV - 14


WV - 15

WV - 16

WV - 17

WV - 18

TECHNICAL INFORMATION



RANGE : RD-SQUARE

COMPOSITION : 100% POLYESTER

WIDTH : 140 CMS ($\pm 2\%$)

WEIGHT : 500 GLM

ABRASION RESISTANCE : 50000 CYCLES

COLOUR FASTNESS : 4

PILLING RESISTANCE : 4

MAINTENANCE : PROFESSIONAL CLEANING IS RECOMMENDED.



COLOUR MATCHING : BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED






Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com

RD-SQUARE




RD - 01
RD - 02
RD - 03
RD - 04
RD - 05
RD - 06
RD - 07
RD - 08

RD-SQUARE



RD - 10
RD - 11
RD - 12
RD - 13
RD - 14
RD - 15
RD - 16
RD - 17
RD - 18

TECHNICAL INFORMATION



RANGE : RA-RHOMBUS

COMPOSITION : 100% POLYESTER

WIDTH : 140 CMS ($\pm 2\%$)

WEIGHT : 500 GLM

ABRASION RESISTANCE : 50000 CYCLES

COLOUR FASTNESS : 4

PILLING RESISTANCE : 4

MAINTENANCE : PROFESSIONAL CLEANING IS RECOMMENDED.

COLOUR MATCHING : BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED




Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com

RA-RHOMBUS



RA-RHOMBUS



RA - 06

RA - 07

RA - 08

RA - 09


RA - 15

RA - 16

RA - 17

RA - 18

TECHNICAL INFORMATION



RANGE : SE-RIBBON

COMPOSITION : 100% POLYESTER

WIDTH : 140 CMS ($\pm 2\%$)

WEIGHT : 500 GLM

ABRASION RESISTANCE : 50000 CYCLES

COLOUR FASTNESS : 4

PILLING RESISTANCE : 4

MAINTENANCE : PROFESSIONAL CLEANING IS RECOMMENDED.


COLOUR MATCHING : BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED





Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com

SE-RIBBON



SE-RIBBON



SE - 06

SE - 07

SE - 08

SE - 09


SE - 15

SE - 16

SE - 17

SE - 18

TECHNICAL INFORMATION




RANGE	: ES-CROCODILE
COMPOSITION	: 100% POLYESTER
WIDTH	: 140 CMS ($\pm 2\%$)
WEIGHT	: 500 GLM
ABRASION RESISTANCE	: 50000 CYCLES
COLOUR FASTNESS	: 4
PILLING RESISTANCE	: 4
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING	: BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED






Khasra No:- 81 (Building No:- 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com


ES-CROCODILE



ES-CROCODILE



TECHNICAL INFORMATION



RANGE	: FL-FLORAL
COMPOSITION	: 100% POLYESTER
WIDTH	: 140 CMS ($\pm 2\%$)
WEIGHT	: 500 GLM
ABRASION RESISTANCE	: 50000 CYCLES
COLOUR FASTNESS	: 4
PILLING RESISTANCE	: 4
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING	: BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com

FL-FLORAL





FL - 06

FL - 07

FL - 08

FL - 09

FL-FLORAL



FL - 10

FL - 11

FL - 12

FL - 13

FL - 14


FL - 15

FL - 16

FL - 17

FL - 18

TECHNICAL INFORMATION



RANGE	: RY-CRIMSON
COMPOSITION	: 100% POLYESTER
WIDTH	: 140 CMS ($\pm 2\%$)
WEIGHT	: 450 GLM
ABRASION RESISTANCE	: IN EXCESS OF 80000 CYCLES (800G/12 KPA) MARTINDALE & NO YARN BREAKAGE.
COLOUR FASTNESS	: 5+ (BS 1006 (1990)) WET : 5 & DRY : 4-5.
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING	: BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com




RY-CRIMSON



RY-CRIMSON



TECHNICAL INFORMATION



RANGE	: ZARA
COMPOSITION	: 100% POLYESTER
WEIGHT	: 500 GLM
WIDTH	: 137 CMS/54" +-2%
ABRASION	: IN EXCESS OF 80000 CYCLES (800G/12KPA) MARTINDALE & NO YARN BREAKAGE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021-1:1994 (CIGARETTE)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED




Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com

ZARA



ZARA



ZA - 01



ZA - 02



ZA - 03



ZA - 04




ZA - 05



ZA - 06




ZA - 07



ZA - 08



ZA - 09



ZA - 10



ZA - 11



ZA - 12



ZA - 13



ZA - 14




ZA - 15

ZA - 16

ZA - 17

TECHNICAL INFORMATION



RANGE	: HARUKO
COMPOSITION	: 100% POLYESTER
WEIGHT	: 500 GLM
WIDTH	: 137 CMS/54" +2%
ABRASION	: IN EXCESS OF 80000 CYCLES (800G/12KPA) MARTINDALE & NO YARN BREAKAGE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021-1:1994 (CIGARETTE)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED










Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com

HARUKO



HARUKO



HO - 10

HO - 11


HO - 12

HO - 21

HO - 22

HO - 23

TECHNICAL INFORMATION



RANGE	: CANVAS
COMPOSITION	: 100% POLYESTER
WEIGHT	: 500 GLM
WIDTH	: 137 CMS/54" +-2%
ABRASION	: IN EXCESS OF 80000 CYCLES (800G/12KPA) MARTINDALE & NO YARN BREAKAGE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021-1:1994 (CIGARETTE)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com


CANVAS



CANVAS



TECHNICAL INFORMATION



RANGE	: LAUREN
COMPOSITION	: 100% POLYESTER
WEIGHT	: 500 GLM
WIDTH	: 137 CMS/54" +-2%
ABRASION	: IN EXCESS OF 80000 CYCLES (800G/12KPA) MARTINDALE & NO YARN BREAKAGE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021-1:1994 (CIGARETTE)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com


LAUREN



LAUREN




TECHNICAL INFORMATION



RANGE	: SWIFT
COMPOSITION	: 100% POLYESTER
WEIGHT	: 500 GLM
WIDTH	: 137 CMS/54" +2%
ABRASION	: IN EXCESS OF 8000 CYCLES (800G/12KPA) MARTINDALE & NO YARN BREAKAGE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021-1:1994 (CIGARETTE)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.

COLOUR MATCHING: BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED




Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com

SWIFT



SWIFT



ST - 08

ST - 09

ST - 10


ST - 19

ST - 20

ST - 21



TECHNICAL INFORMATION



RANGE	: VINILLE
COMPOSITION	: 100% POLYESTER
WEIGHT	: 500 GLM
WIDTH	: 137 CMS/54" +-2%
ABRASION	: IN EXCESS OF 80000 CYCLES (800G/12KPA) MARTINDALE & NO YARN BREAKAGE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021-1:1994 (CIGARETTE)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com


VINILLE



VINILLE



TECHNICAL INFORMATION



RANGE	: MN-CASHMERE
COMPOSITION	: 100% POLYESTER
WEIGHT	: 550 GLM
WIDTH	: 137 CMS/54" +-2%
ABRASION	: IN EXCESS OF 50000 CYCLES (800G/12KPA) MARTINDALE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021-1:1994 (CIGARETTE)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com


MN-CASHMERE



MN-CASHMERE



TECHNICAL INFORMATION



RANGE	: CANOPY
COMPOSITION	: 100% POLYESTER
WEIGHT	: 500 GLM
WIDTH	: 137 CMS / 54" +2%
ABRASION	: IN EXCESS OF 50000 CYCLES (800G/12KPA) MARTINDALE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021-1:1994 (CIGARETTE)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com

CANOPY



CANOPY



CY - 01



CY - 06



CY - 11



CY - 16



CY - 02



CY - 07



CY - 12



CY - 17



CY - 03




CY - 08



CY - 13



CY - 18



CY - 04



CY - 09



CY - 14



CY - 19



CY - 05



CY - 10




CY - 15



CY - 20

TECHNICAL INFORMATION



RANGE	: VIVO
COMPOSITION	: 100% POLYESTER
WEIGHT	: 400 GLM
WIDTH	: 137 CMS/54" +-2%
ABRASION	: IN EXCESS OF 40000 CYCLES (800G/12KPA) MARTINDALE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021-1:1994 (CIGARETTE)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com



VIVO



VIVO



VO-01 SEA SHELL



VO-02 FAWN



VO-03 ACORN



VO-16 TENNE



VO-17 GALAXY



VO-18 CINNAMON



VO-04 APRICOT



VO-05 RUISTE



VO-06 STEEL



VO-19 MOUSE



VO-20 DARK BROWN



VO-21 OLIVER




VO-07 PEWTER



VO-08 AMETHYST



VO-09 PURPLE



VO-22 AQUAMARINE



VO-23 AZURE



VO-24 VIOLET



VO-10 PERSIAN RED



VO-11 SANGRIA



VO-12 TOMATO RED



VO-25 BLACK



VO-26 INDIGO



VO-27 MUD



VO-13 PRUNE



VO-14 LEMON



VO-15 YELLOW



VO-28 ARSENIC



VO-29 DESERT



VO-30 CREAM GOLD

TECHNICAL INFORMATION

RANGE	: WN - SOFT
COMPOSITION	: 100% POLYESTER
WEIGHT	: 600 GLM
WIDTH	: 137 CMS/54" +2%
ABRASION	: IN EXCESS OF 100000 CYCLES (800G/12KPA) MARTINDALE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021-1:1994 (CIGARETTE)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

WN - SOFT



WN - SOFT




WN-01 PEARL



WN-03 LIGHT GREY




WN-04 DARK GREY




WN-09 MAGENTA



WN-10 BLACK



WN-12 PURPLE




WN-05 TOMATO RED



WN-06 SANGRIA



WN-07 INDIGO



WN-08 WINE



WN-13 SKY BLUE



WN-15 RUST



WN-16 BLACK GREY

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com



TECHNICAL INFORMATION


RANGE	: ANGLE PRINT & QUIZ
COMPOSITION	: 100% POLYESTER
WEIGHT	: 550 GLM
WIDTH	: 137 CMS / 54" +-2%
ABRASION	: IN EXCESS OF 77,500 CYCLES (800G/12KPA) MARTINDALE (ASTM D 4966) (BASE FABRIC) & 50000+ (WITH PRINT)
COLOUR FASTNESS TO LIGHT	: ISO 105-B02 RATING: 6+
COLOUR FASTNESS TO RUBBING	: ISO 105-X12 DRY: 4-5, WET: 5
FIRE TEST	: AS1530.3 CAL 117 SECTION E ASTM E84
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING	: BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED




Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com


ANGLE PRINT




AP - 01




AP - 02




AP - 03



AP - 04




AP - 05




AP - 06




AP - 07




AP - 08




AP - 09



AP - 10




AP - 11



AP - 12


QUIZ




QZ - 01



QZ - 02



QZ - 03




QZ - 04



QZ - 05



QZ - 06




QZ - 07



QZ - 08



QZ - 09



QZ - 10



QZ - 11




QZ - 12



TECHNICAL INFORMATION

RANGE	: BROADWAY & LANDSCAPE
COMPOSITION	: 100% POLYESTER
WEIGHT	: 550 GLM
WIDTH	: 137 CMS / 54" +-2%
ABRASION	: IN EXCESS OF 77,500 CYCLES (800G/12KPA) MARTINDALE (ASTM D 4966) (BASE FABRIC) & 50000+ (WITH PRINT)
COLOUR FASTNESS TO LIGHT	: ISO 105-B02 RATING: 6+
COLOUR FASTNESS TO RUBBING	: ISO 105-X12 DRY: 4-5, WET: 5
FIRE TEST	: AS1530.3 CAL 117 SECTION E ASTM E84
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING	: BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED








Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com

BROADWAY



LANDSCAPE



TECHNICAL INFORMATION

RANGE	: CORROSION, CODE STRIPE & HONEYCOMB
COMPOSITION	: 100% POLYESTER
WEIGHT	: 550 GLM
WIDTH	: 137 CMS / 54" +-2%
ABRASION	: IN EXCESS OF 77,500 CYCLES (800G/12KPA) MARTINDALE (ASTM D 4966) (BASE FABRIC) & 50000+ (WITH PRINT)
COLOUR FASTNESS TO LIGHT	: ISO 105-B02 RATING: 6+
COLOUR FASTNESS TO RUBBING	: ISO 105-X12 DRY: 4-5, WET: 5
FIRE TEST	: AS1530.3 CAL 117 SECTION E ASTM E84
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING	: BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com

CORROSION & CODE STRIPE



CI - 01



CI - 02



CI - 03



CI - 04



CI - 05



CS - 01



CS - 02



CS - 03



CS - 04



CS - 05

HONEYCOMB




HB - 01



HB - 02



HB - 03




HB - 04



HB - 05



HB - 06




HB - 07



HB - 08




HB - 09



HB - 10



TECHNICAL INFORMATION



RANGE	: OPTRA
COMPOSITION	: 100% POLYESTER
WEIGHT	: 400 GLM
WIDTH	: 137 CMS / 54" +-2%
ABRASION	: IN EXCESS OF 50000 CYCLES (800G/12KPA) MARTINDALE (ASTM D 4966)
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.


OPTRA



OP - 01




OP - 02



OP - 03



OP - 04



OP - 05



OP - 06



OP - 07



OP - 08



OP - 09



OP - 10



OP - 11



OP - 12



OP - 13



OP - 14



OP - 15



OP - 16



OP - 17



OP - 18


AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com



TECHNICAL INFORMATION



RANGE	: MATRIX
COMPOSITION	: 100% POLYESTER
WIDTH	: 137 CMS/54" ± 2%
ABRASION	: IN EXCESS OF 35000 CYCLES (800G/12KPA) MARTINDALE.
FASTNESS	: 5+ (BS 1006 (1990) WET : 5 & DRY : 4-5
FLAMMABILITY	: BS EN 1021 - 1 : 1994 (CIGARETTE) : BS 7176 : 1995 LOW HAZARD
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING:	BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

MATRIX




AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com







TECHNICAL INFORMATION



RANGE : NV-DIASON
COMPOSITION : SURFACE – 98% PVC & 2% PU, SUBTRACT – 100% POLYESTER
WEIGHT : 600 GLM
WIDTH : 137 CMS / 54" ± 2%.
MAINTENANCE : PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING : BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

NV-DIASON




AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com



TECHNICAL INFORMATION




RANGE	: AK-CRUSH
COMPOSITION	: SURFACE – 98% PVC & 2% PU, SUBTRACT – 100% POLYESTER
WEIGHT	: 500 GLM
WIDTH	: 137 CMS / 54" ± 2%.
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING	: BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.


AK-CRUSH




AK - 01



AK - 02



AK - 03




AK - 04



AK - 05



AK - 06



AK - 07



AK - 08



AK - 09




AK - 10



AK - 11



AK - 12




AK - 13


AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com




TECHNICAL INFORMATION




RANGE : GS-IRIS
COMPOSITION : SURFACE – 98% PVC & 2% PU, SUBTRACT – 100% POLYESTER
WEIGHT : 600 GLM
WIDTH : 137 CMS / 54" ± 2%.
MAINTENANCE : PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING : BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

GS-IRIS



GS - 02




GS - 03



GS - 04



GS - 05



GS - 06



GS - 07



GS - 08



GS - 09




GS - 10



GS - 11



GS - 12



GS - 13


AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com



TECHNICAL INFORMATION



RANGE : PR-COUSTA
COMPOSITION : SURFACE – 98% PVC & 2% PU, SUBTRACT – 100% POLYESTER
WEIGHT : 700 GLM
WIDTH : 137 CMS / 54" ± 2%.
MAINTENANCE : PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING : BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED




Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovativesfabric.com
Web: - www.innovativesfabric.com

PR-COUSTA



PR - 01



PR - 02



PR - 03



PR - 04




PR - 05



PR - 06



PR - 07



PR - 08



PR - 09



PR - 10



PR - 11




PR - 12



PR - 13



TECHNICAL INFORMATION



VL-APOLLO




RANGE : VL-APOLLO
COMPOSITION : SURFACE – 98% PVC & 2% PU, SUBTRACT – 100% POLYESTER
WEIGHT : 500 GLM
WIDTH : 137 CMS / 54" ± 2%.
MAINTENANCE : PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING : BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.


AN ISO 9001:2015 CERTIFIED



VL - 02



VL - 03



VL - 04



VL - 05



VL - 06



VL - 07



VL - 08



VL - 09



VL - 10




VL - 11



VL - 12




VL - 13



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com

TECHNICAL INFORMATION




RANGE	: MD-MAVRICH
COMPOSITION	: SURFACE – 98% PVC & 2% PU, SUBTRACT – 100% POLYESTER
WEIGHT	: 700 GLM
WIDTH	: 137 CMS / 54" ± 2%.
MAINTENANCE	: PROFESSIONAL CLEANING IS RECOMMENDED.
COLOUR MATCHING	: BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

MD-MAVRICH



MD - 01



MD - 02



MD - 03



MD - 04



MD - 05



MD - 06



MD - 07



MD - 08



MD - 09



MD - 10



MD - 11



MD - 12



MD - 13


AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar
Ghaziabad – 201001 (U.P.) India
Mob: - +91 9717958484
E mail: - ashish@innovatesfabric.com
Web: - www.innovatesfabric.com



TECHNICAL INFORMATION



RANGE : BW-AMERICANO
 COMPOSITION : SURFACE – 98% PVC & 2% PU, SUBTRACT – 100% POLYESTER
 WEIGHT : 700 GLM
 WIDTH : 137 CMS / 54" ± 2%.
 MAINTENANCE : PROFESSIONAL CLEANING IS RECOMMENDED.
 COLOUR MATCHING : BATCH TO BATCH VARIATIONS IN SHADE MAY OCCUR WITHIN COMMERCIAL TOLERANCES.

AN ISO 9001:2015 CERTIFIED



Khasra No:- 81 (Building No: - 1163)
 Tyagi Vihar, Meerut Road, Sewa Nagar
 Ghaziabad – 201001 (U.P.) India
 Mob: - +91 9717958484
 E mail: - ashish@innovativesfabric.com
 Web: - www.innovativesfabric.com

BW-AMERICANO



BW - 01




BW - 02



BW - 03




BW - 04



BW - 05



BW - 06



BW - 07



BW - 08



BW - 09



BW - 10



BW - 11



BW - 12



BW - 13





Khasra No:- 81 (Building No: - 1163)
Tyagi Vihar, Meerut Road, Sewa Nagar,
Ghaziabad - 201001 (U.P.) India
Mob:- + 91- 9717958484
E mail:- ashish@innovativesfabric.com
Web : - www.innovativesfabric.com