

Julia just finished conducting a coding contest, and she needs your help assembling the leaderboard! Write a query to print the respective *hacker_id* and *name* of hackers who achieved full scores for *more than one* challenge. Order your output in descending order by the total number of challenges in which the hacker earned a full score. If more than one hacker received full scores in same number of challenges, then sort them by ascending *hacker_id*.

Input Format

The following tables contain contest data:

- Hackers*: The *hacker_id* is the id of the hacker, and *name* is the name of the hacker.

Column	Type
hacker_id	Integer
name	String

- Difficulty*: The *difficult_level* is the level of difficulty of the challenge, and *score* is the score of the challenge for the difficulty level.

Column	Type
difficulty_level	Integer
score	Integer

- Challenges*: The *challenge_id* is the id of the challenge, the *hacker_id* is the id of the hacker who created the challenge, and *difficulty_level* is the level of difficulty of the challenge.

Column	Type
challenge_id	Integer
hacker_id	Integer
difficulty_level	Integer

- Submissions*: The *submission_id* is the id of the submission, *hacker_id* is the id of the hacker who made the submission, *challenge_id* is the id of the challenge that the submission belongs to, and *score* is the score of the submission.

Column	Type
submission_id	Integer
hacker_id	Integer
challenge_id	Integer
score	Integer

Sample Input

Hackers Table:

hacker_id	name
5580	Rose
8439	Angela
27205	Frank
52243	Patrick
52348	Lisa
57645	Kimberly
77726	Bonnie
83082	Michael
86870	Todd
90411	Joe

Difficulty Table:

difficulty_level	score
1	20
2	30
3	40
4	60
5	80
6	100
7	120

Challenges Table:

challenge_id	hacker_id	difficulty_level
4810	77726	4
21089	27205	1
36566	5580	7
66730	52243	6
71055	52243	2

Submissions Table:

submission_id	hacker_id	challenge_id	score
68628	77726	36566	30
65300	77726	21089	10
40326	52243	36566	77
8941	27205	4810	4
83554	77726	66730	30
43353	52243	66730	0
55385	52348	71055	20
39784	27205	71055	23
94613	86870	71055	30
45788	52348	36566	0
93058	86870	36566	30
7344	8439	66730	92
2721	8439	4810	36
523	5580	71055	4
49105	52348	66730	0
55877	57645	66730	80
38355	27205	66730	35
3924	8439	36566	80
97397	90411	66730	100
84162	83082	4810	40
97431	90411	71055	30

RESPOTA:

```
SELECT
  h.hacker_id,
  h.name
FROM
  Submissions AS s
JOIN
  Hackers AS h ON
s.hacker_id = h.hacker_id
JOIN
  Challenges AS c ON
s.challenge_id = c.challenge_id
JOIN
  Difficulty AS d ON
c.Difficulty_level =
d.Difficulty_level
WHERE
  s.score = d.score
GROUP BY
  h.hacker_id, h.name
HAVING
  COUNT(*) > 1
ORDER BY
  COUNT(*) DESC,
h.hacker_id;
```

Sample Output

```
90411 Joe
```

Explanation

Hacker *86870* got a score of *30* for challenge *71055* with a difficulty level of *2*, so *86870* earned a full score for this challenge.

Hacker *90411* got a score of *30* for challenge *71055* with a difficulty level of *2*, so *90411* earned a full score for this challenge.

Hacker *90411* got a score of *100* for challenge *66730* with a difficulty level of *6*, so *90411* earned a full score for this challenge.

Only hacker *90411* managed to earn a full score for more than one challenge, so we print the their *hacker_id* and *name* as **2** space-separated values.