



webexone²⁶

Agentic, realized.

Webex Calling Design in Action Activity Guide

CLS-21168

Group activity: Designing for your customer	3
Getting started.....	3
What every team should deliver	3
Lab Scenario 1 - The Urban Bean Coffee Roasters	4
Current environment	4
Specific customer requirements.....	5
Known constraints	6
Your design challenge	6
Discussion checkpoints	7
Lab Scenario 2 - Riverside Unified School District	8
Current environment	8
Specific customer requirements.....	9
Known constraints	10
Your design challenge	11
Discussion checkpoints	11
Lab Webex Calling: Feature Cheat Sheet.....	12
Administration features.....	12
1. Call Routing & Reception	12
2. Mobility & Flexible Work	13
3. Productivity, Integrations & Compliance.....	13
4. Connectivity, PSTN & Resiliency	14
5. Shared Spaces, Devices & Meetings	15
Webex User Hub: The End-User Control Center	16
1. Call Handling (Flexibility on the Go)	16
2. Voicemail Management (The "Set it and Forget it" Features)	16
3. Privacy & Personalization	16
4. Device Management.....	17

Group activity: Designing for your customer

120 MIN Session length	2 Scenario choices	45 MIN Activity length
----------------------------------	------------------------------	----------------------------------

Getting started

- Form a team of 4-6.
- Customers are assigned by logo on the table
- Name a facilitator, scribe, and spokesperson.
- Use the cheat sheet, each other, your own Control Hub for reference, and/or help.webex.com.

What every team should deliver

- Prioritized customer pains and desired outcomes in the customer's language.
- A coherent set of Webex Calling features mapped to the numbered requirements.
- At least three discovery questions or clearly stated assumptions that could change the design.
- One recommendation based on your previous experience, i.e., something the customer may not have thought of.
- Prepare a 2-3 minute recommendation to share

Lab Scenario 1 - The Urban Bean Coffee Roasters

Retail + wholesale food service | PAIN: Mobile work + fragmented wholesale service |

OUTCOME: Professional reachability + account-aware support

CUSTOMER VOICE

We have one storefront, a roastery, and a warehouse, but our wholesale business now serves cafes, hotels, and restaurants across the region. Store and operations employees are rarely at desks, and they must not expose personal mobile numbers. Wholesale customers call about orders, deliveries, and equipment support, and our service coordinators use a CRM to manage those accounts. We want one professional phone experience that routes callers correctly, gives the wholesale team useful account context, and still lets warehouse staff hear delivery announcements.

DESIGN INSTRUCTION

Do not start with a feature list. Translate the numbered requirements into the smallest design that creates the stated outcome. Use the cheat sheet and, if available, optional read-only Control Hub browsing as references; no system changes are part of this activity.

Current environment

- The company is replacing a legacy key system while retaining one published main number and a separate wholesale number used on invoices.
- Ten storefront, roastery, and warehouse employees work away from desks. Some carry personal phones and some use company-owned phones.
- Four wholesale service coordinators answer order, delivery, and equipment questions from Webex App desktop. A CRM stores business accounts, contacts, and cases.
- Retail hours, wholesale service hours, holidays, and weather closures differ. The warehouse has four supported desk phones used by receiving, roasting, packing, and the supervisor.

Specific customer requirements

UB-1 One professional front door

Customer requirement: The published main number must greet callers and offer clear choices for the storefront, wholesale service, deliveries, and hours or directions, with a defined result for no input or invalid input.

Success looks like: A caller reaches the intended destination in one selection, and the business does not recreate every legacy line appearance.

UB-2 Mobile business identity

Customer requirement: Store and operations employees must place and receive business calls on smartphones while keeping personal cellular numbers private.

Success looks like: Customers see and call back an approved Urban Bean number while employees remain reachable away from desks.

UB-3 Wholesale callers wait for the right team

Customer requirement: Wholesale calls must wait for an available service coordinator, hear useful announcements or music, and be offered callback during sustained busy periods rather than ringing an unowned phone.

Success looks like: The design identifies a wholesale Customer Assist queue, membership, routing pattern, wait treatment, callback rules, and an owned overflow or unavailable-team destination.

UB-4 Relevant customer information at answer

Customer requirement: When a coordinator answers a known wholesale caller, the desktop workflow should open useful CRM account or case context. Shared business numbers, duplicate records, and unknown callers need a defined search path.

Success looks like: The supported CRM page or search opens with useful call data, and the coordinator can resolve ambiguous or unknown numbers without assuming a perfect match.

UB-5 Recognizable wholesale callback identity

Customer requirement: When a coordinator calls a wholesale customer back, the wholesale service number must be presented so the return call reaches the same service path instead of an individual employee.

Success looks like: The customer recognizes the number and calling it back returns to the staffed wholesale route.

UB-6 Warehouse delivery broadcast

Customer requirement: Authorized storefront and receiving staff need one number that broadcasts a live, one-way delivery announcement to the intended warehouse phones.

Success looks like: Eligible idle targets hear the same announcement, and only approved originators can initiate it.

UB-7 Hours, closures, and owned voicemail

Customer requirement: Retail and wholesale schedules must route differently after hours and on holidays. A manager must be able to activate an unexpected-closure route, and unanswered wholesale calls must reach a team-owned mailbox with an audio copy sent to the wholesale email address.

Success looks like: Scheduled changes occur automatically, an authorized manager can switch and restore a closure, and messages remain owned by the wholesale team rather than one employee.

Known constraints

- Customer Assist screen pop is a desktop workflow; it does not replace the mobile calling experience needed by storefront and warehouse employees.
- Caller-number matching supplies context but does not guarantee that one phone number identifies one Salesforce record or one person.
- Webex Go is an option only after confirming the supported provider, plan, device or eSIM, and entitlement; Webex App mobile remains a valid app-based design.

Your design challenge

1. **Prioritize:** Identify the three requirements that most directly protect customer experience or operations.
2. **Map:** Name the Webex Calling feature or design decision that addresses each numbered requirement.
3. **Detail:** Describe the important route, identity, schedule, membership, role, desktop, or policy at a conceptual level.
4. **Explain:** State why this choice fits the business better than a plausible alternative.
5. **Discover:** Ask at least three questions whose answers could change the design.

6. **Walk through:** Explain the normal customer experience and at least one relevant after-hours, invalid-input, no-answer, unavailable-team, full-queue, callback, or closure path in words.
7. **Present:** Prepare a three-minute recommendation using requirement IDs so the customer can trace every choice.

Discussion checkpoints

- Can the team explain the normal caller or user experience without relying on feature names alone?
- Can the team identify assumptions that would change the recommendation?
- Can the team distinguish required capabilities from optional enhancements?

OPTIONAL ROUND-TWO TWIST

Holiday wholesale volume doubles for six weeks and one coordinator is unavailable. Revise temporary queue membership, callback, overflow ownership, and caller identity without adding another published number or exposing personal mobile numbers.

Lab Scenario 2 - Riverside Unified School District

Public K-12 school district | PAIN: Too many transfers + inconsistent call handling |

OUTCOME: Families reach the right school or staff member

CUSTOMER VOICE

We are a small public school district with an elementary school, a middle school, and a high school. Families often call the district number when they really need a school office, attendance, transportation, or a teacher. We want a simple menu, a staff directory, and direct extension dialing so callers can reach the right person without a chain of transfers. Our office assistants answer regular calls; they are not a formal customer-service team. We also need shared attendance voicemail, English and Spanish call paths, and consistent messages for holidays, delayed openings, and closures.

DESIGN INSTRUCTION

Do not start with a feature list. Translate the numbered requirements into the smallest design that creates the stated outcome. Use the cheat sheet and, if available, optional read-only Control Hub browsing as references; no system changes are part of this activity.

Current environment

- The district is replacing a legacy PBX while keeping one district main number and one published number for each of its three schools.
- Approximately 240 staff members have four-digit extensions. Most teachers cannot take unscheduled calls during instruction, but callers should be able to find them by name or extension and leave personal voicemail.
- Each school main office has three administrative assistants who answer calls as part of their normal duties. There is no queue sign-in process, callback service, or dedicated call supervisor.
- Attendance messages belong to each school office, not to one employee. English and Spanish are the most common languages, and the district needs separate behavior for school days, after hours, holidays, delayed openings, and closures.

Specific customer requirements

RS-1 District main number as a clear front door

Customer requirement: The district number must offer simple choices for the three schools, enrollment, transportation, the staff directory, and an operator, with explicit no-input and invalid-input behavior.

Success looks like: A family reaches a school or district department in one selection without first relying on a receptionist to transfer the call.

RS-2 A local front door for each school

Customer requirement: Each school must keep its published number and play a school-specific greeting with choices for the main office, attendance, nurse, and staff directory.

Success looks like: Callers who dial a school directly hear the correct school name and reach local destinations; the district menu can transfer to the same school entry point.

RS-3 Find teachers and staff by name or extension

Customer requirement: A caller must be able to use the Auto Attendant to search for a teacher or staff member by name or enter a known four-digit extension.

Success looks like: The design names the Dial by name and Dial by extension menu actions, defines the intended directory scope, and identifies how naming data will be kept usable.

RS-4 Teacher voicemail without a transfer chain

Customer requirement: When a teacher does not answer, the call must reach that teacher's voicemail instead of returning to the main office. The teacher needs an email notification or audio copy according to district policy.

Success looks like: The caller can leave a message for the selected teacher, and the design distinguishes a notification from an attached recording while preserving an owned personal mailbox.

RS-5 Main office coverage without a formal queue

Customer requirement: Calls for a school main office should ring its three administrative assistants in a predictable pattern and then reach the school's shared main-office voicemail if nobody answers.

Success looks like: The design identifies a Hunt Group, members, routing pattern, ring or advance behavior, and a final owned destination without inventing queue states or callback service.

RS-6 Attendance messages owned by each school

Customer requirement: A caller choosing attendance must be able to leave a message in that school's attendance mailbox, and the recording must be delivered to the shared attendance email address.

Success looks like: Each school has a team-owned Voicemail Group or equivalent shared mailbox with a clear greeting, access owners, storage decision, and email audio-copy behavior.

RS-7 English and Spanish caller paths

Customer requirement: The district and school menus must offer an understandable Spanish path while routing families to the same schools, offices, directories, and mailboxes as the English path.

Success looks like: The design uses a Spanish-language Auto Attendant or a clearly justified bilingual greeting strategy, and identifies how paired menus and destinations will stay aligned.

RS-8 School-day, after-hours, delay, and closure routing

Customer requirement: District and school numbers must play the right message and follow the right route for school days, after hours, holidays, delayed openings, and closures. Authorized district staff must be able to switch and restore an exception.

Success looks like: Scheduled behavior changes automatically, and authorized staff can activate and restore a district-wide or school-specific delay or closure without rebuilding menus.

Known constraints

- Do not assume Customer Assist or a Call Queue: office assistants have no queue states, callback promise, or dedicated supervisor workflow in the stated requirements.
- Dial by name and dial by extension provide directory access; they do not decide whether a teacher should answer during instruction. That remains a district policy and per-user call-handling decision.
- An Auto Attendant uses one selected language for its default prompts. A separate Spanish Auto Attendant is usually the cleaner way to provide Spanish system prompts and a parallel menu.

Your design challenge

1. **Prioritize:** Identify the three requirements that most directly protect customer experience or operations.
2. **Map:** Name the Webex Calling feature or design decision that addresses each numbered requirement.
3. **Detail:** Describe the important route, identity, schedule, membership, role, desktop, or policy choices at a conceptual level.
4. **Explain:** State why this choice fits the business better than a plausible alternative.
5. **Discover:** Ask at least three questions whose answers could change the design.
6. **Walk through:** Explain the normal customer experience and at least one relevant after-hours, invalid-input, no-answer, unavailable-team, full-queue, callback, or closure path in words.
7. **Present:** Prepare a three-minute recommendation using requirement IDs so the customer can trace every choice.

Discussion checkpoints

- Can the team explain the normal caller or user experience without relying on feature names alone?
- Can the team identify assumptions that would change the recommendation?
- Can the team distinguish required capabilities from optional enhancements?

OPTIONAL ROUND-TWO TWIST

During enrollment week, calls for enrollment and transportation spike. Add temporary office coverage and clearer menu routing without assuming a formal queue. If you recommend a Call Queue, state the new waiting, capacity, or callback requirement that justifies it.

Lab 3 Webex Calling: Feature Cheat Sheet

Popular features and design building blocks

Use this sheet to identify possible features and design questions. Availability, licensing, providers, supported devices, limits, and regional requirements can vary.

Administration features

1. Call Routing & Reception

- **Auto Attendant (AA):** The digital receptionist. Uses greetings, keypress menus, business and holiday schedules, and defined no-input and invalid-input routes. It routes callers but does not hold them for an agent.
- **Operating Modes:** Routes a managed feature differently by schedule or by an authorized manual mode change. Modes can control forwarding for Auto Attendants, Hunt Groups, Call Queues, and Customer Assist queues.
- **Call Queue:** The waiting room. Holds callers until an agent is available and can include routing patterns, announcements, music, callback, overflow, bounced-call and stranded-call handling, forced forwarding, agent states, analytics, and reports.
- **Customer Assist:** Adds contact-center capabilities to Webex Calling queues, including screen pop, wrap-up, real-time queue views, and richer agent and supervisor analytics in Webex App. Some experiences require the desktop app.
- **Hunt Group:** Distributes calls among members without putting callers in a queue. Routing patterns include Top Down, Circular, Longest Idle, Weighted, and Simultaneous, with a defined busy or no-answer destination.
- **Paging Group:** A live, one-way audio broadcast to eligible phones. Originators and target devices are defined so only authorized users can start a page.
- **Call Pickup Group:** Allows a group member to answer a call ringing another member's supported phone or Webex App without sharing credentials or changing the called number.
- **External and Queue Caller ID:** Controls the business number presented by a user, workspace, virtual line, or queue. A permitted queue identity can keep service callbacks recognizable and returnable; PSTN provider and CNAM rules still apply.

- **Virtual Lines:** Additional cloud-based lines that are not tied to a dedicated user. They can support shared line appearances, service identities, call routing, recording policies, or shared voicemail designs.

2. Mobility & Flexible Work

- **Webex App:** The primary interface for calling, messaging, and meetings on desktop and mobile. Webex Calling presents the approved business identity instead of a personal mobile number.
- **Webex Go:** Mobile operator integration that adds a Webex Calling business number to a supported phone's native dialer. Carrier, country, device, and entitlement support must be confirmed.
- **Hot Desking:** Lets an eligible user book and sign in to a supported shared workspace phone so the device loads the user's line and permitted personal calling information for the booking period.
- **Hot Desking Pre-booking / Workspace Booking:** Allows a shared workspace or device to be reserved before arrival through an approved calendar, Cisco Spaces, or supported third-party booking service. The user confirms identity when claiming the resource.
- **Hot Desking Sign-out and Privacy:** Removes the user's line, calendar, call history, contacts, and other personal data at manual or automatic sign-out. An active call delays automatic sign-out until the call ends.
- **Call Forwarding:** Redirects incoming calls to another number, user, or voicemail. Common choices include Forward All, Busy, No Answer, and Selective Forwarding.
- **Network-Disconnect Forwarding:** Forwards calls for an eligible user or workspace when its primary calling devices are unreachable because the office loses connectivity. It addresses a different failure point than PSTN or gateway resiliency.

3. Productivity, Integrations & Compliance

- **Call Recording:** Captures call audio under an assigned policy for users, workspaces, virtual lines, or queues. Design decisions include provider, Always or On-Demand behavior, pause or resume, announcements, access, storage, and retention.
- **Voicemail Group / Shared Voicemail:** Provides a shared mailbox for a department or call-routing feature. A voicemail group or virtual-line mailbox can have a common greeting, controlled access, notifications, and an optional transfer-to-zero destination.

- **Email a Copy of Message:** Sends the voicemail audio recording to a designated email address. This is different from a new-message notification; internal versus external storage choices affect in-app access and transcription.
- **Voicemail Transcription:** Converts supported voicemail messages to text and can deliver the transcript with the audio by email when the organization and mailbox settings allow it.
- **Customer Assist screen pop:** Customer Assist screen pop can open a supported URL or search workflow for inbound calls; define how known, duplicate, and unknown numbers are handled. Can be used to provide information about customers from CRM's such as Salesforce.
- **Webex Calling Detailed Call History / CDR:** Organizational call metadata such as parties, time, direction, duration, and routing. Detailed Call History reports or the CDR API support analysis and export; CDR is not conversation audio.
- **Compliance, eDiscovery, and Legal Hold:** Allows an authorized compliance officer to search and export eligible Webex Calling CDR and call-recording content and preserve covered data under legal hold. Availability, retention, licensing, geography, and provider storage must be confirmed.
- **Queue Analytics, Reports, and Supervisor Views:** Provides live and historical queue and agent information, including answered and abandoned calls, wait and handle measures, agent state, and service-level trends. The exact experience depends on Call Queue or Customer Assist licensing.
- **Call Park:** Places a call on a park extension so another authorized user can retrieve it from a supported phone or app.
- **Privacy / Do Not Disturb:** Helps a user control interruptions and visibility. Do Not Disturb changes how calls alert the user; caller-ID privacy controls whether an outbound number is presented.

4. Connectivity, PSTN & Resiliency

- **Cisco Calling Plan:** Cisco supplies supported phone numbers and PSTN connectivity for eligible locations, simplifying cloud calling ownership where available.
- **Cloud Connected PSTN (CCP):** Uses a supported cloud PSTN provider for the selected country and location without customer-managed on-premises PSTN hardware.

- **Premises-based PSTN / Local Gateway (LGW):** Connects Webex Calling to an on-premises PSTN provider or PBX through a supported session border controller. It adds dial-plan, security, resiliency, monitoring, and support-owner responsibilities.
- **Trunks, Route Groups, and Dial Plans:** A trunk connects Webex Calling to the premises; a route group combines trunks for distribution or redundancy; a dial plan routes matching enterprise numbers to a trunk or route group.
- **PSTN Migration and Number Porting:** Coordinates number ownership, port orders, main and location numbers, caller ID, coexistence, cutover, rollback, and support ownership when moving public calling to Webex Calling.
- **Emergency Calling and Location Addressing:** Aligns emergency-service requirements, location and address information, endpoint movement, notifications, and provider obligations with the selected PSTN design and operating regions.

5. Shared Spaces, Devices & Meetings

- **Cisco Board, Desk, and Room Series:** Collaboration devices selected according to room size, seating, camera sight lines, microphone pickup, speakers, displays, controls, accessibility, and support needs.
- **RoomOS Content Sharing and Meeting Interoperability:** Supports wired or wireless content sharing and Webex or supported external meeting join workflows. Available methods and layouts depend on the device, RoomOS version, displays, and meeting service.
- **Room and Bandwidth Design:** Matches media quality and display layout to the network and room. Bandwidth is shared dynamically across audio, main video, content, screens, and layouts, so room-specific discovery matters.

Webex User Hub: The End-User Control Center

1. Call Handling (Flexibility on the Go)

- **Call Forwarding:** Users can manage permitted Forward All, Busy, No Answer, Selective, and network-disconnect options. Organization or workspace policy can affect which settings are available.
- **Simultaneous Ring:** Rings multiple destinations at the same time so the user can answer from the most convenient device.
- **Sequential Ring:** Rings a defined series of destinations in order before following the final no-answer treatment.
- **Do Not Disturb (DND):** Suppresses normal call alerting so the user can avoid interruptions; final call treatment follows the applicable calling settings.
- **Operating Mode Management:** An authorized user can view and switch assigned operating modes for managed calling features, including scheduled and exception routing.

2. Voicemail Management (The "Set it and Forget it" Features)

- **Voicemail Greeting:** Users can record and manage their personal professional greetings when allowed by policy.
- **Voicemail-to-Email:** Users can select an email address for an audio copy when that option is enabled; this is different from notification-only email.
- **Voicemail PIN:** Users can reset their own PIN without a help-desk request when self-service is available.
- **Transcription:** Users can receive supported voicemail transcripts when transcription is enabled for the organization and mailbox.

3. Privacy & Personalization

- **Block Caller ID:** Users can suppress their number for eligible outbound calls when the organization and PSTN service allow it.
- **Call Logs:** Users can view their own recent incoming, outgoing, and missed calls. Personal call history is not an organizational CDR or compliance archive.
- **Profile Settings:** Users can manage permitted profile preferences such as display name, time zone, and language.

4. Device Management

- **Devices and App Downloads:** Users can see devices associated with their account and download Webex App for supported desktop and mobile platforms.