

LAB-1309

Decoding AI in Webex Contact Center: Best Practices, Pitfalls, and Pro Tips

Anuj Bhatia, D.K. Singh

Copyright © 2025 Cisco

Table of contents

1. Lab	3
1.1 Overview	3
1.2 Exercise 1 - Build Autonomous AI Agents with Knowledge Bases	4
1.3 Result	21
1.4 Task 2 - Build Autonomous Webex AI Agent Actions	22
1.5 Lab 3 - Create and Test Voice Flows for Webex AI Agents	40
1.6 Exercise 4 - Explore Webex AI Assistant Feature	49
1.7 Results	61
1.8 Conclusion	62
2. How to use this guide	63
2.1 Setting up and using the tool	63
2.2 Styling and Advanced Features	67

1. Lab

1.1 Overview

1.1.1 Learning Objectives

This lab series focuses on building, configuring, and testing Autonomous Webex AI Agents. You'll start by setting up these agents and their knowledge base, enabling them to answer queries from a knowledge repository.

The labs then guide you through creating and managing agent actions using Webex Connect flows, which allow the AI to interact with external APIs and fulfill requests. You'll also learn to configure a voice flow and test the AI agent's functionality by making a phone call.

Finally, the series highlights the AI Assistant feature within the Webex Contact Center. You'll explore how this AI enhances the live agent experience by providing conversation summaries when a call is transferred or disconnected and offering real-time transcriptions to improve clarity and efficiency.

1.1.2 Disclaimer

Although the lab design and configuration examples could be used as a reference, for design related questions please contact your representative at Cisco, or a Cisco partner.

1.1.3 Getting Started

This lab leverages Webex Contact Center cloud environment.

1.2 Exercise 1 - Build Autonomous AI Agents with Knowledge Bases

Please use the following credentials to connect to Control Hub and configure Webex Contact Center:

Control Hub URL	https://admin.webex.com
Username	labuser ID @wx1.wbx.ai (where ID is your assigned pod number; this ID will be provided by your proctor)
Password	webexONE1!

AI Agents Overview

Cisco Webex AI Agents provide automated assistance to customers before they interact with human agents across voice or digital channels. These agents leverage language understanding and contextual awareness within conversations. Residing within the CPaaS ecosystem, administrators can utilize the Webex AI Agent Studio platform to design, create, manage, and deploy these agents to meet customer service and support needs.

Two primary types of AI Agents are currently available:

- **Autonomous AI Agents:** These operate independently, making decisions and performing tasks without direct human intervention where the key capabilities include:
 - Answering Questions: Accessing and utilizing a knowledge repository to provide informative and accurate responses to user queries.
 - Performing Actions: Automating time-consuming or repetitive tasks by making choices based on information and predefined rules.
- **Scripted AI Agents:** These deliver precise and timely responses to customer inquiries in real-time. They execute tasks based on specific customer requests or inputs.

Integrating these agents into customer business ecosystems can significantly enhance customer experience by delivering personalized, real-time conversational interactions. Furthermore, AI Agents can be easily scaled to accommodate high volumes of customer interactions without the need for additional human agents, leading to improved customer satisfaction and reduced operational costs.

Prerequisites

To ensure the WxCC Tenant can be enabled for this feature and that the feature can be used effectively, the following requirements must be adhered to:

- Webex Contact Center tenant with **Flex 3** subscription and **A-FLEX-AI-AGT SKU**
- Webex Connect capability on the tenant.

1.2.1 Objective


In this lab, participants will learn to:

- Set up Autonomous AI Agents from scratch.
- Configure these agents to generate and present answers to queries by accessing and utilizing a knowledge repository.
- Create and manage the underlying knowledge base


1.2.2 Section 1 : Create Webex AI Agent and Knowledge Base

- Since the task is to create autonomous AI agents that are capable of answering questions from a knowledge base, the first step would be to build that knowledge base.
- Sign in to Control Hub using the URL <https://admin.webex.com>


- Use the credentials highlighted in the table above.
- In Quick Links on the right pane of the Contact Center suite section, click Webex AI Agent to access the studio.



- On the Dashboard, click the Knowledge icon on the left navigation pane to go to the Knowledge Bases page.



- Click + Create Knowledge Base on the upper right corner.



- On the Create Knowledge Base page, enter the knowledge base name as **WebexOne_KB_YourName**.
- Click Create. The system creates a knowledge base with the specified name.

Create knowledge base ×

Knowledge base name

Description

Cancel Create

- For this lab, let's add FAQ content specific to buying a car. Download the word doc from the link below.

Buying Car FAQ

- Drag and drop the file to the knowledge base. Alternatively, click Add File to add a file.
- **DO NOT Click on Process Button Yet**

Drag and drop files here

Add File

Supported file formats: pdf, docx, doc, txt, xlsx, xls, csv.
Each file cannot exceed 2MB in size.

0/1 Files processed

Process Files



 support-services-for-collaboration-faq.pdf

103.89KB


 Note

The system supports following file formats: PDF, DOC, DOCX, DOCX, TXT, XLSX, XLS and CSV.
TXT file size cannot exceed 2 MB. All other file size cannot exceed 10MB.


- After adding the file, bring up the browser developer tool (Shortcut: Press F12 Key).
- Once the developer tool is up, ensure that it's on the "Console" tab.
- Clear the console logs by selecting the "Clear Console" button and click Process File to process them.



- When done, the system lists the files under the Files tab.



- The browser logs will show a 'success' status, along with the 'kb_id', 'kb_category_id', and 'kb_documented_id'.



```

[WebexService] Submitting behavioral event with verb: button_click_add_file      main.34aa33829a8386fd.js:1
  {product: 'webex_ai_agent', agent: 'user', target: 'produs1', verb: 'button_click_add_file', payload: {...}}
wx-js-sdk behavioral-events -> @submitEvent. Submit event: webex_ai_agent.user.produs1.button_click_add_file      logger.js:418
[WebexService] Submitting behavioral event with verb: button_click_process_files      main.34aa33829a8386fd.js:1
  {product: 'webex_ai_agent', agent: 'user', target: 'produs1', verb: 'button_click_process_files', payload: {...}}
wx-js-sdk behavioral-events -> @submitEvent. Submit event: webex_ai_agent.user.produs1.button_click_process_files      logger.js:418
[WebexService] Submitting behavioral event with verb: get_kb_documents_list      main.34aa33829a8386fd.js:1
  {product: 'webex_ai_agent', agent: 'user', target: 'produs1', verb: 'get_kb_documents_list', payload: {...}}
wx-js-sdk behavioral-events -> @submitEvent. Submit event: webex_ai_agent.user.produs1.get_kb_documents_list      logger.js:418
socket:document_status      main.34aa33829a8386fd.js:1
  {kb_id: '68926d850efd845ef7e74daa', kb_category_id: '68926d850efd845ef7e74dab', kb_document_id: '68926e2d0efd845ef7e74e24', status: 'success', message: 'Document added successfully'}
[WebexService] Submitting behavioral event with verb: document_status      main.34aa33829a8386fd.js:1
  {product: 'webex_ai_agent', agent: 'user', target: 'produs1', verb: 'document_status', payload: {...}}
wx-js-sdk behavioral-events -> @submitEvent. Submit event: webex_ai_agent.user.produs1.document_status      logger.js:418
[Violation] 'setInterval' handler took 60ms      polyfills.f7f00f5bdf5450a.js:1

```



Note

This is essential information for Cisco TAC team to analyze and troubleshoot any issues that may have caused the upload to fail.

- Navigate to the Information tab to view and track the details of the files you uploaded and the documents you created , **KB ID** is also present on the top left corner.

The screenshot shows the 'CiscoLive<anuj>' interface with the 'Information' tab selected. It displays KB details and an activity history table.

KB Details:

KB ID	Storage	Files	Created at	Created by
678d16ca8a47fb6887aff63	103.89KB / 2GB	1 / 20	Jan 19, 2025, 10:14:18 AM	Anuj


Activity history:

Action	Details	Created/Updated at	Created/Updated by
Created	support-services-for-collaboration-faq.pdf uploaded	19 Jan 25, 10:57 AM	Anuj
Created	KB created	19 Jan 25, 10:14 AM	Anuj


- Now, it's time to create the AI agent itself.
- On the Dashboard, click +Create agent.

The screenshot shows the 'AI agents' dashboard. A red box highlights the 'Dashboard' button in the left sidebar. A red arrow points to the 'Create agent' button in the main content area, which is also highlighted with a red box. The 'Import agent' button is also visible.

- On the Create an AI Agent screen, click **Start from scratch** tile followed by Next button (bottom of the screen)



- In the What type of agent are you building section, click Autonomous.



- On the 'Add the essential details' specify the following details:
- **Agent name:** Enter the name of the AI agent such as **WebexOne_yourname**
- **System ID:** A system-generated unique identifier. This field is editable.
- **AI engine:** Select the required AI engine from the drop-down list (default is Webex AI Pro 1.0).
- **Agent's goal:** Provide a brief description of the AI agent's goal which in this case is to answer queries hence the prompt "Answer queries about cars".
- Click Create button at the bottom of the screen.

Add the essential details

Agent name *

Wx1-DKauto007

✕

System ID *

Wx1-DKauto007-ucZKCpCh

✕

AI engine *

Webex AI Pro 1.0

▼

Ideal for most contact center use cases with global language support and human-like interactions.

Agent's goal * ⓘ

[Insert example](#)

Provide answers for ques related to Cisco Collab support.



Create button is grayed out until all fields are populated.

- The autonomous AI agent for answering questions is successfully created and is now available on the Dashboard.

**Anuj_WebexOne_Car**

Last Updated at 5 Aug, 25 by admin

Configuration

Actions

History

Analytics

AI agent configuration Draft

Add actions to connect your agent with external systems, or link a knowledge base to help it answer questions.

Profile

Knowledge

Actions

Language

Agent name *

Anuj_WebexOne_Car

System ID *

Anuj_WebexOne_Car-8pGzpqCi

Agent's goal * ⓘ

Answer Support Questions

[Insert example](#)

Instructions ⓘ

Enter step-by-step instructions for your agent to accomplish its goal.

[Insert example](#)



URL for agent profile image *

https://studio.aiagent-us1.cisco.com/static/assets/img/...

AI engine *

Webex AI Pro 1.0

Ideal for most contact center use cases with global language support and human-like interactions.

Welcome message *

Hi there, how can I help you?

- The Profile tab on the Agent Configuration page, after creation, allows you to change the agent's image, the AI engine it uses, its goal, and the welcome message displayed when the AI agent is launched.
- These are the fields that control these aspects:
- **URL for agent profile image:** The default URL from which the system fetches the AI agent's logo or image.
- **AI engine:** The chosen AI engine is displayed.
- **Welcome message:** The default welcome message that the AI agent uses to start the interaction.

- 14/71 -

Copyright © 2025 Cisco

Note

By default, Webex AI Pro 1.0 (with GPT 4.0) is the available AI engine.

- Lets map the AI agent with the Knowledge base that was created.
- Navigate to Configurations > Knowledge tab and choose the configured knowledge base from the drop-down list.

AI agent configurations Draft

Change the agent configurations

Profile Actions **Knowledge** Language

Knowledge base

Test

None

Test

- Click **Save changes** followed by **Publish** to make the AI agent live.

Publish

Publish changes ×

Name this version so that it can be tracked in History.


Version name *

Version 1.0


Cancel **Publish**

1.2.3 Section 2 : Test Webex AI Agent


- Now it's time to test the AI agent. Quick way to check if the agent is constructing and answering queries correctly is to use the Preview option.



- Click the "Preview" button , a chat window appears in the bottom right corner of the pane where questions can be entered. Choose **Start a chat** option



- To test in this example, we pose the question "**What warranty comes with the vehicle?**"
- The response provided was accurate and consistent with the knowledge base created for this AI agent.



- The instruction section of the AI agent helps refine it to be more sophisticated and behave in the manner that the business dictates.

AI agent configuration Published

Add actions to connect your agent with external systems, or link a knowledge base to help it answer questions.

Profile Knowledge Actions Language

Agent name *
Anuj_WebexOne_Car

System ID *
Anuj_WebexOne_Car-8pGzpqCi

Agent's goal * ⓘ [Insert example](#)
Answer Support Questions


Instructions ⓘ  [Insert example](#)
Enter step-by-step instructions for your agent to accomplish its goal.

- In this example, let's work on these three areas of the bot with the following instructions:
- **Tone and Demeanor:** Be polite, as the client is important.
- **Role Definition:** Answer the question in no more than 50 words.
- **Response Guidelines:** Thank the user for their interest and business.
- Add these guidelines to the Instructions section, save, and publish the changes.


Instructions ⓘ [Insert example](#)

- Be polite as the client is important.
- Answer the question in not more that 50 words.
- Thank the user for their business and say goodbye.

- To test, pose the same question: **"What warranty comes with the vehicle?"**
- As the Role Definition dictated answering within 50 words, you will see the answer within that limit.



- You can now view the details of these sessions and the history of configuration changes performed on the AI agent through the Sessions section.
- This information is useful for auditing, analyzing, and improving the AI agent.
- From the left navigation pane, click Sessions.



- The Sessions page appears, where each session is displayed as a record containing all the messages of the session, along with the following fields:

Channels	Session ID	Messages	Updated at	Metadata
	95a59f1c-b56f-4e1c-a172-7db885228e8d	1	3 Feb 25, 1:42 PM	
	fe990d79-9b9e-4bc0-b92d-38f65f812011	1	27 Jan 25, 1:01 PM	
	35cb9bf4-5a81-4142-a39f-18d211e9c4c0	3	22 Jan 25, 9:24 AM	
	e641d562-61a2-4730-b3d7-88b4d4a69c24	3	22 Jan 25, 9:15 AM	

- **Channels:** The channel where the interaction took place.
- **Session ID:** The unique room ID or session ID for a conversation.
- **Room Metadata:** Additional information about the room.
- Click on an individual row in the sessions table for a detailed view of that session.
- The system displays the following session details:

Session ID: 8b2e5858-150b-4abf-bda2-9b7e3c4b4ad3
Consumer ID: 9dbfed67-dd04-4726-8574-154cbf6f9757 Total Messages: 5 Last updated at: Aug 5 '25 5:10 PM

Left Pane

Txn ID: 7d36641a86fa4bed9a8e605b66950709

Hi there, how can I help you?

5:10:23 PM, Aug 5, 2025

Txn ID: 97db3ce42ef94c6ab2f4e51e24737582

What warranty comes with the vehicle

5:10:28 PM, Aug 5, 2025

New cars come with a manufacturer's warranty covering specific repairs for a set period or mileage. Used cars may have an unexpired manufacturer's warranty, a dealer warranty, or be sold "as is." We provide a clear written explanation of any warranty coverage. Thank you for your business and goodbye!

5:10:30 PM, Aug 5, 2025

Txn ID: a23e702924f94d14bd713c47f8bdcf76

thank you

5:10:50 PM, Aug 5, 2025

You're welcome! Thank you for your business. Have a great day and goodbye!

5:10:51 PM, Aug 5, 2025

Right Pane [Expand all](#)


Knowledge utilized

Anuj_Webexone

- BuyingCARFAQ.pdf 1.00

: The warranty on a used car can vary. Some may have an unexpired manufacturer's warranty that transfers to you. Others may be sold "as is," while others may come with a dealer warranty. We will provide you with a clear written explanation of any warranty coverage. • Q: Can I purchase an extended warranty or service contract? o A: Yes, we offer a range of extended warranty and service plans that can provide additional peace of mind beyond the standard warranty. We can walk you through the various plans, their costs, and what they cover so you can choose what is right for you. • Q: What is your return policy? o A: Once you sign the contract, it is a legally binding agreement. We do not have a general return policy. We strongly encourage you to take a test drive, ask all your questions, and get any inspections you need to ensure you are confident in your purchase before finalizing the deal. General Dealership Questions • Q: What is the dealership's reputation? o A: We are proud of our reputation for customer service. You can read reviews from our satisfied customers on Google, Yelp, and other third-party sites. We are also happy to provide you with testimonials or references. • Q: Do you offer any special incentives or promotions? o A: Yes, we frequently have manufacturer rebates, special financing offers, or dealer-specific promotions. We can check for any current incentives that apply to the vehicle you are interested in. • Q: When is the best time to buy a car? Cisco Confidential --- Page 6: o A: While there are no hard and fast rules, weekends can be busier. Visiting on a weekday, especially towards the end of the month, might give you more time and attention from our sales team. Cisco Confidential

- The left panel displays details about the transactions.
- The right panel displays details about slot filling and fulfillment related to all actions. This is applicable to actionable actions for the bot.
- Finally, to view the details of configuration changes performed on the AI agent, you can use the History tab in the navigation pane.



- The History pane provides information about the version history and change logs.
- Please review this information at your convenience.

1.3 Result

- Congratulations on finishing the lab! Now, let's dive into the next exercise to enhance this agent so it can perform actions.

1.4 Task 2 - Build Autonomous Webex AI Agent Actions

Please use the following credentials to connect to Control Hub and configure Webex Contact Center:


Control Hub URL	https://admin.webex.com
Username	labuser ID @wx1.wbx.ai (where ID is your assigned pod number; this ID will be provided by your proctor)
Password	webexONE1!

1.4.1 Objective


In this lab, audience will learn to explore and set up Autonomous Webex AI Agent actions using Webex Connect flows. They will also learn how to configure these flows to interact with external APIs, allowing the AI Agent to handle data and fulfill requests by connecting to other services.

1.4.2 Section 1 : Create a Webex Connect Flow for Car Order


- Action fulfillment for the agent is always handled via Webex Connect flows.
- Lets begin by creating a Webex Connect flow, which can later be selected to a specific Webex AI action.
- Navigate to the Webex Connect portal through the '**Quick Links**' section in the Webex Contact Center area of Control Hub.



- Create a new service by clicking '**Create New Service**' and providing a name **Webexone_carorderservice_YourName_**.



- Navigate to '**Flows**' section and click '**Create Flow**'.



- Provide a '**Flow Name**' (i.e. *carcreateorder_name*), ensure that '**Start from Scratch**' is selected, and click '**Create**'.

Info

This flow will interact with external database using API to create a car order.

Create Flow

Flow Name

Method

Start from ...

AI Agent Sc...

AI Agent Liv...

AI Agent Ful...

NodeTestVa...

LogisticsPar...

- In the next menu, select '**AI Agent**' under '**Integrations**'.

Integrations

AI Agent

Webex CC Task

- '**Configure AI Agent Event**' is displayed. Under '**Provide sample Json**' provide the variables that will be passed from the Webex AI Agent. For a new car order, use the following:

```
{
  "model": "",
  "color": "",
  "engine": "",
  "customer": ""
}
```

- Click '**Parse**' and '**Save**'.

Configure AI Agent Event

Help

Configuration

Transition Actions (Optional)

Data Stream (Optional)

<

Trigger from AI Agent to initiate flow

End Point URL ⓘ

https://hooks.us.webexconnect.io/flows

PROVIDE SAMPLE JSON ⓘ

1 {

2 "model": "",

3 "color": "",

4 "engine": "",

5 "customer": "",

6 }

OUTPUT VARIABLES ⓘ

PARSED VARIABLES(4)

color:

engine:

model:

customer:

Parse

☐ Conditions

Flow will invoke only when these conditions are met


Start

Node ID: 2

Cancel

Save

- Drag the '**HTTP Request**' node from the left-hand side menu, place it next to the '**AI Agent**' node, and connect them by clicking and holding the green dot on the '**AI Agent**' node and dragging it to the '**HTTP Request**' node.



- Double click on the '**HTTP Request**' node and fill the fields as follows:

Field name	Value
Method	PUT
Endpoint URL	https://68085a3f942707d722ddf6a8.mockapi.io/api/cars
Header	Content-Type
Value	application/json
Output Variable Name (click '+Add Variable')	orderid
Response Entity	Body
Response Path	\$.orderid

For '**Body**' section use:

```
{
  "color": "${n2.aiAgent.color}",
  "engine": "${n2.aiAgent.engine}",
  "model": "${n2.aiAgent.model}",
  "customer": "${n2.aiAgent.customer}"
}
```

- Click '**Save**'.

HTTP Request

[Help](#)

Configuration Transition Actions (Optional)


Make GET, POST, PUT, PATCH and DELETE requests to your application

Method	Endpoint URL		
PUT	https://68085a3f942707d722ddf6a8.mockapi.io/api/cars		
Header	Value		
Content-Type	application/json		
+ Add Another Header			
Body			
<pre>{ "color": "\${n2.aiAgent.color}", "engine": "\${n2.aiAgent.engine}", "model": "\${n2.aiAgent.model}", "customer": "\${n2.aiAgent.customer}" }</pre>			
Connection Timeout ⓘ	Request Timeout ⓘ		
	e.g., 1000 ms		e.g., 1000 ms
Proxy Address (Optional) ⓘ			
e.g., 192.128.19.243:80			
Output Variables			
☒ JSON ☐ XML Import From Sample			
Output Variable Name ⓘ	Response Entity	Response Path ⓘ	
orderid	Body	\$.orderid	
+ Add Variable			

HTTP Request
Node ID: 3

[Test](#)
[Cancel](#)
[Save](#)

- Configure 'HTTP Request' node outcomes by dragging the orange, green, and red outcome dots to empty space on the canvas and selecting appropriate outcomes (e.g., 'onTimeout' - Error, 'onSuccess' - Success, 'onError' - Error).



End


Configuration **Transition Actions (Optional)**

Map node events and flow results to end the flow

Node Event	Flow Result
onTimeout	102 - Flow completed with an error [Error]

End
Node ID: 4

Cancel **Save**



- Next, click **'Flow Settings'** (gear icon), navigate to **'Flow Outcomes'**, and expand **'Last Execution Status'** outcome.
- Click **'Add New'**, use 'orderid' under **'Key'** and '\$(n3.orderid)' under **'Value'**.
- Click **'Save'**.

Flow Settings

General Custom Logs **Flow Outcomes** Custom Variables

OUTCOME STATUS CODE DESCRIPTION NOTIFY

▼ Last Executed All status codes Last executed n Enabled

Notification Settings

☒ Notify AI Agent ☐ Custom

Define key-value pairs to be sent to the AI Agent.

☒ Enter key and value ☐ Enter JSON


KEY	VALUE
transactionID	\$(transid)
flowname	\$(flowname)
serviceName	\$(serviceName)
statuscode	1000
orderid	\$(n3.orderid)

+ Add New

Flow id: 59121

Cancel Save

- Make the flow live by clicking '**Make Live**' (top right corner) and then clicking '**Make Live**' again in the next dialog box.



1.4.3 Section 2 - Configure AI Agent Car Order Action

- Navigate back to the AI Agent Studio and to your Autonomous Webex AI Agent.
- Select '**Actions**' and click '**New Action**'.

AI agent configuration Ready to preview Publish

Add actions to connect your agent with external systems, or link a knowledge base to help it answer questions.

Profile Knowledge **Actions** Language

[? What is an action?](#) + New action

- Provide an '**Action Name**' (use *carordercreate*).
- Provide the following '**Action description**':

Submit a car order when the customer chooses a model and all other customization options.
Provide orderid after a successful order.

- Under '**Action scope**', select '**Slot filling and fulfillment**'.

General information

Action name *

carordercreate

Action description * ⓘ

Submit a car order when customer choses model and all other customization options.
Provide orderid after successful order.

Action scope *

Slot filling and fulfillment

- Select the service you created in the previous task under '**Select service**' and the flow created above under '**Select a flow**'.

Webex Connect Flow Builder Fulfillment

Determine how to handle customer requests or resolve issues.

[Learn more about Webex Connect Flow Builder for fulfillment](#)

Select service *

carorderservice_andy

Select a flow *

carordercreate

- Click 'New input entity'.

Slot filling

Add input entities in a table or define input parameters in JSON for slot filling to ensure the AI agent gathers all necessary information.

Input entities </> Use JSON instead ⓘ

+ New input entity

Entity Name	Type	Value	Description	Example	Required	Controls

- Add four entities for the Webex AI Agent to pass to the Webex Connect flow with the following parameters:

Entity name	Entity type	Entity description	Entity examples	Required
model	String	Car model that the customer chose	NovaTerra	Yes
color	String	Car color that the customer chose	Ruby Red	Yes
engine	String	Engine type that the customer chose	gas, electric	Yes
customer	String	Customer's name	Jack, Nick	Yes

Add a new input entity

Specify the details to collect from customers for more accurate AI responses

Entity name * ⓘ

color

Entity type

String

Entity description *

Car color that the customer chose

Entity examples ⓘ

Ruby Red

+ Add

Required *

☒ Yes

☐ No

Cancel Add

Slot filling

Add input entities in a table or define input parameters in JSON for slot filling to ensure the AI agent gathers all necessary information.

Input entities ↗ Use JSON instead ⓘ

+ New input entity


Entity Name	Type	Value	Description	Example	Required	Controls
color	string	-	Car color that the customer chose	Ruby Red	Yes	
customer	string	-	Customer's name	Jack, Nick	Yes	
engine	string	-	Engine type that the customer chose	gas, electric	Yes	
model	string	-	Car model that the customer chose	NovaTerra	Yes	

- Click 'Add' and **Publish** the changes.


Cancel Add

1.4.4 Section 3 - Test Webex AI Agent


- Let's test the logic by creating a new car order by going back to AI Agent Studio and selecting the Autonomous AI Agent created in exercise 1.
- Click 'Preview' and Verify the functionality by creating a car order.




- For guidance the screenshot provides an example of how an order is created.
- First, the user expressed the intent to buy a new car.
- As per its instructions, the AI agent requested car details like the model, engine type, and color.
- When a detail was missed, the agent was able to ask the user to provide the missing parameter to complete the order.
- Once it received all the necessary information, it successfully created the order and provided the order details.



- In your case, you will see that the agent is not able to provide the order ID. Specifically asking the agent for the order ID was not helpful either.



- To begin, verify the session details to confirm the agent's actions by going into the Agent and Sessions Section.



- Choose the latest Session ID.
- Note that the fulfillment was successful, and information was provided to the Connect Flow for order execution.

Session ID: c6bb3648-c69b-47a2-bb3f-30bbb9b33bc7
 Consumer ID: cb9e1481-6795-4732-9695-2054b8d7ef75 Total Messages: 16 Last updated at: Aug 15 '25 8:47 AM

Search

8:46:11 AM, Aug 15, 2025

Txn ID: 0350c722c0594ecea14a67e886101920

Swiftura

8:46:20 AM, Aug 15, 2025

Performing action "carordercreate"

Your order for a Crimson Red Swiftura sports car with a hybrid engine is being processed. If you need further assistance, please let me know. Thank you for your business and goodbye.

8:46:23 AM, Aug 15, 2025

Txn ID: d25dde30f0fe402fb4c7a6075ef3239e

Can i get my order ID

8:47:13 AM, Aug 15, 2025

I'm sorry, but I do not have an order ID available for your Swiftura car order at this time. If you need further assistance or have other questions, please let me know. Thank you for your business and goodbye.

8:47:15 AM, Aug 15, 2025

model: Swiftura

- Required: true
- Entity Type: string
- Entity description: Car model that the customer chose

Fulfillment: Success (0.9s)

Service and flow info:

- Service: Webexone_carorderservice_Anuj
- Flow: CarOrderAnuj

Fulfillment output:

- Transaction ID: 21debbf5-b390-4b76-b2c1-81291459b6c3
- Size: 161
- Output:


```

1 {
2   "flowname": "CarOrderAnuj",
3   "orderid": "",
4   "serviceName":
5     "Webexone_carorderservice_Anuj",
6   "statusCode": "1000",
7   "transactionID": "21debbf5-b390-4b76-b2c1-81291459b6c3"
8 }

```

Successful Fulfillment sent to Flow for order execution

- Next, let's examine the Connect Flow debugs to see how the information was executed.
- To access these, navigate to Control Hub > Contact Center Quick Links > Webex Connect, and then select the Connect service you created.

Quick Links

- Contact Center Suite
 - Desktop
 - Analyzer
 - Create new flow
 - Webex Contact Center Management Portal
 - Topic Analytics
 - Webex AI Agent
- Digital Channels
 - Webex Connect**
 - Webex Engage
 - Manage proactive chats

Services

Create workspaces for your business cases or customer journeys. You can create unlimited

Search Services

Service metrics shown below are for last 30 days

Webexone_carorderservice_Anuj

0 7 0

- Within the service, select your created Flow and click the Debug option on the right side. The Transaction Logs window will open.

Dashboard

Flows

Rules

API

Flow Builder

Flow builder is a visual designer with a library of nodes that you can drag and drop to create and test interactive customer journeys with little to no code.

[Check out our guide to building flows here.](#)

If you've got more questions after reading through it, just ask. We're always here to help.

Create Flow

Search Flows

Sort By Newest

Flow execution data shown below is for last 30 days

Trigger	Flow	Status	State	Exe
	CarOrderAnuj Flow Id:67269	Live		7

Configure AI Agent Event

HTTP Request

End (onTim...)

End (onSuc...)

End (onErr...)

- First, click Decrypt Logs to convert the logs into text, then select the latest transaction.

TRANSACTION LOGS

onBegin

DECRYPT LOGS

HELP

SEARCH

Aug 15th, 2025 00:00:00 to Aug 15th, 2025 23:59

Transaction ID

SEARCH

TIME STAMP	TRANSACTION ID	INVOKED BY	TIME TAKEN (HH:mm:ss.SSS)	LAST NODE
15-08-2025T13:46:22.467+01:00	21debbf5-b390-4b76-b2c1-81291459b6c3	Invoked by API	00:00:00.285	End - Success
15-08-2025T13:38:17.548+01:00	68bd8840-2c72-421f-97ea-88a5ab9f569b	Invoked by API	00:00:00.301	End - Success

- You will see three nodes being executed.
- The "Configure AI Agent Event" payload is constructed and passed to the "HTTP Request Node."

TRANSACTION LOGS 21debbf5-b390-4b76-b2c1-81291459b6c3 X

Trans ID : 21debbf5-b390-4b76-b2c1-81291459b6c3

NODE ID	↑↓	NODE	↑↓	OUTCOME	↑↓	TIME TAKEN(HH:mm:ss.
2		Configure AI Agent Event		onBegin		00 : 00 : 00 . 000



Node Trans ID : 0b6ee3ec-e120-4de4-8401-d6d80e074a0e

Transaction Details

Transaction details for AI Agent event is available for a maximum of 7 days.

Payload :

```
{
  "color": "Crimson Red",
  "engine": "Hybrid",
  "model": "Swiftura"
}
```

Timestamp : 15-08-2025T13:46:22.000+01:00

- In the HTTP Request Node, you'll see the request data was constructed and the API was executed. However, the response data shows a status of 400 Bad Request, indicating the request was not processed due to an invalid request.

TRANSACTION LOGS							21debbf5-b390-4b76-b2c1-81291459b6c3	×
Trans ID : 21debbf5-b390-4b76-b2c1-81291459b6c3							Time	
NODE ID	↑↓	NODE	↑↓	OUTCOME	↑↓	TIME TAKEN(HH:mm:ss.SSS)		
2		Configure AI Agent Event		onBegin		00 : 00 : 00 . 000		
3		HTTP Request		oncomplete		00 : 00 : 00 . 283		



Transaction Details

Request Times : 15-08-2025T13:46:22.184+01:00

tamp

Request URL : https://68085a3f942707d722ddf6a8.mockapi.io/api/cars

Request Data :

```
{
  "url": "https://68085a3f942707d722ddf6a8.mockapi.io/api/cars",
  "method": "PUT",
  "headers": {
    "x-wx-gtrid": "de4912f0-30be-5daa-b99c-06882a4e9161",
    "Content-Type": "application/json"
  },
  "payload": "{\n  \"color\": \"Crimson Red\",\n  \"engine\": \"Hybrid\",\n  \"model\": \"Swiftura\",\n  \"customer\": \"\"\n}"
}
```


Request Executed via PUT

Response Data :


```
{
  "headers": "{Server: \"Heroku\", \"Nel: \"{report_to: \"heroku-nel\", \"response_headers: \"Via\", \"max_age: 3600, \"success_fraction: 0.01, \"failure_fraction: 0.1\", \"Access-Control-Allow-Origin: \"\", \"Access-Control-Allow-Methods: \"GET,PUT,P\nAug 2025 13:46:22 GMT\", \"Via: 1.1 heroku-router\", \"Content-Type: \"applic\n\n\", \"X-Powered-By: \"Express\"}",
  "body": "{ \"msg\": \"Invalid request\" }",
  "status": 400
}
```

Failure

- The issue lies in the method selected to create the record. PUT is generally used for updating or replacing existing content, but for creating a new record, the correct method is POST.
- To correct this, select the Edit option in the flow. Then double click on the HTTP Request Node and change the Method from PUT to POST.




- Save the flow and make it Live.
- Create a car order again from Preview chat, and the execution should now be successful with AI agent returning an Order ID.



- You can also access the datastore where these orders are stored and updated by entering the following URL into your browser:

Car Orders



```

68085a3f942707d722ddf6a8.mockapi.io/api/cars
Pretty-print
[{"model":"Thundra","color":"Ruby Red","engine":"Electric","orderid":"57677203","customer":"Mary","id":"1"},
{"model":"Swiftura","color":"Midnight Blue","engine":"Hybrid","orderid":"62611630","customer":"Jack","id":"2"},
{"model":"Thundra","color":"Ruby Red","engine":"Electric","orderid":"86693981","customer":"Andy","id":"3"},
{"model":"TerraX","color":"Forest Green","engine":"Hybrid","orderid":"31945514","customer":"Pete","id":"4"},
{"model":"Terra X","color":"Forest Green","engine":"hybrid","orderid":"63029108","customer":"Andrew","id":"5"},
{"model":"SkyLux","color":"Graphite Gray","engine":"hybrid","orderid":"24686568","customer":"John Doe","id":"6"},
{"model":"Swiftura","color":"Forest Green","engine":"Electric","orderid":"20439008","customer":"Anu","id":"7"},
{"model":"Farlaga","color":"Titanium Silver","engine":"hybrid","orderid":"23221398","customer":"Mike Smith","id":"8"},
{"model":"Thundra","color":"Ruby Red","engine":"Electric","orderid":"93260967","customer":"John Doe","id":"9"},
{"model":"","color":"","engine":"","orderid":"73787990","customer":"","id":"10"},{"model":"Thundra","color":"Graphite Gray","engine":"electric","orderid":"67066324","customer":"James","id":"12"},{"model":"SkyLux","color":"Graphite Gray","engine":"hybrid","orderid":"88784600","customer":"James","id":"13"},{"model":"SkyLux","color":"Graphite Gray","engine":"hybrid","orderid":"44341301","customer":"James","id":"14"},
{"model":"Audi","color":"black","engine":"gas","orderid":"08615194","customer":"Anuj","id":"15"},
{"model":"EcoPulse","color":"black","engine":"gas","orderid":"74649364","customer":"Anuj","id":"16"},
{"model":"Thundra","color":"Carbon Black","engine":"electric","orderid":"99783164","customer":"Anuj","id":"17"},
{"model":"Velocis","color":"Red","engine":"gas","orderid":"07437491","customer":"Anuj","id":"18"},
{"model":"Quantara","color":"Solar Yellow","engine":"electric","orderid":"14687046","customer":"Anuj","id":"19"},
{"model":"Urbana","color":"Jet Black","engine":"gas","orderid":"43974363","customer":"","id":"20"},
{"model":"Quantara","color":"Stormy Black","engine":"electric","orderid":"23974356","customer":"","id":"21"},
{"model":"Swiftura","color":"Pearl White","engine":"electric","orderid":"40533256","customer":"Rita","id":"22"},
{"model":"Swiftura","color":"Midnight Blue","engine":"Electric","orderid":"88453191","customer":"DK Singh","id":"23"}]

```

Congratulations! - You have successfully completed this task and the lab! If you'd like, you can also explore Bonus exercise 5 to dive and see how the orders can be modified.

1.5 Lab 3 - Create and Test Voice Flows for Webex AI Agents

Please use the following credentials to connect to Control Hub and configure Webex Contact Center:

Control Hub URL	https://admin.webex.com
Username	labuser ID @wx1.wbx.ai (where ID is your assigned pod number; this ID will be provided by your proctor)
Password	webexONE1!

1.5.1 Objective

This lab exercise aims to guide participants in creating and configuring a voice flow for an Autonomous Webex AI Agent that was set up in a previous exercise. Participants will then interact with the AI Agent via a phone call to test the voice flow.

This exercise will also provide an opportunity to experience the AI Assistant feature of the contact center by highlighting the virtual agent's conversation summary when the call is escalated to a live agent

1.5.2 Section 1 - Voice flow configuration

- Navigate to the Control Hub and log in using the credentials provided above.
- After logging in to the Control Hub, navigate to the '**Flows**' menu on the-left hand side.
- Click '**Manage Flows**' and select '**Create Flows**'.

The screenshot shows the 'Flows' management page in the Webex Control Hub. The left sidebar has a 'Contact Center' section with 'Flows' highlighted. The main content area has tabs for 'Flows', 'Subflows', and 'Global Variables'. Below the tabs is a search bar and a filter dropdown set to 'All'. A table lists 8 flows. A 'Manage Flows' button is in the top right, with a dropdown menu showing 'Import Flows' and 'Create Flows'.

Flow	Description	Status	Last edited by	Last modified
ai_agent_autono...	To learn how to config...	D...	admwxccciscoliv...	April 30, 2025
ai_agent_autono...	To learn how to config...	D...	admwxccciscoliv...	April 30, 2025 11...
testvariable		D...	admwxccciscoliv...	April 30, 2025 11...
HelloWorld_Tem...	To learn how to config...	P...	admwxccciscoliv...	April 23, 2025 0...
ai_agent_autono...	To learn how to config...	P...	labuser1@wxccc...	May 01, 2025 16:...
ai_agent_autono...	To learn how to config...	P...	admwxccciscoliv...	April 30, 2025 11...
ai_agent_autono...	To learn how to config...	P...	admwxccciscoliv...	April 30, 2025 11...

- When prompted to '**Choose a method**', select '**Flow Templates**'.

Create a new flow

Create a new...

Flow

Subflow

Choose a method:


Start Fresh
Create a new flow without predefined settings.


Flow Templates
Select and customize a flow template from our library.


Import
Import and build upon your existing flow with this option.

- Choose '**AI Agent Autonomous (Package Tracking)**', click '**Next**', provide a flow name (e.g., '*ai_agent_autonomous_andy*'), and click '**Create Flow**'.

Create a new flow

Choose a template Name & Configure

Choose a template

Browse our collection of customizable flow templates to find the perfect fit for your needs.
[Learn more.](#)

AI Agent Autonomous (Package Tracking)
by Cisco

This flow utilizes an **autonomous** AI agent to manage voice interactions related to package tracking. The flow provides an option to escalate to human agents when necessary or on AI Agen...

[View Details](#)

Back

Next

Create a new flow

Choose a template Name & Configure

Name & Configure

Template 'AI Agent Autonomous (Package Tracking)' selected. Name and configure your Flow.

Flow Name

Flow Name must be unique with no spaces. It can only contain alphanumerics and underscores.

Back

Create Flow


- Once the flow loads, click on the **'VirtualAgentV2'** node and select the Webex AI Agent (created in **Exercise 1**) under **'Virtual Agent'**.

The screenshot shows the 'ai_agent_autonomous_andy1' flow in 'Draft' mode. The 'Main Flow' tab is active. The 'VirtualAgentV2' node is selected, and its configuration panel is open on the right. The 'Conversational Experience' section is expanded, showing the 'Contact Center AI Config' dropdown set to 'Webex AI Agent (Autonomous)' and the 'Virtual Agent' dropdown set to 'caragent_andy(caragent_andy-guxtoab8)'. The flow diagram on the left shows a 'NewPhoneCo...' event node connected to the 'VirtualAgentV2' node, which then connects to a 'QueueContact...' node, and finally to a 'PlayMessage...' node.

- Click on the **'QueueContact'** node and select **'WebexOne_AIQueue_N'** (where 'N' is your lab user number).

The screenshot shows the same flow, but now the 'QueueContact' node is selected, and its configuration panel is open on the right. The 'Contact Handling' section is expanded, showing the 'Queue' dropdown set to 'AIQueue1'. The flow diagram on the left shows the 'VirtualAgentV2' node connected to the 'QueueContact' node, which then connects to the 'PlayMessage...' node.


- Click on an empty space in the flow, then on the right-hand side, navigate to **'Global Variables'**. Click on **'Global_VoiceName'**, select edit option (pencil icon), use 'en-US-Jess' for **'Default Value'**, and click **'Save'**.



Note

Instead of Jess as the voice, you can choose different voice options like `en-US-Maria` and `en-US-Henry`. Supported voice languages for AI agents can be checked via [Supported Languages and Voices for AI agents](https://help.webex.com/en-us/article/pdef2d/Supported-languages-and-voices-for-AI-agents).

- Turn Flow Validation **'On'** by clicking the **'Validation'** button at the bottom of the page to publish the flow. Once validation is complete, click **'Publish Flow'** and then **'Publish Flow'** again in the next dialog box (**Latest** version label is selected automatically).



- Navigate to **'Channels'** menu in the Webex Contact Center configuration.
- Open **'WebexOne_AI_EntryPoint_N'** (where **'N'** is your lab user number), associate your created flow under **'Routing Flow'** (note down the **'Support Number'** associated with this channel - it will be needed later in this lab for testing), and click **'Save'**.

CUSTOMER EXPERIENCE

Channels

Queues

Business Hours

Audio Files

Flows

AI Agents

Call Recording Sc

Functions

Surveys

WebexOne_AI_EntryPoint_2	AI_EP_2	Inbound Telephony
WebexOne_AI_EntryPoint_3	AI_EP_3	Inbound Telephony
WebexOne_AI_EntryPoint_4	AI_EP_4	Inbound Telephony
WebexOne_AI_EntryPoint_5	AI_EP_5	Inbound Telephony

AIChannel1

Entry Point Settings

Service Level Threshold ⓘ *

60

Seconds

Timezone (Business Hours only) *

America/New_York

Routing Flow

ai_agent_autonomous_andy1

Version Label

Latest

Music on Hold

defaultmusic_on_hold.wav

Support Number

Your customers will use these numbers to reach your Contact Center. You can pick more than one number from the list of numbers available and already set up in Webex Calling services.

Number	Webex Calling location	Support Number	PSTN Region	Actions
1	357c9a4a-4be5-41f5-b273-4b77adc8ca09	+13503051030	Default	

Cancel

Save

1.5.3 Section 2 - Verifying Voice Flow, Agent Handover and AI Assistant Summary

- Log in to the Webex Contact Center Agent Desktop:
- For the phone number, select '**Desktop**'
- For the team use **WebexOne_Team_N** (where '**N**' is your lab user number)'.

Station Credentials

Select your telephony option ⓘ

☐ Dial Number ☐ Extension ☒ Desktop

Desktop allows to receive inbound calls and make outdial calls through the internet.

ⓘ When working outside the corporate location, make sure to update your current address in the Emergency service. [See help section.](#)

Team

WebexOne_Team_1 × ▾

☐ Remember My Credentials

Cancel Submit

- Call the channel number (from the steps above), interact with the Webex AI Agent and order the car and get the order ID.
- When you interact with the AI agent, you might notice a couple of issues.
- First, the bot may not be able to answer. This could be due to the agent's AI engine. If you notice this issue, you can change the AI engine to Webex AI Pro-Us 1.0 in the configured AI Agent Profile and test the call again.

AI agent configuration Published

Add actions to connect your agent with external systems, or link a knowledge base to help it answer questions.

Profile
Knowledge
Actions
Language

Agent name *
Anuj_WebexOne_Car

System ID *
Anuj_WebexOne_Car-8pGzpqCi

Agent's goal * ⓘ
Answer Support Questions


Instructions ⓘ
Be polite, as the client is important.
Answer the question in no more than 50 words.
Thank the user for their business and say goodbye.

URL for agent profile image *
https://studio.aiagent-us1.cisco.com/static/assets/img/...

AI engine *
Webex AI Pro 1.0
Ideal for most contact center use cases with global language support and human-like interactions.

Welcome message *
Hi there, how can I help you?

- Second you may notice that the Agent may quickly conclude the call without taking an order or completing the transaction.
- This is likely related to the termination delay setting, which may be set for too small a window.
- To fix this, follow these steps:
- In the Flow section of the voice flow you created, select the VirtualAgentV2 node.



- Under Advanced Settings, you'll see the timeout is set to 15 seconds.

State Event **Advanced Settings**

Termination Delay ⓘ

15

seconds

Speaking Rate ⓘ

1.0

Enter a static value or expression that resolves to a number between 0.25 and 4.0. If typing an expression, use this syntax: {{ variable }}

- Increase this timeout to 30 seconds and publish the flow.

 Note

Detailed instructions on how to edit and republish flows have not been provided intentionally, as these steps were performed earlier in the lab.

- Retest the flow by calling in again and place a successful order.

Congratulations! - You have completed this task and the lab!

1.6 Exercise 4 - Explore Webex AI Assistant Feature

Please use the following credentials to connect to Control Hub and configure Webex Contact Center:

Control Hub URL	https://admin.webex.com
Username	labuser ID @wx1.wbx.ai (where ID is your assigned pod number; this ID will be provided by your proctor)
Password	webexONE1!

1.6.1 Objective


This lab's objective is to provide participants with a basic understanding of the AI Assistant feature in the Webex Contact Center and demonstrate how it enhances the live agent experience.

Building on previous labs that showcased how Webex AI Agents assist customers with inquiries and actionable tasks, this lab will focus on the AI Assistant's role when a customer's call is escalated to a live agent. You will explore, configure, and test the following AI capabilities:


- **AI Agent Transfer Summaries** : See how the AI provides a summary of the conversation when a virtual agent transfers a call to a human agent, giving the agent full context.
- **Call Drop Summaries** : Learn how the AI generates a summary for a new agent if a customer's call is disconnected and they call back, ensuring they don't have to repeat themselves.
- **Real-time Transcriptions** : Experience how this feature provides a live, real-time transcription of the conversation for agents , improving clarity and customer satisfaction.

1.6.2 Section 1: AI Agent Transfer Summary


- To achieve this objective, we must first ensure that the all the summary and transcripts feature is enabled for the tenant.
- To check this, Log in to https://admin.webex.com with the provided credentials.
- In Control Hub, under Services, click on Contact Center. Then, under Contact Center navigation pane on the left side, scroll down to DESKTOP EXPERIENCE section and click on Cisco AI Assistant.




- Ensure that the **"Call Drop Summary"** , **"Virtual Agent Transfer Summary"** & **"Real Time Transcripts"** toggle is enabled.



- The next step is to configure the AI Assistant widget for agent use.
- To accomplish this, the agent's desktop layout must include the "ai-assistant" JSON string in the Agent > Advanced Header section
- You can review this in Control Hub by navigating to **"Desktop Layouts"** within the **"Desktop Experience"** section of the Contact Center services.



- Search and Open the layout **Wx1_Desktop_AI_Assistant** and download the file **Wx1_Desktop_AI_Assistant.json**.



- Review the file in a text editor.
- In the **Agent > Advanced Header** section , you should see the verbiage highlighted in this screenshot

```

{
  "agent": {
    "version": "0.1.0",
    "appTitle": "Webex Contact Center",
    "logo": "",
    "stopNavigateOnAcceptTask": false,
    "dragDropEnabled": false,
    "notificationTimer": 8,
    "maximumNotificationCount": 3,
    "browserNotificationTimer": 8,
    "wxmConfigured": false,
    "desktopChatApp": {
      "webexConfigured": false
    },
    "area": {
      "advancedHeader": [
        {
          "comp": "digital-outbound",
          "script": "https://wc.imiengage.io/AIC/engage_aic.js",
          "attributes": {
            "darkmode": "$STORE.app.darkMode",
            "accessToken": "$STORE.auth.accessToken",
            "orgId": "$STORE.agent.orgId",
            "dataCenter": "$STORE.app.datacenter",
            "emailCount": "$STORE.agent.channels.emailCount",
            "socialCount": "$STORE.agent.channels.socialCount"
          }
        },
        {
          "comp": "ai-assistant"
        }
      ]
    }
  }
}

```

- To have a desktop layout reflected for agents, it must be mapped to their teams.
- From User Management section of Control Hub, select Teams and search for your team **WebexOne_Team_num** you want to update.

USER MANAGEMENT

Sites

Skill Definitions

Skill Profiles

Teams

User Profiles

Contact Center Users

- In the Desktop Layout field of the team setting, ensure that the layout **Wx1_Desktop_AI_Assistant** is selected and saved.

Team settings

Team type *

☐ Capacity Based

☒ Agent Based

Skill profile

Select

▼

Select if this team will support skills-based routing with assigned skills in flows. [How does this work?](#) 

Multimedia profile

Default_Multimedia_Profile

▼

Desktop layout

Wx1_Desktop_AI_Assistant

▼

Agents

webex1wccuser+1@gmail.com 

Type here

▼

1 Agents

 [Clear All](#)

- Now, log in to the Agent Desktop using the provided credentials.
- URL: `https://desktop.wxcc-us1.cisco.com/`
- Username: `Contact the lab proctor if information is unavailable.`
- Password: `Contact the lab proctor if information is unavailable.`
- Please select **Desktop** as the telephony option and set the Team as **WebexOne_Team_num**

Station Credentials

Select your telephony option ⓘ

☐ Dial Number ☐ Extension ☒ Desktop

Desktop allows to receive inbound calls and make outdial calls through the internet.

ⓘ When working outside the corporate location, make sure to update your current address in the Emergency service. [See help section.](#)

Team

WebexOne_Team_1




☐ Remember My Credentials

Cancel

Submit

- This will load the layout as configured above.
- You will notice the AI Assistant and its capabilities loaded.



Hi admin admin. Here's how I can help you.

🔗 Call drop summary

See a summary of the conversation before the call dropped, so you can avoid repeat questions and solve issues faster.



🔗 AI agent transfer summary

When you take a call transferred by an AI agent, see a summary of the customer's query, transfer reason, and actions so far.

🔗 Live transcript

See a transcript of your call as it happens, so you never miss a detail.


- Ensure the agent is set to the "**Available**" state.
- Using your cell phone, call the same number as in previous exercise.
- After speaking briefly with the AI agent, you can escalate the call to a live agent by saying, **I want to speak to an agent**.
- Switch the agent to '**Available**' state on the Webex Contact Center Agent Desktop and accept the call.
- Observe the AI Assistant summary of your conversation with the agent and all the interactions with the AI agent in the IVR transcripts section.




- Have a brief conversation with the agent, ensure it's not more than **10 or 15** seconds long, and end the call from the cell phone.

1.6.3 Section 2: Call Drop Summary

- Now, if another call is made that is escalated and presented to an agent, you might expect a call drop summary to appear when the agent accepts the call.
- Let's make a call and observe the behavior.
- You will notice that the summary is not generated when the call is presented to the agent and they answer it.



- This time, continue the conversation with the agent for more than **40 seconds**, then end the call from the caller's end.
- Now, when you call back and the agent accepts the call, the call drop summary will be generated.



- The reason this works is that the call has met the following criteria:
- Recording for these calls is enabled.
- The callback to the contact center is within a 24-hour window.
- The callback came from the same phone number (ANI) as the original call.
- The call was longer than 30 seconds.
- More details can be reviewed in this section Frequently Asked Questions (FAQs)

1.6.4 Section 3: Real Time Transcription

- Real-time transcriptions feature allows agents to access real-time conversation with the caller on their Agent Desktop, enabling them to follow conversations more accurately and respond effectively.
- While completing the "Call Drop Summary" exercise, you may have noticed that transcripts were not visible for the calls, even though the option was enabled in Control Hub along with the "Call Drop Summary" feature.

Generated summaries

Streamline agent collaboration and ensure smoother customer experiences with AI-generated call summaries.

[How does this work?](#)

☒

Call Drop Summary

☒

Virtual Agent Transfer Summary

Real-time Transcriptions

Boost efficiency with accurate real-time transcriptions of customer interactions.

[How does this work?](#)

☒

Real-time transcriptions

For queues that require transcriptions, add media forking activity in Flow Designer. [Manage flows](#)

- This is because, in addition to the tenant-level settings, a **"Media Stream"** activity must be triggered directly after the agent answers the call.
- This can be achieved in a flow in one of two ways:
 - Enable media stream for all queues in the flow.
 - Enable media stream for specific queues in the flow.
- For this exercise, we will proceed by enabling media stream for all queues in the flow as we have only one queue.
- In Control Hub go to the Flows menu on the left-hand side.

CUSTOMER EXPERIENCE

Channels

Queues

Business Hours

Audio Files

Flows


AI Agents

Call Recording Schedules


Functions

Surveys

- Search for and select the voice flow you created for the AI Agent exercise.
- On the event flow canvas, click the Edit option.



- Add a Start Media Stream activity node directly after the AgentAnswered event. Make sure the activity is connected to the End Flow Node.



- Validate and Publish the flow. This will enable real-time transcription for every call routed through this flow.

The screenshot shows the 'Validation Details' panel on the left, indicating 'Flow Errors: 0' and 'Recommendations: 2'. The main panel shows the 'MS Dynamics' queue configuration. Below the configuration, there are three buttons: 'Flow Errors: 0', 'Autosave', and 'Validation: On' (which is highlighted with a green box). To the right of the 'Validation: On' button is a 'Publish Flow' button, which is pointed to by a red arrow.

Validation Details

Flow Errors: 0

Flow has no errors and can be published

Recommendations: 2

1. Add descriptions for activities
2. Ensure that all flow paths terminate. Event Flows are not required, however any flow paths connected to Event Handlers must terminate. Use multiple terminating activities as needed to keep the canvas organized.

MS Dynamics

Select a single queue used for all interactions in this branch of the flow. If the queue supports Skills Based Routing, additional configurations appear below.

☐ **Set Contact Priority**

Enable this feature if contacts in this path of the flow should be prioritized over other contacts in the queue. If this is enabled for some but not all contacts, there is a risk that those without an assigned priority will never move to the top of the queue.

☐ **Check Agent Availability**

Enable this feature if teams with no available agents should be excluded from routing as time in queue progresses. A Queue's Call Distribution Group(s) may be skipped to find an agent sooner.

☒ **Flow Errors: 0** ☒ **Autosave** ☒ **Validation: On** **Publish Flow**

- Now, let's test the transcription feature
- Ensure your agent is logged in and set to available.
- Make a call and after the interaction with the AI agent, escalate the call to your agent.
- Accept the call and observe the conversation being converted into real-time transcripts in the Transcripts gadget.

The screenshot shows the 'Live Transcript' interface. At the top, there are three tabs: 'IVR Transcript', 'Contact History', and 'Live Transcript' (which is selected and highlighted with a blue box). Below the tabs, the title 'Live Transcript' is displayed. The main area shows a chat conversation between a Customer and an Agent (You). The chat history is as follows:

You started a chat with Customer. 09/18/2025 11:51 AM

Customer 11:51 AM
Hi.

You 11:51 AM
How I, how are you?

Customer 11:51 AM
How are you how are you doing? How are you doing? I'm doing great. Great. Good. Good.

You 11:51 AM
I'm doing great.

- If your business requires enabling real-time streaming for specific queues only, you can follow the instructions in the provided document at [Enabling media streaming for specific queues](#)

1.7 Results

Congratulations, In this lab, you learned how the AI Assistant enhances the live agent experience. By providing AI Agent Transfer Summaries and Call Drop Summaries, the assistant gives agents instant context. Paired with Real-time Transcriptions, these features ensure agents are always well-informed, leading to more efficient and satisfying customer interactions.

1.8 Conclusion

Congratulations on completing the Autonomous AI agent lab! You've successfully learned how an AI Assistant can significantly enhance the live agent experience. By providing an AI Agent Transfer Summary and a Call Drop Summary, the assistant gives agents instant context, allowing them to quickly understand the customer's needs. When combined with real-time transcriptions, these features ensure agents are always well-informed, leading to more efficient and satisfying customer interactions.

You have also successfully completed the exercise of enhancing the AI bot to fulfill actions! This is a huge step in building a more capable and autonomous agent.

2. How to use this guide

2.1 Setting up and using the tool

2.1.1 Initial Setup

This lab guide template uses MKDocs to take your markdown documentation and transform it into an interactive web based lab guide. You will need to install some software on your PC or Mac in order to take full advantage of the tool which will allow you to view your changes as you save them and ensure that your formatting is exactly how you want it.

Prerequisite Software to Install

1. Python
 2. Visual Studio Code
 3. Git
-

Setting up your lab guide on your computer

CLONE YOUR REPOSITORY WITH GIT

Open Visual Studio Code



Click the Source Control button in the left menu

Click Clone Repository


Enter the repository source: `{{config.extra.repo}}` 

Select or create a new folder to clone the repository into.

BUILD THE ENVIRONMENT

When prompted to open the cloned repository, select open.

Drag open the terminal at the bottom of the Visual Studio Code window



If you are on a PC

If you are on a Mac

In your terminal enter the following commands:

```
python -m venv venv
```

```
Set-ExecutionPolicy -ExecutionPolicy RemoteSigned -Scope CurrentUser
```

```
venv\Scripts\activate.ps1
```

```
pip install -r requirements.txt
```

```
mkdocs serve
```

Open a browser to <http://127.0.0.1:8000>

In your terminal enter the following commands:

```
python -m venv venv
```

```
source venv/bin/activate
```

```
pip install -r requirements.txt
```

```
mkdocs serve
```

Open a browser to <http://127.0.0.1:8000>

2.1.2 Using the tool after the initial setup

After the initial setup you will only need to take the following steps:

Open Visual Studio Code



Click the Source Control button in the left menu

Click Open Folder and navigate to the folder where you cloned the repository

If you are on a PC

If you are on a Mac

In your terminal enter the following commands:

```
venv\Scripts\activate.ps1
```

```
mkdocs serve
```

Open a browser to **http://127.0.0.1:8000**

In your terminal enter the following commands:

```
source venv/bin/activate
```

```
mkdocs serve
```

Open a browser to **http://127.0.0.1:8000**

2.1.3 Publishing Your Changes

As you progress with the creation of your lab guide, you should sync your changes periodically to GitHub.

Syncing your changes to GitHub

Make sure that you have saved all of the files you want to sync up to the repository



Click the Source Control button in the left menu

Click the plus sign next to each file you want to sync as you hover over the file names or alternatively, click the plus sign next to changes

Enter a note about the changes you are making in the message text box

Click the down chevron on the commit button to reveal more options

Select Commit & Sync

AFTER YOU SYNC YOUR CHANGES, IT WILL TAKE A FEW MINUTES FOR GITHUB ACTIONS TO BUILD THE WEBSITE SO THAT YOU CAN VIEW ALL OF THE CHANGES YOU MADE.

2.2 Styling and Advanced Features

2.2.1 Markdown and Other References

MK DOCS FEATURE REFERENCE:

<https://squidfunk.github.io/mkdocs-material/reference/>

MARKDOWN CHEAT SHEETS:

<https://www.markdownguide.org/cheat-sheet/>

<https://github.com/lifeparticle/Markdown-Cheatsheet>

2.2.2 Custom Features

Adding a Copy Button Without a Code Block

This will copy the following text: `<copy>Text to copy</copy>`

This will copy the following text: Text to copy 

Adding user specific variables into your lab guide

There may be times in which you want to embed some attendee specific information into the instructions of your lab guide, like credentials or phone numbers, which will be used on multiple pages of your lab guide. You can gather the information via a form or you can pass a pre-encoded JSON string as a URL parameter to populate the variable values into the browser's session storage. Then you can use a simple HTML tag with a special class name to update the values in the lab guide. This feature can be combined with the copy button method above.

FORM METHOD

Show me the code

```
<form id="info">

<label for="Admin">Admin Login:</label>
<input type="text" id="Admin" name="Admin"><br>

<label for="PW">Admin Password:</label>
<input type="text" id="PW" name="PW"><br>

<label for="EP">Inbound Channel Name:</label>
<input type="text" id="EP" name="EP"><br>

<label for="DN">Inbound Channel Phone Number:</label>
<input type="text" id="DN" name="DN"><br>

<label for="Queue">Queue 1 Name:</label>
<input type="text" id="Queue" name="Queue"><br>

<label for="Queue2">Queue 2 Name:</label>
<input type="text" id="Queue2" name="Queue2"><br>

<label for="Team">Team 1 Name:</label>
<input type="text" id="Team" name="Team"><br>

<label for="Team2">Team 2 Name:</label>
<input type="text" id="Team2" name="Team2"><br>
<br>
<button onclick="setValues()">Update Lab Guide</button>
</form>
```

Example Input Form

Admin Login:

Admin Password:

Inbound Channel Name:

Inbound Channel Phone Number:

Queue 1 Name:

Queue 2 Name:

Team 1 Name:

Team 2 Name:

Update Lab GuideLogin: Provided by proctor Password: Provided by proctor Assigned Inbound Channel Name: Provided by proctor Assigned Inbound Channel Number: Provided by proctor Assigned Queue Name 1: Provided by proctor Assigned Queue Name 2: Provided by proctor Assigned Team name 1: Provided by proctor Assigned Team name 2: Provided by proctor **URL METHOD**

If you have a lot of attendee variables in your lab, you may choose to precompile and encode them so that you can simply provide a URL link which will load all of their required information.

To see this in action, add this string at the end of the URL for any page on this site: ?

```
eyJmZG1pbiI6ImFkbWluQHh5ei5iaXoiLCJQVWYiOiInNVcGVyU2VjcmV0MTIzISIsIkVQIjoiRVAxIiwieRE4iOiIrMTkxMDU1NTEyMTUyIiwuUXVldWUiOiJRdWV1ZTEiLCJRdWV1ZTIiOiJRdWV1ZTIiLCJUZWFtIjoiVGZhbnRlcjUZWFTMiI6IlRlYW0yIn0=
```



2.2.3 Custom Admonitions

In addition to the **stock admonitions** which are available out of the box we have added some additional branded admonitions which were created by Bobby McGonigle.

**Blank**

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla et euismod nulla. Curabitur feugiat, tortor non consequat finibus, justo purus auctor massa, nec semper lorem quam in massa.

```
console.log('Hello Blank!')
```

**Vidcast**

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla et euismod nulla. Curabitur feugiat, tortor non consequat finibus, justo purus auctor massa, nec semper lorem quam in massa.

```
console.log('Hello Vidcast!')
```

**Download**

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla et euismod nulla. Curabitur feugiat, tortor non consequat finibus, justo purus auctor massa, nec semper lorem quam in massa.

```
console.log('Hello Download!')
```

**CeDeploy**

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla et euismod nulla. Curabitur feugiat, tortor non consequat finibus, justo purus auctor massa, nec semper lorem quam in massa.

```
console.log('Hello Ce-Deploy!')
```

**Webex**

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla et euismod nulla. Curabitur feugiat, tortor non consequat finibus, justo purus auctor massa, nec semper lorem quam in massa.

```
console.log('Hello Webex!')
```

**Gif**

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla et euismod nulla. Curabitur feugiat, tortor non consequat finibus, justo purus auctor massa, nec semper lorem quam in massa.

```
console.log('How should I pronounce Gif?')
```

 Important

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla et euismod nulla. Curabitur feugiat, tortor non consequat finibus, justo purus auctor massa, nec semper lorem quam in massa.

```
console.log('Hello Important!')
```

 Challenge

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla et euismod nulla. Curabitur feugiat, tortor non consequat finibus, justo purus auctor massa, nec semper lorem quam in massa.

```
console.log('Hello Challenge!')
```

 Tool

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla et euismod nulla. Curabitur feugiat, tortor non consequat finibus, justo purus auctor massa, nec semper lorem quam in massa.

```
console.log('Hello Tool!')
```

 Curious

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla et euismod nulla. Curabitur feugiat, tortor non consequat finibus, justo purus auctor massa, nec semper lorem quam in massa.

```
console.log('Hello Curious!')
```